Myriam Labalette

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3125549/publications.pdf

Version: 2024-02-01

80 papers 2,402 citations

172386 29 h-index 223716 46 g-index

87 all docs

87 docs citations

87 times ranked

4008 citing authors

#	Article	lF	CITATIONS
1	Protein-losing Enteropathy as a Complication and/or Differential Diagnosis of Common Variable Immunodeficiency. Journal of Clinical Immunology, 2022, 42, 1461-1472.	2.0	2
2	Simple gene signature to assess murine fibroblast polarization. Scientific Reports, 2022, 12, .	1.6	6
3	Monitoring <scp>CAR</scp> Tâ€cells using flow cytometry. Cytometry Part B - Clinical Cytometry, 2021, 100, 218-224.	0.7	45
4	Impact of Tacrolimus Daily Dose Limitation in Renal Transplant Recipients Expressing CYP3A5: A Retrospective Study. Journal of Personalized Medicine, 2021, 11, 1002.	1.1	0
5	Assessment of T-cell polarization onÂthe basis of surface marker expression: Diagnosis and potential therapeutic implications in lymphocytic variant hypereosinophilic syndrome. Journal of Allergy and Clinical Immunology: in Practice, 2020, 8, 1110-1114.e2.	2.0	7
6	Compatibility at amino acid position 98 of MICB reduces the incidence of graft-versus-host disease in conjunction with the CMV status. Bone Marrow Transplantation, 2020, 55, 1367-1378.	1.3	9
7	Classical pathway activity C3c, C4 and C1-inhibitor protein reference intervals determination in EDTA plasma. Biochemia Medica, 2019, 29, 559-569.	1.2	1
8	Reply to Gilchrist et al. and to Musher. Clinical Infectious Diseases, 2018, 66, 637-638.	2.9	1
9	Altered B lymphocyte homeostasis and functions in systemic sclerosis. Autoimmunity Reviews, 2018, 17, 244-255.	2.5	58
10	A standardized flow cytometry procedure for the monitoring of regulatory T cells in clinical trials. Cytometry Part B - Clinical Cytometry, 2018, 94, 777-782.	0.7	29
11	Proinflammatory B-cell profile in the early phases of MS predicts an active disease. Neurology: Neuroimmunology and NeuroInflammation, 2018, 5, e431.	3.1	29
12	Immunoglobulin G (IgG) and IgG subclass reference intervals in children, using Optilite \hat{A}^{\circledast} reagents. Clinical Chemistry and Laboratory Medicine, 2018, 56, 1319-1327.	1.4	8
13	HLAâ€DRB3/4/5 mismatches are associated with increased risk of acute GVHD in 10/10 matched unrelated donor hematopoietic cell transplantation. American Journal of Hematology, 2018, 93, 994-1001.	2.0	11
14	Role of B cells in the pathogenesis of systemic sclerosis. Revue De Medecine Interne, 2017, 38, 113-124.	0.6	37
15	Diagnosis of primary antibody and complement deficiencies in young adults after a first invasive bacterial infection. Clinical Microbiology and Infection, 2017, 23, 576.e1-576.e5.	2.8	25
16	Specific Polysaccharide Antibody Deficiency Revealed by Severe Bacterial Infections in Adulthood: A Report on 11 Cases. Clinical Infectious Diseases, 2017, 65, 328-331.	2.9	15
17	Trough Levels and Antibodies to Ustekinumab are not Correlated to Response to Ustekinumab Treatment in Crohn's Disease Patients. Gastroenterology, 2017, 152, S388.	0.6	2
18	An avoidable cause of thymoglobulin anaphylaxis. Allergy, Asthma and Clinical Immunology, 2017, 13, 13.	0.9	9

#	Article	lF	CITATIONS
19	B Cell Homeostasis and Functional Properties Are Altered in an Hypochlorous Acid-Induced Murine Model of Systemic Sclerosis. Frontiers in Immunology, 2017, 8, 53.	2.2	14
20	Value of the Overall Pneumococcal Polysaccharide Response in the Diagnosis of Primary Humoral Immunodeficiencies. Frontiers in Immunology, 2017, 8, 1862.	2.2	26
21	Matching for the nonconventional MHC-I MICA gene significantly reduces the incidence of acute and chronic GVHD. Blood, 2016, 128, 1979-1986.	0.6	66
22	Risk factors and outcome of graft failure after HLA matched and mismatched unrelated donor hematopoietic stem cell transplantation: a study on behalf of SFGM-TC and SFHI. Bone Marrow Transplantation, 2016, 51, 687-691.	1.3	55
23	Donor caveolin 1 (CAV1) genetic polymorphism influences graft function after renal transplantation. Fibrogenesis and Tissue Repair, 2015, 8, 8.	3.4	10
24	CD3-CD4+ lymphoid variant of hypereosinophilic syndrome: nodal and extranodal histopathological and immunophenotypic features of a peripheral indolent clonal T-cell lymphoproliferative disorder. Haematologica, 2015, 100, 1086-95.	1.7	37
25	Suggestive evidence of a role of HLA-DRB4 mismatches in the outcome of allogeneic hematopoietic stem cell transplantation with HLA-10/10-matched unrelated donors: a French–Swiss retrospective study. Bone Marrow Transplantation, 2015, 50, 1316-1320.	1.3	18
26	Interferon-Î ³ Release Assay vs. Tuberculin Skin Test for Tuberculosis Screening in Exposed Healthcare Workers: A Longitudinal Multicenter Comparative Study. Infection Control and Hospital Epidemiology, 2015, 36, 569-574.	1.0	10
27	A Low Effective Dose of Interleukin-7 Is Sufficient to Maintain Cord Blood T Cells Alive without Potentiating Allo-Immune Responses. Biology of Blood and Marrow Transplantation, 2015, 21, 625-631.	2.0	2
28	The novel <i><scp>HLA</scp>â€B*39:93</i> allele was identified by sequenceâ€based typing in a French family. Tissue Antigens, 2015, 85, 144-145.	1.0	0
29	Impact of rabbit ATG-containing myeloablative conditioning regimens on the outcome of patients undergoing unrelated single-unit cord blood transplantation for hematological malignancies. Bone Marrow Transplantation, 2015, 50, 45-50.	1.3	47
30	Donor-derived CD4+/CCR7+ T-cell partial selective depletion does not alter acquired anti-infective immunity. Bone Marrow Transplantation, 2014, 49, 611-615.	1.3	6
31	NaÃ⁻ve subset develops the most important alloreactive response among human <scp>CD</scp> 4 ⁺ <scp>T</scp> lymphocytes in Human Leukocyte Antigenâ€identical related setting. European Journal of Haematology, 2014, 92, 491-496.	1.1	39
32	Bâ€cell subpopulations in children: National reference values. Immunity, Inflammation and Disease, 2014, 2, 131-140.	1.3	58
33	The Lymphoid Variant of Hypereosinophilic Syndrome. Medicine (United States), 2014, 93, 255-266.	0.4	98
34	Beneficial Metabolic Effects of Rapamycin Are Associated with Enhanced Regulatory Cells in Diet-Induced Obese Mice. PLoS ONE, 2014, 9, e92684.	1.1	51
35	Defect in recruiting effector memory CD8+T-cells in malignant pleural effusions compared to normal pleural fluid. BMC Cancer, 2013, 13, 324.	1.1	37
36	Novel <i><scp>HLA</scp> *07:314</i> allele identified by sequenceâ€based typing in a French lymphoblastic leukemia patient. Tissue Antigens, 2013, 82, 439-440.	1.0	3

#	Article	IF	Citations
37	Effect of In Vitro and In Vivo Anakinra on Cytokines Production in Schnitzler Syndrome. PLoS ONE, 2013, 8, e59327.	1.1	31
38	Posttransplant Major Histocompatibility Complex Class I Chain-Related Gene A Antibodies and Long-Term Graft Outcomes in a Multicenter Cohort of 779 Kidney Transplant Recipients. Transplantation, 2012, 93, 1258-1264.	0.5	32
39	The Number of B Cell Epitopes Recognized as a Possible Tool to Improve the Predictive Value of DSA Detected by Flow Beads Assays for Acute Rejection and Graft Loss. Transplantation, 2012, 94, 179.	0.5	O
40	Three-year outcome of isolated glomerulitis on 3-month protocol biopsies of donor HLA antibody negative patients. Transplant International, 2012, 25, 663-670.	0.8	9
41	HLA-DRB4 Mismatch Is Associated with Worse Outcomes in Unrelated Allogeneic Hematopoietic Stem Cell Transplantation for Hematological Malignancies. Blood, 2012, 120, 4540-4540.	0.6	1
42	Low Dose Interleukin-7 Supplementation Increases Intrinsic Cord Blood T Cell Survival without Enhancing Proliferative Alloresponses. Blood, 2012, 120, 4353-4353.	0.6	0
43	Influence of Cytochrome P450 3A5 (CYP3A5) Genetic Polymorphism on the Pharmacokinetics of the Prolonged-Release, Once-Daily Formulation of Tacrolimus in Stable Renal Transplant Recipients. Clinical Pharmacokinetics, 2011, 50, 451-459.	1.6	41
44	CYP3A5 and ABCB1 polymorphisms in donor and recipient: impact on Tacrolimus dose requirements and clinical outcome after renal transplantation. Nephrology Dialysis Transplantation, 2011, 26, 3046-3050.	0.4	73
45	Development and Evaluation of a Simulation Procedure to Take Into Account Various Assays for the Bayesian Dose Adjustment of Tacrolimus. Therapeutic Drug Monitoring, 2011, 33, 171-177.	1.0	18
46	Plasma levels of IL-7 and IL-15 after reduced intensity conditioned allo-SCT and relationship to acute GVHD. Bone Marrow Transplantation, 2011, 46, 1374-1381.	1.3	42
47	Plasma levels of IL-7 and IL-15 in the first month after myeloablative BMT are predictive biomarkers of both acute GVHD and relapse. Bone Marrow Transplantation, 2010, 45, 1546-1552.	1.3	90
48	Immune Reactions Following Reduced-Intensity Allogeneic Stem Cell Transplantation (Allo-CST): Role of Plasma IL-7 and IL-15 Levels, and Their Receptors. Blood, 2010, 116, 1251-1251.	0.6	0
49	Immune Reconstitution following Myeloablative Allogeneic Hematopoietic Stem Cell Transplantation: The Impact of Expanding CD28negative CD8+ T Cells on Relapse. Biology of Blood and Marrow Transplantation, 2009, 15, 496-504.	2.0	13
50	Long-Term Kinetics of a T-Lymphocytes Subset in Kidney Transplant Recipients: Relationship With Posttransplant Malignancies. Transplantation Proceedings, 2009, 41, 3323-3325.	0.3	13
51	Multi-site Analytical Evaluation of the Abbott ARCHITECT Tacrolimus Assay. Therapeutic Drug Monitoring, 2009, 31, 198-204.	1.0	83
52	Cytokine concentrations in exhaled breath condensates in systemic sclerosis. Inflammation Research, 2008, 57, 151-156.	1.6	31
53	Using Human CD20-Transfected Murine Lymphomatous B Cells to Evaluate the Efficacy of Intravitreal and Intracerebral Rituximab Injections in Mice., 2008, 49, 4738.		42
54	Peripheral blood natural killer cell count is associated with clinical outcome in patients with aalPl 2–3 diffuse large B-cell lymphoma. Annals of Oncology, 2007, 18, 1209-1215.	0.6	86

#	Article	IF	CITATIONS
55	Comparative analysis of naÃ⁻ve and memory CD4+ and CD8+ T-cell subsets in bone marrow and G-CSF–mobilized peripheral blood stem cell allografts: impact of donor characteristics. Experimental Hematology, 2007, 35, 861-871.	0.2	16
56	Alloimmunisation to Donor Antigens and Immune Rejection Following Foetal Neural Grafts to the Brain in Patients with Huntington's Disease. PLoS ONE, 2007, 2, e166.	1,1	104
57	Proportions of T-Cell CD8+ Subsets Lacking CD28 Expression at Day 30 after Myeloablative Allogeneic Stem Cell Transplantation Are Predictive for Relapse and Chronic GVHD Blood, 2007, 110, 2979-2979.	0.6	0
58	54 Immune profile of peripheral and pleural fluid T cells in alignant mesothelioma and pleural metastasis of adenocarcinoma. Lung Cancer, 2006, 54, S14.	0.9	0
59	Assessment of the Risk of Chronic Allograft Dysfunction after Renal Transplantation in a Randomized Cyclosporine Withdrawal Trial. Transplantation, 2006, 82, 657-662.	0.5	28
60	A high proportion of donor CD4+ T cells expressing the lymph node-homing chemokine receptor CCR7 increases incidence and severity of acute graft-versus-host disease in patients undergoing allogeneic stem cell transplantation for hematological malignancy. Leukemia, 2006, 20, 1557-1565.	3.3	52
61	Accumulation of memory T cells from childhood to old age: Central and effector memory cells in CD4+ versus effector memory and terminally differentiated memory cells in CD8+ compartment. Mechanisms of Ageing and Development, 2006, 127, 274-281.	2.2	294
62	Predictive Factors of Acute Rejection after Early Cyclosporine Withdrawal in Renal Transplant Recipients Who Receive Mycophenolate Mofetil: Results from a Prospective, Randomized Trial. Journal of the American Society of Nephrology: JASN, 2005, 16, 2509-2516.	3.0	66
63	Acute respiratory distress syndrome and severe acute respiratory syndrome: circulating interleukin 4Âlevel could be a marker. Médecine Et Maladies Infectieuses, 2004, 34, 328-330.	5.1	1
64	Improvement in long-term graft survival in cadaveric renal transplant recipients treated with mycophenolate mofetil. Transplant International, 2004, 17, 525-530.	0.8	2
65	Highly Focused Clonal Composition of CD8+ CD28neg T Cellsin Aqueous Humor of Fuchs Heterochromic Cyclitis. Experimental Eye Research, 2002, 75, 317-325.	1.2	21
66	Prolongation of Cardiac Allograft Survival by Selective Injection of Donor Liver Leukocytes in Non-Immunosuppressed Rats. European Surgical Research, 2000, 32, 274-278.	0.6	5
67	Pentoxifylline Prevents Upregulation of Monocyte Tissue Factor in Renal Transplant Recipients Undergoing Post-graft Complications. Thrombosis and Haemostasis, 2000, 84, 764-769.	1.8	9
68	IMMUNOMODULATORY EFFECT OF PENTOXIFYLLINE DURING HUMAN ALLOGRAFT REJECTION. Transplantation, 2000, 69, 1102-1107.	0.5	28
69	Peripheral human CD8+CD28+T lymphocytes give rise to CD28–progeny, but IL-4 prevents loss of CD28 expression. International Immunology, 1999, 11, 1327-1336.	1.8	45
70	IMPROVEMENT IN THE OUTCOME OF REJECTION WITH PENTOXIFYLLINE IN RENAL TRANSPLANTATION. Transplantation, 1998, 65, 385-389.	0.5	9
71	Liver allograft tolerance: Do donor thymus-independent T cells play a role? Preliminary results in a nude rat model. Transplantation Proceedings, 1997, 29, 2177-2178.	0.3	3
72	Switching conventional cyclosporine treatment to microemulsion formulation in patients who need three divided doses. Transplantation Proceedings, 1997, 29, 2448-2449.	0.3	0

#	Article	IF	CITATIONS
73	Pregnancy after liver transplantation: Focusing on risks to the mother. Transplantation Proceedings, 1997, 29, 2470-2471.	0.3	32
74	Cellules dendritiques et synthà se des IgE. Revue Francaise D'allergologie Et D'immunologie Clinique, 1997, 37, 261-268.	0.1	1
75	POEMS syndrome: report on six patients with unusual clinical signs, elevated levels of cytokines, macrophage involvement and chromosomal aberrations of bone marrow plasma cells. Leukemia, 1997, 11, 1318-1323.	3.3	52
76	RECALL RESPONSE TO CYTOMEGALOVIRUS IN ALLOGRAFT RECIPIENTS. Transplantation, 1997, 63, 693-698.	0.5	40
77	Treatment of severe Crohn's disease with anti-CD4 monoclonal antibody. Alimentary Pharmacology and Therapeutics, 1996, 10, 721-727.	1.9	34
78	IMPLICATION OF CYCLOSPORINE IN UP-REGULATION OF Bcl-2 EXPRESSION AND MAINTENANCE OF CD8 LYMPHOCYTOSIS IN CYTOMEGALOVIRUS-INFECTED ALLOGRAFT RECIPIENTS. Transplantation, 1995, 59, 1714-1723.	0.5	24
79	Characterization, quantification, and localization of passenger T lymphocytes and NK cells in human liver before transplantation. Transplant International, 1995, 8, 273-279.	0.8	25
80	Commutation isotypique vers l'IgE : une séquence ordonnée de contacts intercellulaires et de cytokines appropriA©es dirige le switch. Revue Francaise D'allergologie Et D'immunologie Clinique, 1995, 35, 554-564.	0.1	1