

Daniel L Reger

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3125923/publications.pdf>

Version: 2024-02-01

167
papers

6,402
citations

50170

46
h-index

98622

67
g-index

171
all docs

171
docs citations

171
times ranked

3954
citing authors

#	ARTICLE	IF	CITATIONS
1	Syntheses of tris(pyrazolyl)methane ligands and {[tris(pyrazolyl)methane]Mn(CO)3}SO3CF3 complexes: comparison of ligand donor properties. <i>Journal of Organometallic Chemistry</i> , 2000, 607, 120-128.	0.8	300
2	Control of the Stereochemical Impact of the Lone Pair in Lead(II) Tris(pyrazolyl)methane Complexes. Improved Preparation of Na{B[3,5-(CF3)2C6H3]4}. <i>Inorganic Chemistry</i> , 2001, 40, 3810-3814.	1.9	147
3	Tris(Pyrazolyl)Methane Ligands: The Neutral Analogs of Tris(Pyrazolyl)Borate Ligands. <i>Comments on Inorganic Chemistry</i> , 1999, 21, 1-28.	3.0	130
4	Supramolecular Structural Variations with Changes in Anion and Solvent in Silver(I) Complexes of a Semirigid, Bitopic Tris(pyrazolyl)methane Ligand. <i>Inorganic Chemistry</i> , 2004, 43, 537-554.	1.9	125
5	A Synthetic, Structural, Magnetic, and Spectral Study of Several {Fe[tris(pyrazolyl)methane]2}(BF4)2 Complexes: A Observation of an Unusual Spin-State Crossover. <i>Inorganic Chemistry</i> , 2001, 40, 1508-1520.	1.9	120
6	Supramolecular Structures of Cadmium(II) Coordination Polymers: A New Class of Ligands Formed by Linking Tripodal Tris(pyrazolyl)methane Units. <i>Inorganic Chemistry</i> , 2001, 40, 6212-6219.	1.9	112
7	Poly (pyrazolyl)borate complexes of gallium and indium. <i>Coordination Chemistry Reviews</i> , 1996, 147, 571-595.	9.5	110
8	Silver(I) Complexes of Fixed, Polytopic Bis(pyrazolyl)methane Ligands: Influence of Ligand Geometry on the Formation of Discrete Metallacycles and Coordination Polymers. <i>Inorganic Chemistry</i> , 2006, 45, 10077-10087.	1.9	108
9	Control of structure in lead(II) complexes using poly(pyrazolyl)borate ligands. Stereochemically inactive lone pair in octahedral [HB(3,5-Me2pz)3]2Pb (pz = pyrazolyl ring). <i>Journal of the American Chemical Society</i> , 1992, 114, 579-584.	6.6	97
10	Polymorphism in Fe[(p-IC6H4)B(3-Mepz)3]2(pz = Pyrazolyl): Impact of Supramolecular Structure on an Iron(II) Electronic Spin-State Crossover. <i>Inorganic Chemistry</i> , 2005, 44, 1852-1866.	1.9	96
11	Highly Organized Structures and Unusual Magnetic Properties of Paddlewheel Copper(II) Carboxylate Dimers Containing the π - π Stacking, 1,8-Naphthalimide Synthons. <i>Inorganic Chemistry</i> , 2009, 48, 8911-8924.	1.9	94
12	Silver complexes of 1,1,2,3-tetrakis(pyrazol-1-yl)propane: the quadruple pyrazolyl embrace as a supramolecular synthon. Electronic supplementary information (ESI) available: two possible representations of the coordination sphere about Ag(2a) in 2-CH3CN. See http://www.rsc.org/suppdata/dt/b3/b301635h/ . <i>Dalton Transactions</i> , 2003, , 1712-1718.	1.6	91
13	Impact of Variations in Design of Flexible Bitopic Bis(pyrazolyl)methane Ligands and Counterions on the Structures of Silver(I) Complexes: Dominance of Cyclic Dimeric Architecture. <i>Inorganic Chemistry</i> , 2004, 43, 6609-6619.	1.9	90
14	Copper(II) Carboxylate Dimers Prepared from Ligands Designed to Form a Robust π - π Stacking Synthons: Supramolecular Structures and Molecular Properties. <i>Inorganic Chemistry</i> , 2012, 51, 1068-1083.	1.9	89
15	Synthesis and Characterization of Cationic [Tris(pyrazolyl)methane]copper(I) Carbonyl and Acetonitrile Complexes. <i>Organometallics</i> , 1996, 15, 2029-2032.	1.1	88
16	Variable-Temperature X-ray Structural Investigation of {Fe[HC(3,5-Me2pz)3]2}(BF4)2(pz = Pyrazolyl) Tj ETQq0 0 0 rgBT /Overlock 10 Tf	1.9	81
17	Spin-Low Spin Mixture, Concomitant with the Onset of Nonmerohedral Twinning. <i>Inorganic Chemistry</i> , 2001, 40, 2870-2874.	1.9	81
18	Solid-State ⁶⁷ Zn NMR Spectroscopy in Bioinorganic Chemistry. Spectra of Four- and Six-Coordinate Zinc Pyrazolylborate Complexes Obtained by Management of Proton Relaxation Rates with a Paramagnetic Dopant. <i>Journal of the American Chemical Society</i> , 2002, 124, 5850-5860.	6.6	79
18	Formation of Third Generation Poly(pyrazolyl)borate Ligands from Alkyne Coupling Reactions of Fe[(p-IC6H4)B(3-Rpz)3]2 (R = H, Me; pz = Pyrazolyl): Pathways toward Controlling an Iron(II) Electronic Spin-State Crossover. <i>Journal of the American Chemical Society</i> , 2005, 127, 2303-2316.	6.6	79

#	ARTICLE	IF	CITATIONS
19	Structure-Function Correlations in Iron(II) Tris(pyrazolyl)borate Spin-State Crossover Complexes. <i>Inorganic Chemistry</i> , 2006, 45, 8862-8875.	1.9	77
20	Homochiral, Helical Supramolecular Metal-Organic Frameworks Organized by Strong π - π Stacking Interactions: Single-Crystal to Single-Crystal Transformations in Closely Packed Solids. <i>Inorganic Chemistry</i> , 2011, 50, 686-704.	1.9	77
21	Dinuclear Complexes Containing Linear $M\mu\text{-}F\mu\text{-}M$ [M = Mn(II), Fe(II), Co(II), Ni(II), Cu(II), Zn(II), Cd(II)] Bridges: Trends in Structures, Antiferromagnetic Superexchange Interactions, and Spectroscopic Properties. <i>Inorganic Chemistry</i> , 2012, 51, 11820-11836.	1.9	71
22	Synthesis of Open and Closed Metallacages Using Novel Tripodal Ligands: An Unusually Stable Silver(I) Inclusion Compound. <i>Inorganic Chemistry</i> , 2003, 42, 8137-8139.	1.9	69
23	Structural Impact of Infinite Water Chains on the Self-Assembly of an Inorganic-Metal-Organic Architecture. <i>Crystal Growth and Design</i> , 2006, 6, 1068-1070.	1.4	68
24	Spin Crossover in Pyrazolylborate and Pyrazolylmethane Complexes. <i>Topics in Current Chemistry</i> , 0, , 91-122.	4.0	67
25	Structurally adaptive multitopic ligands containing tris(pyrazolyl)methane units as supramolecular synthons: manganese carbonyl complexes. <i>Journal of Organometallic Chemistry</i> , 2003, 666, 87-101.	0.8	63
26	Poly(pyrazolyl)borate complexes of tin(II). Crystal and molecular structures of $[H_2B(pz)_2]SnCl$ and $[B(pz)_4]_2Sn$ (pz = pyrazolyl ring). <i>Inorganic Chemistry</i> , 1991, 30, 1754-1759.	1.9	61
27	Supramolecular Architecture of a Silver(I) Coordination Polymer Supported by a New Ligand Containing Four Tris(pyrazolyl)methane Units. <i>Inorganic Chemistry</i> , 2001, 40, 6545-6546.	1.9	61
28	Synthesis and Structural Characterization of a Bitopic Ferrocenyl-Linked Bis(pyrazolyl)methane Ligand and Its Silver(I) Coordination Polymers. <i>Organometallics</i> , 2003, 22, 4973-4983.	1.1	61
29	Syntheses of Cationic, Six-Coordinate Cadmium(II) Complexes Containing Tris(pyrazolyl)methane Ligands. Influence of Charge on Cadmium-113 NMR Chemical Shifts. <i>Inorganic Chemistry</i> , 1996, 35, 4904-4909.	1.9	60
30	Bitopic Phenylene-Linked Bis(pyrazolyl)methane Ligands: Preparation and Supramolecular Structures of Hetero- and Homobimetallic Complexes Incorporating Organoplatinum(II) and Tricarbonylrhenium(I) Centers. <i>Organometallics</i> , 2005, 24, 1544-1555.	1.1	58
31	Influences of Changes in Multitopic Tris(pyrazolyl)methane Ligand Topology on Silver(I) Supramolecular Structures. <i>Inorganic Chemistry</i> , 2003, 42, 3751-3764.	1.9	57
32	Syntheses and Characterization of Cationic (Tris(pyrazolyl)methane)silver(I) Complexes. Solid-State Structures of $[HC(3,5\text{-Me}_2pz)_3]_2Ag\{O_3SCF_3\}$, $[HC(3\text{-Butpz})_3]Ag\{O_3SCF_3\}$, and $[HC(3\text{-Butpz})_3]Ag\{CNBut\}\{O_3SCF_3\}$. <i>Organometallics</i> , 1997, 16, 349-353.	1.1	56
33	Metallacycles of Iron, Zinc, and Cadmium Assembled by Polytopic Bis(pyrazolyl)methane Ligands and Fluoride Abstraction from BF_4^- . <i>Inorganic Chemistry</i> , 2006, 45, 10088-10097.	1.9	56
34	Solid-State Structural and Magnetic Investigations of $\{M[HC(3,5\text{-Me}_2pz)_3]_2\}(BF_4)_2$ (M = Fe, Co, Ni, Cu): Observation of a Thermally Induced Solid-State Phase Change Controlling an Iron(II) Spin-State Crossover. <i>Inorganic Chemistry</i> , 2002, 41, 4453-4460.	1.9	55
35	Syntheses, structures, ^{113}Cd solution NMR chemical shifts, and investigations of fluxional processes of bis[poly(pyrazolyl)borato]cadmium complexes. <i>Inorganic Chemistry</i> , 1993, 32, 5216-5222.	1.9	54
36	Stabilization of Lithium Borohydride with Nitrogen Donor, Chelating Ligands. Syntheses and Solid State Structures of $[HC(3,5\text{-Me}_2pz)_3]Li(\text{1-3-BH}_4)$, $\{[H_2C(3,5\text{-Me}_2pz)_2]Li(\text{1/4-1-3-BH}_4)\}_2$, and $\{[4,4\text{-Me}_2bipy]Li(\text{1/4-1-3-BH}_4)\}_2$ (pz = pyrazolyl, bipy = bipyridyl). <i>Inorganic Chemistry</i> , 1997, 36, 6266-6269.	1.9	54

#	ARTICLE	IF	CITATIONS
37	Structural, Electronic, and Magnetic Properties of $\{Fe[HC(3,5-Me_2pz)_3]_2\}(BF_4)_2$ (pz = Pyrazolyl): Observation of Unusual Spin-Crossover Behavior. <i>Inorganic Chemistry</i> , 2000, 39, 4674-4675.	1.9	53
38	Metal Complexes of 2,6-Bis[(pyrazol-1-yl)methyl]pyridine: The Search for Aryl~Pyrazolyl Embrace Interactions as a Synthons for Crystal Engineering. <i>Crystal Growth and Design</i> , 2005, 5, 1181-1190.	1.4	52
39	Directional control of π -stacked building blocks for crystal engineering: the 1,8-naphthalimide synthon. <i>Chemical Communications</i> , 2005, , 4068.	2.2	52
40	Tuning the Coordination Geometry of Silver in Bis(pyrazolyl)alkane Complexes. <i>Inorganic Chemistry</i> , 2004, 43, 3825-3832.	1.9	51
41	A Six-Coordinate Tris(3,5-dimethyl-1-pyrazolyl)methane~Thallium(I) Complex with a Stereochemically Inactive Lone Pair: Syntheses and Solid State Structures of $\{[HC(3,5-Me_2pz)_3]_2Tl\}PF_6$ and $\{[HC(3,5-Me_2pz)_3]Tl\}PF_6$ (pz = Pyrazolyl). <i>Inorganic Chemistry</i> , 1996, 35, 1372-1376.	1.9	50
42	Syntheses of Cationic Lead(II) and Tin(II) Complexes Containing Tris(pyrazolyl)methane Ligands. Control of Stereochemistry by Variation in Ligand Substitution. <i>Inorganic Chemistry</i> , 1997, 36, 345-351.	1.9	50
43	Structures of Bifunctional Molecules Containing Two Very Different Supramolecular Synthons: Carboxylic Acid and Strong π -Stacking 1,8-Naphthalimide Ring. <i>Crystal Growth and Design</i> , 2011, 11, 4068-4079.	1.4	50
44	Supramolecular structure of $\{C_6H_2[CH_2OCH_2C(pz)_3]_4[Mn(CO)_3]_4\}(BF_4)_4$ based on tetrametallic organometallic building blocks constructed from a multitopic tris(pyrazolyl)methane ligand. <i>Dalton Transactions RSC</i> , 2002, , 476-477.	2.3	48
45	Copper(II) carboxylate tetramers formed from an enantiopure ligand containing a π -stacking supramolecular synthon: single-crystal to single-crystal enantioselective ligand exchange. <i>Chemical Communications</i> , 2011, 47, 2805.	2.2	48
46	Synthesis and investigation of a new family of alkylzirconium complexes. Crystal and molecular structure of [hydrotris(3,5-dimethylpyrazolyl)borato]-tert-butoxy[eta.2-1-(tert-butylimino)ethyl]methylzirconium(IV). <i>Organometallics</i> , 1983, 2, 1763-1769.	1.1	47
47	Synthesis of Modified Tris(pyrazolyl)methane Ligands: Backbone Functionalization: Synthesis, 2003, 2003, 0350-0356.	1.2	47
48	Tris(pyrazolyl)borate complexes of yttrium. X-ray crystal structures of $[HB(pz)_3]_2YCl(Hpz)$ and $\{[HB(pz)_3]Y(\mu-O_2CCH_3)_2\}_2$ (pz = pyrazolyl ring). <i>Inorganic Chemistry</i> , 1988, 27, 3923-3929.	1.9	46
49	Syntheses and Solid State Structures of $[HB(3,5-Me_2pz)_3]InFe(CO)_4$ and $[HB(3,5-Me_2pz)_3]InW(CO)_5$ (pz =) <i>J Chem Soc Dalton Trans</i> 1997, 1, 0784314 rg 5049-5053.	1.1	46
50	Rhenium tricarbonyl complexes of tris(pyrazolyl)methane ligands: first structural characterization of an isomer pair of tris(pyrazolyl)methane derivatives and the supramolecular structure of the homobimetallic complex $\{1,4-C_6H_4[CH_2OCH_2C(pz)_3]_2[Re(CO)_3]_2\}(Br)_2$. <i>Journal of Organometallic Chemistry</i> , 2002, 658, 50-61.	0.8	46
51	Halide and Hydroxide Linearly Bridged Bimetallic Copper(II) Complexes: Trends in Strong Antiferromagnetic Superexchange Interactions. <i>Inorganic Chemistry</i> , 2012, 51, 7966-7968.	1.9	44
52	Synthesis of the silver(I) complex of $CH_2[CH(pz_4Et)_2]_2$ containing the unprecedented $[Ag(NO_3)_4]^{3-}$ anion: A general method for the preparation of 4-(alkyl)pyrazoles. <i>New Journal of Chemistry</i> , 2003, 27, 1670-1677.	1.4	43
53	Synthesis, x-ray crystal structure, and multinuclear NMR study of the dynamic behavior of tris[dihydrobis(1-pyrazolyl)borato]yttrium(III); a molecule with three three-center, two-electron bonds. <i>Inorganic Chemistry</i> , 1988, 27, 1890-1896.	1.9	42
54	Oxidatively induced insertion and cleavage reactions of alkenyliron complexes. New routes to highly functionalized alkenes. <i>Journal of the American Chemical Society</i> , 1986, 108, 1940-1949.	6.6	41

#	ARTICLE	IF	CITATIONS
55	Syntheses and Solid State Structures of Tris(pyrazolyl)methane Complexes of Sodium, Potassium, Calcium, and Strontium: Comparison of Structures with Analogous Complexes of Lead(II). <i>Inorganic Chemistry</i> , 2002, 41, 19-27.	1.9	41
56	Synthesis, structural and spectroscopic characterization and biomimetic properties of new copper, manganese, zinc complexes: Identification of possible superoxide-dismutase mimics bearing hydroxyl radical generating/scavenging abilities. <i>Journal of Inorganic Biochemistry</i> , 2010, 104, 820-830.	1.5	41
57	Monofluoride Bridged, Binuclear Metallacycles of First Row Transition Metals Supported by Third Generation Bis(1-pyrazolyl)methane Ligands: Unusual Magnetic Properties. <i>Inorganic Chemistry</i> , 2009, 48, 10658-10669.	1.9	40
58	Mononuclear Metallacyclic Silver(I) Complexes of Third Generation Bis(1-pyrazolyl)methane Ligands. <i>Inorganic Chemistry</i> , 2009, 48, 936-945.	1.9	40
59	Zirconium(IV) poly(pyrazolyl)borate tert-butoxide derivatives. Stereochemically nonrigid six-coordinate molecules. <i>Inorganic Chemistry</i> , 1983, 22, 1064-1068.	1.9	39
60	Poly(pyrazolyl)borate derivatives of chlorotrimethyltantalum(V). Synthesis, crystal structure, and stereochemically nonrigid behavior of seven-coordinate molecules. <i>Inorganic Chemistry</i> , 1984, 23, 349-354.	1.9	39
61	Poly(pyrazolyl) borate complexes of terbium, samarium, and erbium. X-ray crystal structure of $\{[\eta\text{-}3\text{-HB}(\text{pz})_3]_2\text{Sm}(\mu\text{-O}_2\text{CPh})_2\}$ (pz = pyrazolyl ring). <i>Inorganic Chemistry</i> , 1990, 29, 416-419.	1.9	39
62	Syntheses and Cadmium-113 NMR Studies of Five-Coordinate Complexes with CdN ₅ , CdN ₃ O ₂ , and CdN ₃ S ₂ Central Cores. Solid State Structures of $[\text{HB}(3\text{-Phpz})_3]\text{Cd}[\text{H}_2\text{B}(3,5\text{-Me}_2\text{pz})_2]$ and $[\text{HB}(3,5\text{-Me}_2\text{pz})_3]\text{Cd}[\text{S}_2\text{CN}(\text{Et})_2]$ (pz = Pyrazolyl). <i>Inorganic Chemistry</i> , 1995, 34, 4996-5002.	1.9	39
63	Controlling the Addition of Metal Centers to a Bis(pyrazolyl)methane Starburst Ligand: Direct Routes to Mono-, Bi-, and Trimetallic Rhenium(I) Complexes. <i>Organometallics</i> , 2006, 25, 743-755.	1.1	39
64	1,8-Naphthalimide Synthons in Silver Coordination Chemistry: Control of Supramolecular Arrangement. <i>Crystal Growth and Design</i> , 2006, 6, 2758-2768.	1.4	39
65	Zinc Paddlewheel Dimers Containing a Strong $\pi\text{-}\pi$ Stacking Supramolecular Synthons: Designed Single-Crystal to Single-Crystal Phase Changes and Gas/Solid Guest Exchange. <i>Inorganic Chemistry</i> , 2011, 50, 11754-11764.	1.9	39
66	Mixed poly(pyrazolyl)borate-cyclopentadienyl zirconium(IV) complexes. Crystal and molecular structure of $[\text{dihydrobis}(1\text{-pyrazolyl})\text{borato}]\text{dichloro}(\text{cyclopentadienyl})\text{zirconium(IV)}$. <i>Inorganic Chemistry</i> , 1986, 25, 2046-2048.	1.9	38
67	Isomerization of the alkyl ligand in $(\text{Me}_2\text{NCS}_2)\text{Pd}(\text{PR}_3)(\text{alkyl})$ complexes. Influences of heteroatom substituents in the alkyl group on the alkyl isomerization equilibria and stability of alkylmetal complexes. <i>Organometallics</i> , 1992, 11, 4285-4292.	1.1	38
68	Structural Impact of Multitopic Third-Generation Bis(1-pyrazolyl)methane Ligands: Double, Mononuclear Metallacyclic Silver(I) Complexes. <i>Inorganic Chemistry</i> , 2010, 49, 234-242.	1.9	38
69	Synthesis of extremely stable alkylpalladium complexes of the type $(\text{Me}_2\text{NCS}_2)\text{Pd}(\text{PEt}_3)(\text{alkyl})$. Crystal and molecular structures of the isomers $[\text{cyclic}](\text{CH}_2\text{CH}_2\text{CH}_2\text{CH}_2\text{NCS}_2)\text{Pd}(\text{PEt}_3)(n\text{-propyl})$ and $[\text{cyclic}](\text{CH}_2\text{CH}_2\text{CH}_2\text{CH}_2\text{NCS}_2)\text{Pd}(\text{PEt}_3)(\text{isopropyl})$. <i>Organometallics</i> , 1991, 10, 902-906.	1.1	37
70	Indium(III) dihydrobis(pyrazolyl)borate complexes. Crystal and molecular structures of $\{[\text{H}_2\text{B}(\text{pz})_2]\text{In}(\text{CH}_3\text{Cl})_2\}$ and $[\text{H}_2\text{B}(\text{pz})_2]\text{In}(\text{CH}_3)_2$. <i>Organometallics</i> , 1990, 9, 2581-2587.	1.1	35
71	Supramolecular Metal-Organic Frameworks of s- and f-Block Metals: Impact of 1,8-Naphthalimide Functional Group. <i>Crystal Growth and Design</i> , 2016, 16, 527-536.	1.4	35
72	¹¹³ Cd Shielding Tensors of Monomeric Cadmium Compounds Containing Nitrogen Donor Atoms. 3. Syntheses, Crystal Structure, and ¹¹³ Cd NMR Spectroscopy of the Six-Coordinate Complexes $[\text{HB}(\text{pz})_3]_2\text{Cd}$, $[\text{HB}(3\text{-Phpz})_3]_2\text{Cd}$, and $[\text{B}(\text{pz})_4]\text{Cd}[\text{HB}(3\text{-Phpz})_3]$ (pz = pyrazolyl). <i>Journal of the American Chemical Society</i> , 1995, 117, 10998-11005.	6.6	34

#	ARTICLE	IF	CITATIONS
73	Syntheses and structures of mono-thiocyanate complexes of cadmium(II) and lead(II) containing bulky nitrogen based polydentate ligands. <i>Polyhedron</i> , 2002, 21, 1795-1807.	1.0	34
74	Supramolecular structures of {p-C ₆ H ₄ [CH ₂ OCH ₂ C(pz) ₃] ₂ (AgSbF ₆) ₂ } ⁿ : formation of argentamacrocycles and argentachains. <i>Dalton Transactions</i> , 2003, , 285-286.	1.6	34
75	Structural Comparisons of Silver(I) Complexes of Third-Generation Ligands Built from Tridentate (<i>o</i>-C₆H₄[CH₂OCH₂C(pz)₃])₂ versus Bidentate Poly(1-pyrazolyl)methane Units (<i>o</i>-C₆H₄[CH₂OCH₂CH(pz)₂])₂ (pz = Pyrazolyl Ring). <i>Inorganic Chemistry</i> , 2007, 46, 11345-11355.	1.9	34
76	Homochiral, helical metal-organic framework structures organized by strong, non-covalent π - π stacking interactions. <i>Chemical Communications</i> , 2009, , 6219.	2.2	34
77	Syntheses and Characterization of Copper(II) Carboxylate Dimers Formed from Enantiopure Ligands Containing a Strong π - π Stacking Synthons: Enantioselective Single-Crystal to Single-Crystal Gas/Solid-Mediated Transformations. <i>Inorganic Chemistry</i> , 2011, 50, 10225-10240.	1.9	34
78	Nucleophilic addition reactions with iron .eta.2-alkyne derivatives. Synthesis and investigation of CpFeCO(L).(eta.1-alkenyl) [L = PPh ₃ , P(OPh) ₃] complexes. <i>Organometallics</i> , 1984, 3, 134-140.	1.1	33
79	Homochiral Helical Metal-Organic Frameworks of Group 1 Metals. <i>Inorganic Chemistry</i> , 2013, 52, 10041-10051.	1.9	33
80	Synthesis of meta-C ₆ H ₄ [C(1-pyrazolyl)2(2-pyridyl)] ₂ , a fixed geometry bitopic heteroscorpionate and the crystal structure of its unusual square planar silver(I) complex. <i>Polyhedron</i> , 2004, 23, 291-299.	1.0	32
81	Multitopic third generation tris(pyrazolyl)methane ligands built on alkyne structural scaffolding: first preparation of mixed tris(pyrazolyl)methane/tris(pyrazolyl)borate ligands. <i>New Journal of Chemistry</i> , 2005, 29, 1035.	1.4	32
82	Supramolecular Architectures of Metal Complexes Controlled by a Strong π - π Stacking, 1,8-Naphthalimide Functionalized Third Generation Tris(pyrazolyl)methane Ligand. <i>Crystal Growth and Design</i> , 2010, 10, 386-393.	1.4	31
83	Framework Complexes of Group 2 Metals Organized by Homochiral Rods and π - π Stacking Forces: A Breathing Supramolecular MOF. <i>Inorganic Chemistry</i> , 2014, 53, 9932-9945.	1.9	31
84	Preparation and characterization of cyclic polyolefin copper(I) trifluoroacetate complexes. <i>Journal of Organometallic Chemistry</i> , 1976, 113, 173-185.	0.8	30
85	Alkyl group isomerization studies with unusually stable alkylmetal complexes of palladium and platinum. Secondary-primary alkyl isomerization equilibria in the absence of steric influences from ancillary ligands. <i>Organometallics</i> , 1990, 9, 873-874.	1.1	30
86	Lead(II) Complexes Containing Two Different Polydentate Ligands. Crystal and Molecular Structure of [HB(3,5-Me ₂ pz) ₃]Pb(3,5-Me ₂ pzH)3Cl (pz = Pyrazolyl Ring), a Cationic-Anionic, Double-Coordination Complex. <i>Inorganic Chemistry</i> , 1994, 33, 4226-4230.	1.9	30
87	Synthesis, x-ray crystal structure, and study of dynamic behavior of [dihydrobis(3,5-dimethyl-1-pyrazolyl)borato]chlorotrimethyltantalum(V), a molecule with a strong 3-center, 2-electron bond. <i>Journal of the American Chemical Society</i> , 1983, 105, 5343-5347.	6.6	29
88	Polypyrazolylborate complexes of yttrium and lanthanum. <i>Inorganica Chimica Acta</i> , 1987, 139, 71-73.	1.2	29
89	¹¹³ Cd Shielding Tensors of Monomeric Cadmium Compounds Containing Nitrogen Donor Atoms. 1. CP/MAS Studies on Cadmium Poly(pyrazolyl)borate Complexes Having N ₄ and N ₆ Coordination Environments. <i>Journal of the American Chemical Society</i> , 1994, 116, 10182-10187.	6.6	29
90	New N,N,N-Heteroscorpionates Based on 2,2- β -Bis(pyrazolyl)ethanamine and Its Derivatives. Ligands Designed for Probing Supramolecular Interactions. <i>Inorganic Chemistry</i> , 2006, 45, 4337-4339.	1.9	29

#	ARTICLE	IF	CITATIONS
91	Structural organization of a {ruthenium[tris(bipyridyl)] ²⁺ complex by strong π - π stacking of a tethered 1,8-naphthalimide synthon: Impact on electrochemical and spectral properties. <i>Polyhedron</i> , 2009, 28, 1469-1474.	1.0	29
92	Synthesis and structure of a zinc(II)-carboxylate trimer containing the π - π stacking, 1,8-naphthalimide synthon: A supramolecular metal-organic framework. <i>Inorganica Chimica Acta</i> , 2010, 364, 10-15.	1.2	29
93	Self-assembly of an organometallic silver(I) 1D architecture supported by three different types of bonding interactions. <i>Inorganic Chemistry Communication</i> , 2002, 5, 278-282.	1.8	28
94	Syntheses, Structural, Magnetic, and Electron Paramagnetic Resonance Studies of Monobridged Cyanide and Azide Dinuclear Copper(II) Complexes: Antiferromagnetic Superexchange Interactions. <i>Inorganic Chemistry</i> , 2015, 54, 1487-1500.	1.9	28
95	Metal Complexes of Multitopic, Third Generation Poly(pyrazolyl)methane Ligands: Multiple Coordination Arrangements. <i>European Journal of Inorganic Chemistry</i> , 2016, 2016, 2253-2271.	1.0	28
96	Indium(III) Complexes of Potentially Tridentate Poly(pyrazolyl)borate Ligands. Ionization of Molecular [HB(pz) ₃] ₂ InCl in CD ₂ Cl ₂ Solution. <i>Inorganic Chemistry</i> , 1994, 33, 1803-1810.	1.9	26
97	Homochiral Helical Metal-Organic Frameworks of Potassium. <i>Inorganic Chemistry</i> , 2012, 51, 10071-10073.	1.9	26
98	Synthesis, solid-state structure, magnetic properties and Mössbauer spectral studies of {Fe[HC(3,5-Me ₂ pz) ₃](H ₂ O) ₃ }(BF ₄) ₂ . <i>Inorganica Chimica Acta</i> , 2001, 316, 65-70.	1.2	25
99	Synthesis and Properties of Rhenium Carbonyl Complexes of π -Bis[(1-pyrenyl)pyrazol-1-yl]alkane Ligands. <i>Inorganic Chemistry</i> , 2003, 42, 7635-7643.	1.9	25
100	Tricarbonylmanganese(I) derivatives of [Di(pyrazolyl)(2-pyridyl)methyl]aryl scorpionates. <i>Journal of Organometallic Chemistry</i> , 2005, 690, 1901-1912.	0.8	25
101	Crystal Retro-Engineering: Structural Impact on Silver(I) Complexes with Changing Complexity of Tris(pyrazolyl)methane Ligands. <i>Inorganic Chemistry</i> , 2006, 45, 7758-7769.	1.9	25
102	An Unprecedented Coordination Mode of the Tris(pyrazolyl)methane Donor Set in {[Ph ₂ (O)POCH ₂ C(pz) ₃ Ag] ₂ (THF) ₂ }(BF ₄) ₂ : A μ - η^1 - η^1 Bimetallic, Nif/Nif-Chelating. <i>Inorganic Chemistry</i> , 2005, 44, 2995-2997.	1.9	24
103	A Thallium Mediated Route to η^5 -Arylalkynyl Complexes of Bipyridyltricarbonylrhenium(I). <i>Inorganic Chemistry</i> , 2007, 46, 8484-8486.	1.9	24
104	Dinuclear Metallacycles with Single μ -O(H)-M Bridges [M = Fe(II), Co(II), Ni(II), Cu(II)]: Effects of Large Bridging Angles on Structure and Antiferromagnetic Superexchange Interactions. <i>Inorganic Chemistry</i> , 2014, 53, 1975-1988.	1.9	24
105	Organometallic complexes of gallium stabilized by the dihydrobis(pyrazolyl)borate ligand. <i>Organometallics</i> , 1990, 9, 2218-2222.	1.1	23
106	Structural identification of the factors that prevent an electronic spin-state crossover in Fe[(C ₆ H ₅)B(3-Mepz) ₃] ₂ (pz=pyrazolyl ring). <i>Polyhedron</i> , 2006, 25, 2616-2622.	1.0	23
107	Homochiral, Helical Coordination Complexes of Lanthanides(III) and Mixed-Metal Lanthanides(III): Impact of the 1,8-Naphthalimide Supramolecular Tecton on Structure, Magnetic Properties, and Luminescence. <i>Crystal Growth and Design</i> , 2015, 15, 5637-5644.	1.4	23
108	A High-Pressure Iron K-Edge X-ray Absorption Spectral Study of the Spin-State Crossover in {Fe[HC(3,5-(CH ₃) ₂ pz) ₃] ₂ } ₁₂ and {Fe[HC(3,5-(CH ₃) ₂ pz) ₃] ₂ }(BF ₄) ₂ . <i>Inorganic Chemistry</i> , 2003, 42, 982-985.	1.9	22

#	ARTICLE	IF	CITATIONS
109	Synthesis of the First Poly(pyrazolyl)borate Complex of Germanium(II): A Solid State Structure of [HB(3,5-Me2pz)3Ge]I \cdot 1/2CH2Cl2. <i>Inorganic Chemistry</i> , 1996, 35, 258-260.	1.9	21
110	Solid State Structure of {[HC(3,5-Me2pz)3][HB(3,5-Me2pz)3]Cd}{B[3,5-(CF3)2C6H3]4}: A Comparison of the Bonding of Tris(pyrazolyl)methane and Tris(pyrazolyl)borate Ligands. <i>Inorganic Chemistry</i> , 1999, 38, 3235-3237.	1.9	21
111	Gallium complexes of potentially tridentate poly(pyrazolyl)borate ligands. Crystal and molecular structures of [HB(3,5-Me2pz)3]Ga(CH3)Cl, [HB(3,5-Me2pz)3]Ga(CH3)2, and [B(pz)4]2GaCH3 (pz = pyrazolyl) <i>J. Organometallic Chemistry</i> , 1997, 526, 431-434.	1.9	20
112	¹¹³ Cd Shielding Tensors of Monomeric Cadmium Compounds Containing Nitrogen Donor Atoms. 3. CP/MAS Studies on Five-Coordinate Cadmium Complexes Having N3X2 (X = H, N, O, and S) Donor Atoms. <i>Inorganic Chemistry</i> , 1996, 35, 7111-7117.	1.9	20
113	Supramolecular Assembly and Solution Properties of Bis(bipyridyl)ruthenium(II) Coordination Complexes of Aryl(2-pyridyl)methanones. <i>Inorganic Chemistry</i> , 2003, 42, 482-491.	1.9	20
114	Dinuclear Metallacycles with Single M μ X μ M Bridges (X = Cl ⁺ , Br ⁺ ; M = Fe(II),) <i>J. Organometallic Chemistry</i> , 2017, 56, 2884-2901.	1.9	20
115	Poly(1-Pyrazolyl)Alkane Ligands. <i>Inorganic Syntheses</i> , 2007, , 51-63.	0.3	19
116	Influence of the size of the phosphine ligand on primary-secondary alkyl isomerization equilibria with (Me2NCS2)Pt(PR3)(alkyl) complexes. <i>Journal of Organometallic Chemistry</i> , 1993, 452, 263-270.	0.8	18
117	Synthesis and Characterization of Indium(III) Complexes Containing Two Different Chelate Ligands of the Type [Hydrotris(3,5-dimethylpyrazolyl)borate]In[ligand]X. <i>Inorganic Chemistry</i> , 1994, 33, 1811-1816.	1.9	18
118	Reactions of sodium tetrahydridoborate with tris(pyrazolyl)methane ligands. Syntheses and solid state structures of {[HC(pz)3](thf)Na(1/4 11, 1/4 11-BH4)}2 and {[HC(3,5-Me2pz)3]2Na}(BH4) (pz=pyrazolyl ring,) <i>J. Organometallic Chemistry</i> , 2000, 600, 17-20.	1.9	18
119	Dihydrobis(pyrazolyl)borate complexes of gallium. X-ray crystal structure of [H2B(pz)2]2GaCl (pz =) <i>J. Organometallic Chemistry</i> , 1997, 526, 17-19.	1.9	17
120	Tris [N-(3-tert-Butyl) Pyrazolyl] methane. <i>Inorganic Syntheses</i> , 2007, , 63-65.	0.3	17
121	Supramolecular networks of silver(i) and iron(ii) complexes of the third generation tris(pyrazolyl)methane ligand Ph2(O)POCH2C(pz)3 (pz = pyrazolyl ring). <i>Dalton Transactions</i> , 2008, , 2253.	1.6	17
122	Homochiral, Supramolecular Frameworks Built from a Zinc(II) Tetramer or Cadmium(II) Dimer Containing Enantiopure Carboxylate Ligands Functionalized with a Strong π - π Stacking Synthon. <i>European Journal of Inorganic Chemistry</i> , 2012, 2012, 712-719.	1.0	17
123	Syntheses and structural characterizations of rhenium carbonyl complexes of a bitopic ferrocene-linked bis(pyrazolyl)methane ligand. <i>Journal of Organometallic Chemistry</i> , 2005, 690, 1889-1900.	0.8	16
124	Synthesis of extremely stable alkyl and hydride complexes of the type (R2NCS2)Pt(PEt3)R. <i>Organometallics</i> , 1990, 9, 16-20.	1.1	15
125	Poly(pyrazolyl)borate Complexes of Tin(II) and Lead(II). The Quest for a Coordination Complex with a Stereochemically Inactive Lone Pair. <i>Synlett</i> , 1992, 1992, 469-475.	1.0	15
126	Bis[dihydrobis(1-pyrazolyl)borate]cadmium(II): a monomeric, severely distorted tetrahedral complex of cadmium(II). <i>Inorganica Chimica Acta</i> , 1995, 240, 669-672.	1.2	15

#	ARTICLE	IF	CITATIONS
127	Main Group Compounds. <i>Inorganic Syntheses</i> , 2004, , 1-48.	0.3	15
128	NMR Investigations of Dinuclear, Single-Anion Bridged Copper(II) Metallacycles: Structure and Antiferromagnetic Behavior in Solution. <i>Inorganic Chemistry</i> , 2013, 52, 12741-12748.	1.9	15
129	Zinc(II) and Cadmium(II) Monohydroxide Bridged, Dinuclear Metallacycles: A Unique Case of Concerted Double Berry Pseudorotation. <i>Inorganic Chemistry</i> , 2013, 52, 11638-11649.	1.9	15
130	Hydroxide-Bridged Cubane Complexes of Nickel(II) and Cadmium(II): Magnetic, EPR, and Unusual Dynamic Properties. <i>Inorganic Chemistry</i> , 2014, 53, 4325-4339.	1.9	15
131	Syntheses and carbon-13 NMR investigations of an extensive series of [HB(3,5-Me ₂ pz) ₃]Cd(alkyl) complexes. <i>Organometallics</i> , 1993, 12, 2600-2603.	1.1	14
132	Structural, Magnetic, and Mössbauer Spectral Study of the Electronic Spin-State Transition in [Fe{HC(3-Mepz) ₂ (5-Mepz)} ₂](BF ₄) ₂ . <i>Inorganic Chemistry</i> , 2009, 48, 9393-9401.	1.9	14
133	Polypyrazolylborate-phosphine complexes of platinum(II). X-ray crystal structure of the unusual dimer Br(PEt ₃)Pt{1/4-[(pz)2BH(pz)]}Pt(PEt ₃)Br ₂ . <i>Inorganica Chimica Acta</i> , 1989, 165, 201-205.	1.2	13
134	Solid state structure of [HB(pz) ₃] ₂ Sn. <i>Polyhedron</i> , 1994, 13, 869-871.	1.0	13
135	Rhodium paddlewheel dimers containing the π-π stacking, 1,8-naphthalimide supramolecular synthon. <i>Inorganica Chimica Acta</i> , 2011, 378, 42-48.	1.2	13
136	Structural Variations in Copper(II) Complexes of a Bitopic Bis(pyrazolyl)methane Ligand. <i>European Journal of Inorganic Chemistry</i> , 2012, 2012, 4593-4604.	1.0	13
137	Design, Synthesis, and Structural Characterization of a New Class of Ferrocene-Containing Heterometallic Triple-Stranded Helicates. <i>Organometallics</i> , 2013, 32, 95-103.	1.1	13
138	Solid-state tin-119 NMR studies of poly(pyrazolyl)borate complexes of tin(II). Correlation of solution- and solid-state structures. <i>Inorganic Chemistry</i> , 1993, 32, 4472-4473.	1.9	12
139	Metallacyclic Zinc Complexes of Alkylidene-Linked Bitopic Bis(pyrazolyl)methane Ligands: An Unusual Exocyclic Bridging Fluoride Ligands. <i>Crystal Growth and Design</i> , 2007, 7, 1163-1170.	1.4	12
140	Synthesis of an anthracene-based bis(pyrazolyl)methane ligand and the structural characterization of its dinuclear tricarbonylrhenium(I) complex. <i>Journal of Organometallic Chemistry</i> , 2007, 692, 3094-3099.	0.8	12
141	Electrochemistry of Cu(I) Bipyridyl Complexes with Alkene, Alkyne, and Nitrile Ligands. Implications for Plant Hormone Action of Ethylene. <i>Free Radical Research Communications</i> , 1991, 15, 143-149.	1.8	11
142	Metal complexes of new scorpionate ligands: 2,2'-bis(pyrazolyl)ethylamine and its derivatives. <i>Inorganica Chimica Acta</i> , 2009, 362, 4377-4388.	1.2	11
143	Heptanuclear zinc carboxylate complex: New supramolecular building unit and unique supramolecular architecture. <i>Polyhedron</i> , 2013, 52, 1317-1322.	1.0	11
144	Cesium complexes of naphthalimide substituted carboxylate ligands: Unusual geometries and extensive cation-π interactions. <i>Journal of Molecular Structure</i> , 2015, 1091, 31-36.	1.8	11

#	ARTICLE	IF	CITATIONS
145	Syntheses and solid state structures of europium and terbium complexes of N,N'-bis(2-pyridylmethyl)urea and N,N'-bis(3-pyridylmethyl)oxalamide. <i>Polyhedron</i> , 2004, 23, 711-717.	1.0	10
146	Synthesis of a tritopic, third-generation bis(1-pyrazolyl)methane ligand and its silver(I) complex: Unexpected structure with high coordination numbers. <i>Inorganic Chemistry Communication</i> , 2010, 13, 568-572.	1.8	9
147	Solution state ¹¹³ Cd NMR investigation of an extensive series of [HB(3,5-Me ₂ pz) ₃]Cd(alkyl) complexes. <i>Polyhedron</i> , 1994, 13, 3059-3061.	1.0	8
148	The 4-(dipyridylamino)benzoylpyridine ligand as a supramolecular synthon. Solid state organization of a bis(bipyridyl)ruthenium(II) complex. <i>Inorganica Chimica Acta</i> , 2003, 352, 151-159.	1.2	8
149	Mixed-ligand complexes of cadmium(II) containing bulky polydentate nitrogen-based ligands. <i>Inorganica Chimica Acta</i> , 2002, 334, 1-9.	1.2	7
150	Syntheses and structural characterization of heterometallic bis(pyrazolyl)methane complexes of rhenium and platinum. <i>Journal of Organometallic Chemistry</i> , 2007, 692, 5414-5420.	0.8	7
151	Synthesis and structure of a Cu ₄ O ₄ cubane core complex from a carboxylate ligand containing a strong π - π stacking supramolecular synthon. <i>Inorganica Chimica Acta</i> , 2012, 386, 102-108.	1.2	7
152	Title is missing!. <i>Journal of Chemical Crystallography</i> , 2000, 30, 665-670.	0.5	6
153	Synthesis and structural characterization of a mixed-ligand diiron(II) complex formed by a linked bitopic tris(pyrazolyl)methane ligand: {HC(3,5-Me ₂ pz) ₃ Fe[¹ / ₄ -p-C ₆ H ₄ (CH ₂ OCH ₂ C(pz) ₃) ₂]Fe(3,5-Me ₂ pz) ₃ CH}(BF ₄) ₄ (pz=pyrazolyl ring). <i>Inorganica Chimica Acta</i> , 2009, 362, 303-306.	1.2	5
154	Synthesis and reactions of a chelated carbene-olefin complex of cyclopentadienyliron. <i>Journal of Organometallic Chemistry</i> , 1988, 342, 77-85.	0.8	4
155	Polyphosphinoylmethanide complexes of tin(II). Crystal and molecular structure of {[C ₆ H ₅) ₂ PO] ₃ C] ₂ Sn. <i>Inorganica Chimica Acta</i> , 1990, 178, 89-92.	1.2	4
156	Reactions of {(C ₅ H ₅)Co[P(O)(OC ₂ H ₅) ₂] ₃ } ⁺ with MCl ₃ and M(CH ₃)Cl ₂ (M = Ga, In). Crystal and molecular structure of [(C ₅ H ₅)Co[P(O)(OC ₂ H ₅) ₂] ₃] ₂ Ga[Ga(CH ₃)Cl] ₃ . <i>Polyhedron</i> , 1994, 13, 3053-3058.	1.0	4
157	Synthesis and structural characterization of the bitopic ferrocene-based tris(pyrazolyl)methane ligand Fe[C ₅ H ₄ CH ₂ OCH ₂ C(pz) ₃] ₂ (pz = pyrazolyl ring). <i>Journal of Chemical Crystallography</i> , 2005, 35, 217-225.	0.5	4
158	[N,N'-Bis(2-pyridylmethyl)oxamidato]palladium(II) monohydrate chloroform hemisolvate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2003, 59, m652-m654.	0.2	3
159	Organometallic and Coordination Complexes. <i>Inorganic Syntheses</i> , 2004, , 49-95.	0.3	3
160	Structural Correlations in High-Spin Complexes of [Fe{HC(3,5-Me ₂ pz) ₃] ₂] ²⁺ : Solid State Structure of [Fe{HC(3,5-Me ₂ pz) ₃] ₂][Fe ₂ OCl ₆]. <i>Journal of Chemical Crystallography</i> , 2009, 39, 545-548.	0.5	3
161	Silver(I) and rhenium(I) metal complexes of a 2,2'-bipyridine-functionalized third-generation tris(pyrazolyl)methane ligand. <i>Acta Crystallographica Section C, Structural Chemistry</i> , 2016, 72, 826-831.	0.2	3
162	Iron, ruthenium and osmium. <i>Journal of Organometallic Chemistry</i> , 1981, 223, 273-450.	0.8	2

#	ARTICLE	IF	CITATIONS
163	Crystal structure of bis[dihydrobis(3,5-dimethyl-1-pyrazolyl)borato]cadmium(II). <i>Journal of Chemical Crystallography</i> , 2001, 31, 93-95.	0.5	2
164	An Organoplatinum(II) Complex of a Bitopic, Propylene-linked Bis(pyrazolyl)methane Ligand. <i>Journal of Chemical Crystallography</i> , 2008, 38, 17-20.	0.5	2
165	Tris(pyrazolyl)methane and 1,8-naphthalimide-functionalized dialkynylgold(I) anionic complexes. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2013, 69, 954-958.	0.4	1
166	A cadmium(II) coordination polymer formed from a third generation tetratopic tris(pyrazolyl)methane ligand. <i>Acta Crystallographica Section C, Structural Chemistry</i> , 2016, 72, 832-837.	0.2	1
167	Rheingold special issue preface. <i>Inorganica Chimica Acta</i> , 2010, 364, 1-2.	1.2	0