

Xianglan Zhang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/312668/publications.pdf>

Version: 2024-02-01

42
papers

920
citations

430874

18
h-index

477307

29
g-index

42
all docs

42
docs citations

42
times ranked

1730
citing authors

#	ARTICLE	IF	CITATIONS
1	Snail reprograms glucose metabolism by repressing phosphofructokinase PFKP allowing cancer cell survival under metabolic stress. <i>Nature Communications</i> , 2017, 8, 14374.	12.8	144
2	Reciprocal Interaction between Carcinoma-Associated Fibroblasts and Squamous Carcinoma Cells through Interleukin-1 β Induces Cancer Progression. <i>Neoplasia</i> , 2014, 16, 928-938.	5.3	58
3	Effect of EDTA on Attachment and Differentiation of Dental Pulp Stem Cells. <i>Journal of Endodontics</i> , 2014, 40, 811-817.	3.1	56
4	Downregulation of glutathione peroxidase 3 is associated with lymph node metastasis and prognosis in cervical cancer. <i>Oncology Reports</i> , 2014, 31, 2587-2592.	2.6	44
5	Chimeric Antigen Receptor T Cell Therapy Targeting ICAM-1 in Gastric Cancer. <i>Molecular Therapy - Oncolytics</i> , 2020, 18, 587-601.	4.4	38
6	ANO9/TMEM16J promotes tumourigenesis via EGFR and is a novel therapeutic target for pancreatic cancer. <i>British Journal of Cancer</i> , 2017, 117, 1798-1809.	6.4	35
7	Identification of a combined biomarker for malignant transformation in oral submucous fibrosis. <i>Journal of Oral Pathology and Medicine</i> , 2017, 46, 431-438.	2.7	33
8	MAML1/2 promote YAP/TAZ nuclear localization and tumorigenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 13529-13540.	7.1	33
9	CCL28-induced RAR β expression inhibits oral squamous cell carcinoma bone invasion. <i>Journal of Clinical Investigation</i> , 2019, 129, 5381-5399.	8.2	32
10	Nomogram for risk prediction of malignant transformation in oral leukoplakia patients using combined biomarkers. <i>Oral Oncology</i> , 2017, 72, 132-139.	1.5	31
11	Mortalin is a distinct bio-marker and prognostic factor in serous ovarian carcinoma. <i>Gene</i> , 2019, 696, 63-71.	2.2	29
12	CXCL1 induces senescence of cancer-associated fibroblasts via autocrine loops in oral squamous cell carcinoma. <i>PLoS ONE</i> , 2018, 13, e0188847.	2.5	28
13	Risk prediction for malignant conversion of oral epithelial dysplasia by hypoxia related protein expression. <i>Pathology</i> , 2013, 45, 478-483.	0.6	27
14	PTEN Deficiency as a Predictive Biomarker of Resistance to HER2-Targeted Therapy in Advanced Gastric Cancer. <i>Oncology</i> , 2015, 88, 76-85.	1.9	27
15	Snail and Axin2 expression predict the malignant transformation of oral leukoplakia. <i>Oral Oncology</i> , 2017, 73, 48-55.	1.5	27
16	Lysophosphatidic acid activates the RhoA and NF- κ B through Akt/ β signaling and promotes prostate cancer invasion and progression by enhancing functional invadopodia formation. <i>Tumor Biology</i> , 2016, 37, 6775-6785.	1.8	25
17	TGF- β Pathway in Salivary Gland Fibrosis. <i>International Journal of Molecular Sciences</i> , 2020, 21, 9138.	4.1	24
18	Platelet CLEC2-Podoplanin Axis as a Promising Target for Oral Cancer Treatment. <i>Frontiers in Immunology</i> , 2021, 12, 807600.	4.8	23

#	ARTICLE	IF	CITATIONS
19	Angiogenic factor thymidine phosphorylase associates with angiogenesis and lymphangiogenesis in the intestinal-type gastric cancer. <i>Pathology</i> , 2014, 46, 316-324.	0.6	22
20	Insulin-like growth factor-II mRNA binding protein-3 and podoplanin expression are associated with bone invasion and prognosis in oral squamous cell carcinoma. <i>Archives of Oral Biology</i> , 2016, 69, 25-32.	1.8	20
21	Inhibiting casein kinase 2 overcomes paclitaxel resistance in gastric cancer. <i>Gastric Cancer</i> , 2019, 22, 1153-1163.	5.3	19
22	Mitofusin-2 Expression Is Implicated in Cervical Cancer Pathogenesis. <i>Anticancer Research</i> , 2018, 38, 3419-3426.	1.1	15
23	Cancer-associated fibroblast stimulates cancer cell invasion in an interleukin-1 receptor (IL-1R)-dependent manner. <i>Oncology Letters</i> , 2019, 18, 4645-4650.	1.8	14
24	EGF enhances low-invasive cancer cell invasion by promoting IMP-3 expression. <i>Tumor Biology</i> , 2016, 37, 2555-2563.	1.8	13
25	EGFR protein expression using a specific intracellular domain antibody and PTEN and clinical outcomes in squamous cell lung cancer patients with EGFR-tyrosine kinase inhibitor therapy. <i>OncoTargets and Therapy</i> , 2016, Volume 9, 5153-5162.	2.0	11
26	<p>Paip1 overexpression is involved in the progression of gastric cancer and predicts shorter survival of diagnosed patients</p>. <i>OncoTargets and Therapy</i> , 2019, Volume 12, 6565-6576.	2.0	11
27	SPOCK1 promotes metastasis in pancreatic cancer via NF- κ B-dependent epithelial-mesenchymal transition by interacting with κ B-1. <i>Cellular Oncology (Dordrecht)</i> , 2022, 45, 69-84.	4.4	11
28	The Axin2-snail axis promotes bone invasion by activating cancer-associated fibroblasts in oral squamous cell carcinoma. <i>BMC Cancer</i> , 2020, 20, 987.	2.6	10
29	Immunohistochemistry Biomarkers Predict Survival in Stage II/III Gastric Cancer Patients: From a Prospective Clinical Trial. <i>Cancer Research and Treatment</i> , 2019, 51, 819-831.	3.0	10
30	SPOCK1/SIX1axis promotes breast cancer progression by activating AKT/mTOR signaling. <i>Aging</i> , 2021, 13, 1032-1050.	3.1	10
31	An orthotopic and osteolytic model with a newly established oral squamous cell carcinoma cell line. <i>Archives of Oral Biology</i> , 2013, 58, 218-225.	1.8	6
32	Risk of radiation-induced pneumonitis after helical and static-port tomotherapy in lung cancer patients and experimental rats. <i>Radiation Oncology</i> , 2015, 10, 195.	2.7	6
33	Ataxia-Telangiectasia-Mutated Protein Expression as a Prognostic Marker in Adenoid Cystic Carcinoma of the Salivary Glands. <i>Yonsei Medical Journal</i> , 2018, 59, 717.	2.2	6
34	PKM2 enhances cancer invasion via ETS-1-dependent induction of matrix metalloproteinase in oral squamous cell carcinoma cells. <i>PLoS ONE</i> , 2019, 14, e0216661.	2.5	6
35	Tumor \langle sc \rangle MET \langle /sc \rangle expression profile predicts the outcome of non-small cell lung cancer patients receiving epidermal growth factor receptor tyrosine kinase inhibitors. <i>Thoracic Cancer</i> , 2014, 5, 517-524.	1.9	5
36	Apoptotic effect of pheophorbide a-mediated photodynamic therapy on DMBA/TPA-induced mouse papillomas. <i>Lasers in Medical Science</i> , 2015, 30, 51-57.	2.1	5

#	ARTICLE	IF	CITATIONS
37	Direct Contact with Platelets Induces Podoplanin Expression and Invasion in Human Oral Squamous Cell Carcinoma Cells. <i>Biomolecules and Therapeutics</i> , 2022, 30, 284-290.	2.4	2
38	Implication of COPB2 Expression on Cutaneous Squamous Cell Carcinoma Pathogenesis. <i>Cancers</i> , 2022, 14, 2038.	3.7	2
39	Peroxiredoxin 5 is involved in cancer cell invasion and tumor growth of oral squamous cell carcinoma. <i>Oral Diseases</i> , 2023, 29, 423-435.	3.0	1
40	PI3K pathway as a major determinant of resistance to HER2-targeted therapy in advanced gastric cancer.. <i>Journal of Clinical Oncology</i> , 2013, 31, 4089-4089.	1.6	1
41	Role of cMET expression in non-small cell lung cancer patients treated with EGFR tyrosine kinase inhibitors.. <i>Journal of Clinical Oncology</i> , 2012, 30, e18092-e18092.	1.6	0
42	Cilostazol inhibits the expression of hnRNP A2/B1 and cytokines in human dermal microvascular endothelial cells. <i>Clinical and Experimental Rheumatology</i> , 2017, 35 Suppl 108, 60-66.	0.8	0