

Antonia L Wadley

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/312858/publications.pdf>

Version: 2024-02-01

31
papers

466
citations

758635

12
h-index

713013

21
g-index

35
all docs

35
docs citations

35
times ranked

518
citing authors

#	ARTICLE	IF	CITATIONS
1	The Global Task Force for Chronic Pain in People with HIV (PWH): Developing a research agenda in an emerging field. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2023, 35, 1215-1223.	0.6	5
2	South African men and women living with HIV have similar distributions of pain sites. <i>African Journal of Primary Health Care and Family Medicine</i> , 2022, 14, e1-e9.	0.3	1
3	Managing pain in HIV/AIDS: a therapeutic relationship is as effective as an exercise and education intervention for rural amaXhosa women in South Africa. <i>BMC Public Health</i> , 2021, 21, 302.	1.2	6
4	Pain in Clients Attending a South African Voluntary Counseling and Testing Center Was Frequent and Extensive But Did Not Depend on HIV Status. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2020, 83, 181-188.	0.9	4
5	Working nights and lower leisure-time physical activity associate with chronic pain in Southern African long-distance truck drivers: A cross-sectional study. <i>PLoS ONE</i> , 2020, 15, e0243366.	1.1	7
6	Title is missing!. , 2020, 15, e0243366.		0
7	Title is missing!. , 2020, 15, e0243366.		0
8	Title is missing!. , 2020, 15, e0243366.		0
9	Title is missing!. , 2020, 15, e0243366.		0
10	Clinical diagnosis of sensory neuropathy in HIV patients treated with tenofovir: A 6-month follow-up study. <i>Journal of the Peripheral Nervous System</i> , 2019, 24, 304-313.	1.4	15
11	A preliminary analysis of the association between perceived stigma and HIV-related pain in South Africans living with HIV. <i>African Journal of Primary Health Care and Family Medicine</i> , 2019, 11, e1-e5.	0.3	11
12	Barriers to implementing clinical trials on nonpharmacological treatments in developing countries: lessons learnt from addressing pain in HIV. <i>Pain Reports</i> , 2019, 4, e783.	1.4	3
13	Psychological Factors Associated With Painful Versus Non-Painful HIV-Associated Sensory Neuropathy. <i>AIDS and Behavior</i> , 2018, 22, 1584-1595.	1.4	24
14	Pharmacogenetic variation influences sensory neuropathy occurrence in Southern Africans treated with stavudine-containing antiretroviral therapy. <i>PLoS ONE</i> , 2018, 13, e0204111.	1.1	9
15	Predictors of Cold and Pressure Pain Tolerance in Healthy South African Adults. <i>Pain Medicine</i> , 2017, 18, pnw291.	0.9	4
16	Genetics of HIV-associated sensory neuropathy and related pain in Africans. <i>Journal of NeuroVirology</i> , 2017, 23, 511-519.	1.0	11
17	Resilience does not explain the dissociation between chronic pain and physical activity in South Africans living with HIV. <i>PeerJ</i> , 2016, 4, e2464.	0.9	24
18	TNF Block Gene Variants Associate With Pain Intensity in Black Southern Africans With HIV-associated Sensory Neuropathy. <i>Clinical Journal of Pain</i> , 2016, 32, 45-50.	0.8	16

#	ARTICLE	IF	CITATIONS
19	Polymorphisms in CAMKK2 may predict sensory neuropathy in African HIV patients. <i>Journal of NeuroVirology</i> , 2016, 22, 508-517.	1.0	25
20	Diagnosing and treating HIV-associated sensory neuropathy: a global perspective. <i>Pain Management</i> , 2016, 6, 191-199.	0.7	14
21	Pharmacological treatment of painful HIV-associated sensory neuropathy. <i>South African Medical Journal</i> , 2015, 105, 769.	0.2	6
22	World Health Organization essential medicines lists. <i>Pain</i> , 2015, 156, 793-797.	2.0	36
23	Role of TNF block genetic variants in HIV-associated sensory neuropathy in black Southern Africans. <i>European Journal of Human Genetics</i> , 2015, 23, 363-368.	1.4	19
24	Polymorphisms in uncoupling protein genes <i>UCP2</i> and <i>UCP3</i> are not associated with HIV-associated sensory neuropathy in African individuals. <i>Journal of the Peripheral Nervous System</i> , 2013, 18, 94-96.	1.4	2
25	A polymorphism in IL4 may associate with sensory neuropathy in African HIV patients. <i>Molecular Immunology</i> , 2013, 55, 197-199.	1.0	12
26	TNF haplotypes in a Southern African population resemble those seen in Caucasians and Asians. <i>Genes and Immunity</i> , 2013, 14, 268-270.	2.2	2
27	KCNS1, but Not GCH1, Is Associated With Pain Intensity in a Black Southern African Population With HIV-Associated Sensory Neuropathy. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2013, 63, 27-30.	0.9	23
28	Painful HIV-associated sensory neuropathy. <i>Pain Management</i> , 2012, 2, 543-552.	0.7	32
29	Analysis of a Previously Identified "Pain-Protective" Haplotype and Individual Polymorphisms in the GCH1 Gene in Africans With HIV-Associated Sensory Neuropathy. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2012, 60, 20-23.	0.9	16
30	HIV-Associated Sensory Neuropathy: Risk Factors and Genetics. <i>Current Pain and Headache Reports</i> , 2012, 16, 226-236.	1.3	60
31	HIV Neuropathy Risk Factors and Symptom Characterization in Stavudine-Exposed South Africans. <i>Journal of Pain and Symptom Management</i> , 2011, 41, 700-706.	0.6	76