Gregory E Maes

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3128853/publications.pdf

Version: 2024-02-01

all docs

109264 118793 4,344 93 35 62 citations g-index h-index papers 102 102 102 5802 docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	Genome assembly of the Australian black tiger shrimp ($\langle i \rangle$ Penaeus monodon $\langle i \rangle$) reveals a novel fragmented IHHNV EVE sequence. G3: Genes, Genomes, Genetics, 2022, 12, .	0.8	9
2	Reconciling seascape genetics and fisheries science in three codistributed flatfishes. Evolutionary Applications, 2021, 14, 536-552.	1.5	4
3	Identification of neural progenitor cells and their progeny reveals long distance migration in the developing octopus brain. ELife, $2021,10,.$	2.8	29
4	Assessment of the quality of European silver eels and tentative approach to trace the origin of contaminants – A European overview. Science of the Total Environment, 2020, 743, 140675.	3.9	7
5	Multi-species transcriptomics reveals evolutionary diversity in the mechanisms regulating shrimp tail muscle excitation-contraction coupling. Gene, 2020, 752, 144765.	1.0	4
6	How does marker choice affect your diet analysis: comparing genetic markers and digestion levels for diet metabarcoding of tropical-reef piscivores. Marine and Freshwater Research, 2019, 70, 8.	0.7	27
7	Bacterial signatures of productivity decay in Penaeus monodon ponds infected with PirA toxin. Aquaculture, 2019, 511, 734202.	1.7	14
8	Preeclampsia is Associated with Sex-Specific Transcriptional and Proteomic Changes in Fetal Erythroid Cells. International Journal of Molecular Sciences, 2019, 20, 2038.	1.8	16
9	Introgressive hybridisation between two widespread sharks in the east Pacific region. Molecular Phylogenetics and Evolution, 2019, 136, 119-127.	1.2	21
10	Accounting for kin sampling reveals genetic connectivity in Tasmanian and New Zealand school sharks, <i>Galeorhinus galeus</i> . Ecology and Evolution, 2019, 9, 4465-4472.	0.8	12
11	The survey and reference assisted assembly of the Octopus vulgaris genome. Scientific Data, 2019, 6, 13.	2.4	60
12	Diet composition and gut microbiome of 0-group European plaice Pleuronectes platessa L Strong homogeneity and subtle spatial and temporal differences. Journal of Sea Research, 2019, 144, 67-77.	0.6	4
13	Performance and precision of double digestion RAD (ddRAD) genotyping in large multiplexed datasets of marine fish species. Marine Genomics, 2018, 39, 64-72.	0.4	21
14	Parallel evolution and adaptation to environmental factors in a marine flatfish: Implications for fisheries and aquaculture management of the turbot (<i>Scophthalmus maximus</i>). Evolutionary Applications, 2018, 11, 1322-1341.	1.5	54
15	Spatial dynamics and mixing of bluefin tuna in the Atlantic Ocean and Mediterranean Sea revealed using nextâ€generation sequencing. Molecular Ecology Resources, 2018, 18, 620-638.	2.2	34
16	Strong trans-Pacific break and local conservation units in the Galapagos shark (Carcharhinus) Tj ETQq0 0 0 rgBT	/Oyerlock	10,Tf 50 142
17	Seascape genetics of a flatfish reveals local selection under high levels of gene flow. ICES Journal of Marine Science, 2018, 75, 675-689.	1.2	40
18	Adverse effect of early-life high-fat/high-carbohydrate ("Westernâ€) diet on bacterial community in the distal bowel of mice. Nutrition Research, 2018, 50, 25-36.	1.3	20

#	Article	IF	CITATIONS
19	Historical DNA Metabarcoding of the Prey and Microbiome of Trematomid Fishes Using Museum Samples. Frontiers in Ecology and Evolution, 2018, 6, .	1.1	16
20	Integrating complementary methods to improve diet analysis in fisheryâ€ŧargeted species. Ecology and Evolution, 2018, 8, 9503-9515.	0.8	38
21	De novo assembly, characterization, functional annotation and expression patterns of the black tiger shrimp (Penaeus monodon) transcriptome. Scientific Reports, 2018, 8, 13553.	1.6	48
22	Tracing the genetic impact of farmed turbot Scophthalmus maximus on wild populations. Aquaculture Environment Interactions, 2018, 10, 447-463.	0.7	29
23	Genetic evidence challenges the native status of a threatened freshwater fish (<i>Carassius) Tj ETQq1 1 0.784314</i>	Frægt /Ov	erlgck 10 Tf
24	Genome-wide SNPs reveal low effective population size within confined management units of the highly vagile Galapagos shark (Carcharhinus galapagensis). Conservation Genetics, 2017, 18, 1151-1163.	0.8	55
25	Differential gene expression in narrow―and broadâ€headed European glass eels (<i>Anguilla) Tj ETQq1 1 0.7843 chemotaxis. Molecular Ecology, 2017, 26, 3943-3953.</i>	314 rgBT /0 2.0	Overlock 10 10
26	Responses of mixed methanotrophic consortia to variable Cu 2+ /Fe 2+ ratios. Journal of Environmental Management, 2017, 197, 159-166.	3.8	9
27	Adaptive and non-adaptive divergence in a common landscape. Nature Communications, 2017, 8, 267.	5.8	66
28	Harnessing the Power of Genomics to Secure the Future of Seafood. Trends in Ecology and Evolution, 2017, 32, 665-680.	4.2	202
29	Estimates of genetic variability and inbreeding in experimentally selected populations of European sea bass. Aquaculture, 2017, 479, 742-749.	1.7	16
30	Condition factor, Length – Weight relationship, and the fishery of Barbus altianalis (Boulenger 1900) in Lakes Victoria and Edward basins of Uganda. Environmental Biology of Fishes, 2017, 100, 99-110.	0.4	5
31	Evaluating genetic traceability methods for captiveâ€'bred marine fish and their applications in fisheries management and wildlife forensics. Aquaculture Environment Interactions, 2016, 8, 131-145.	0.7	18
32	Reconstructing Colonization Dynamics of the Human Parasite Schistosoma mansoni following Anthropogenic Environmental Changes in Northwest Senegal. PLoS Neglected Tropical Diseases, 2015, 9, e0003998.	1.3	23
33	A genome scan for candidate genes involved in the adaptation of turbot (Scophthalmus maximus). Marine Genomics, 2015, 23, 77-86.	0.4	41
34	Differences in brain gene transcription profiles advocate for an important role of cognitive function in upstream migration and water obstacles crossing in European eel. BMC Genomics, 2015, 16, 378.	1,2	19
35	A Genetic Linkage Map of Sole (Solea solea): A Tool for Evolutionary and Comparative Analyses of Exploited (Flat)Fishes. PLoS ONE, 2014, 9, e115040.	1.1	17
36	Microsatellite Primers for the Gynodioecious Grassland PerennialSaxifraga granulata(Saxifragaceae). Applications in Plant Sciences, 2014, 2, 1400040.	0.8	6

#	Article	IF	CITATIONS
37	Genomeâ€wide singleâ€generation signatures of local selection in the panmictic <scp>E</scp> uropean eel. Molecular Ecology, 2014, 23, 2514-2528.	2.0	135
38	Assessing patterns of hybridization between North Atlantic eels using diagnostic single-nucleotide polymorphisms. Heredity, 2014, 112, 627-637.	1.2	65
39	Regional environmental pressure influences population differentiation in turbot (<i><scp>S</scp>cophthalmus maximus</i>). Molecular Ecology, 2014, 23, 618-636.	2.0	43
40	Modelling dispersal dynamics of the early life stages of a marine flatfish (Solea solea L.). Journal of Sea Research, 2013, 84, 13-25.	0.6	39
41	Exploring Geovisualization Symbology for Landscape Genetics. Transactions in GIS, 2013, 17, 267-281.	1.0	4
42	Prebiotic effects of arabinoxylan oligosaccharides on juvenile Siberian sturgeon (<i>Acipenser) Tj ETQq0 0 0 rgB Microbiology Ecology, 2013, 86, 357-371.</i>	T /Overloc 1.3	k 10 Tf 50 54 80
43	Gene transcription reflects poor health status of resident European eel chronically exposed to environmental pollutants. Aquatic Toxicology, 2013, 126, 242-255.	1.9	28
44	Detecting genome-wide gene transcription profiles associated with high pollution burden in the critically endangered European eel. Aquatic Toxicology, 2013, 132-133, 157-164.	1.9	26
45	Identification and validation of single nucleotide polymorphisms in growth- and maturation-related candidate genes in sole (Solea solea L.). Marine Genomics, 2013, 9, 33-38.	0.4	14
46	A resource of genomeâ€wide singleâ€nucleotide polymorphisms generated by RAD tag sequencing in the critically endangered European eel. Molecular Ecology Resources, 2013, 13, 706-714.	2.2	72
47	Cracking behavior and mechanical properties of austenitic stainless steel parts produced by laser metal deposition. Materials & Design, 2013, 45, 228-235.	5.1	124
48	Gene-associated markers provide tools for tackling illegal fishing and false eco-certification. Nature Communications, 2012, 3, 851.	5.8	199
49	Permanent Genetic Resources added to Molecular Ecology Resources Database 1 August 2011–30 September 2011. Molecular Ecology Resources, 2012, 12, 185-189.	2.2	32
50	The effect of ablation pattern on LA-ICPMS analysis of otolith element composition in hake, Merluccius merluccius. Environmental Biology of Fishes, 2012, 95, 509-520.	0.4	16
51	Microsatellite marker development and putative SNP detection for a northward expanding damselfly species using next generation sequencing. Conservation Genetics Resources, 2012, 4, 1079-1084.	0.4	4
52	Restriction Fragment Length Analysis of the Cytochrome $\langle i \rangle b \langle j \rangle$ Gene and Muscle Fatty Acid Composition Differentiate the Cryptic Flatfish Species Solea solea and Solea aegyptiaca. Journal of Agricultural and Food Chemistry, 2012, 60, 7941-7948.	2.4	6
53	High genetic diversity and connectivity in a common mesopelagic fish of the Southern Ocean: The myctophid Electrona antarctica. Deep-Sea Research Part II: Topical Studies in Oceanography, 2012, 59-60, 199-207.	0.6	19
54	Comparative phylogeography of three trematomid fishes reveals contrasting genetic structure patterns in benthic and pelagic species. Marine Genomics, 2012, 8, 23-34.	0.4	16

#	Article	IF	CITATIONS
55	Surviving in a toxic world: transcriptomics and gene expression profiling in response to environmental pollution in the critically endangered European eel. BMC Genomics, 2012, 13, 507.	1.2	68
56	SNP Discovery Using Next Generation Transcriptomic Sequencing in Atlantic Herring (Clupea) Tj ETQq0 0 0 rgB	T /Oyerlock	2 10 Tf 50 702
57	Multi-marker estimate of genetic connectivity of sole (Solea solea) in the North-East Atlantic Ocean. Marine Biology, 2012, 159, 1239-1253.	0.7	38
58	Integrating molecular identification of pelagic eggsÂwith geostatistical mapping to improve the delineation of North Sea fish spawning grounds. Marine Ecology - Progress Series, 2012, 445, 161-172.	0.9	8
59	Application of SNPs for population genetics of nonmodel organisms: new opportunities and challenges. Molecular Ecology Resources, 2011, 11, 123-136.	2.2	391
60	Novel Tools for Conservation Genomics: Comparing Two High-Throughput Approaches for SNP Discovery in the Transcriptome of the European Hake. PLoS ONE, 2011, 6, e28008.	1.1	59
61	All roads lead to home: panmixia of European eel in the Sargasso Sea. Molecular Ecology, 2011, 20, 1333-1346.	2.0	176
62	Temporal genetic stability and high effective population size despite fisheries-induced life-history trait evolution in the North Sea sole. Molecular Ecology, 2011, 20, no-no.	2.0	37
63	An integrated genetic-demographic model to unravel the origin of genetic structure in European eel (Anguilla anguilla L.). Evolutionary Applications, 2011, 4, 517-533.	1.5	23
64	Extracting a century of preserved molecular and population demographic data from archived otoliths in the endangered European eel (Anguilla anguilla L.). Journal of Experimental Marine Biology and Ecology, 2011, 398, 56-62.	0.7	8
65	Differential timing of gene expression regulation between leptocephali of the twoâ€, <i>Anguilla </i> species in the Sargasso Sea. Ecology and Evolution, 2011, 1, 459-467.	0.8	15
66	Temperament traits and microhabitat use in bullhead, Cottus perifretum: fish associated with complex habitats are less aggressive. Behaviour, 2011, 148, 603-625.	0.4	31
67	Sequencing, de novo annotation and analysis of the first Anguilla anguilla transcriptome: EeelBase opens new perspectives for the study of the critically endangered european eel. BMC Genomics, 2010, 11, 635.	1.2	83
68	Qualitative assessment of the diet of European eel larvae in the Sargasso Sea resolved by DNA barcoding. Biology Letters, 2010, 6, 819-822.	1.0	90
69	Oceanic fronts in the Sargasso Sea control the early life and drift of Atlantic eels. Proceedings of the Royal Society B: Biological Sciences, 2010, 277, 3593-3599.	1.2	86
70	Permanent Genetic Resources added to Molecular Ecology Resources Database 1 December 2009–31 January 2010. Molecular Ecology Resources, 2010, 10, 576-579.	2.2	56
71	Microchemical variation in juvenile Solea solea otoliths as a powerful tool for studying connectivity in the North Sea. Marine Ecology - Progress Series, 2010, 401, 211-220.	0.9	27
72	Species identification in the trematomid family using nuclear genetic markers. Polar Biology, 2009, 32, 1731-1741.	0.5	9

#	Article	IF	CITATIONS
73	Conservation of the introgressed European water frog complex using molecular tools. Molecular Ecology, 2009, 18, 1071-1087.	2.0	19
74	Morphological and genetic seasonal dynamics of European eel <i>Anguilla anguilla</i> recruitment in southern France. Journal of Fish Biology, 2009, 74, 2047-2068.	0.7	10
75	Isolation and characterization of expressed sequence tagâ€linked microsatellite loci for the European eel (<i>Anguilla anguilla</i>). Molecular Ecology Resources, 2009, 9, 233-235.	2.2	10
76	Influence of DNA isolation from historical otoliths on nuclear–mitochondrial marker amplification and age determination in an overexploited fish, the common sole (<i>Solea solea</i> L.). Molecular Ecology Resources, 2009, 9, 725-732.	2.2	10
77	Evolutionary Consequences of Eel Migration. , 2009, , 401-432.		1
78	Subtle population structure and male-biased dispersal in two Copadichromis species (Teleostei,) Tj ETQq0 0 0 rgE	3T /Overlo	ck 10 Tf 50 54
79	Modeling genetic connectivity in sticklebacks as a guideline for river restoration. Evolutionary Applications, 2008, 1, 475-488.	1.5	68
80	Challenges for genetic research in European eel management. ICES Journal of Marine Science, 2007, 64, 1463-1471.	1.2	32
81	Intra-annual genetic variation in the downstream larval drift of sutchi catfish (Pangasianodon) Tj ETQq $1\ 1\ 0.7843$	14 rgBT /0	Overlock 10 T
82	Evidence for isolation by time in the European eel (Anguilla anguilla L.). Molecular Ecology, 2006, 15, 2095-2107.	2.0	77
83	High genetic diversity in cryptic populations of the migratory sutchi catfish Pangasianodon hypophthalmus in the Mekong River. Heredity, 2006, 96, 166-174.	1.2	42
84	Genetic patchiness among recruits in the European eel Anguilla anguilla. Marine Ecology - Progress Series, 2006, 307, 209-217.	0.9	75
85	Microsatellite conservation and Bayesian individual assignment in four Anguilla species. Marine Ecology - Progress Series, 2006, 319, 251-261.	0.9	18
86	Detecting Holocene divergence in the anadromous-freshwater three-spined stickleback (Gasterosteus) Tj ETQq0	0 <u>0 rg</u> BT /(Overlock 10 T
87	The European eel (Anguilla anguilla, Linnaeus), its Lifecycle, Evolution and Reproduction: A Literature Review. Reviews in Fish Biology and Fisheries, 2005, 15, 367-398.	2.4	251
88	Panmixia in the European eel: a matter of time…. Proceedings of the Royal Society B: Biological Sciences, 2005, 272, 1129-1137.	1.2	132
89	The catadromous European eel Anguilla anguilla (L.) as a model for freshwater evolutionary ecotoxicology: Relationship between heavy metal bioaccumulation, condition and genetic variability. Aquatic Toxicology, 2005, 73, 99-114.	1.9	127
90	Distribution of genetic variation in farmed and natural stocks of european eel. Journal of Fish Biology, 2004, 65, 333-334.	0.7	17

GREGORY E MAES

#	Article	IF	CITATIONS
91	Evidence for fine-scale genetic structure and estuarine colonisation in a potential high gene flow marine goby (Pomatoschistus minutus). Heredity, 2004, 92, 434-445.	1.2	42
92	Indications for a recent Holarctic expansion of pike based on a preliminary study of mtDNA variation. Journal of Fish Biology, 2003, 63, 254-259.	0.7	24
93	Clinal genetic variation and isolation by distance in the European eel Anguilla anguilla (L.). Biological Journal of the Linnean Society, 2002, 77, 509-521.	0.7	70