

MaÅ,gorzata MyÅ,liwiec

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3129828/publications.pdf>

Version: 2024-02-01

133
papers

2,508
citations

279487

23
h-index

243296

44
g-index

142
all docs

142
docs citations

142
times ranked

3689
citing authors

#	ARTICLE	IF	CITATIONS
1	Administration of CD4+CD25 ^{high} CD127 ^{hi} Regulatory T Cells Preserves β -Cell Function in Type 1 Diabetes in Children. <i>Diabetes Care</i> , 2012, 35, 1817-1820.	4.3	359
2	Therapy of type 1 diabetes with CD4+CD25 ^{high} CD127-regulatory T cells prolongs survival of pancreatic islets – Results of one year follow-up. <i>Clinical Immunology</i> , 2014, 153, 23-30.	1.4	307
3	Prevalence of monogenic diabetes amongst Polish children after a nationwide genetic screening campaign. <i>Diabetologia</i> , 2012, 55, 2631-2635.	2.9	96
4	Factors affecting long-term efficacy of T regulatory cell-based therapy in type 1 diabetes. <i>Journal of Translational Medicine</i> , 2016, 14, 332.	1.8	83
5	Rapid increase in the incidence of type 1 diabetes in Polish children from 1989 to 2004, and predictions for 2010 to 2025. <i>Diabetologia</i> , 2011, 54, 508-515.	2.9	75
6	Can preschool-aged children swallow several minitabets at a time? Results from a clinical pilot study. <i>International Journal of Pharmaceutics</i> , 2015, 485, 1-6.	2.6	66
7	The role of vascular endothelial growth factor, tumor necrosis factor alpha and interleukin-6 in pathogenesis of diabetic retinopathy. <i>Diabetes Research and Clinical Practice</i> , 2008, 79, 141-146.	1.1	62
8	Loss of the balance between CD4+Foxp3 ⁺ regulatory T cells and CD4+IL17A ⁺ Th17 cells in patients with type 1 diabetes. <i>Human Immunology</i> , 2013, 74, 701-707.	1.2	59
9	Updated 24-year trend of Type 1 diabetes incidence in children in Poland reveals a sinusoidal pattern and sustained increase. <i>Diabetic Medicine</i> , 2017, 34, 1252-1258.	1.2	50
10	Serum TNF-Alpha Level Predicts Nonproliferative Diabetic Retinopathy in Children. <i>Mediators of Inflammation</i> , 2007, 2007, 1-5.	1.4	48
11	Elevated Levels of Serum IL-12 and IL-18 are Associated with Lower Frequencies of CD4+CD25 ^{high} FOXP3 ⁺ Regulatory T cells in Young Patients with Type 1 Diabetes. <i>Inflammation</i> , 2014, 37, 1513-1520.	1.7	47
12	The Serum IL-6 Profile and Treg/Th17 Peripheral Cell Populations in Patients with Type 1 Diabetes. <i>Mediators of Inflammation</i> , 2013, 2013, 1-7.	1.4	41
13	Analysis of chosen polymorphisms in <i>FoxP3</i> gene in children and adolescents with autoimmune thyroid diseases. <i>Autoimmunity</i> , 2014, 47, 395-400.	1.2	41
14	Anti-TNF rescue CD4+Foxp3 ⁺ regulatory T cells in patients with type 1 diabetes from effects mediated by TNF. <i>Cytokine</i> , 2011, 55, 353-361.	1.4	34
15	Higher diversity in fungal species discriminates children with type 1 diabetes mellitus from healthy control. <i>Patient Preference and Adherence</i> , 2016, 10, 591.	0.8	33
16	Lipid disorders in children living with overweight and obesity- large cohort study from Poland. <i>Lipids in Health and Disease</i> , 2020, 19, 47.	1.2	31
17	Serum Concentrations of Transforming Growth Factor-Beta 1 in Predicting the Occurrence of Diabetic Retinopathy in Juvenile Patients with Type 1 Diabetes Mellitus. <i>Journal of Diabetes Research</i> , 2013, 2013, 1-6.	1.0	30
18	Management of familial hypercholesterolemia in children and adolescents. Position paper of the Polish Lipid Expert Forum. <i>Journal of Clinical Lipidology</i> , 2014, 8, 173-180.	0.6	30

#	ARTICLE	IF	CITATIONS
19	The activity of N-acetyl-beta-d-glucosaminidase and tumor necrosis factor-alpha at early stage of diabetic retinopathy development in type 1 diabetes mellitus children. <i>Clinical Biochemistry</i> , 2006, 39, 851-856.	0.8	28
20	Management of familial heterozygous hypercholesterolemia: Position Paper of the Polish Lipid Expert Forum. <i>Journal of Clinical Lipidology</i> , 2013, 7, 217-221.	0.6	28
21	Th9 and Th22 immune response in young patients with type 1 diabetes. <i>Immunologic Research</i> , 2016, 64, 730-735.	1.3	26
22	Interleukin-12 and Tumour Necrosis Factor- α Equilibrium is a Prerequisite for Clinical Course Free from Late Complications in Children with Type 1 Diabetes Mellitus. <i>Scandinavian Journal of Immunology</i> , 2008, 67, 204-208.	1.3	25
23	The γ 174GG Interleukin-6 Genotype Is Protective From Retinopathy and Nephropathy in Juvenile Onset Type 1 Diabetes Mellitus. <i>Pediatric Research</i> , 2009, 66, 341-345.	1.1	24
24	Expansion of CD14+CD16+ monocytes producing TNF- α in complication-free diabetes type 1 juvenile onset patients. <i>Cytokine</i> , 2012, 60, 309-317.	1.4	24
25	2015 guidelines for the management of hypertension. Recommendations of the Polish Society of Hypertension – short version. <i>Kardiologia Polska</i> , 2015, 73, 676-700.	0.3	24
26	Increased spontaneous production of VEGF by CD4+ T cells in type 1 diabetes. <i>Clinical Immunology</i> , 2010, 137, 261-270.	1.4	23
27	The cost-effectiveness of screening strategies for familial hypercholesterolaemia in Poland. <i>Atherosclerosis</i> , 2018, 270, 132-138.	0.4	23
28	HDL cholesterol as a diagnostic tool for clinical differentiation of GCK-MODY from HNF1A-MODY and type 1 diabetes in children and young adults. <i>Clinical Endocrinology</i> , 2011, 75, 321-327.	1.2	22
29	Hypoglycaemia unawareness in patients with type 1 diabetes. <i>Pediatric Endocrinology, Diabetes and Metabolism</i> , 2018, 24, 126-134.	0.3	22
30	Association between vascular endothelial growth factor and hypertension in children and adolescents type I diabetes mellitus. <i>Journal of Human Hypertension</i> , 2010, 24, 755-762.	1.0	21
31	Monogenic diabetes prevalence among Polish children-Summary of 11 years-long nationwide genetic screening program. <i>Pediatric Diabetes</i> , 2018, 19, 53-58.	1.2	21
32	Decreased angiogenin concentration in vitreous and serum in proliferative diabetic retinopathy. <i>Microvascular Research</i> , 2011, 82, 1-5.	1.1	20
33	Phenotype variability and neonatal diabetes in a large family with heterozygous mutation of the glucokinase gene. <i>Acta Diabetologica</i> , 2011, 48, 203-208.	1.2	20
34	Lower Frequency of CD62L ^{high} and Higher Frequency of TNFR2 ⁺ Tregs Are Associated with Inflammatory Conditions in Type 1 Diabetic Patients. <i>Mediators of Inflammation</i> , 2011, 1-7.	1.4	20
35	Threshold serum concentrations of tumour necrosis factor alpha (TNF- α) as a potential marker of the presence of microangiopathy in children and adolescents with type 1 diabetes mellitus (T1DM). <i>Human Immunology</i> , 2013, 74, 75-81.	1.2	20
36	Intermittently Scanned Continuous Glucose Monitoring Data of Polish Patients from Real-Life Conditions: More Scanning and Better Glycemic Control Compared to Worldwide Data. <i>Diabetes Technology and Therapeutics</i> , 2021, 23, 577-585.	2.4	19

#	ARTICLE	IF	CITATIONS
37	Differential regulation of serum microRNA expression by HNF1 ^β and HNF1 ^α transcription factors. <i>Diabetologia</i> , 2016, 59, 1463-1473.	2.9	18
38	Prevalence of diabetes in Poland: a combined analysis of national databases. <i>Diabetic Medicine</i> , 2019, 36, 1209-1216.	1.2	18
39	2019 Guidelines for the Management of Hypertension – Part 7. Arterial Hypertension, 2019, 23, 41-87.	0.2	17
40	Interleukin 6 ¹⁷⁴ (G>C) gene polymorphism is related to celiac disease and autoimmune thyroiditis coincidence in diabetes type 1 children. <i>Diabetes Research and Clinical Practice</i> , 2008, 82, 108-112.	1.1	16
41	The KL-VS polymorphism of KLOTHO gene is protective against retinopathy incidence in patients with type 1 diabetes. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2018, 1864, 758-763.	1.8	16
42	Combined therapy with ^{CD4} ⁺ ^{CD25} ^{high} ^{CD127} ⁺ T regulatory cells and ^{anti} ^{CD20} antibody in recent onset type 1 diabetes is superior to monotherapy: Randomized phase I/II trial. <i>Diabetes, Obesity and Metabolism</i> , 2022, 24, 1534-1543.	2.2	15
43	Serum and Urinary Cytokine Homeostasis and Renal Tubular Function in Children with Type 1 Diabetes Mellitus. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2006, 19, 1421-1428.	0.4	14
44	Population-based estimates for double diabetes amongst people with glucokinase monogenic diabetes, ^{GCK} ⁺ ^{MODY} . <i>Diabetic Medicine</i> , 2014, 31, 881-883.	1.2	14
45	Optic Nerve and Cerebral Edema in the Course of Diabetic Ketoacidosis. <i>Current Neuropharmacology</i> , 2016, 14, 784-791.	1.4	14
46	The prognostic value of inflammatory and vascular endothelial dysfunction biomarkers in microvascular and macrovascular complications in type 1 diabetes. <i>Pediatric Endocrinology, Diabetes and Metabolism</i> , 2019, 25, 28-35.	0.3	14
47	Proinsulin-specific T regulatory cells may control immune responses in type 1 diabetes: implications for adoptive therapy. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e000873.	1.2	14
48	Novel glucokinase mutations in patients with monogenic diabetes – clinical outline of ^{GCK} ⁺ ^{MD} and potential for founder effect in Slavic population. <i>Clinical Genetics</i> , 2012, 81, 278-283.	1.0	13
49	Relationship between Serum Transforming Growth Factor ^β 1 Concentrations and the Duration of Type 1 Diabetes Mellitus in Children and Adolescents. <i>Mediators of Inflammation</i> , 2013, 2013, 1-6.	1.4	13
50	IL-33 improves the suppressive potential of regulatory T cells in patients with type 1 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2017, 128, 67-73.	1.1	13
51	Associations of TP53 codon 72 polymorphism with complications and comorbidities in patients with type 1 diabetes. <i>Journal of Molecular Medicine</i> , 2021, 99, 675-683.	1.7	13
52	How does autoimmune thyroiditis in children with type 1 diabetes mellitus influence glycemic control, lipid profile and thyroid volume?. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2014, 28, 275-8.	0.4	12
53	Elevated levels of peripheral blood ^{CD} ¹⁴ ^{bright} ^{CD} ¹⁶ ⁺ and ^{CD} ¹⁴ ^{dim} ^{CD} ¹⁶ ⁺ monocytes may contribute to the development of retinopathy in patients with juvenile onset type 1 diabetes. <i>Apmis</i> , 2015, 123, 793-799.	0.9	12
54	IRS1 ^{397T} ^C Estrogen Receptor ⁺ Polymorphism Is Associated with Low-Grade Systemic Inflammatory Response in Type 1 Diabetic Girls. <i>Mediators of Inflammation</i> , 2014, 2014, 1-8.	1.4	11

#	ARTICLE	IF	CITATIONS
55	Enhanced Apoptosis of Monocytes from Complication-Free Juvenile-Onset Diabetes Mellitus Type 1 May Be Ameliorated by TNF- α Inhibitors. <i>Mediators of Inflammation</i> , 2014, 2014, 1-11.	1.4	11
56	Breaking the Taboo: Illicit Drug Use among Adolescents with Type 1 Diabetes Mellitus. <i>Journal of Diabetes Research</i> , 2016, 2016, 1-8.	1.0	11
57	Alcohol and cigarette use among adolescents with type 1 diabetes. <i>European Journal of Pediatrics</i> , 2017, 176, 713-722.	1.3	11
58	CCR5- δ 32 polymorphism is a genetic risk factor associated with dyslipidemia in patients with type 1 diabetes. <i>Cytokine</i> , 2019, 114, 81-85.	1.4	11
59	Zalecenia Sekcji Pediatricznej Polskiego Towarzystwa NadciÅnienienia TÅtniczego dotyczÄ...ce postÄpowania diagnostycznego i terapeutycznego w nadciÅnieniu tÅtniczym u dzieci i mÅdziaÅy. <i>Arterial Hypertension</i> , 2018, 22, 45-73.	0.2	11
60	Polymorphism of the <i>FTO</i> Gene Influences Body Weight in Children with Type 1 Diabetes without Severe Obesity. <i>International Journal of Endocrinology</i> , 2014, 2014, 1-5.	0.6	10
61	Polymorphism in BACH2 gene is a marker of polyglandular autoimmunity. <i>Endocrine</i> , 2021, 74, 72-79.	1.1	10
62	Utilization of do-it-yourself artificial pancreas systems in the management of patients with type 1 diabetes: a position statement of the Pump School Education Initiative by Diabetes Poland. <i>Polish Archives of Internal Medicine</i> , 2019, 129, 937-938.	0.3	10
63	The association of thyroid-stimulating hormone (TSH) and free thyroxine (fT4) concentration levels with carbohydrate and lipid metabolism in obese and overweight teenagers.. <i>Endokrynologia Polska</i> , 2019, 70, 172-178.	0.3	10
64	L-thyroxine Stabilizes Autoimmune Inflammatory Process in Euthyroid Nongoitrous Children with Hashimoto's Thyroiditis and Type 1 Diabetes Mellitus. <i>JCRPE Journal of Clinical Research in Pediatric Endocrinology</i> , 2013, 5, 240-244.	0.4	9
65	HFE Gene Mutations and Iron Status in 100 Healthy Polish Children. <i>Journal of Pediatric Hematology/Oncology</i> , 2017, 39, e240-e243.	0.3	9
66	Estrogen receptor β gene polymorphism and vascular complications in girls with type 1 diabetes mellitus. <i>Molecular and Cellular Biochemistry</i> , 2018, 437, 153-161.	1.4	9
67	Monocytes of newly diagnosed juvenile DM1 patients are prone to differentiate into regulatory IL-10+ M2 macrophages. <i>Immunologic Research</i> , 2019, 67, 58-69.	1.3	9
68	The Year in Immune Intervention for Type 1 Diabetes. <i>Diabetes Technology and Therapeutics</i> , 2013, 15, S-88-S-95.	2.4	8
69	CCR5- δ 32 gene polymorphism is related to celiac disease and autoimmune thyroiditis coincidence in patients with type 1 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2017, 31, 615-618.	1.2	8
70	Ocena czÄstotÅci wystÄpowania zespoÅu Wolframa w populacji dzieci z cukrzycÄ... <i>Endokrynologia Polska</i> , 2014, 65, 295-297.	0.3	8
71	Diabetic ketoacidosis incidence among children with new-onset type 1 diabetes in Poland and its association with COVID-19 outbreak - Two-year cross-sectional national observation by PolPeDiab Study Group. <i>Pediatric Diabetes</i> , 2022, 23, 944-955.	1.2	8
72	Paternally Inherited Proinsulin Mutations May Result in Earlier Onset of Monogenic Diabetes Mutation Identity Effect in Monogenic Diabetes. <i>Diabetes Care</i> , 2011, 34, e9-e9.	4.3	7

#	ARTICLE	IF	CITATIONS
73	The association of the IVS1-397T>C estrogen receptor β polymorphism with the regulatory conditions in longstanding type 1 diabetic girls. <i>Molecular Immunology</i> , 2011, 49, 324-328.	1.0	7
74	<p>Potential effects of microbial air quality on the number of new cases of diabetes type 1 in children in two regions of Poland: a pilot study</p>. <i>Infection and Drug Resistance</i> , 2019, Volume 12, 2323-2334.	1.1	7
75	Ultrasound image of the thyroid gland in obese children. , 2015, 15, 423-428.		7
76	Ambulatory Glucose Profile (AGP) Report in Daily Care of Patients with Diabetes: Practical Tips and Recommendations. <i>Diabetes Therapy</i> , 2022, 13, 811-821.	1.2	7
77	Modulatory Factors Responsible for Neoangiogenesis in Young Patients with Long-Standing Diabetes Mellitus Type 1. <i>Recent Patents on Endocrine, Metabolic & Immune Drug Discovery</i> , 2009, 3, 144-149.	0.7	6
78	High Interleukin-12 Levels May Prevent an Increase in the Amount of Fungi in the Gastrointestinal Tract during the First Years of Diabetes Mellitus Type 1. <i>Disease Markers</i> , 2016, 2016, 1-10.	0.6	6
79	Above 40% of Polish children and young adults with type 1 diabetes achieve international <sc>HbA1c</sc> target – results of a nationwide cross-sectional evaluation of glycemic control: The <sc>PolPeDiab HbA1c</sc> study. <i>Pediatric Diabetes</i> , 2021, 22, 1003-1013.	1.2	6
80	Genetic Variability of GCKR Alters Lipid Profiles in Children with Monogenic and Autoimmune Diabetes. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2014, 122, 503-509.	0.6	5
81	Glycemic variability in patients with Wolfram syndrome is lower than in type 1 diabetes. <i>Acta Diabetologica</i> , 2015, 52, 1057-1062.	1.2	5
82	Parental knowledge and metabolic control of children and young adults with type 1 diabetes. <i>Archives of Medical Science</i> , 2018, 1, 52-59.	0.4	5
83	The impact of autoimmune thyroiditis on skin microcirculation in children with non-complicated type 1 diabetes mellitus. <i>Microvascular Research</i> , 2019, 123, 68-73.	1.1	5
84	Effect of Nutritional Habits on the Glycemic Response to Different Carbohydrate Diet in Children with Type 1 Diabetes Mellitus. <i>Nutrients</i> , 2021, 13, 3815.	1.7	5
85	HbA1c-based diabetes diagnosis among patients with glucokinase mutation (GCK-MODY) is affected by a genetic variant of glucose-6-phosphatase (G6PC2). <i>Diabetic Medicine</i> , 2012, 29, 1465-1469.	1.2	4
86	Transient hyperglycaemia – an underestimated problem of paediatric oncohaematology. <i>Archives of Medical Science</i> , 2012, 4, 672-677.	0.4	4
87	Outpatient Emergencies. <i>Medical Clinics of North America</i> , 2017, 101, 507-519.	1.1	4
88	Putative loss of CD83 immunosuppressive activity in long-standing complication-free juvenile diabetic patients during disease progression. <i>Immunologic Research</i> , 2019, 67, 70-76.	1.3	4
89	A new potential mode of cardiorenal protection of KLOTHO gene variability in type 1 diabetic adolescents. <i>Journal of Molecular Medicine</i> , 2020, 98, 955-962.	1.7	4
90	Immunologic and Biochemical Factors of Coincident Celiac Disease and Type 1 Diabetes Mellitus in Children. <i>Pediatric Research</i> , 2008, 64, 677-681.	1.1	3

#	ARTICLE	IF	CITATIONS
91	Single patient in GCK-MODY family successfully re-diagnosed into GCK-PNDM through targeted next-generation sequencing technology. <i>Acta Diabetologica</i> , 2016, 53, 337-338.	1.2	3
92	Papillary thyroid carcinoma in a patient with Turner syndrome treated with human growth hormone. <i>Pediatric Endocrinology, Diabetes and Metabolism</i> , 2018, 24, 145-150.	0.3	3
93	Are we confident that final-year medical students know at least basics about diabetes?: A preliminary report from the multicenter, survey-based <sc>Diabetes Know&Me</sc> study. <i>Pediatric Diabetes</i> , 2021, 22, 850-853.	1.2	3
94	Assessing the knowledge of the consequences of uncontrolled diabetes in pregnancy and its effects on fetal development, among female adolescents with type 1 diabetes. <i>Pediatric Endocrinology, Diabetes and Metabolism</i> , 2017, 23, 188-196.	0.3	3
95	Fitness, Food, and Biomarkers: Characterizing Body Composition in 19,634 Early Adolescents. <i>Nutrients</i> , 2022, 14, 1369.	1.7	3
96	Elevated hemoglobin concentration in 3 children with HFE mutation. <i>Pediatrica Polska</i> , 2014, 89, 406-409.	0.1	2
97	Immune Intervention for Type 1 Diabetes, 2013–2014. <i>Diabetes Technology and Therapeutics</i> , 2015, 17, S-80-S-87.	2.4	2
98	An analysis of the sequence of the BAD gene among patients with maturity-onset diabetes of the young (MODY). <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2017, 30, 97-100.	0.4	2
99	Steroid-induced diabetes in the paediatric population. <i>Pediatric Endocrinology, Diabetes and Metabolism</i> , 2018, 24, 136-139.	0.3	2
100	Effect of eating resistant starch on the development of overweight, obesity, and disorders of carbohydrate metabolism in children. <i>Pediatric Endocrinology, Diabetes and Metabolism</i> , 2019, 25, 81-84.	0.3	2
101	Alterations in postural control, gait pattern, and muscle function in diabetes mellitus: does it matter in children and adolescents with type 1 diabetes?. <i>Pediatric Endocrinology, Diabetes and Metabolism</i> , 2019, 25, 23-27.	0.3	2
102	Skin microvascular circulation is not affected by diabetes duration in young patients with non-complicated type 1 diabetes mellitus. <i>Pediatric Endocrinology, Diabetes and Metabolism</i> , 2019, 25, 183-187.	0.3	2
103	Wrodzony hiperinsulinizm – pr–ba optymalizacji diagnostyki i leczenia u polskich pacjent–w. <i>Endokrynologia Polska</i> , 2015, 66, 322-328.	0.3	2
104	Skin oxygenation impairment is associated with increased total cholesterol level in children with short-lasting type 1 diabetes mellitus. <i>Postepy Dermatologii i Alergologii</i> , 2021, 38, 615-621.	0.4	2
105	Wolfram-like syndrome – another face of a rare disease in children. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2022, 35, 121-124.	0.4	2
106	Stanowisko dotycz–ce post–powania w rodzinnej hipercholesterolemii u dzieci i m–odzie–4y. Stanowisko Forum Ekspert–w Lipidowych. <i>Pediatrica Polska</i> , 2013, 88, 567-574.	0.1	1
107	Molecular basis of familial hypercholesterolemia in Poland – update from the Polish national centre of diagnostics and treatment of familial hypercholesterolemia. <i>Atherosclerosis</i> , 2016, 252, e38.	0.4	1
108	No effect of yeast-like fungi on lipid metabolism and vascular endothelial growth factor level in children and adolescents with type 1 diabetes mellitus. <i>Italian Journal of Pediatrics</i> , 2016, 42, 107.	1.0	1

#	ARTICLE	IF	CITATIONS
109	Neonatal outcome and diabetes course in children with GCK-MODY born from women with GCK-MODY. <i>Pediatric Endocrinology, Diabetes and Metabolism</i> , 2018, 24, 167-173.	0.3	1
110	Monitoring the Effects of Hypolipidemic Treatment in Children with Familial Hypercholesterolemia in Poland. <i>Life</i> , 2020, 10, 270.	1.1	1
111	Common carotid pulsatility is deteriorated by autoimmune thyroiditis in children with type 1 diabetes mellitus – A pilot study. <i>Physiological Reports</i> , 2020, 8, e14518.	0.7	1
112	Management of familial heterozygous hypercholesterolemia. Position paper of the Polish Lipid Expert Forum. <i>Polish Archives of Internal Medicine</i> , 2013, 123, 7-10.	0.3	1
113	Accessibility to personal insulin pumps among children with diabetes mellitus in Poland in 2014. <i>Clinical Diabetology</i> , 2018, 7, 175-181.	0.2	1
114	Pediatric diabetes care: inpatient care in the Maps of Health Needs of Poland in 2014. <i>Clinical Diabetology</i> , 2019, 7, 259-271.	0.2	1
115	Evaluation of parental awareness of children's obesity-related health risk in Poland: survey study. <i>Pediatric Endocrinology, Diabetes and Metabolism</i> , 2020, 26, 198-204.	0.3	1
116	670 Urinary Biomarkers in Heart Allograft Recipients in Relation to Kidney Function. <i>Journal of Heart and Lung Transplantation</i> , 2012, 31, S230-S231.	0.3	0
117	Oxldl – the molecule linking hypercoagulability with the presence of cardiovascular disease in hemodialyzed uraemic patients. <i>Atherosclerosis</i> , 2014, 235, e165.	0.4	0
118	Oxidized low-density lipoproteins (oxldl) plasma levels and oxldl to ldl ratio – are they real oxidative stress markers in dialysed patients?. <i>Atherosclerosis</i> , 2014, 235, e164-e165.	0.4	0
119	Successful Salvage Haploidentical Alpha-Beta T Cell-Depleted Stem Cell Transplantation After Busulfan-Based Myeloablation in a Patient With IPEX Syndrome: A Case Report. <i>Transplantation Proceedings</i> , 2019, 51, 3150-3154.	0.3	0
120	Can athletes with type 1 diabetes use supplementation?. <i>Pediatric Endocrinology, Diabetes and Metabolism</i> , 2020, 26, 97-103.	0.3	0
121	Novel methods of continuous glucose monitoring and telehealth in the improvement of diabetes care: a narrative review. <i>Archives of Medical Science</i> , 2021, , .	0.4	0
122	Modulators of K ⁺ Channels in Diabetology. , 2012, , 43-60.		0
123	The Spanish Autonomous Model in Poland? The Political Concept of the Silesian Autonomy Movement. , 2013, , 179-190.		0
124	2015 Guidelines for the Management of Hypertension. Part 8. Arterial Hypertension, 2015, 19, 153-173.	0.2	0
125	Projekt utworzenia sieci ośrodków diabetologicznych w województwie pomorskim. <i>Clinical Diabetology</i> , 2015, 4, 210-217.	0.2	0
126	Polycystic ovary syndrome and diabetes mellitus type 1 in adult and adolescent females. <i>Pediatric Endocrinology, Diabetes and Metabolism</i> , 2016, 22, 156-162.	0.3	0

#	ARTICLE	IF	CITATIONS
127	Changes in Diet and Lifestyle may Lower the Risk of Type 1 Diabetes Mellitus in Children-Environmental Factors Influencing Type 1 Diabetes Mellitus Morbidity. Journal of Diabetes & Metabolism, 2016, 7, .	0.2	0
128	The proposal of initial bolus calculator settings in Accu-Chek Combo system. Clinical Diabetology, 2016, 4, 251-253.	0.2	0
129	The Skene's duct cyst in a newborn – a case report. Pediatria Polska, 2018, 93, 287-290.	0.1	0
130	Causes of diabetic ketoacidosis in children with long-term type 1 diabetes. Pediatria Polska, 2018, 93, 372-376.	0.1	0
131	Pilot Study of Eyesight Characteristics and Thickness of the Retinal Nerve Fiber and Ganglion Cell-inner Plexiform Layers in Adolescent Patients with Type one Diabetes Mellitus on an Insulin Pump. Current Pharmaceutical Design, 2018, 24, 3264-3275.	0.9	0
132	When do paediatric patients with familial hypercholesterolemia need statin therapy?. Medycyna Wieku Rozwojowego, 2017, 21, 43-50.	0.2	0
133	Psychiatric comorbidities in pediatric monogenic diabetes due to GCK mutation and their impact on the diabetes-related quality of life compared with type 1 diabetes.. Journal of the Academy of Consultation-Liaison Psychiatry, 2022, , .	0.2	0