
## Marek Tasevsky

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3130880/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Performance of the ATLAS Level-1 topological trigger in RunÂ2. European Physical Journal C, 2022, 82, 1.	1.4	6
2	Measurement of the c-jet mistagging efficiency in \$\$tar{t}\$\$Âevents using pp collision data at \$\$sqrt{s}=13\$\$Â\$\$ext {TeV}\$\$ collected with the ATLAS detector. European Physical Journal C, 2022, 82, .	1.4	14
3	Search for exotic decays of the Higgs boson into b\$\$ overline{b} \$\$ and missing transverse momentum in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2022, 2022, 1.	1.6	2
4	Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at 13Â\$\$ext {TeV}\$\$ with the ATLAS detector. European Physical Journal C, 2022, 82, 1.	1.4	8
5	Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with 139 fbâ°1 of pp collision data at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	10
6	AtlFast3: The Next Generation of Fast Simulation in ATLAS. Computing and Software for Big Science, 2022, 6, 1.	1.3	23
7	Measurement of the energy response of the ATLASÂcalorimeter to chargedÂpions from \$\$W^{pm }ightarrow au ^{pm }(ightarrow pi ^{pm }u _{au })u _{au }\$\$ events in RunÂ2 data. European Physical Journal C, 2022, 82, 1.	1.4	4
8	The ATLAS inner detector trigger performance in pp collisions at 13ÂTeV during LHC Run 2. European Physical Journal C, 2022, 82, 1.	1.4	5
9	Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at \$\$sqrt{s}=13\$\$ÂTeV with the ATLAS detector. European Physical Journal C, 2022, 82, .	1.4	7
10	Measurement of the energy asymmetry in \$\$t{ar{t}}j\$\$ production at \$\$13,\$\$TeV with the ATLAS experiment and interpretation in the SMEFT framework. European Physical Journal C, 2022, 82, .	1.4	2
11	Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at \$\$\$qrt{s} = 7\$\$, 8 and 13ÂTeV. European Physical Journal C, 2022, 82, 1.	1.4	12
12	Challenging exclusive top quark pair production at low and high luminosity LHC. Physical Review D, 2022, 105, .	1.6	5
13	Measurement of hadronic event shapes in high-pT multijet final states at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	4
14	Search for squarks and gluinos in final states with jets and missing transverse momentum using 139 fbâ~'1 of \$\$ sqrt{s} \$\$ = 13 TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	37
15	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton–proton collisions at ATLAS. European Physical Journal C, 2021, 81, 1.	1.4	12
16	Measurements of WH and ZH production in the \$\$H ightarrow bar{b}\$\$ decay channel in pp collisions at \$\$13,ext {Te}ext {V}\$\$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	38
17	Search for dark matter in association with an energetic photon in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	18
18	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at \$\$ sqrt{s} = 13,{ext {TeV}} \$\$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	17

#	Article	IF	CITATIONS
19	Measurement of light-by-light scattering and search for axion-like particles with 2.2 nbâ~'1 of Pb+Pb data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	19
20	Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	6
21	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	14
22	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at \$\$ sqrt{mathrm{s}} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	22
23	Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton–proton collisions at \$\$sqrt{s}\$\$ = 13ÂTeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	18
24	Optimisation of large-radius jet reconstruction for the ATLAS detector in 13ÂTeV proton–proton collisions. European Physical Journal C, 2021, 81, 1.	1.4	15
25	Search for heavy resonances decaying into a pair of Z bosons in the \$\$ell ^+ell ^-ell '^+ell '^-\$\$ and \$\$ell ^+ell ^-u {{ar{u }}}\$\$ final states using 139 \$\$mathrm {fb}^{-1}\$\$ of proton–proton collisions at \$\$sqrt{s} = 13,\$\$TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	40
26	Search for new phenomena in final states with b-jets and missing transverse momentum in \$\$ sqrt{mathrm{s}} \$\$ = 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	18
27	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the \$\$ell ell bb\$\$ and \$\$ell ell WW\$\$ final states in pp collisions at \$\$sqrt{s}=13\$\$Â\$\$ext {TeV}\$\$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	26
28	Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at \$\$ sqrt{mathrm{s}} \$\$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	1.6	23
29	Measurements of W+Wâ^'+ ≥ 1 jet production cross-sections in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	8
30	Search for charged Higgs bosons decaying into a top quark and a bottom quark at \$\$ sqrt{mathrm{s}} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	46
31	Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at \$\$sqrt{s}=13,ext {TeV}\$\$. European Physical Journal C, 2021, 81, 1.	1.4	14
32	Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a ï"-lepton in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	27
33	Search for supersymmetry in events with four or more charged leptons in 139 fbâ^'1 of \$\$ sqrt{s} \$\$ = 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	12
34	Determination of the parton distribution functions of the proton from ATLAS measurements of differential W± and Z boson production in association with jets. Journal of High Energy Physics, 2021, 2021, 1.	1.6	10
35	Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	8
36	A search for the decays of stopped long-lived particles at \$\$ sqrt{mathrm{s}} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	5

#	Article	IF	CITATIONS
37	Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at \$\$\$qrt{s}=13\$\$ TeV. European Physical Journal C, 2021, 81, 1.	1.4	82
38	Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at \$\$sqrt{s}=13\$\$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	13
39	Measurement of single top-quark production in association with a W boson in the single-lepton channel at \$\$sqrt{s} = 8,ext {TeV}\$\$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	3
40	Jet energy scale and resolution measured in proton–proton collisions at \$\$sqrt{s}=13\$\$ÂTeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	64
41	Measurements of the inclusive and differential production cross sections of a top-quark–antiquark pair in association with a ZÂboson at \$\$sqrt{s} = 13\$\$ÂTeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	12
42	Search for dark matter produced in association with a single top quark in \$\$sqrt{s}=13\$\$ÂTeV \$\$pp\$\$ collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	9
43	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at \$\$ sqrt{mathrm{s}} \$\$ = 13 TeV using the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	14
44	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. European Physical Journal C, 2021, 81, 1.	1.4	5
45	Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	12
46	Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using \$\$sqrt{s} = 13hbox { TeV}\$\$ proton–proton collision data. European Physical Journal C, 2021, 81, 1.	1.4	7
47	Measurement of the t\$\$ overline{t} \$\$t\$\$ overline{t} \$\$ production cross section in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	10
48	Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	10
49	Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	4
50	Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV using displaced vertices in the ATLAS inner detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	4
51	Search for chargino–neutralino pair production in final states with three leptons and missing transverse momentum in \$\$sqrt{s} = 13\$\$ÂTeV pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	28
52	Configuration and performance of the ATLAS b-jet triggers in Run 2. European Physical Journal C, 2021, 81, 1.	1.4	7
53	Measurement of b-quark fragmentation properties in jets using the decay B± → J/̈́ K± in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	3
54	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. Journal of High Energy Physics, 2020, 2020, 1.	1.6	17

#	Article	IF	CITATIONS
55	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	24
56	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the 4\$\$ell \$\$ decay channel at \$\$sqrt{s}\$\$ = 13 TeV. European Physical Journal C, 2020, 80, 1.	1.4	32
57	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in \$\$pp\$\$ collisions at \$\$sqrt{s}=13\$\$ÂTeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	34
58	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	11
59	Search for the HH → \$\$ boverline{b}boverline{b} \$\$ process via vector-boson fusion production using proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	17
60	Observation of the associated production of a top quark and a Z boson in pp collisions at \$\$ sqrt{s} \$\$= 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	12
61	Review of Particle Physics. Progress of Theoretical and Experimental Physics, 2020, 2020, .	1.8	3,177
62	Measurements of top-quark pair spin correlations in the \$\$emu \$\$ channel at \$\$sqrt{s} = 13\$\$ TeV using pp collisions in the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	22
63	Higgs boson production cross-section measurements and their EFT interpretation in the \$\$4ell \$\$ decay channel at \$\$sqrt{s}=\$\$13ÂTeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	41
64	Top quark pair production in the exclusive processes at the LHC. Physical Review D, 2020, 102, .	1.6	11
65	A new approach to modelling elastic and inelastic photon-initiated production at the LHC: SuperChic 4. European Physical Journal C, 2020, 80, 1.	1.4	39
66	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in \$\$ sqrt{s} \$\$ = 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	36
67	Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fbâ^'1 of data collected with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	19
68	Search for \$\$ toverline{t} \$\$ resonances in fully hadronic final states in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	14
69	Reconstruction and identification of boosted di-ï" systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. Journal of High Energy Physics, 2020, 2020, 1.	1.6	8
70	Performance of electron and photon triggers in ATLAS during LHC Run 2. European Physical Journal C, 2020, 80, 1.	1.4	93
71	Search for top squarks in events with a Higgs or Z boson using 139Âfb\$\$^{-1}\$\$ of pp collision data at \$\$sqrt{s}=13\$\$ÂTeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	4
72	Evidence for \$\$tar{t}tar{t}\$\$ production in the multilepton final state in proton–proton collisions at \$\$sqrt{s}=13\$\$Â\$\$ext {TeV}\$\$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	30

#	Article	IF	CITATIONS
73	Search for heavy diboson resonances in semileptonic final states in pp collisions at \$\$sqrt{s}=13\$\$ÂTeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	29
74	Search for a scalar partner of the top quark in the all-hadronic \$\$t{ar{t}}\$\$ plus missing transverse momentum final state at \$\$sqrt{s}=13\$\$ÂTeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	36
75	Alignment of the ATLAS Inner Detector in Run 2. European Physical Journal C, 2020, 80, 1.	1.4	12
76	Determination of jet calibration and energy resolution in proton–proton collisions at \$\$sqrt{s} = 8~hbox {TeV}\$\$ using the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	15
77	Constraints on mediator-based dark matter and scalar dark energy models using \$\$ sqrt{s} \$\$ = 13 TeV pp collision data collected by the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	49
78	Search for Higgs boson pair production in the WW(*)WW(*) decay channel using ATLAS data recorded at \$\$ sqrt{mathrm{s}} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	21
79	Search for scalar resonances decaying into μ+μâ^' in events with and without b-tagged jets produced in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	15
80	Measurement of the cross-section and charge asymmetry of W bosons produced in proton–proton collisions at \$\$sqrt{s}=8~ext {TeV}\$\$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	24
81	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton–proton collision data at \$\$sqrt{s} = 13\$\$Â\$\$ext {TeV}\$\$. European Physical Journal C, 2019, 79, 1.	1.4	77
82	Search for single production of vector-like quarks decaying into Wb in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	27
83	Search for top-quark decays t → Hq with 36 fbâ^'1 of pp collision data at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	19
84	Measurement of VH, \$\$ mathrm{H}o mathrm{b}overline{mathrm{b}} \$\$ production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	14
85	Measurements of W and Z boson production in pp collisions at \$\$sqrt{s}=5.02\$\$ s = 5.02 ÂTeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	17
86	LHC searches for Dark Matter in compressed mass scenarios: challenges in the forward proton mode. Journal of High Energy Physics, 2019, 2019, 1.	1.6	33
87	Performance of top-quark and \$\$varvec{W}\$\$ W -boson tagging with ATLAS in Run 2 of the LHC. European Physical Journal C, 2019, 79, 1.	1.4	42
88	Electron and photon energy calibration with the ATLAS detector using 2015–2016 LHC proton-proton collision data. Journal of Instrumentation, 2019, 14, P03017-P03017.	0.5	37
89	Search for doubly charged scalar bosons decaying into same-sign W boson pairs with the ATLAS detector. European Physical Journal C, 2019, 79, 58.	1.4	61
90	Search for heavy Majorana or Dirac neutrinos and right-handed W gauge bosons in final states with two charged leptons and two jets at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	39

#	Article	IF	CITATIONS
91	In situ calibration of large-radius jet energy and mass in 13ÂTeVÂproton–proton collisions with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	28
92	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. European Physical Journal C, 2019, 79, 1.	1.4	46
93	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at \$\$ sqrt{s} \$\$ = 13 and 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	6
94	Measurement of the top quark mass in the $t \in 1^{-} \hat{a}^{-} \hat{a}^{-}$ European Physical Journal C, 2019, 79, 1.	1.4	47
95	Search for pair production of Higgs bosons in the \$\$ boverline{b}boverline{b} \$\$ final state using proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	55
96	A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. European Physical Journal C, 2019, 79, 1.	1.4	25
97	Measurement of the top-quark mass in \$\$ toverline{t} \$\$ + 1-jet events collected with the ATLAS detector in pp collisions at \$\$ sqrt{s} \$\$ = 8 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	27
98	Measurement of fiducial and differential $W^+W^-$ production cross-sections at $s=13$ fiducial and the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	24
99	Measurement of the inclusive cross-section for the production of jets in association with a Z boson in proton–proton collisions at 8ÂTeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	9
100	ATLAS b-jet identification performance and efficiency measurement with \$\$t{ar{t}}\$\$ events in pp collisions at \$\$sqrt{s}=13\$\$ÂTeV. European Physical Journal C, 2019, 79, 1.	1.4	130
101	Measurements of top-quark pair differential and double-differential cross-sections in the \$\$ell \$\$+jets channel with pp collisions at \$\$sqrt{s}=13\$\$ TeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	34
102	Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in 36 fbâ^'1 of pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	116
103	Measurement of the cross-section for producing a W boson in association with a single top quark in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV with ATLAS. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
104	Measurement of the W-boson mass in pp collisions at \$\$sqrt{s}=7, hbox {TeV}\$\$ s = 7 TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 110.	1.4	218
105	Search for new phenomena in high-mass final states with a photon and a jet from \$\$pp\$\$ pp collisions at \$\$sqrt{s}\$\$ s. European Physical Journal C, 2018, 78, 102.	1.4	13
106	Search for the direct production of charginos and neutralinos in final states with tau leptons in \$\$sqrt{s} = 13,mathrm{TeV}\$\$ s = 13 TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 154.	1.4	52
107	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at \$\$sqrt{s_{ext {NN}}}=2.76\$\$ s NN = 2.76 and 5.0. European Physical Journal C, 2018, 78, 142.	1.4	59
108	Measurement of quarkonium production in proton–lead and proton–proton collisions at \$\$5.02~mathrm {TeV}\$\$ 5.02 TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 171.	1.4	75

#	Article	IF	CITATIONS
109	Measurement of differential cross-sections of a single top quark produced in association with a W boson at \$\$sqrt{s}={13}{ext {TeV}}\$\$ s = 13 TeV with ATLAS. European Physical Journal C, 2018, 78, 186.	1.4	20
110	Search for heavy ZZ resonances in the \$\$ell ^+ell ^-ell ^+ell ^-\$\$ â"" + â"" - â"" + â"" - and \$\$ell ^+ell ^-u ar{u }\$\$ â"" + â"" - ν ν Â⁻ final states using proton–proton collisions at \$\$sqrt{s}= 13\$\$ s = 13  \$\$ext {TeV}\$\$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 293.	1.4	101
111	A search for pair-produced resonances in four-jet final states at \$\$sqrt{s}=13\$\$ s = 13 \$\$ext {TeV}\$\$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 250.	1.4	66
112	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fbâ''1 of \$\$ sqrt{s}=13 \$\$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	40
113	Search for heavy resonances decaying into WW in the \$\$eu mu u \$\$ e ν μ ν final state in pp collisions at \$\$sqrt{s}=13\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 24.	1.4	108
114	Direct top-quark decay width measurement in the \$\$mathbf {varvec{tar{t}}}\$\$ t t Â <sup>-</sup> lepton+jets channel at \$\$sqrt{s}=8~ext {TeV}\$\$ s = 8 TeV with the ATLAS experiment. European Physical Journal C, 2018, 78, 129.	1.4	17
115	Search for W W/W Z resonance production in â"''νqq final states in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	31
116	Measurement of the Higgs boson coupling properties in the H → ZZâ^— → 4â,," decay channel at \$\$ sqrt{s}=13 TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	\$\$ 1.6	46
117	Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the H → aa → 4b channel in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	28
118	Measurement of the \$\$ Zgamma o u overline{u}gamma \$\$ production cross section in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector and limits on anomalous triple gauge-boson couplings. Journal of High Energy Physics, 2018, 2018, 1.	1.6	10
119	Prompt and non-prompt \$\$J/psi \$\$ J / Ï^ elliptic flow in Pb+Pb collisions at \$\$sqrt{s_{_ext {NN}}} = 5.02\$\$ s NN = 5.02 Tev with the ATLAS detectorÂ. European Physical Journal C, 2018, 78, 784.	1.4	19
120	Search for Higgs boson pair production in the \$\$gamma gamma WW^*\$\$ Î <sup>3</sup> Î <sup>3</sup> W W â^— channel using \$\$pp\$\$ pp collision data recorded at \$\$sqrt{s}\$\$ s \$\$=13\$\$ = 13 TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 1007.	1.4	53
121	Measurement of colour flow using jet-pull observables in \$\$tar{t}\$\$ t t Â⁻ events with the ATLAS experiment at \$\$sqrt{s} = 13,hbox {TeV}\$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 847.	1.4	16
122	Angular analysis of B0 d → Kâ^—l̂¼+l̂¼â^' decays in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS Journal of High Energy Physics, 2018, 2018, 1.	detector. 1.6	76
123	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in 36 fb \$\$^{-1}\$\$ - 1 of pp collisions at. European Physical Journal C, 2018, 78, 401.	1.4	50
124	Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	29
125	Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	9
126	Search for Higgs boson pair production in the \$\$ upgamma upgamma boverline{b} \$\$ final state with 13 TeV pp collision data collected by the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1.	1.6	38

#	Article	IF	CITATIONS
127	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	30
128	Measurement of the azimuthal anisotropy of charged particles produced in \$\$sqrt{s_{_ext {NN}}}\$\$ s NN = 5.02ÂTeV Pb+Pb collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 997.	1.4	51
129	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton–proton collisions at \$\$sqrt{s}=13~hbox {TeV}\$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 903.	1.4	181
130	Search for electroweak production of supersymmetric particles in final states with two or three leptons at \$\$sqrt{s}=13hbox {TeV}\$\$ s = 13 TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 995.	1.4	125
131	Search for charged Higgs bosons decaying into top and bottom quarks at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	56
132	Operation and performance of the ATLAS Tile Calorimeter in RunÂ1. European Physical Journal C, 2018, 78, 987.	1.4	25
133	Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	37
134	Search for pair production of heavy vector-like quarks decaying into high-pT W bosons and top quarks in the lepton-plus-jets final state in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	22
135	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fbâ^'1 of \$\$ sqrt{s}=13 \$\$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	48
136	Search for long-lived charginos based on a disappearing-track signature in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	67
137	Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	15
138	Search for charged Higgs bosons decaying via H± → τ±ντ in the τ+jets and τ+lepton final states with 36 fb of pp collision data recorded at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1.	â^'l 1.6	59
139	Prompt and non-prompt \$\$J/psi \$\$ J / ï^ and \$\$psi (2mathrm {S})\$\$ ï^ ( 2 S ) suppression at high transverse momentum in \$\$5.02~mathrm {TeV}\$\$ 5.02 TeV Pb+Pb collisions with the ATLAS experiment. European Physical Journal C, 2018, 78, 762.	1.4	61
140	Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	31
141	Search for exclusive Higgs and Z boson decays to ï•î³ and ïŀ³ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	16
142	Measurements of b-jet tagging efficiency with the ATLAS detector using \$\$ toverline{t} \$\$ events at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	40
143	Search for flavour-changing neutral current top-quark decays t → qZ in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
144	Measurement of the inclusive and fiducial $ftar{t}\$ t t $\hat{A}^-$ production cross-sections in the. European Physical Journal C, 2018, 78, 487.	1.4	10

#	Article	IF	CITATIONS
145	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton–proton collisions at \$\$sqrt{s} = 13\$\$ s = 13  \$\$ext {TeV}\$\$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 565.	1.4	79
146	Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in \$\$sqrt{s}=13\$\$ s = 13 Â \$\$ext {Te}ext {V}\$\$ Te pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 625.	1.4	27
147	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	136
148	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
149	Search for dark matter produced in association with bottom or top quarks in \$\$sqrt{s}=13\$\$s=13ÂTeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 18.	1.4	60
150	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton–proton collisions at \$\$sqrt{s}=13,ext {TeV}\$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 199.	1.4	132
151	Measurement of \$\$au \$\$ Ï,, polarisation in \$\$Z/gamma ^{*}ightarrow au au \$\$ Z / γ. European Physical Journal C, 2018, 78, 163.	1.4	7
152	Searches for heavy ZZ and ZW resonances in the â,,"â,,"qq and ννqq final states in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	29
153	Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	33
154	Measurement of differential cross sections and W+/Wâ^' cross-section ratios for W boson production in association with jets at \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	16
155	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fbâ°'1 of ( sqrt{s}=13 ) TeV pp collisions with the ATLAS detector. , 2018, 2018, 1.		1
156	Measurement of the W-boson mass in pp collisions at (sqrt{s}=7, hbox {TeV}) with the ATLAS detector. , 2018, 78, 1.		1
157	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton–proton collisions at (sqrt{s}=13,ext {TeV}). , 2018, 78, 1.		1
158	Measurement of the \$\${varvec{tar{t}Z}}\$\$ t t Â <sup>-</sup> Z and \$\${varvec{tar{t}W}}\$\$ t t Â <sup>-</sup> W production cross sections in multilepton final states using 3.2 fb \$\$^{-1}\$\$ -1 of \$\$varvec{pp}\$\$ p p collisions at \$\$sqrt{s}\$\$ s = 13 TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 40.	1.4	41
159	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 pp-collision data with the ATLAS detector. European Physical Journal C, 2017, 77, 26.	1.4	29
160	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	29
161	Measurement of jet activity produced in top-quark events with an electron, a muon and two b-tagged jets in the final state in pp collisions at \$\$sqrt{s}=13\$\$ s = 13 TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 220.	1.4	11
162	Measurement of the W boson polarisation in \$\$tar{t}\$\$ t t Â⁻ events from pp collisions at \$\$sqrt{s}\$\$ s = 8 TeV in the leptonÂ+Âjets channel with ATLAS. European Physical Journal C, 2017, 77, 264.	1.4	37

Physical journal C, 2017, 77, 490.         169       Inp problisions at &ATeV using data collected by the ATLAS detector. European Physical Journal C, 2017, 77, 531.       1.4       56         170       Measurements of electroweak SSWIJ SS W J j production and constraints on anomalous gauge couplings with the ATLAS detector. European Physical Journal C, 2017, 77, 474.       1.4       26         171       Jet reconstruction and performance using particle flow with the ATLAS Detector. European Physical Journal C, 2017, 77, 466.       1.4       145         172       Measurement of multi-particle azimuthal correlations in pp, pÅ+ÅPb and low-multiplicity PbÅ+ÅPb       1.4       86         173       degage* inline*, "mmEmi>p (MmMm) < mmEmi>A (mmEmath) < 2017, 77, 428.       1.4       86         174       detector. European Physical Journal C, 2017, 77, 428.       1.4       86         175       Measurement of multi-particle azimuthal correlations in pp, pÅ+ÅPb and low-multiplicity PbÅ+ÅPb       1.6       50         2017, 96.       1.4       86       50       50       50       50         2017, 97.       1.6       50       50       50       50       50       50         2017, 96.       1.4       81       51       52       51       53       51       54       54       44, "decay channel in pp       50         2017,	#	Article	IF	CITATIONS
164       collisions at SSsprt{§} = 138 Å reV using the ATLAS detector. European Physical Journal C, 2017, 1.4       27         165       Performance of algorithms that reconstruct missing transverse momentum in SSsqrt{§} S s = 8 TeV       1.4       61         166       Measurement of the prompt J/ SSpsi SS T pair production cross-section in pp collisions at SSsqrt{\$} =       1.4       81         166       Measurement of the prompt J/ SSpsi SS T pair production cross-section in pp collisions at SSsqrt{\$} =       1.4       81         167       SSgrt{\$} = 8 ATeV with the ATLAS detector. European Physical Journal C, 2017, 77, 76.       1.4       81         168       Resumment of the prompt J/ SSpsi SS T with the ATLAS detector. European Physical Journal C, 2017, 77, 74.       1.4       25         169       SSgrt{\$} = 8 A SS with TeV with the ATLAS calorimeters and its performance in LHC Run 1. European       1.4       322         169       Fiducial, total and differential cross-section measurements of t-channel single top-quark production in pp collisions at SATeV using data collected by the ATLAS detector. European Physical Journal C, 2017, 77, 474.       1.4       26         170       Measurements of electroweak SSWIJ SS WJJ production and constraints on anomalous gauge       1.4       34         171       Jet reconstruction and performance using particle flow with the ATLAS detector. European Physical Journal C, 2017, 77, 428.       1.4       86        172 <t< td=""><td>163</td><td>Electron efficiency measurements with the ATLAS detector using 2012 LHC proton–proton collision data. European Physical Journal C, 2017, 77, 195.</td><td>1.4</td><td>87</td></t<>	163	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton–proton collision data. European Physical Journal C, 2017, 77, 195.	1.4	87
105       proton@C*proton collisions in the ATLAS detector. European Physical Journal C, 2017, 77, 241.       1.4       01         166       Measurement of the prompt JJ SSpsi SS <sup>T</sup> pair production cross-section in pp collisions at \$\$sqt{s} =       1.4       81         167       Ssearch for triboson SSW*(pm JW*(pm JW*(pm JSS W Å4 W Å* W å* production in pp collisions at \$\$sqt{s}) =       1.4       81         168       Ssearch for triboson SSW*(pm JW*(pm JW*(pm JSS W Å4 W Å* W å* production in pp collisions at \$\$sqt{s}) =       1.4       25         168       Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. European       1.4       322         168       Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. European       1.4       322         169       Fiducial, total and differential cross-section measurements of t-channel single top-quark production in pp collisions at \$AleV using data collected by the ATLAS detector. European Physical Journal C, 2017, 77, 474.       1.4       26         170       Measurements of electroweak SSWJ SW JJ production and constraints on anomalous gauge collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 474.       1.4       348         171       Jet reconstruction and performance using particle flow with the ATLAS Detector. European Physical Journal C, 2017, 77, 428.       1.4       348         172       Measurement of multi-particle azimuthal correlations in pp, pÅ+ÅPb and Jow-mu	164	collisions at \$\$sqrt{s} = 13\$\$ s = 13 ÂTeV using the ATLAS detector. European Physical Journal C, 2017,	1.4	27
166       855 s = 8 Å TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 76.       1.4       81         167       Search for tribuson SSW? (pm) W^ (pm) (SS W Åz W Åz W Åz W Å" production in pp collisions at triptic 1=855 s = 8 Å \$\$ext (TeV) \$5 TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 141.       1.4       25         168       Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. European Physical Journal C, 2017, 77, 490.       1.4       327         169       Inopological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. European Physical Journal C, 2017, 77, 490.       1.4       327         160       Inop collisions at 8ÅTeV using data collected by the ATLAS detector. European Physical Journal C, 2017, 77, 453.       1.4       26         170       Measurements of electroweak SSWJJ SS W J J production and constraints on anomalous gauge couplings with the ATLAS detector. European Physical Journal C, 2017, 77, 474.       1.4       26         171       Jet reconstruction and performance using particle flow with the ATLAS Detector. European Physical Journal C, 2017, 77, 466.       1.4       145         172       collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 428.       1.4       86         173       layerement of multi-particle azimuthal correlations in pp. pÅ+ÅPb and low-multiplicity PbÅ+ÅPb       1.4       146         173       displaga-linitie* commitsin* correlations in the H	165	Performance of algorithms that reconstruct missing transverse momentum in \$\$sqrt{s}\$\$ s = 8 TeV proton–proton collisions in the ATLAS detector. European Physical Journal C, 2017, 77, 241.	1.4	61
167       \$\$\$\$\$\$\$ \$\$ = 8 A \$\$\$ \$ = 8 A \$\$\$ at \$\$ \$ = 8 A \$\$\$ at \$\$ \$ = 8 A \$\$\$ at \$\$ \$ = 8 A \$\$\$ \$ \$ \$ = 8 A \$\$\$ \$ \$ \$ = 8 A \$\$\$ \$ \$ = 8 A \$\$\$ \$ \$ = 8 A \$\$\$ \$ \$ \$ = 8 A \$\$\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	166	Measurement of the prompt J/ \$\$psi \$\$ Ï^ pair production cross-section in pp collisions at \$\$sqrt{s} = 8\$\$ s = 8 ÂTeV with the ATLAS detector. European Physical Journal C, 2017, 77, 76.	1.4	81
168       Physical Journal C, 2017, 77, 490.       14       344         169       Fiducial, total and differential cross-section measurements of t-channel single top-quark production       14       56         170       Measurements of electroweak \$\$Wij \$\$ W jj production and constraints on anomalous gauge       14       26         170       Measurements of electroweak \$\$Wij \$\$ W jj production and constraints on anomalous gauge       14       26         171       Jet reconstruction and performance using particle flow with the ATLAS Detector. European Physical       14       145         172       collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 474.       14       86         172       collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 466.       14       145         173       dsplay="inline">collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 428.       14       86         174       collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 428.       16       50         174       collisions at a 13 \$\$ spit (s)=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 16       31         175       Measurement of inclusive and differential cross sections in the H at' 22 * at' 4a," decay channel in pp collisions at at \$\$ spit (s)=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 16       31         175 <td>167</td> <td>\$\$sqrt{s}=8\$\$ s = 8 A \$\$ext {TeV}\$\$ TeV with the ATLAS detector. European Physical Journal C, 2017,</td> <td>1.4</td> <td>25</td>	167	\$\$sqrt{s}=8\$\$ s = 8 A \$\$ext {TeV}\$\$ TeV with the ATLAS detector. European Physical Journal C, 2017,	1.4	25
169       in pp collisions at 8ÅTeV using data collected by the ATLAS detector. European Physical Journal C, 2017, 77, 531.       1.4       56         170       Measurements of electroweak \$\$Wij \$\$ W j j production and constraints on anomalous gauge couplings with the ATLAS detector. European Physical Journal C, 2017, 77, 474.       1.4       26         171       Jet reconstruction and performance using particle flow with the ATLAS Detector. European Physical Journal C, 2017, 77, 474.       1.4       14         172       Measurement of multi-particle azimuthal correlations in pp, pÅ+ÅPb and low-multiplicity PbÅ+ÅPb       1.4       86         172       Measurement of multi-particle azimuthal correlations in pp, pÅ+ÅPb and low-multiplicity PbÅ+ÅPb       1.4       86         172       Measurement of multi-particle azimuthal correlations in pp, pÅ+ÅPb and low-multiplicity PbÅ+ÅPb       1.4       86         173       Accessing the gluon Wigner distribution in ultraperipheral <mmlmath dispa="inline" xmlmsmml="http://www.w3.org/1999/Math/MathML">trimlimit Asymmetrity collisions. Physical Review D, 2017, 96.       1.6       50         174       collisions at s = 13 \$\$ sqt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 1.       1.6       31         175       Measurement of the \$\$ toverline{t}gamma \$\$ production cross section in proton-proton collisions at \$\$ sqt{s}=8 \$\$ TeV with the ATLAS detector in proton-proton collisions at \$\$ sqt{s}=8 \$\$ Sqt{s}=8 \$\$ Sqt{s}=8 \$\$ STeV. Journal of High Energy Physics, 2017, 1.       1.6</mmlmath>	168	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. European Physical Journal C, 2017, 77, 490.	1.4	325
170       couplings with the ATLAS detector. European Physical Journal C, 2017, 77, 474.       1.4       20         171       Jet reconstruction and performance using particle flow with the ATLAS Detector. European Physical Journal C, 2017, 77, 466.       1.4       143         172       Measurement of multi-particle azimuthal correlations in pp, pÅ+ÅPb and low-multiplicity PbÅ+ÅPb       1.4       86         172       Measurement of multi-particle azimuthal correlations in pp, pÅ+ÅPb and low-multiplicity PbÅ+ÅPb       1.4       86         172       Accessing the gluon Wigner distribution in ultraperipheral <mml:math <="" td="" xmins:mml="mittp://www.w3.org/1998/Math/Math/M1">       86         173       zmis:mml="mittp://www.w3.org/1998/Math/Math/M1"       1.6       50         2017, 26.       1.6       50         2017, 26.       1.6       50         2017, 26.       1.6       50         2017, 26.       1.6       50         2017, 1.       1.6       31         174       Measurement of inclusive and differential cross sections in the H äf' 2Z * åf' 4ä," decay channel in pp collisions at s = 13 \$\$ sqrt{\$}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 1.       1.6       91         175       Measurement of lepton differential distributions and the top quark mass in \$\$tar{t}\$\$ st t Å.       1.4       28         176       Measurement of the \$\$ t</mml:math>	169	in pp collisions at 8ÂTeV using data collected by the ATLAS detector. European Physical Journal C, 2017,	1.4	56
111       journal C, 2017, 77, 466.       114       144       144         112       Measurement of multi-particle azimuthal correlations in pp, pÅ+ÅPb and low-multiplicity PbÅ+ÅPb collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 428.       1.4       86         112       Accessing the gluon Wigner distribution in ultraperipheral <mml:math display="inline" xmlmsml="http://www.w3.org/1998/Math/MathML"><mml:mi><mml:mi>       1.6       50         113       xmls:mai="http://www.w3.org/1998/Math/MathML" display="inline"&gt;<mml:mi> A       1.6       50         114       collisions at s = 13 \$\$ sqrt{s}=13 \$\$ rev with the ATLAS detector. Journal of High Energy Physics, 2017, 1.       1.6       31         117       Measurement of inclusive and differential cross sections in the H ât' ZZ * ât' 4â," decay channel in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ rev with the ATLAS detector. Journal of High Energy Physics, 2017, 1.       1.6       31         117       Measurement of lepton differential distributions and the top quark mass in \$\$tar{t}\$\$ tt Å<sup>-</sup>.       1.4       28         1176       Measurement of the \$\$ toverline{t}gamma \$\$ production cross section in proton-proton collisions at \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 1.       1.6       9         1176       Measurement of the \$\$ toverline{t}gamma \$\$ production cross section in proton-proton collisions at \$\$ sqrt{s}=8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 1.       1.6       <td< td=""><td>170</td><td>Measurements of electroweak \$\$Wjj \$\$ W j j production and constraints on anomalous gauge couplings with the ATLAS detector. European Physical Journal C, 2017, 77, 474.</td><td>1.4</td><td>26</td></td<></mml:mi></mml:mi></mml:mi></mml:math>	170	Measurements of electroweak \$\$Wjj \$\$ W j j production and constraints on anomalous gauge couplings with the ATLAS detector. European Physical Journal C, 2017, 77, 474.	1.4	26
172       collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 428.       1.4       86         173       Accessing the gluon Wigner distribution in ultraperipheral <mml:math displaye="inline" xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:mi>       1.6       50         173       Measurement of inclusive and differential cross sections in the H ât' ZZ * ât' 4â," decay channel in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 1.       1.6       31         175       Measurement of lepton differential distributions and the top quark mass in \$\$tar{t}\$\$ tt Å<sup>*</sup>.       1.4       28         176       Measurement of the \$\$ toverline{t}gamma \$\$ production cross section in proton-proton collisions at \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 1.       1.6       9         177       Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 1.       1.6       9         177       Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 1.       1.6       9         178       Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2.       1.4       75         Search for new phenomena in events contalining a same-flavour opposite-sign dilept</mml:mi></mml:math>	171	Jet reconstruction and performance using particle flow with the ATLAS Detector. European Physical Journal C, 2017, 77, 466.	1.4	145
173       xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline">       1.6       50         2017, 96       Measurement of inclusive and differential cross sections in the H ât' ZZ * ât' 4â,," decay channel in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 1.       1.6       31         175       Measurement of lepton differential distributions and the top quark mass in \$\$tar{t}\$\$ t Å.       1.4       28         176       Measurement of the \$\$ toverline{t}gamma \$\$ production cross section in proton-proton collisions at \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 1.       1.6       9         177       Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 1.       9         177       Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2.       1.4       75         178       Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2.       1.4       75	172		1.4	86
174collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017,1.631175Measurement of lepton differential distributions and the top quark mass in \$\$tar{t}\$\$ t Å <sup>7</sup> .1.428176Measurement of the \$\$ toverline{t}gamma \$\$ production cross section in proton-proton collisions at \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 1.1.69176Measurement of the \$\$ toverline{t}gamma \$\$ production cross section in proton-proton collisions at \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.1.69177Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.1.69178Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. European Physical Journal C, 2017, 77, 673.1.475Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and1.475	173	xmlns:mml="http://www.w3.org/1998/Math/MathML"	1.6	50
175European Physical journal C, 2017, 77, 804.1.428176Measurement of the \$\$ toverline{t}gamma \$\$ production cross section in proton-proton collisions at \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.1.69177Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 1.1.69178Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. European Physical Journal C, 2017, 77, 673.1.475Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and	174	collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017,	1.6	31
176       at \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.       1.6       9         177       Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 1.       1.6       9         177       Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2.       1.6       9         178       Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2.       1.4       75         Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and       1.4       75	175		1.4	28
<ul> <li>the ATLAS detector in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 1.</li> <li>Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2.</li> <li>Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2.</li> <li>Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and</li> </ul>	176		1.6	9
European Physical Journal C, 2017, 77, 673. Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and	177	the ATLAS detector in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017,	1.6	9
	178		1.4	75
179 large missing transverse momentum in \$\$varvec{sqrt{s}=13}\$\$ s = 13 A \$\$ext {TeV}\$\$ TeV 1.4 12 \$\$varvec{pp}\$\$ p p collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 144.	179	large missing transverse momentum in \$\$varvec{sqrt{s}=13}\$\$ s = 13 Â \$\$ext {TeV}\$\$ TeV	1.4	12

Measurement of the ZZ production cross section in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV using the ZZ → â,,"â<sup>°</sup>îâ,,"+â,,"â€<sup>2</sup>â''â,,"â€<sup>2</sup>+ and Z Z → â,," â<sup>°</sup> â,," + ν Â<sup>-</sup> \$\$ ZZo {ell}^{-}{ell}^{+}u overlin€{u} \$\$ decay chan with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.

#	Article	IF	CITATIONS
181	Probing the W tb vertex structure in t-channel single-top-quark production and decay in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	17
182	Measurements of Ï^(2S) and X(3872) → J/̈́Ḯ€ + Ï€ â~' production in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	33
183	Measurements of top-quark pair to Z-boson cross-section ratios at s = 13 \$\$ sqrt{s}=13 \$\$ , 8, 7 TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	13
184	Search for lepton-flavour-violating decays of the Higgs and Z bosons with the ATLAS detector. European Physical Journal C, 2017, 77, 70.	1.4	79
185	Performance of the ATLAS trigger system in 2015. European Physical Journal C, 2017, 77, 317.	1.4	489
186	Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton–proton collisions at the LHC. European Physical Journal C, 2017, 77, 332.	1.4	71
187	Measurements of the production cross section of a \$\$Z\$\$ Z boson in association with jets in pp collisions at \$\$sqrt{s} = 13\$\$ s. European Physical Journal C, 2017, 77, 361.	1.4	47
188	Precision measurement and interpretation of inclusive \$\$W^+\$\$ W + , \$\$W^-\$\$ W European Physical Journal C, 2017, 77, 367.	1.4	145
189	Measurement of jet fragmentation in Pb+Pb and pp collisions at \$\$sqrt{{s_mathrm{NN}}} = 2.76\$\$ s NN = 2.76. European Physical Journal C, 2017, 77, 379.	1.4	51
190	Search for dark matter at \$\$sqrt{s}=13~mathrm{TeV}\$\$ s = 13 TeV in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. European Physical Journal C, 2017, 77, 393.	1.4	80
191	Measurement of charged-particle distributions sensitive to the underlying event in s = 13 \$\$ sqrt{s}=13 \$\$ TeV proton-proton collisions with the ATLAS detector at the LHC. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
192	Search for direct top squark pair production in final states with two leptons in \$\$sqrt{s} = 13\$\$ s = 13 TeV pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 898.	1.4	50
193	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in s = 13 \$\$ sqrt{s}=13 \$\$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	8
194	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in \$\$varvec{pp}\$\$ p p collisions at \$\$mathbf {sqrt{s}=13}\$\$ s = 13 ÂTeV using the ATLAS detector. European Physical Journal C, 2017, 77, 765.	1.4	19
195	Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	8
196	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	17
197	Measurement of the inclusive jet cross-sections in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	23
198	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in s = 13 \$\$ sqrt{s}=13 \$\$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	38

#	Article	IF	CITATIONS
199	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. European Physical Journal C, 2017, 77, 580.	1.4	35
200	Measurement of \$\$WW/WZ ightarrow ell u q q^{prime }\$\$ W W / W Z → â,," ν q q ′ production with the hadronically decaying boson reconstructed as one or two jets in pp collisions at \$\$sqrt{s} =8~ext {TeV}\$\$ s = 8 TeV with ATLAS, and constraints on anomalous gauge couplings. European Physical Journal C, 2017, 77, 563.	1.4	28
201	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using s = 13 \$\$ sqrt{s}=13 \$\$ TeV proton-proton collision data. Journal of High Energy Physics, 2017, 2017, 1.	1.6	12
202	Searches for the ZÎ <sup>3</sup> decay mode of the Higgs boson and for new high-mass resonances in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	30
203	Studies of ZÎ <sup>3</sup> production in association with a high-mass dijet system in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
204	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	16
205	Search for top quark decays t → qH, with H → γĴ³, in s = 13 \$\$ sqrt{s}=13 \$\$ TeV pp collisions using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	18
206	Study of \$\$WWgamma \$\$ W W γ and \$\$WZgamma \$\$ W Z. European Physical Journal C, 2017, 77, 646.	1.4	30
207	Measurements of top quark spin observables in t t Â <sup>-</sup> \$\$ toverline{t} \$\$ events using dilepton final states in s = 8 \$\$ sqrt{s}=8 \$\$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	20
208	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. Journal of High Energy Physics, 2017, 2017, 1.	1.6	11
209	Top-quark mass measurement in the all-hadronic t t $\hat{A}^-$ \$\$ toverline{t} \$\$ decay channel at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	16
210	Measurement of the Drell-Yan triple-differential cross section in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	28
211	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at s = 13 \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	45
212	Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fbâ^'1 of \$\$ sqrt{s}=13 \$\$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	31
213	Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	36
214	Measurement of the k t splitting scales in Z → ℓℓ events in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	3
215	Analysis of the Wtb vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	8
216	Evidence for the H â†' b b Â <sup>-</sup> \$\$ Ho boverline{b} \$\$ decay with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	64

#	Article	IF	CITATIONS
217	Search for new high-mass phenomena in the dilepton final state using 36 fbâ^'1 of proton-proton collision data at s = 13 \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	168
218	Determination of the strong coupling constant \$\$alpha _mathrm {s}\$\$ α s from transverse energy–energy correlations in multijet events at \$\$sqrt{s} = 8~hbox {TeV}\$\$. European Physical Journal C, 2017, 77, 872.	1.4	32
219	Study of hard double-parton scattering in four-jet events in pp collisions at s = 7 \$\$ sqrt{s}=7 \$\$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	1.6	30
220	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in s = 8 \$\$ sqrt{s}=8 \$\$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	10
221	Measurement of event-shape observables in \$\$Z ightarrow ell ^{+} ell ^{-}\$\$ Z → ℓ + ℓ - events in pp collisions at \$\$sqrt{s}=7\$\$ s = 7 Â \$\${mathrm{TeV}}\$\$ TeV with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 375.	1.4	15
222	Charged-particle distributions in pp interactions at \$\$sqrt{s}=8 mathrm {, TeV}\$\$ s = 8 TeV measured with the ATLAS detector. European Physical Journal C, 2016, 76, 403.	1.4	30
223	Charged-particle distributions at low transverse momentum in \$\$sqrt{s} = 13\$\$ s = 13 ÂTeV pp interactions measured with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 502.	1.4	61
224	Search for bottom squark pair production in proton–proton collisions at \$\$sqrt{s}=13\$\$ s = 13 ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 547.	1.4	37
225	Search for minimal supersymmetric standard model Higgs Bosons HÂ/ÂA and for a \$\$Z^{prime }\$\$ Z ′ boson in the \$\$au au \$\$ Ï,, Ï,, final state produced in pp collisions at \$\$sqrt{s}= 13\$\$ s = 13 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 585.	1.4	51
226	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. European Physical Journal C, 2016, 76, 666.	1.4	73
227	Measurement of the \$\$boverline{b}\$\$ b b Â <sup>-</sup> dijet cross section in pp collisions at \$\$sqrt{s} = 7\$\$ s = 7 ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 670.	1.4	12
228	The performance of the jet trigger for the ATLAS detector during 2011 data taking. European Physical Journal C, 2016, 76, 526.	1.4	21
229	Search for new phenomena in different-flavour high-mass dilepton final states in pp collisions at \$\$sqrt{s}=13\$\$ s = 13 ÂTev with the ATLAS detector. European Physical Journal C, 2016, 76, 541.	1.4	23
230	Search for the Higgs boson produced in association with a W boson and decaying to four b-quarks via two spin-zero particles in pp collisions at 13 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 605.	1.4	24
231	Muon reconstruction performance of the ATLAS detector in proton–proton collision data at \$\$sqrt{s}\$\$ s =13ÂTeV. European Physical Journal C, 2016, 76, 292.	1.4	453
232	Test of CP invariance in vector-boson fusion production of the Higgs boson using the Optimal Observable method in the ditau decay channel with the ATLAS detector. European Physical Journal C, 2016, 76, 658.	1.4	48
233	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at \$\$sqrt{s}\$\$ s = 13 Te V with the ATLAS detector. European Physical Journal C, 2016, 76, 565.	1.4	31
234	LHC forward physics. Journal of Physics G: Nuclear and Particle Physics, 2016, 43, 110201.	1.4	99

#	Article	IF	CITATIONS
235	Measurement of the inclusive isolated prompt photon cross section in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	44
236	Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	71
237	Search for flavour-changing neutral current top-quark decays to \$\$varvec{qZ}\$\$ q Z in \$\$varvec{pp}\$\$ p p collision data collected with the ATLAS detector at \$\$varvec{sqrt{s}=8}\$\$ s = 8 ÂTeV. European Physical Journal C, 2016, 76, 12.	1.4	39
238	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at \$\$sqrt{s}=8,mathrm TeV{}\$\$ s = 8 T e. European Physical Journal C, 2016, 76, 87.	1.4	39
239	Search for direct top squark pair production in final states with two tau leptons in pp collisions at \$\$sqrt{s}=8\$\$ s = 8 ATeV with the ATLAS detector. European Physical Journal C, 2016, 76, 81.	1.4	10
240	Search for charged Higgs bosons in the H ± → tb decay channel in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV using the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	43
241	Study of the rare decays of \$\$B^0_s\$\$ B s 0 and \$\$B^0\$\$ B 0 into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. European Physical Journal C, 2016, 76, 513.	1.4	46
242	Search for supersymmetry in a final state containing two photons and missing transverse momentum in \$\$varvec{sqrt{s}}\$\$ s Â=Â13ÂTeV \$\$varvec{pp}\$\$. European Physical Journal C, 2016, 76, 517.	1.4	24
243	Search for resonances in diphoton events at s = 13 \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	70
244	Search for single production of vector-like quarks decaying into Wb in pp collisions at \$\$sqrt{s} = 8\$\$ s = 8 ATeV with the ATLAS detector. European Physical Journal C, 2016, 76, 442.	1.4	43
245	Measurement of the relative width difference of the B 0 ―B Â⁻ 0 \$\$ {B}^0hbox{-} {overline{B}}^0 \$\$ system with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	8
246	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. European Physical Journal C, 2016, 76, 295.	1.4	50
247	Performance of pile-up mitigation techniques for jets in \$\$pp\$\$ p p collisions at \$\$sqrt{s}=8\$\$. European Physical Journal C, 2016, 76, 581.	1.4	298
248	Measurement of the charged-particle multiplicity inside jets from \$\$sqrt{s}=8\$\$ s = 8 \$\${mathrm{TeV}}\$\$ TeV App collisions with the ATLAS detector. European Physical Journal C, 2016, 76, 322.	1.4	51
249	Measurement of jet activity in top quark events using the ell¼ final state with two b-tagged jets in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	4
250	Measurement of the transverse momentum and \$\$phi ^*_{eta }\$\$ ï• î· â^— distributions of Drell–Yan lepton pairs in proton–proton collisions at \$\$sqrt{s}=8\$\$ s = 8 ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 291.	1.4	154
251	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to WW â^—→el1⁄211⁄411⁄2 with the ATLAS detector at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	15
252	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	20

#	Article	IF	CITATIONS
253	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in s = 8 \$\$ sqrt{s}=8 \$\$ TeV proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	1.6	14
254	Identification of high transverse momentum top quarks in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	17
255	A search for an excited muon decaying to a muon and two jets inppcollisions at \$sqrt{s};=;8;{m{TeV}}\$ with the ATLAS detector. New Journal of Physics, 2016, 18, 073021.	1.2	2
256	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. Journal of Instrumentation, 2016, 11, P05013-P05013.	0.5	11
257	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at \$\$sqrt{s}=8,~{mathrm {TeV}}\$\$ s = 8 TeV using the ATLAS detector. European Physical Journal C, 2016, 76, 538.	1.4	115
258	Measurement of the differential cross-sections of prompt and non-prompt production of \$\$J/psi \$\$ J / Ï^ and \$\$psi (2mathrm {S})\$\$ Ï^ ( 2 S ) in pp collisions at \$\$sqrt{s} = 7\$\$ s = 7 and 8ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 283.	1.4	63
259	Luminosity determination in pp collisions at \$\$sqrt{s}\$\$ s = 8 TeV using the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 653.	1.4	279
260	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton–proton collisions at \$\$sqrt{s}=13\$\$ s = 13 ÅTeV recorded with the ATLAS detector. European Physical Journal C, 2016, 76, 683.	1.4	11
261	Addendum to â€~Measurement of the \$\$tar{t}\$\$ t t Â⁻ production cross-section using \$\$emu \$\$ e μ events with b-tagged jets in pp collisions at \$\$sqrt{s}\$\$ s = 7 and 8Â \$\$,mathrm{TeV}\$\$ TeV with the ATLAS detector'. European Physical Journal C, 2016, 76, 1.	1.4	19
262	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	33
263	Searches for heavy diboson resonances in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	25
264	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in s = 8 \$\$ sqrt{s}=8 \$\$ TeV proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	1.6	16
265	Search for the Standard Model Higgs boson decaying into b b $\hat{A}^-$ \$\$ boverline{b} \$\$ produced in association with top quarks decaying hadronically in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	21
266	Measurement of the CP-violating phase ï• s and the B s 0 meson decay width difference with B s 0  → J/ï^ decays in ATLAS. Journal of High Energy Physics, 2016, 2016, 1.	Ï∙ 1.6	13
267	Search for squarks and gluinos in final states with jets and missing transverse momentum at \$\$sqrt{s}\$\$ s =13 \$\${mathrm{TeV}}\$\$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 392.	1.4	73
268	Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	38
269	A search for prompt lepton-jets in pp collisions at s = 8 \$\$ sqrt{mathrm{s}}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	31
270	Search for new phenomena with photon+jet events in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	13

#	Article	IF	CITATIONS
271	Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton–lead collisions at \$\$sqrt{s_{_ext {NN}} = 5.02\$\$ s NN = 5.02 ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 199.	1.4	60
272	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	1.6	14
273	Search for the production of single vector-like and excited quarks in the Wt final state in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	19
274	Search for strong gravity in multijet final states produced in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV using the ATLAS detector at the LHC. Journal of High Energy Physics, 2016, 2016, 1.	1.6	15
275	Identification of boosted, hadronically decaying W bosons and comparisons with ATLAS data taken at \$\$sqrt{s} = 8\$\$ s = 8 ÂTeV. European Physical Journal C, 2016, 76, 154.	1.4	62
276	Search for new phenomena in events with at least three photons collected in pp collisions at \$\$sqrt{s}\$\$ s = 8 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 210.	1.4	95
277	Probing lepton flavour violation via neutrinoless \$\$varvec{au longrightarrow 3mu }\$\$ Ï,, ⟶ 3 μ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 232.	1.4	19
278	A new method to distinguish hadronically decaying boosted Z bosons from W bosons using the ATLAS detector. European Physical Journal C, 2016, 76, 238.	1.4	9
279	Search for supersymmetry at \$\$sqrt{s}=13\$\$ s = 13 ÂTeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. European Physical Journal C, 2016, 76, 259.	1.4	72
280	Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	49
281	Search for anomalous couplings in the W tb vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1-46.	1.6	13
282	Searches for scalar leptoquarks in pp collisions at \$\$varvec{sqrt{s}}\$\$ s = 8ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 5.	1.4	109
283	Measurements of the Higgs boson production and decay rates and coupling strengths using pp collision data at \$\$sqrt{s}=7\$\$ s = 7 and 8ÂTeV in the ATLAS experiment. European Physical Journal C, 2016, 76, 6.	1.4	274
284	Measurements of fiducial cross-sections for \$\$tar{t}\$\$ t t Â <sup>-</sup> production with one or two additional b-jets in pp collisions at \$\$sqrt{s}\$\$ s =8 TeVÂusing the ATLAS detector. European Physical Journal C, 2016, 76, 11.	1.4	54
285	Study of the \$\$B_c^+ ightarrow J/psi D_s^+\$\$ B c + → J / Ï^ D s + and \$\$B_c^+ ightarrow J/psi D_s^{*+}\$\$ B c + → J / Ï^ D s â^— + decays with the ATLAS detector. European Physical Journal C, 2016, 76, 4.	1.4	40
286	Search for single top-quark production via flavour-changing neutral currents at 8ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 55.	1.4	43
287	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at (sqrt{s}=8,mathrm TeV{}) with the ATLAS detector. , 2016, 76, 1.		1
288	Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	4

#	Article	IF	CITATIONS
289	A search for high-mass resonances decaying to Ï"+Ï"â^' in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	23
290	Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 — interpreted in the phenomenological MSSM. Journal of High Energy Physics, 2015, 2015, 1.	1.6	55
291	Search for lepton-flavour-violating H → μï,, decays of the Higgs boson with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	52
292	Measurement of four-jet differential cross sections in s = 8 \$\$ sqrt{s}=8 \$\$ TeV proton-proton collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-76.	1.6	11
293	A search for t t Â <sup>-</sup> \$\$ toverline{t} \$\$ resonances using lepton-plus-jets events in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	66
294	Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at s = 7 \$\$ sqrt{s}=7 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	28
295	Measurement of charged-particle spectra in Pb+Pb collisions at s N N = 2.76 \$\$ sqrt{s_{mathrm{NN}}}=2.76 \$\$ TeV with the ATLAS detector at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	1.6	67
296	Analysis of events with b-jets and a pair of leptons of the same charge in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	33
297	Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	108
298	Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-39.	1.6	78
299	Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using pp collisions at s = 7 \$\$ sqrt{s}=7 \$\$ TeV in the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	40
300	Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	84
301	Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	71
302	Search for new phenomena in events with three or more charged leptons in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	20
303	Summary of the searches for squarks and gluinos using s = 8 \$\$ sqrt{s}=8 \$\$ TeV pp collisions with the ATLAS experiment at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	1.6	60
304	Determination of the top-quark pole mass using t t Â <sup>-</sup> \$\$ toverline{t} \$\$ + 1-jet events collected with the ATLAS experiment in 7 TeV pp collisions. Journal of High Energy Physics, 2015, 2015, 1.	1.6	25
305	Measurement of the t t $\hat{A}^-W$ \$\$ toverline{t}W \$\$ and t t $\hat{A}^-Z$ \$\$ toverline{t}Z \$\$ production cross sections in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	22
306	Search for flavour-changing neutral current top quark decays t → Hq in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-65.	1.6	19

#	Article	IF	CITATIONS
307	Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	36
308	Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	42
309	Evidence for the Higgs-boson Yukawa coupling to tau leptons with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	116
310	Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at s = 7 \$\$ sqrt{s}=7 \$\$ TeV using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	17
311	Search for \$\$W' ightarrow tb ightarrow qqbb\$\$ W ′ → t b → q q b b decays in \$\$pp\$\$ p p collisions at \$\$sqrt{s}\$\$ s Â=Ă8ÂTeV with the ATLAS detector. European Physical Journal C, 2015, 75, 165.	1.4	35
312	Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at \$\$sqrt{s}=7mathrm{,TeV}\$\$ s = 7 TeV. European Physical Journal C, 2015, 75, 158.	1.4	17
313	Search for direct pair production of a chargino and a neutralino decaying to the 125ÂGeV Higgs boson in \$\$sqrt{varvec{s}} = 8\$\$ s = 8 ÂTeV \$\$varvec{pp}\$\$ p p collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 208.	1.4	67
314	Study of (W/Z)H production and Higgs boson couplings using H→ W W â^— decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	22
315	Search for metastable heavy charged particles with large ionisation energy loss in pp collisions at \$\$varvec{sqrt{s} = 8}\$\$ s = 8 ÂTeV using the ATLAS experiment. European Physical Journal C, 2015, 75, 407.	1.4	27
316	Measurement of the production and lepton charge asymmetry of \$\$W\$\$ W bosons in Pb+Pb collisions at \$\$mathbf {sqrt{mathbf {s}_{mathrm {mathbf {NN}}}=2.76;TeV}\$\$ s NN = 2.76 TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 23.	1.4	41
317	Jet energy measurement and its systematic uncertainty in proton–proton collisions at \$\$sqrt{s}=7\$\$ s = 7 ÂTeV with the ATLAS detector. European Physical Journal C, 2015, 75, 17.	1.4	268
318	Search for invisible particles produced in association with single-top-quarks in proton–proton collisions at \$\$sqrt{s}=mathrm {8~TeV}\$\$ s = 8 TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 79.	1.4	30
319	Search for resonant diboson production in the \$\$mathrm {ell ell }qar{q}\$\$ â"" â"" q q Â <sup>-</sup> final state in \$\$pp\$\$ p p collisions at \$\$sqrt{s} = 8\$\$ s = 8 ÂTeV with the ATLAS detector. European Physical Journal C, 2015, 75, 69.	1.4	74
320	Measurements of the \$\$W\$\$ W production cross sections in association with jets with the ATLAS detector. European Physical Journal C, 2015, 75, 82.	1.4	92
321	Search for dark matter in events with heavy quarks and missing transverse momentum in \$\$pp\$\$ p p collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 92.	1.4	77
322	Measurement of the t t Â <sup>-</sup> \$\$ toverline{t} \$\$ production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	30
323	Measurement of the W W + W Z cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at s = 7 \$\$ sqrt{s}=7 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	27
324	Searches for heavy long-lived charged particles with the ATLAS detector in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	33

#	Article	IF	CITATIONS
325	Search for the b b $\hat{A}^-$ \$\$ boverline{b} \$\$ decay of the Standard Model Higgs boson in associated (W/Z)H production with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	89
326	Measurement of the inclusive jet cross-section in proton-proton collisions at s = 7 \$\$ sqrt{s}=7 \$\$ TeV using 4.5 fbâ^1 of data with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	35
327	Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with s = 8 \$\$ sqrt{s}=8 \$\$ TeV pp collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	60
328	Search for charged Higgs bosons decaying via H ± → Ï,, ± ν in fully hadronic final states using pp collision data at s \$\$ sqrt{s} \$\$ = 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	69
329	Search for production of \$\$WW/WZ\$\$ W W / W Z resonances decaying to a lepton, neutrino and jets in \$\$pp\$\$ p p collisions at \$\$sqrt{s}=8\$\$ s = 8 ÂTeV with the ATLAS detector. European Physical Journal C, 2015, 75, 209.	1.4	79
330	Performance of the ATLAS muon trigger in pp collisions at \$\$sqrt{s}=8\$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 120.	1.4	62
331	Search for Higgs boson pair production in the \$\$bar{b}bar{b}\$\$ b b Â <sup>-</sup> b b Â <sup>-</sup> final state from pp collisions at \$\$sqrt{s} = 8\$\$ s = 8 TeVwith the ATLAS detector. European Physical Journal C, 2015, 75, 412.	1.4	90
332	Determination of spin and parity of the Higgs boson in the \$\$WW^*ightarrow e u mu u \$\$ W W â^— → e ν μ ν decay channel with the ATLAS detector. European Physical Journal C, 2015, 75, 231.	1.4	21
333	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at \$\$sqrt{s}=8~\$\$ s = 8 TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 299.	1.4	238
334	Search for a new resonance decaying to a W or Z boson and a Higgs boson in the \$\$ell ell / ell u / u u + b ar{b}\$\$ â,," â,," / â,," ν / ̽ ̽ + b b Â⁻ final states with the ATLAS detector. European Physical Journal C, 2015, 75, 263.	1.4	60
335	Measurement of three-jet production cross-sections in \$\$pp\$\$ p p collisions at 7Â \$\$mathrm { Te,V}\$\$ Te V centre-of-mass energy using the ATLAS detector. European Physical Journal C, 2015, 75, 228.	1.4	23
336	Constraints on the off-shell Higgs boson signal strength in the high-mass ZZ and WW final states with the ATLAS detector. European Physical Journal C, 2015, 75, 335.	1.4	95
337	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in pp collisions at \$\$sqrt{s}=8\$\$ s = 8 \$\$,hbox {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 303.	1.4	70
338	Diffraction and forward physics results of the ATLAS experiment from the Run I. AIP Conference Proceedings, 2015, , .	0.3	3
339	Status of the AFP project in the ATLAS experiment. AIP Conference Proceedings, 2015, , .	0.3	23
340	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. European Physical Journal C, 2015, 75, 476.	1.4	174
341	Observation and measurements of the production of prompt and non-prompt \$\$varvec{ext {J}uppsi }\$\$ J I^ mesons in association with a \$\$varvec{Z}\$\$ Z boson in \$\$varvec{pp}\$\$ p p collisions at \$\$varvec{sqrt{s}= 8,ext {TeV}}\$\$ s = 8 TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 229.	1.4	64
342	Search for the Standard Model Higgs boson produced in association with top quarks and decaying into \$\$varvec{bar{b}}\$\$ b b Â <sup>-</sup> in \$\$varvec{pp}\$\$ p p collisions at \$\$sqrt{mathbf{s}}= varvec{8{{,mathrm TeV}}}\$\$ s = 8 T e V with the ATLAS detector. European Physical Journal C, 2015, 75, 349.	1.4	123

#	Article	IF	CITATIONS
343	Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in \$\$sqrt{s}=8\$\$ s = 8 ÂTeV pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 318.	1.4	56
344	Search for heavy long-lived multi-charged particles in pp collisions at \$\$sqrt{s}=8\$\$ s = 8 ÂTeV using the ATLAS detector. European Physical Journal C, 2015, 75, 362.	1.4	36
345	Two-particle Bose–Einstein correlations in pp collisions at \$\$mathbf {sqrt{s} =}\$\$ s = 0.9 and 7 TeV measured with the ATLAS detector. European Physical Journal C, 2015, 75, 466.	1.4	42
346	Measurement of the top quark mass in the \$\$tar{t}ightarrow ext{ lepton+jets } \$\$ t t Â <sup>-</sup> → lepton+jets and \$\$tar{t}ightarrow ext{ dilepton } \$\$ t t Â <sup>-</sup> → dilepton channels using \$\$sqrt{s}=7\$\$ s = 7 Â \$\${mathrm { TeV}}\$\$ TeV ATLAS data. European Physical Journal C, 2015, 75, 330.	1.4	52
347	Measurement of the inclusive jet cross-section in proton-proton collisions at ( sqrt{s}=7 ) TeV using 4.5 fbâ^'1 of data with the ATLAS detector. , 2015, 2015, 1.		3
348	Search for production of (WW/WZ) resonances decaying to a lepton, neutrino and jets in (pp) collisions at (sqrt{s}=8) TeV with the ATLAS detector. , 2015, 75, 1.		1
349	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at (sqrt{s}=8~)TeV with the ATLAS detector. , 2015, 75, 1.		2
350	Search for neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	82
351	Review of central exclusive production of the Higgs boson beyond the Standard Model. International Journal of Modern Physics A, 2014, 29, 1446012.	0.5	29
352	Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton–proton collision data. European Physical Journal C, 2014, 74, 3130.	1.4	213
353	Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in \$\$pp\$\$ p p collisions at \$\$sqrt{s}=7,mathrm{TeV}\$\$ s = 7 TeV using the ATLAS detector. European Physical Journal C, 2014, 74, 3117.	1.4	40
354	A measurement of the ratio of the production cross sections for \$\$W\$\$ W and \$\$Z\$\$ Z bosons in association with jets with the ATLAS detector. European Physical Journal C, 2014, 74, 3168.	1.4	23
355	Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	1.6	45
356	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 20 fbâ''1 of s \$\$ sqrt{s} \$\$ = 8 TeV proton-proton collision data with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	12
357	Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using s = 8 \$\$ sqrt{s}=8 \$\$ TeV proton-proton collision data. Journal of High Energy Physics, 2014, 2014, 1.	1.6	128
358	Measurement of the \$\$toverline{t}\$\$ t t Â <sup>-</sup> production cross-section using \$\$emu \$\$ e μ events with \$\$b\$\$ b -tagged jets in \$\$pp\$\$ p p collisions at \$\$sqrt{s}=7\$\$ s = 7 and 8ÂTeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3109.	1.4	143
359	Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in s \$\$ sqrt{s} \$\$ = 8 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	66
360	Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in proton–proton collisions at \$\$sqrt{s}=7\$\$ s = 7 ÂTeV in 2010. European Physical Journal C, 2014, 74, 3034.	1.4	58

#	Article	IF	CITATIONS
361	Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. European Physical Journal C, 2014, 74, 1.	1.4	172
362	Search for contact interactions and large extra dimensions in the dilepton channel using proton–proton collisions at \$\$sqrt{s}~=\$\$ s = Â8ÂTeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3134.	1.4	48
363	Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at \$\$sqrt{s_{mathrm {NN}}=2.76\$\$ s NN = 2.76 ÂTeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3157.	1.4	68
364	Measurement of distributions sensitive to the underlying event in inclusive Z-boson production in \$\$pp\$\$ p p collisions at \$\$sqrt{s}=7\$\$ s = 7 TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3195.	1.4	46
365	Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at s \$\$ sqrt{s} \$\$ = 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	41
366	Measurement of the production cross-section of ľ^(2S) → J/ľ^(→μ + μ â^' )Ï€ + Ï€ â^' in pp collisions at s \$\$ sqr = 7 TeV at ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	t{s}\$\$ 1.6	21
367	Measurement of the $Z/\hat{I}^3$ * boson transverse momentum distribution in pp collisions at s = 7 \$\$ sqrt{s}=7 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	131
368	Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b-jets at s = 8 \$\$ sqrt{s} = 8 \$\$ TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	38
369	Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	45
370	Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	47
371	Search for pair and single production of new heavy quarks that decay to a Z boson and a third-generation quark in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	35
372	Measurement of the top quark pair production charge asymmetry in proton-proton collisions at \$ sqrt{s} \$ = 7 TeV using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	42
373	Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	40
374	The differential production cross section of the \$\$phi \$\$ ï• (1020) meson in \$\$sqrt{s}\$\$ s = 7ÂTeV \$\$pp\$\$ p p collisions measured with the ATLAS detector. European Physical Journal C, 2014, 74, 2895.	1.4	13
375	Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton–proton collision data. European Physical Journal C, 2014, 74, 2941.	1.4	204
376	Measurement of the underlying event in jet events from 7 \$\$ext {TeV}\$\$ TeV proton–proton collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 1.	1.4	23
377	Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead–lead collisions at \$\$sqrt{s_{mathrm {NN}}=2.76\$\$ s NN = 2.76 ÅTeVÂwith the ATLAS detector. European Physical Journal C, 2014, 74, 2982.	1.4	22
378	Light-quark and gluon jet discrimination in \$\$pp\$\$ p p collisions at \$\$sqrt{s}=7mathrm { TeV}\$\$ s = 7 TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3023.	1.4	77

#	Article	IF	CITATIONS
379	Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at \$ sqrt{s} \$ = 8 TeV using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	22
380	Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in \$ sqrt{s} \$ = 8 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	88
381	Measurement of the production cross section of prompt J/i̇̀ˆ mesons in association with a W ± boson in pp collisions at \$ sqrt{s} \$ = 7 TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	35
382	Measurement of dijet cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	36
383	Measurement of the production of a W boson in association with a charm quark in pp collisions at \$ sqrt{s} \$ = 7 TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	59
384	Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in pp collisions at \$ sqrt{s} \$ = 8TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	145
385	Search for supersymmetry at \$sqrt{s}\$ = 8 TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	45
386	Measurement of the low-mass Drell-Yan differential cross section at s \$\$ sqrt{s} \$\$ = 7 TeV using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	25
387	Search for direct top-squark pair production in final states with two leptons in pp collisions at \$ sqrt{s} \$ = 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	59
388	Measurement of χ c1 and χ c2 production with s \$\$ sqrt{s} \$\$ = 7 TeV pp collisions at ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	1.6	32
389	Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at s \$\$ sqrt{s} \$\$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	10
390	Search for new particles in events with one lepton and missing transverse momentum in pp collisions at s \$\$ sqrt{s} \$\$ = 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	45
391	Search for direct top squark pair production in events with a \$\$Z\$\$ Z boson, \$\$b\$\$ b -jets and missing transverse momentum in \$\$sqrt{s}=8\$\$ s = 8 TeV \$\$pp\$\$ p p collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 2883.	1.4	55
392	Measurement of the (toverline{t}) production cross-section using (emu ) events with (b)-tagged jets in (pp) collisions at (sqrt{s}=7) and 8 TeV with the ATLAS detector. , 2014, 74, 1.		2
393	Measurement of the production cross section of jets in association with a Z boson in pp collisions at \$ sqrt{s}=7 \$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	73
394	Measurement of the cross-section for W boson production in association with b-jets in pp collisions at \$ sqrt{s}=7 \$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	53
395	Search for third generation scalar leptoquarks in pp collisions at \$ sqrt{s}=7 \$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	32
396	Search for dark matter candidates and large extra dimensions in events with a jet and missing transverse momentum with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	137

#	Article	IF	CITATIONS
397	Measurement of ZZ production in pp collisions at \$ sqrt{s}=7 \$ TeV and limits on anomalous ZZZ and ZZÎ <sup>3</sup> couplings with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	61
398	Search for charged Higgs bosons through the violation of lepton universality in \$ toverline{t} \$ events using pp collision data at \$ sqrt{s}=7 \$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1.	1.6	19
399	Search for the neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at \$ sqrt{s}=7 \$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	52
400	Measurement of k T splitting scales in W→â,,''ν events at \$sqrt{s} = 7 mathrm{TeV}\$ with the ATLAS detector. European Physical Journal C, 2013, 73, 2432.	1.4	19
401	Search for a light charged Higgs boson in the decay channel \$H^{+} ightarrow car{s}\$ in \$tar{t}\$ events using pp collisions at \$sqrt{s} = 7 mathrm{TeV}\$ with the ATLAS detector. European Physical Journal C, 2013, 73, 2465.	1.4	119
402	Search for direct third-generation squark pair production in final states with missing transverse momentum and two b-jets in \$ sqrt{s}=8 \$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	102
403	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at \$ sqrt{s}=8 \$ TeV proton-proton collisions using the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1.	1.6	71
404	Measurement of the differential cross-section of B + meson production in pp collisions at \$ sqrt{s}=7 \$ TeV at ATLAS. Journal of High Energy Physics, 2013, 2013, 1.	1.6	31
405	Performance of jet substructure techniques for large-R jets in proton-proton collisions at \$ sqrt{s}=7 \$ TeV using the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	52
406	Improved luminosity determination in pp collisions at \$sqrt {s} = 7 mathrm{TeV}\$ using the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2518.	1.4	362
407	Measurement of the inclusive jet cross-section in pp collisions at \$sqrt{s}=2.76 mbox{TeV}\$ and comparison to the inclusive jet cross-section at \$sqrt{s} =7 mbox{TeV}\$ using the ATLAS detector. European Physical Journal C, 2013, 73, 2509.	1.4	105
408	Multi-channel search for squarks and gluinos in \$sqrt{s}=7mbox{ TeV}\$ pp collisions with the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2362.	1.4	34
409			

#	Article	IF	CITATIONS
415	Measurement of isolated-photon pair production in pp collisions at \$ sqrt{s}=7;TeV \$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	64
416	Search for resonances decaying into top-quark pairs using fully hadronic decays in pp collisions with ATLAS at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	59
417	Search for direct chargino production in anomaly-mediated supersymmetry breaking models based on a disappearing-track signature in pp collisions at \$ sqrt{s}=7;mathrm{TeV} \$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	15
418	Measurements of top quark pair relative differential cross-sections with ATLAS in pp collisions at \$sqrt{s} = 7 mbox{TeV}\$. European Physical Journal C, 2013, 73, 1.	1.4	61
419	Search for pair-produced massive coloured scalars in four-jet final states with the ATLAS detector in proton–proton collisions at \$sqrt{s} = 7 mbox{TeV}\$. European Physical Journal C, 2013, 73, 1.	1.4	45
420	Measurement of the flavour composition of dijet events in pp collisions at \$sqrt{s}=7 mbox{TeV}\$ with the ATLAS detector. European Physical Journal C, 2013, 73, 1.	1.4	15
421	Single hadron response measurement and calorimeter jet energy scale uncertainty with the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 1.	1.4	45
422	Jet energy resolution in proton-proton collisions at \$sqrt{mathrm{s}}=7mbox{ TeV}\$ recorded in 2010 with the ATLAS detector. European Physical Journal C, 2013, 73, 2306.	1.4	209
423	Measurement of the \$tar{t}\$ production cross section in the tau + jets channel using the ATLAS detector. European Physical Journal C, 2013, 73, 2328.	1.4	45
424	Search forWHproduction with a light Higgs boson decaying to prompt electron-jets in proton–proton collisions at \$sqrt {s}=7\$ TeV with the ATLAS detector. New Journal of Physics, 2013, 15, 043009.	1.2	15
425	Measurement of the cross section for top-quark pair production in pp collisions at \$sqrt {s} = {7},{ext{TeV}}\$ with the ATLAS detector using final states with two high-p T leptons. Journal of High Energy Physics, 2012, 2012, 1.	1.6	45
426	Jet mass and substructure of inclusive jets in \$ sqrt {s} = 7;{ext{TeV}} \$ pp collisions with the ATLAS experiment. Journal of High Energy Physics, 2012, 2012, 1.	1.6	88
427	Measurement of inclusive two-particle angular correlations in pp collisions with the ATLAS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	1.6	12
428	Hunt for new phenomena using large jet multiplicities and missing transverse momentum with ATLAS in 4.7 fbâ^'1 of \$ sqrt {s} = 7;TeV \$ proton-proton collisions. Journal of High Energy Physics, 2012, 2012, 1.	1.6	53
429	A search for \$ toverline t \$ resonances in lepton+jets events with highly boosted top quarks collected in pp collisions at \$ sqrt {s} = 7 \$ TeV with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	40
430	Search for the Standard Model Higgs boson in the H → τ + Ï" â^' decay mode in \$ sqrt {s} = 7,{mathrm \$ pp collisions with ATLAS. Journal of High Energy Physics, 2012, 2012, 1.	{TeV}} I.6	43
431	A search for flavour changing neutral currents in top-quark decays in pp collision data collected with the ATLAS detector at \$ sqrt{s}=7;TeV \$. Journal of High Energy Physics, 2012, 2012, 1.	1.6	34
432	Measurements of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at \$ sqrt{s}=7 \$ TeV with ATLAS. Journal of High Energy Physics, 2012, 2012, 1.	1.6	15

#	Article	IF	CITATIONS
433	Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	1.6	54
434	Search for high-mass resonances decaying to dilepton final states in pp collisions at \$ sqrt{s}=7 \$ TeV with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	54
435	Search for anomalous production of prompt like-sign lepton pairs at \$ sqrt{s}=7;mathrm{TeV} \$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	17
436	Search for pair production of massive particles decaying into three quarks with the ATLAS detector in \$ sqrt{s}=7;mathrm{TeV} \$ pp collisions at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	1.6	48
437	Search for R-parity-violating supersymmetry in events with four or more leptons in \$ sqrt{s}=7;mathrm{TeV} \$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	13
438	Electron performance measurements with the ATLAS detector using the 2010 LHC proton-proton collision data. European Physical Journal C, 2012, 72, 1.	1.4	248
439	Rapidity gap cross sections measured with the ATLAS detector in pp collisions at \$sqrt{s} = 7 mbox{~TeV}\$. European Physical Journal C, 2012, 72, 1.	1.4	100
440	Search for anomaly-mediated supersymmetry breaking with the ATLAS detector based on a disappearing-track signature in pp collisions at \$sqrt{s} = 7~mathrm{TeV}\$. European Physical Journal C, 2012, 72, 1.	1.4	13
441	Measurement of \$tar{t}\$ production with a veto on additional central jet activity in pp collisions at \$sqrt{s}=7\$ TeV using the ATLAS detector. European Physical Journal C, 2012, 72, 2043.	1.4	109
442	A search for \$tar{t}\$ resonances with the ATLAS detector in 2.05 fbâ^'1 of proton-proton collisions at \$sqrt{s} = 7~mathrm{TeV}\$. European Physical Journal C, 2012, 72, 2083.	1.4	25
443	Search for second generation scalar leptoquarks in pp collisions at \$sqrt{s}=7~mbox{TeV}\$ with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	37
444	Search for a fermiophobic Higgs boson in the diphoton decay channel with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	16
445	Measurement of W ± Z production in proton-proton collisions at \$sqrt{s}=7~mbox{TeV}\$ with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	59
446	Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	25
447	Measurement of event shapes at large momentum transfer with the ATLAS detector in pp collisions at \$sqrt{mathbf{s}}=7 mathrm{TeV}\$. European Physical Journal C, 2012, 72, 1.	1.4	22
448	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 7 TeV proton-proton collision data with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	13
449	Search for light scalar top-quark pair production in final states with two leptons with the ATLAS detector in \$sqrt{s}=7 mathrm{TeV}\$ proton–proton collisions. European Physical Journal C, 2012, 72, 1.	1.4	31
450	ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in pp collisions at \$sqrt{s} = 7 mathrm{TeV}\$. European Physical Journal C, 2012, 72, 1.	1.4	36

#	Article	IF	CITATIONS
451			

#	Article	IF	CITATIONS
469	Measurements of underlying-event properties using neutral and charged particles in pp collisions at \$sqrt{s}=900\$ GeV and \$sqrt{s}=7\$ TeV with the ATLAS detector at the LHC. European Physical Journal C, 2011, 71, 1.	1.4	31
470	Search for an excess of events with an identical flavour lepton pair and significant missing transverse momentum in \$sqrt{s}=7\$ TeV proton–proton collisions with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	18
471	BSM Higgs physics in the exclusive forward proton mode at the LHC. European Physical Journal C, 2011, 71, 1.	1.4	22
472	Search for supersymmetric particles in events with lepton pairs and large missing transverse momentum in \$sqrt{s}=7~mbox{TeV}\$ proton–proton collisions with the ATLAS experiment. European Physical Journal C, 2011, 71, 1.	1.4	41
473	Limits on the production of the standard model Higgs boson in pp collisions at \$sqrt{s} = 7\$ TeV with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	40
474	Search for diphoton events with large missing transverse energy with 36 pbâ^'1 of 7 TeV proton–proton collision data with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	15
475	Measurement of multi-jet cross sections in proton–proton collisions at a 7 TeV center-of-mass energy. European Physical Journal C, 2011, 71, 1.	1.4	60
476	Measurement of the jet fragmentation function and transverse profile in proton–proton collisions at a center-of-mass energy of 7 TeV with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	56
477	Search for a heavy neutral particle decaying into an electron and a muon using 1 fbâ^'1 of ATLAS data. European Physical Journal C, 2011, 71, 1.	1.4	14
478	Search for massive colored scalars in four-jet final states in \$sqrt{s}=7~mbox{TeV}\$ proton–proton collisions with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	39
479	Measurement of the inclusive and dijet cross-sections of b-jets in pp collisions at \$sqrt{s}=7mbox{~TeV}\$ with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	73
480	Measurement of $W\hat{I}^3$ and $Z\hat{I}^3$ production in proton-proton collisions at \$ sqrt {s} = 7 \$ TeV with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	1.6	11
481	Inclusive search for same-sign dilepton signatures in pp collisions at \$ sqrt {s} = 7 \$ TeV with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	1.6	33
482	Diffraction and central exclusive production at ATLAS. , 2011, , .		1
483	The ATLAS Simulation Infrastructure. European Physical Journal C, 2010, 70, 823-874.	1.4	1,187
484	Performance of the ATLAS detector using first collision data. Journal of High Energy Physics, 2010, 2010, 1.	1.6	18
485	Measurement of the W → â"''μ and Z/γ * → â"''â"'' production cross sections in proton-proton collisions at \$ = 7;{ext{TeV}} \$ with the ATLAS detector. Journal of High Energy Physics, 2010, 2010, 1.	sqrt {s} 1.6	64
486	The FP420 R&D project: Higgs and New Physics with forward protons at the LHC. Journal of Instrumentation, 2009, 4, T10001-T10001.	0.5	101

#	Article	IF	CITATIONS
487	Diffractive physics program in ATLAS experiment. Nuclear Physics, Section B, Proceedings Supplements, 2008, 179-180, 187-195.	0.5	22
488	Studying the MSSM Higgs sector by forward proton tagging at the LHC. European Physical Journal C, 2008, 53, 231-256.	1.4	55
489	Detecting the standard model Higgs bosonin the WW decay channel using forward proton tagging at the LHC. European Physical Journal C, 2006, 45, 401-407.	1.4	30
490	Search for neutral MSSM Higgs bosons at LEP. European Physical Journal C, 2006, 47, 547.	1.4	592
491	QCD analysis of dijet production at low Q 2 at HERA. European Physical Journal C, 2005, 40, 469.	1.4	4
492	Resolved \$gamma^*_L\$ in hard collisions of virtual photons: QCD effects. European Physical Journal C, 2001, 18, 723-729.	1.4	4
493	The relevance of \${mathbf{gamma^*_{mathrm{L}}}\$ in hard collisions of virtual photons. European Physical Journal C, 2000, 16, 471-479.	1.4	7
494	Diffractive dijet production at HERA. European Physical Journal C, 1999, 6, 421-436.	1.4	25
495	Diffractive dijet production at HERA. European Physical Journal C, 1999, 6, 421.	1.4	14