

# Jong-Lyel Roh

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/3131467/jong-lyel-roh-publications-by-year.pdf>

**Version:** 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

258  
papers

7,171  
citations

43  
h-index

68  
g-index

264  
ext. papers

8,628  
ext. citations

4.4  
avg, IF

6.36  
L-index

#	Paper	IF	Citations
258	Removal of Thyroglossal Duct Cyst by a Submental Approach.. <i>World Journal of Surgery</i> , <b>2022</b> , 1	3.3	
257	Gland-preserving surgery of benign parotid tumours via postauricular sulcus incision: Is it safe and effective with the scarless incision?. <i>Oral Oncology</i> , <b>2022</b> , 127, 105808	4.4	0
256	Intracapsular enucleation of cervical schwannomas via retroauricular hairline incision.. <i>Surgical Oncology</i> , <b>2022</b> , 41, 101734	2.5	
255	Poly(rC)-binding protein 1 represses ferritinophagy-mediated ferroptosis in head and neck cancer.. <i>Redox Biology</i> , <b>2022</b> , 51, 102276	11.3	1
254	PGRMC1-dependent lipophagy promotes ferroptosis in paclitaxel-tolerant persister cancer cells. <i>Journal of Experimental and Clinical Cancer Research</i> , <b>2021</b> , 40, 350	12.8	2
253	Selective deep lobe parotidectomy via retroauricular hairline (RohR) incision for deep lobe parotid pleomorphic adenoma. <i>Oral Diseases</i> , <b>2021</b> ,	3.5	1
252	Thyroid stimulating hormone suppression and recurrence after thyroid lobectomy for papillary thyroid carcinoma. <i>Endocrine</i> , <b>2021</b> , 1	4	1
251	Functional gland-preserving surgery for submandibular gland pleomorphic adenoma. <i>Journal of Cancer Research and Clinical Oncology</i> , <b>2021</b> , 1	4.9	
250	Mitochondrial pyruvate carrier 1 regulates ferroptosis in drug-tolerant persister head and neck cancer cells via epithelial-mesenchymal transition. <i>Cancer Letters</i> , <b>2021</b> , 507, 40-54	9.9	15
249	The impact of skeletal muscle depletion on older adult patients with head and neck cancer undergoing primary surgery. <i>Journal of Geriatric Oncology</i> , <b>2021</b> , 12, 128-133	3.6	4
248	Functional gland-preserving surgery via periauricular incision for pleomorphic adenoma of the parotid gland. <i>European Journal of Surgical Oncology</i> , <b>2021</b> ,	3.6	1
247	Risk factors for survival and distant metastasis in 125 patients with head and neck adenoid cystic carcinoma undergoing primary surgery. <i>Journal of Cancer Research and Clinical Oncology</i> , <b>2020</b> , 146, 1343-1350	4.9	7
246	Predictors of recurrence after total thyroidectomy plus neck dissection and radioactive iodine ablation for high-risk papillary thyroid carcinoma. <i>Journal of Surgical Oncology</i> , <b>2020</b> , 122, 906-913	2.8	2
245	Ex vivo culture of head and neck cancer explants in cell sheet for testing chemotherapeutic sensitivity. <i>Journal of Cancer Research and Clinical Oncology</i> , <b>2020</b> , 146, 2497-2507	4.9	3
244	Prognostic value of tumor size and minimal extrathyroidal extension in papillary thyroid carcinoma. <i>American Journal of Surgery</i> , <b>2020</b> , 220, 925-931	2.7	6
243	Positive lymph node number and extranodal extension for predicting recurrence and survival in patients with salivary gland cancer. <i>Head and Neck</i> , <b>2020</b> , 42, 1994-2001	4.2	2
242	Dihydrolipoamide dehydrogenase regulates cystine deprivation-induced ferroptosis in head and neck cancer. <i>Redox Biology</i> , <b>2020</b> , 30, 101418	11.3	42

241	Risk factors for posttreatment recurrence in patients with intermediate-risk papillary thyroid carcinoma. <i>American Journal of Surgery</i> , <b>2020</b> , 220, 642-647	2.7	1
240	Risk factors for survival of head and neck soft tissue sarcomas: A comparison between 7th and 8th edition AJCC staging systems. <i>Oral Oncology</i> , <b>2020</b> , 106, 104705	4.4	1
239	Post-treatment F-FDG PET/CT for predicting survival and recurrence in patients with advanced-stage head and neck cancer undergoing curative surgery. <i>Oral Oncology</i> , <b>2020</b> , 107, 104750	4.4	3
238	Clinically Node-Negative Parotid Gland Cancers: Prognostic Factors of Survival and Surgical Extent. <i>Oncology</i> , <b>2020</b> , 98, 102-110	3.6	4
237	Dual Coaptation of Facial Nerve Using Masseteric Branch of Trigeminal Nerve for Iatrogenic Facial Palsy: Preliminary Reports. <i>Annals of Otolaryngology, Rhinology and Laryngology</i> , <b>2020</b> , 129, 505-511	2.1	2
236	Predictors of survival and recurrence after primary surgery for cervical metastasis of unknown primary. <i>Journal of Cancer Research and Clinical Oncology</i> , <b>2020</b> , 146, 925-933	4.9	0
235	Epigenetic reprogramming of epithelial-mesenchymal transition promotes ferroptosis of head and neck cancer. <i>Redox Biology</i> , <b>2020</b> , 37, 101697	11.3	31
234	Inhibition of Glutaredoxin 5 predisposes Cisplatin-resistant Head and Neck Cancer Cells to Ferroptosis. <i>Theranostics</i> , <b>2020</b> , 10, 7775-7786	12.1	33
233	Prediction of cervical metastasis and survival in cN0 oral cavity cancer using tumour F-FDG PET/CT functional parameters. <i>Journal of Cancer Research and Clinical Oncology</i> , <b>2020</b> , 146, 3341-3348	4.9	2
232	High Grade Transformation in Mucoepidermoid Carcinoma of the Minor Salivary Gland with Polyploidy of the Rearranged MAML2 Gene. <i>Head and Neck Pathology</i> , <b>2020</b> , 14, 822-827	3.3	5
231	F-FDG PET/CT versus CT/MR imaging for detection of neck lymph node metastasis in palpably node-negative oral cavity cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , <b>2020</b> , 146, 237-244	4.9	7
230	Prognostic value of neutrophil-to-lymphocyte ratio in older patients with head and neck cancer. <i>Journal of Geriatric Oncology</i> , <b>2020</b> , 11, 417-422	3.6	5
229	Number of positive lymph nodes better predicts survival for oral cavity cancer. <i>Journal of Surgical Oncology</i> , <b>2019</b> , 119, 675-682	2.8	8
228	Metabolic tumor volume and total lesion glycolysis predict tumor progression and survival after salvage surgery for recurrent oral cavity squamous cell carcinoma. <i>Head and Neck</i> , <b>2019</b> , 41, 1846-1853	4.2	9
227	Chest radiography or chest CT plus head and neck CT versus F-FDG PET/CT for detection of distant metastasis and synchronous cancer in patients with head and neck cancer. <i>Oral Oncology</i> , <b>2019</b> , 88, 109-114	4.4	17
226	Tumor-related leukocytosis predictive of recurrence and survival in patients with oral cavity squamous cell carcinoma. <i>Oral Diseases</i> , <b>2019</b> , 25, 1511-1518	3.5	0
225	Prognostic value of body composition on recurrence and survival of advanced-stage head and neck cancer. <i>European Journal of Cancer</i> , <b>2019</b> , 116, 98-106	7.5	29
224	Multifocality of papillary thyroid carcinoma as a risk factor for disease recurrence. <i>Oral Oncology</i> , <b>2019</b> , 94, 106-110	4.4	16

223	Efficacy of head and neck computed tomography for skeletal muscle mass estimation in patients with head and neck cancer. <i>Oral Oncology</i> , <b>2019</b> , 95, 95-99	4.4	20
222	Guidelines for the Surgical Management of Oral Cancer: Korean Society of Thyroid-Head and Neck Surgery. <i>Clinical and Experimental Otorhinolaryngology</i> , <b>2019</b> , 12, 107-144	3.4	27
221	Prediction of pharyngocutaneous fistula and survival after salvage laryngectomy for laryngohypopharyngeal carcinoma. <i>Head and Neck</i> , <b>2019</b> , 41, 3002-3008	4.2	4
220	Lymph node ratio predictive of recurrence, distant metastasis, and survival in submandibular gland carcinoma patients. <i>Journal of Cancer Research and Clinical Oncology</i> , <b>2019</b> , 145, 1055-1062	4.9	1
219	Clinical utility of F-FDG PET/CT for patients with recurrent head and neck squamous cell carcinoma. <i>Acta Oto-Laryngologica</i> , <b>2019</b> , 139, 810-815	1.6	2
218	Metastatic lymph node burden predictive of survival in patients undergoing primary surgery for laryngeal and hypopharyngeal cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , <b>2019</b> , 145, 2565-2572	4.9	8
217	Comparison of Squamous Cell Carcinoma of the Tongue between Young and Old Patients. <i>Journal of Pathology and Translational Medicine</i> , <b>2019</b> , 53, 369-377	2.9	3
216	Treatment of intractable oral ulceration with an oral mucosa equivalent. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , <b>2019</b> , 107, 1779-1785	3.5	0
215	Risk Factors for Recurrence After Treatment of N1b Papillary Thyroid Carcinoma. <i>Annals of Surgery</i> , <b>2019</b> , 269, 966-971	7.8	19
214	Promotion of skin wound healing using prevascularized oral mucosal cell sheet. <i>Head and Neck</i> , <b>2019</b> , 41, 774-779	4.2	8
213	Prognostic value of circulating biomarker score in advanced-stage head and neck squamous cell carcinoma. <i>European Journal of Cancer</i> , <b>2018</b> , 92, 69-76	7.5	7
212	Prediction of distant metastasis and survival in adenoid cystic carcinoma using quantitative F-FDG PET/CT measurements. <i>Oral Oncology</i> , <b>2018</b> , 77, 98-104	4.4	9
211	Radiological tumor thickness as a risk factor for local recurrence in early glottic cancer treated with laser cordectomy. <i>European Archives of Oto-Rhino-Laryngology</i> , <b>2018</b> , 275, 153-160	3.5	5
210	Detection of distant metastasis and prognostic prediction of recurrent salivary gland carcinomas using F-FDG PET/CT. <i>Oral Diseases</i> , <b>2018</b> , 24, 940-947	3.5	10
209	Association Between Fibroblast Growth Factor Receptor 1 Gene Amplification and Human Papillomavirus Prevalence in Tonsillar Squamous Cell Carcinoma With Clinicopathologic Analysis. <i>Journal of Histochemistry and Cytochemistry</i> , <b>2018</b> , 66, 511-522	3.4	1
208	Aspirin use and head and neck cancer survival: an observational study of 11,623 person-years follow-up. <i>International Journal of Clinical Oncology</i> , <b>2018</b> , 23, 52-58	4.2	12
207	Nodal factors predictive of recurrence and survival in patients with oral cavity squamous cell carcinoma. <i>Clinical Otolaryngology</i> , <b>2018</b> , 43, 470-476	1.8	4
206	Use of oral mucosal cell sheets for accelerated oral surgical wound healing. <i>Head and Neck</i> , <b>2018</b> , 40, 394-401	4.2	11

205	Prognostic value of F-FDG PET/CT parameters in patients who undergo salvage treatments for recurrent squamous cell carcinoma of the larynx and hypopharynx. <i>Journal of Surgical Oncology</i> , <b>2018</b> , 118, 644-650	2.8	4
204	Development of an cell-sheet cancer model for chemotherapeutic screening. <i>Theranostics</i> , <b>2018</b> , 8, 3964-3973	13.73	24
203	Risk factors for competing non-cancer mortality after definitive treatment for advanced-stage head and neck cancer. <i>Oral Diseases</i> , <b>2018</b> , 24, 1217-1225	3.5	3
202	CISD2 inhibition overcomes resistance to sulfasalazine-induced ferroptotic cell death in head and neck cancer. <i>Cancer Letters</i> , <b>2018</b> , 432, 180-190	9.9	96
201	Initial Nutritional Status and Clinical Outcomes in Patients with Deep Neck Infection. <i>Clinical and Experimental Otorhinolaryngology</i> , <b>2018</b> , 11, 293-300	3.4	9
200	Nutritional and hematologic markers as predictors of risk of surgical site infection in patients with head and neck cancer undergoing major oncologic surgery. <i>Head and Neck</i> , <b>2018</b> , 40, 596-604	4.2	16
199	Value of extranodal extension detected by computed tomography for predicting clinical response after chemoradiotherapy in head and neck squamous cell cancer. <i>Acta Oto-Laryngologica</i> , <b>2018</b> , 138, 392-399	1.6	2
198	De novo head and neck cancer arising in solid organ transplantation recipients: The Asan Medical Center experience. <i>Auris Nasus Larynx</i> , <b>2018</b> , 45, 838-845	2.2	6
197	Nodal Factors Predictive of Recurrence After Thyroidectomy and Neck Dissection for Papillary Thyroid Carcinoma. <i>Thyroid</i> , <b>2018</b> , 28, 88-95	6.2	22
196	Increased Immunoglobulin G4-positive Plasma Cells in Lymphadenoma of the Salivary Gland: An Immunohistochemical Comparison Among Lymphoepithelial Lesions. <i>Applied Immunohistochemistry and Molecular Morphology</i> , <b>2018</b> , 26, 420-424	1.9	3
195	Use of a pre-vascularised oral mucosal cell sheet for promoting cutaneous burn wound healing. <i>Theranostics</i> , <b>2018</b> , 8, 5703-5712	12.1	16
194	A comparison of the 7th and 8th editions of the AJCC staging system in terms of predicting recurrence and survival in patients with papillary thyroid carcinoma. <i>Oral Oncology</i> , <b>2018</b> , 87, 158-164	4.4	30
193	Pre-treatment metabolic tumor volume predicts tumor metastasis and progression in high-grade salivary gland carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , <b>2018</b> , 144, 2485-2493	4.9	6
192	Overexpression of cysteine-glutamate transporter and CD44 for prediction of recurrence and survival in patients with oral cavity squamous cell carcinoma. <i>Head and Neck</i> , <b>2018</b> , 40, 2340-2346	4.2	11
191	Nrf2 inhibition reverses resistance to GPX4 inhibitor-induced ferroptosis in head and neck cancer. <i>Free Radical Biology and Medicine</i> , <b>2018</b> , 129, 454-462	7.8	163
190	Idiopathic Unilateral Vocal Fold Paralysis in Older Patients: Characteristics in the Disease Course and Implication of Computed Tomography for Evaluation of Etiology. <i>Annals of Otolaryngology, Rhinology and Laryngology</i> , <b>2018</b> , 127, 823-828	2.1	2
189	Treatment Efficacy of Voice Therapy for Vocal Fold Polyps and Factors Predictive of Its Efficacy. <i>Journal of Voice</i> , <b>2017</b> , 31, 120.e9-120.e13	1.9	24
188	Aspirin plus sorafenib potentiates cisplatin cytotoxicity in resistant head and neck cancer cells through xCT inhibition. <i>Free Radical Biology and Medicine</i> , <b>2017</b> , 104, 1-9	7.8	37

187	Clinical implications of nonspecific pulmonary nodules identified during the initial evaluation of patients with head and neck squamous cell carcinoma. <i>European Radiology</i> , <b>2017</b> , 27, 3725-3732	8	1
186	Expression of Lysyl Oxidase Predictive of Distant Metastasis of Laryngeal Cancer. <i>Otolaryngology - Head and Neck Surgery</i> , <b>2017</b> , 156, 489-497	5.5	7
185	Promotion of oral surgical wound healing using autologous mucosal cell sheets. <i>Oral Oncology</i> , <b>2017</b> , 69, 84-91	4.4	14
184	RITA plus 3-MA overcomes chemoresistance of head and neck cancer cells via dual inhibition of autophagy and antioxidant systems. <i>Redox Biology</i> , <b>2017</b> , 13, 219-227	11.3	32
183	Pretreatment albumin level predicts survival in head and neck squamous cell carcinoma. <i>Laryngoscope</i> , <b>2017</b> , 127, E437-E442	3.6	36
182	Extranodal extension of lymph node metastasis as a prognostic indicator of recurrence and survival in papillary thyroid carcinoma. <i>Journal of Surgical Oncology</i> , <b>2017</b> , 116, 450-458	2.8	19
181	Prevalence and clinical significance of cancer cachexia based on time from treatment in advanced-stage head and neck squamous cell carcinoma. <i>Head and Neck</i> , <b>2017</b> , 39, 716-723	4.2	25
180	F-FDG PET/CT surveillance for the detection of recurrence in patients with head and neck cancer. <i>European Journal of Cancer</i> , <b>2017</b> , 72, 62-70	7.5	25
179	Nrf2 inhibition reverses the resistance of cisplatin-resistant head and neck cancer cells to artesunate-induced ferroptosis. <i>Redox Biology</i> , <b>2017</b> , 11, 254-262	11.3	242
178	Incidence and risk factors of late recurrence in patients with salivary gland cancer. <i>Clinical Otolaryngology</i> , <b>2017</b> , 42, 416-424	1.8	7
177	F-FDG PET/CT vs. human papillomavirus, p16 and Epstein-Barr virus detection in cervical metastatic lymph nodes for identifying primary tumors. <i>International Journal of Cancer</i> , <b>2017</b> , 140, 1405-1412	7.5	18
176	Hederagenin Induces Apoptosis in Cisplatin-Resistant Head and Neck Cancer Cells by Inhibiting the Nrf2-ARE Antioxidant Pathway. <i>Oxidative Medicine and Cellular Longevity</i> , <b>2017</b> , 2017, 5498908	6.7	25
175	Guidelines for the Surgical Management of Laryngeal Cancer: Korean Society of Thyroid-Head and Neck Surgery. <i>Clinical and Experimental Otorhinolaryngology</i> , <b>2017</b> , 10, 1-43	3.4	35
174	Risk Factors for Lateral Neck Recurrence of N0/N1a Papillary Thyroid Cancer. <i>Annals of Surgical Oncology</i> , <b>2017</b> , 24, 3609-3616	3.1	9
173	Accelerated oral wound healing using a pre-vascularized mucosal cell sheet. <i>Scientific Reports</i> , <b>2017</b> , 7, 10667	4.9	16
172	18F-FDG PET/CT Versus Contrast-Enhanced CT for Staging and Prognostic Prediction in Patients With Salivary Gland Carcinomas. <i>Clinical Nuclear Medicine</i> , <b>2017</b> , 42, e149-e156	1.7	20
171	Plasticity of oral mucosal cell sheets for accelerated and scarless skin wound healing. <i>Oral Oncology</i> , <b>2017</b> , 75, 81-88	4.4	19
170	Overexpression of glutathione peroxidase 1 predicts poor prognosis in oral squamous cell carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , <b>2017</b> , 143, 2257-2265	4.9	33

169	Postdiagnostic use of Eblockers and other antihypertensive drugs and the risk of recurrence and mortality in head and neck cancer patients: an observational study of 10,414 person-years of follow-up. <i>Clinical and Translational Oncology</i> , <b>2017</b> , 19, 826-833	3.6	17
168	Extent of Extrathyroidal Extension as a Significant Predictor of Nodal Metastasis and Extranodal Extension in Patients with Papillary Thyroid Carcinoma. <i>Annals of Surgical Oncology</i> , <b>2017</b> , 24, 460-468	3.1	38
167	Pretreatment tumor SUV predicts disease-specific and overall survival in patients with head and neck soft tissue sarcoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2017</b> , 44, 33-40	8.8	16
166	Targeting of the Glutathione, Thioredoxin, and Nrf2 Antioxidant Systems in Head and Neck Cancer. <i>Antioxidants and Redox Signaling</i> , <b>2017</b> , 27, 106-114	8.4	50
165	The Different Clinical Aspects of Pediatric Primary Airway Tumors in the Larynx, Trachea, and Bronchi. <i>Journal of Korean Medical Science</i> , <b>2017</b> , 32, 1304-1311	4.7	2
164	Clinical significance of three-dimensional measurement of tumour thickness on magnetic resonance imaging in patients with oral tongue squamous cell carcinoma. <i>European Radiology</i> , <b>2016</b> , 26, 858-65	8	18
163	Pretreatment quality of life as a prognostic factor for early survival and functional outcomes in patients with head and neck cancer. <i>Quality of Life Research</i> , <b>2016</b> , 25, 165-74	3.7	14
162	Differences in the Recurrence and Survival of Patients with Symptomatic and Asymptomatic Papillary Thyroid Carcinoma: An Observational Study of 11,265 Person-Years of Follow-Up. <i>Thyroid</i> , <b>2016</b> , 26, 1472-1479	6.2	10
161	Targeting Nrf2 with wogonin overcomes cisplatin resistance in head and neck cancer. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , <b>2016</b> , 21, 1265-1278	5.4	37
160	Risk Factors and Survival Associated with Distant Metastasis in Patients with Carcinoma of the Salivary Gland. <i>Annals of Surgical Oncology</i> , <b>2016</b> , 23, 4376-4383	3.1	33
159	A Novel Polyphenol Conjugate Sensitizes Cisplatin-Resistant Head and Neck Cancer Cells to Cisplatin via Nrf2 Inhibition. <i>Molecular Cancer Therapeutics</i> , <b>2016</b> , 15, 2620-2629	6.1	21
158	The influence of pediatric tracheostomy on the body weight percentile of children. <i>International Journal of Pediatric Otorhinolaryngology</i> , <b>2016</b> , 91, 49-54	1.7	
157	Reply to pretreatment depression as a prognostic indicator of survival and nutritional status in patients with head and neck cancer. <i>Cancer</i> , <b>2016</b> , 122, 972-3	6.4	1
156	Routine endoscopic screening for synchronous esophageal neoplasm in patients with head and neck squamous cell carcinoma: a prospective study. <i>Ecological Management and Restoration</i> , <b>2016</b> , 29, 752-759	3	21
155	Effect of polypharmacy and potentially inappropriate medications on treatment and posttreatment courses in elderly patients with head and neck cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , <b>2016</b> , 142, 1031-40	4.9	30
154	Activation of mitochondrial oxidation by PDK2 inhibition reverses cisplatin resistance in head and neck cancer. <i>Cancer Letters</i> , <b>2016</b> , 371, 20-9	9.9	48
153	Recurrence in patients with clinically early-stage papillary thyroid carcinoma according to tumor size and surgical extent. <i>American Journal of Surgery</i> , <b>2016</b> , 212, 419-425.e1	2.7	12
152	Predictive factors for long-term survival in head and neck squamous cell carcinoma patients with distant metastasis after initial definitive treatment. <i>Journal of Cancer Research and Clinical Oncology</i> , <b>2016</b> , 142, 295-304	4.9	8

151	Prognostic value of glucosylceramide synthase and P-glycoprotein expression in oral cavity cancer. <i>International Journal of Clinical Oncology</i> , <b>2016</b> , 21, 883-889	4.2	27
150	Treatment Outcomes and Risk Factors for Recurrence After Definitive Surgery of Locally Invasive Well-Differentiated Papillary Thyroid Carcinoma. <i>Thyroid</i> , <b>2016</b> , 26, 262-70	6.2	19
149	Prognostic value of nutritional and hematologic markers in head and neck squamous cell carcinoma treated by chemoradiotherapy. <i>Radiotherapy and Oncology</i> , <b>2016</b> , 118, 330-4	5.3	69
148	Adjuvant role of radiation therapy for locally advanced laryngeal cancer without pathological lymph node metastasis. <i>Acta Oto-Laryngologica</i> , <b>2016</b> , 136, 703-10	1.6	4
147	(18)F FDG PET/CT versus CT/MR Imaging and the Prognostic Value of Contralateral Neck Metastases in Patients with Head and Neck Squamous Cell Carcinoma. <i>Radiology</i> , <b>2016</b> , 279, 481-91	20.5	34
146	Targeting acid ceramidase sensitises head and neck cancer to cisplatin. <i>European Journal of Cancer</i> , <b>2016</b> , 52, 163-72	7.5	33
145	Impact of (18)F-FDG PET/CT staging on management and prognostic stratification in head and neck squamous cell carcinoma: A prospective observational study. <i>European Journal of Cancer</i> , <b>2016</b> , 63, 88-96	7.5	27
144	Incidence and risk factors for morbidity and mortality in elderly head and neck cancer patients undergoing major oncological surgery. <i>Journal of Cancer Research and Clinical Oncology</i> , <b>2016</b> , 142, 1343-51	4.9	13
143	Reply to a Letter to the Editor: can we really consider tumor size and surgical extent as predictive factors for recurrence in clinically early-stage papillary thyroid carcinoma patients?. <i>American Journal of Surgery</i> , <b>2016</b> , 212, 1031-1032	2.7	
142	Efficacy of poly (ADP-ribose) polymerase inhibitor olaparib against head and neck cancer cells: Predictions of drug sensitivity based on PAR-p53-NF-B interactions. <i>Cell Cycle</i> , <b>2016</b> , 15, 3105-3114	4.7	11
141	An Introduction to a Head and Neck Cancer-Specific Frailty Index and Its Clinical Implications in Elderly Patients: A Prospective Observational Study Focusing on Respiratory and Swallowing Functions. <i>Oncologist</i> , <b>2016</b> , 21, 1091-8	5.7	19
140	Induction of ferroptotic cell death for overcoming cisplatin resistance of head and neck cancer. <i>Cancer Letters</i> , <b>2016</b> , 381, 96-103	9.9	138
139	Pretreatment depression as a prognostic indicator of survival and nutritional status in patients with head and neck cancer. <i>Cancer</i> , <b>2016</b> , 122, 131-40	6.4	44
138	Prognostic value of lymph node density in high-grade salivary gland cancers. <i>Journal of Surgical Oncology</i> , <b>2015</b> , 111, 784-9	2.8	26
137	Extranodal extension and thickness of metastatic lymph node as a significant prognostic marker of recurrence and survival in head and neck squamous cell carcinoma. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , <b>2015</b> , 43, 769-78	3.6	10
136	Prognostic significance of standardized uptake value and metabolic tumour volume on 18F-FDG PET/CT in oropharyngeal squamous cell carcinoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2015</b> , 42, 1353-61	8.8	24
135	Correlation of gene methylation in surgical margin imprints with locoregional recurrence in head and neck squamous cell carcinoma. <i>Cancer</i> , <b>2015</b> , 121, 1957-65	6.4	34
134	Effect of metformin on progression of head and neck cancers, occurrence of second primary cancers, and cause-specific survival. <i>Oncologist</i> , <b>2015</b> , 20, 546-53	5.7	15



133	Preoperative Contrast-Enhanced CT Versus $^{18}$ F-FDG PET/CT Evaluation and the Prognostic Value of Extranodal Extension for Surgical Patients with Head and Neck Squamous Cell Carcinoma. <i>Annals of Surgical Oncology</i> , <b>2015</b> , 22 Suppl 3, S1020-7	3.1	10
132	Epithelial-mesenchymal transition: clinical implications for nodal metastasis and prognosis of tongue cancer. <i>Otolaryngology - Head and Neck Surgery</i> , <b>2015</b> , 152, 80-6	5.5	11
131	Inhibition of Glucosylceramide Synthase Sensitizes Head and Neck Cancer to Cisplatin. <i>Molecular Cancer Therapeutics</i> , <b>2015</b> , 14, 1907-15	6.1	24
130	Prognostic factors and outcome analysis of salivary duct carcinoma. <i>Auris Nasus Larynx</i> , <b>2015</b> , 42, 472-7	2.2	16
129	Lymph node density as an independent predictor of cancer-specific mortality in patients with lymph node-positive laryngeal squamous cell carcinoma after laryngectomy. <i>Head and Neck</i> , <b>2015</b> , 37, 1319-25	4.2	22
128	Postoperative hypoalbuminemia as a risk factor for surgical site infection after oral cancer surgery. <i>Oral Diseases</i> , <b>2015</b> , 21, 178-84	3.5	41
127	Patterns and treatment of neck metastases in patients with salivary gland cancers. <i>Journal of Surgical Oncology</i> , <b>2015</b> , 111, 1000-6	2.8	35
126	Voice Changes in Elderly Adults: Prevalence and the Effect of Social, Behavioral, and Health Status on Voice Quality. <i>Journal of the American Geriatrics Society</i> , <b>2015</b> , 63, 1608-14	5.6	15
125	Accuracy of Core Needle Biopsy Versus Fine Needle Aspiration Cytology for Diagnosing Salivary Gland Tumors. <i>Journal of Pathology and Translational Medicine</i> , <b>2015</b> , 49, 136-43	2.9	54
124	Detection of occult primary tumors in patients with cervical metastases of unknown primary tumors: comparison of $^{18}$ F FDG PET/CT with contrast-enhanced CT or CT/MR imaging-prospective study. <i>Radiology</i> , <b>2015</b> , 274, 764-71	20.5	71
123	Composition of inflammatory cells regulating the response to concurrent chemoradiation therapy for HPV (+) tonsil cancer. <i>Oral Oncology</i> , <b>2015</b> , 51, 1113-9	4.4	14
122	Recurrence and cancer-specific survival according to the expression of IL-4R $\alpha$ and IL-13R $\alpha$ in patients with oral cavity cancer. <i>European Journal of Cancer</i> , <b>2015</b> , 51, 177-85	7.5	15
121	Prognostic significance of preoperative metabolic tumour volume and total lesion glycolysis measured by $^{18}$ F-FDG PET/CT in squamous cell carcinoma of the oral cavity. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2014</b> , 41, 452-61	8.8	40
120	Short-term treatment results for unilateral vocal fold palsy induced by mediastinal lesions. <i>Journal of Voice</i> , <b>2014</b> , 28, 809-15	1.9	5
119	Prognostic factors and oncologic outcomes of 56 salivary duct carcinoma patients in a single institution: high rate of systemic failure warrants targeted therapy. <i>Oral Oncology</i> , <b>2014</b> , 50, e64-6	4.4	38
118	XI-011 enhances cisplatin-induced apoptosis by functional restoration of p53 in head and neck cancer. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , <b>2014</b> , 19, 1594-602	5.4	8
117	Risk factors for central neck lymph node metastasis of clinically noninvasive, node-negative papillary thyroid microcarcinoma. <i>American Journal of Surgery</i> , <b>2014</b> , 208, 412-8	2.7	42
116	Clinical values for abnormal PET $^{18}$ F-FDG uptake in the head and neck region of patients with head and neck squamous cell carcinoma. <i>European Journal of Radiology</i> , <b>2014</b> , 83, 1455-60	4.7	8

115	Second cancer incidence and risk factors in patients with salivary gland cancers. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , <b>2014</b> , 140, 118-23	3.9	1
114	Clinical significance of pretreatment metabolic tumor volume and total lesion glycolysis in hypopharyngeal squamous cell carcinomas. <i>Journal of Surgical Oncology</i> , <b>2014</b> , 110, 869-75	2.8	18
113	Piperlongumine selectively kills cancer cells and increases cisplatin antitumor activity in head and neck cancer. <i>Oncotarget</i> , <b>2014</b> , 5, 9227-38	3.3	66
112	Combined squamous cell carcinoma and follicular carcinoma of the thyroid. <i>Korean Journal of Pathology</i> , <b>2014</b> , 48, 418-22		2
111	18F fluorodeoxyglucose PET/CT in head and neck squamous cell carcinoma with negative neck palpation findings: a prospective study. <i>Radiology</i> , <b>2014</b> , 271, 153-61	20.5	60
110	Noncancer health events as a leading cause of competing mortality in advanced head and neck cancer. <i>Annals of Oncology</i> , <b>2014</b> , 25, 1208-14	10.3	32
109	Prognostic value of metastatic nodal volume and lymph node ratio in patients with cervical lymph node metastases from an unknown primary tumor. <i>Oncology</i> , <b>2014</b> , 86, 170-6	3.6	14
108	Mdm2 and p53 Expression in Radiation-Induced Sarcomas of the Head and Neck: Comparison with De Novo Sarcomas. <i>Korean Journal of Pathology</i> , <b>2014</b> , 48, 346-50		4
107	Prognostic factors in patients with head and neck squamous cell carcinoma with cN3 neck disease: a retrospective case-control study. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , <b>2014</b> , 117, 178-85	2	4
106	Risk factors and survival outcomes for patients with anastomotic leakage after surgery for head and neck squamous cell carcinoma. <i>Clinical and Experimental Otorhinolaryngology</i> , <b>2014</b> , 7, 36-41	3.4	5
105	Utility of quantitative 18 F-fluorodeoxyglucose uptake measurement to identify occult tonsillar carcinoma in patients with cervical metastasis of unknown primary tumours: a retrospective case-control study. <i>Clinical Otolaryngology</i> , <b>2013</b> , 38, 30-8	1.8	6
104	Utility of 18F-FDG PET/CT for detecting neck metastasis in patients with salivary gland carcinomas: preoperative planning for necessity and extent of neck dissection. <i>Annals of Surgical Oncology</i> , <b>2013</b> , 20, 899-905	3.1	29
103	Prognostic value of metabolic tumor volume measured by 18F-FDG PET/CT in advanced-stage squamous cell carcinoma of the larynx and hypopharynx. <i>Annals of Oncology</i> , <b>2013</b> , 24, 208-14	10.3	65
102	Risk factors for non-cancer health events in patients with head and neck squamous cell carcinoma. <i>Annals of Oncology</i> , <b>2013</b> , 24, 1049-54	10.3	24
101	Prognostic value of preoperative metabolic tumor volume and total lesion glycolysis measured by 18F-FDG PET/CT in salivary gland carcinomas. <i>Journal of Nuclear Medicine</i> , <b>2013</b> , 54, 1032-8	8.9	62
100	Clinical correlates of promoter hypermethylation of four target genes in head and neck cancer: a cooperative group correlative study. <i>Clinical Cancer Research</i> , <b>2013</b> , 19, 2528-40	12.9	26
99	Prediction of posttreatment significant body weight loss and its correlation with disease-free survival in patients with oral squamous cell carcinomas. <i>Nutrition and Cancer</i> , <b>2013</b> , 65, 417-23	2.8	17
98	(18)F-FDG PET/CT surveillance at 3-6 and 12 months for detection of recurrence and second primary cancer in patients with head and neck squamous cell carcinoma. <i>British Journal of Cancer</i> , <b>2013</b> , 109, 2973-9	8.7	56

97	The Hsp90 inhibitor 17-(allylamino)-17-demethoxygeldanamycin increases cisplatin antitumor activity by inducing p53-mediated apoptosis in head and neck cancer. <i>Cell Death and Disease</i> , <b>2013</b> , 4, e956	9.8	19
96	Second cancer incidence, risk factor, and specific mortality in head and neck squamous cell carcinoma. <i>Otolaryngology - Head and Neck Surgery</i> , <b>2013</b> , 149, 579-86	5.5	61
95	The p53-reactivating small-molecule RITA enhances cisplatin-induced cytotoxicity and apoptosis in head and neck cancer. <i>Cancer Letters</i> , <b>2012</b> , 325, 35-41	9.9	37
94	Human papillomavirus and p16 detection in cervical lymph node metastases from an unknown primary tumor. <i>Oral Oncology</i> , <b>2012</b> , 48, 1250-6	4.4	31
93	Impact of combined prophylactic unilateral central neck dissection and hemithyroidectomy in patients with papillary thyroid microcarcinoma. <i>Annals of Surgical Oncology</i> , <b>2012</b> , 19, 591-6	3.1	42
92	18F-FDG PET/CT for detecting distant metastases in patients with recurrent head and neck squamous cell carcinoma. <i>Journal of Surgical Oncology</i> , <b>2012</b> , 106, 708-12	2.8	32
91	Tissue imprint for molecular mapping of deep surgical margins in patients with head and neck squamous cell carcinoma. <i>Head and Neck</i> , <b>2012</b> , 34, 1529-36	4.2	14
90	Distant metastases and survival prediction in head and neck squamous cell carcinoma. <i>Otolaryngology - Head and Neck Surgery</i> , <b>2012</b> , 147, 870-5	5.5	19
89	p53-Reactivating small molecules induce apoptosis and enhance chemotherapeutic cytotoxicity in head and neck squamous cell carcinoma. <i>Oral Oncology</i> , <b>2011</b> , 47, 8-15	4.4	66
88	Risk factors of surgical site infection in patients undergoing major oncological surgery for head and neck cancer. <i>Oral Oncology</i> , <b>2011</b> , 47, 528-31	4.4	81
87	Central compartment reoperation for recurrent/persistent differentiated thyroid cancer: patterns of recurrence, morbidity, and prediction of postoperative hypocalcemia. <i>Annals of Surgical Oncology</i> , <b>2011</b> , 18, 1312-8	3.1	78
86	Central lymph node metastasis of unilateral papillary thyroid carcinoma: patterns and factors predictive of nodal metastasis, morbidity, and recurrence. <i>Annals of Surgical Oncology</i> , <b>2011</b> , 18, 2245-50 <sup>3.1</sup>		135
85	Prognostic value of lymph node density in node-positive patients with oral squamous cell carcinoma. <i>Annals of Surgical Oncology</i> , <b>2011</b> , 18, 2310-7	3.1	76
84	Evaluation of 18F-FDG PET/CT and CT/MRI with histopathologic correlation in patients undergoing salvage surgery for head and neck squamous cell carcinoma. <i>Annals of Surgical Oncology</i> , <b>2011</b> , 18, 2579-84	3.1	34
83	Usefulness of interim FDG-PET after induction chemotherapy in patients with locally advanced squamous cell carcinoma of the head and neck receiving sequential induction chemotherapy followed by concurrent chemoradiotherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , <b>2011</b> , 81, 118-25	4	22
82	The Treatment Outcomes of Primary Subglottic Cancer. <i>Korean Journal of Otorhinolaryngology-Head and Neck Surgery</i> , <b>2011</b> , 54, 699	0.2	
81	Role of sentinel lymph node biopsy in thyroid cancer. <i>Expert Review of Anticancer Therapy</i> , <b>2010</b> , 10, 1429-37	3.7	10
80	Oncocytoma and Oncocytic Carcinoma of the Salivary Glands, Single Institute Experience. <i>Korean Journal of Pathology</i> , <b>2010</b> , 44, 370		1

79	Treatment Outcomes of Squamous Cell Carcinoma of the Buccal Mucosa. <i>Korean Journal of Otorhinolaryngology-Head and Neck Surgery</i> , <b>2010</b> , 53, 300	0.2	
78	Chondroradionecrosis of the larynx: diagnostic and therapeutic measures for saving the organ from radiotherapy sequelae. <i>Clinical and Experimental Otorhinolaryngology</i> , <b>2009</b> , 2, 115-9	3.4	15
77	The prognostic value of hypoxia markers in T2-staged oral tongue cancer. <i>Oral Oncology</i> , <b>2009</b> , 45, 63-8	4.4	63
76	Utility of combined (18)F-fluorodeoxyglucose-positron emission tomography and computed tomography in patients with cervical metastases from unknown primary tumors. <i>Oral Oncology</i> , <b>2009</b> , 45, 218-24	4.4	93
75	Prevention of postoperative hypocalcemia with routine oral calcium and vitamin D supplements in patients with differentiated papillary thyroid carcinoma undergoing total thyroidectomy plus central neck dissection. <i>Cancer</i> , <b>2009</b> , 115, 251-8	6.4	108
74	Use of preoperative ultrasonography as guidance for neck dissection in patients with papillary thyroid carcinoma. <i>Journal of Surgical Oncology</i> , <b>2009</b> , 99, 28-31	2.8	77
73	Recurrent laryngeal nerve paralysis in patients with papillary thyroid carcinomas: evaluation and management of resulting vocal dysfunction. <i>American Journal of Surgery</i> , <b>2009</b> , 197, 459-65	2.7	25
72	Extracapsular dissection of benign parotid tumors using a retroauricular hairline incision approach. <i>American Journal of Surgery</i> , <b>2009</b> , 197, e53-6	2.7	32
71	OK-432 sclerotherapy of cervical chylous lymphocele after neck dissection. <i>Laryngoscope</i> , <b>2008</b> , 118, 999-1002	3.6	27
70	The utility of second-look operation after laser microresection of glottic carcinoma involving the anterior commissure. <i>Laryngoscope</i> , <b>2008</b> , 118, 1400-4	3.6	22
69	Removal of the submandibular gland by a submental approach: a prospective, randomized, controlled study. <i>Oral Oncology</i> , <b>2008</b> , 44, 295-300	4.4	22
68	Endovascular management of carotid blowout syndrome in patients with head and neck cancers. <i>Oral Oncology</i> , <b>2008</b> , 44, 844-50	4.4	43
67	Treatment of benign thyroid cysts by intracystic injection of OK-432. <i>Surgery</i> , <b>2008</b> , 144, 775-9	3.6	3
66	Lung recovery after rigid bronchoscopic removal of tracheobronchial foreign bodies in children. <i>International Journal of Pediatric Otorhinolaryngology</i> , <b>2008</b> , 72, 635-41	1.7	7
65	Primary treatment of pediatric plunging ranula with nonsurgical sclerotherapy using OK-432 (Picibanil). <i>International Journal of Pediatric Otorhinolaryngology</i> , <b>2008</b> , 72, 1405-10	1.7	32
64	Removal of pediatric branchial cleft cyst using a retroauricular hairline incision (RAHI) approach. <i>International Journal of Pediatric Otorhinolaryngology</i> , <b>2008</b> , 72, 1503-7	1.7	26
63	A prospective, randomized trial for use of prednisolone in patients with facial nerve paralysis after parotidectomy. <i>American Journal of Surgery</i> , <b>2008</b> , 196, 746-50	2.7	17
62	Transoral removal of submandibular hilar stone and sialodochoplasty. <i>Otolaryngology - Head and Neck Surgery</i> , <b>2008</b> , 139, 235-9	5.5	28

61	Clinical utility of fine-needle aspiration for diagnosis of head and neck lymphoma. <i>European Journal of Surgical Oncology</i> , <b>2008</b> , 34, 817-21	3.6	19
60	Can patients with head and neck cancers invading carotid artery gain survival benefit from surgery?. <i>Acta Oto-Laryngologica</i> , <b>2008</b> , 128, 1370-4	1.6	17
59	Primary non-Hodgkin's lymphomas of the major salivary glands. <i>Journal of Surgical Oncology</i> , <b>2008</b> , 97, 35-9	2.8	30
58	Carcinomas arising in the submandibular gland: high propensity for systemic failure. <i>Journal of Surgical Oncology</i> , <b>2008</b> , 97, 533-7	2.8	37
57	Prognostic values of pathologic findings and hypoxia markers in 21 patients with salivary duct carcinoma. <i>Journal of Surgical Oncology</i> , <b>2008</b> , 97, 596-600	2.8	28
56	Function-preserving parotid surgery for benign tumors involving the deep parotid lobe. <i>Journal of Surgical Oncology</i> , <b>2008</b> , 98, 42-5	2.8	14
55	Voice, swallowing and quality of life in patients after transoral laser surgery for supraglottic carcinoma. <i>Journal of Surgical Oncology</i> , <b>2008</b> , 98, 184-9	2.8	45
54	Sentinel lymph node biopsy as guidance for central neck dissection in patients with papillary thyroid carcinoma. <i>Cancer</i> , <b>2008</b> , 113, 1527-31	6.4	43
53	Gland-preserving surgery for pleomorphic adenoma in the submandibular gland. <i>British Journal of Surgery</i> , <b>2008</b> , 95, 1252-6	5.3	20
52	Prospective identification of chyle leakage in patients undergoing lateral neck dissection for metastatic thyroid cancer. <i>Annals of Surgical Oncology</i> , <b>2008</b> , 15, 424-9	3.1	61
51	Chyle leakage in patients undergoing thyroidectomy plus central neck dissection for differentiated papillary thyroid carcinoma. <i>Annals of Surgical Oncology</i> , <b>2008</b> , 15, 2576-80	3.1	48
50	Central cervical nodal metastasis from papillary thyroid microcarcinoma: pattern and factors predictive of nodal metastasis. <i>Annals of Surgical Oncology</i> , <b>2008</b> , 15, 2482-6	3.1	128
49	Lateral cervical lymph node metastases from papillary thyroid carcinoma: pattern of nodal metastases and optimal strategy for neck dissection. <i>Annals of Surgical Oncology</i> , <b>2008</b> , 15, 1177-82	3.1	162
48	Use of 18F-fluorodeoxyglucose positron emission tomography in patients with rare head and neck cancers. <i>Clinical and Experimental Otorhinolaryngology</i> , <b>2008</b> , 1, 103-9	3.4	13
47	Spontaneous Pharyngeal Perforation After Forceful Vomiting: The Difference from Classic Boerhaave's Syndrome. <i>Clinical and Experimental Otorhinolaryngology</i> , <b>2008</b> , 1, 174-6	3.4	9
46	Synchronous benign and malignant tumors in the ipsilateral parotid gland. <i>Acta Oto-Laryngologica</i> , <b>2007</b> , 127, 110-2	1.6	11
45	Randomized clinical trial comparing partial parotidectomy versus superficial or total parotidectomy. <i>British Journal of Surgery</i> , <b>2007</b> , 94, 1081-7	5.3	99
44	Is central neck dissection necessary for the treatment of lateral cervical nodal recurrence of papillary thyroid carcinoma?. <i>Head and Neck</i> , <b>2007</b> , 29, 901-6	4.2	58

43	Quality of life and voice in patients after laser cordectomy for Tis and T1 glottic carcinomas. <i>Head and Neck</i> , <b>2007</b> , 29, 1010-6	4.2	63
42	Cervical sensory preservation during neck dissection. <i>Oral Oncology</i> , <b>2007</b> , 43, 491-8	4.4	30
41	Clinical significance of intrathoracic lesions detected by 18F-fluorodeoxyglucose positron emission tomography in the management of patients with head and neck cancer. <i>Oral Oncology</i> , <b>2007</b> , 43, 757-63	4.4	6
40	Utility of 2-[18F] fluoro-2-deoxy-D-glucose positron emission tomography and positron emission tomography/computed tomography imaging in the preoperative staging of head and neck squamous cell carcinoma. <i>Oral Oncology</i> , <b>2007</b> , 43, 887-93	4.4	113
39	The retroauricular hairline incision (RAHI) approach for head and neck surgery. <i>Operative Techniques in Otolaryngology - Head and Neck Surgery</i> , <b>2007</b> , 18, 310-314	0.4	4
38	Combined 18F-fluorodeoxyglucose-positron emission tomography and computed tomography as a primary screening method for detecting second primary cancers and distant metastases in patients with head and neck cancer. <i>Annals of Oncology</i> , <b>2007</b> , 18, 1698-703	10.3	86
37	Total thyroidectomy plus neck dissection in differentiated papillary thyroid carcinoma patients: pattern of nodal metastasis, morbidity, recurrence, and postoperative levels of serum parathyroid hormone. <i>Annals of Surgery</i> , <b>2007</b> , 245, 604-10	7.8	294
36	Benefits and risks of mitomycin use in the traumatized tracheal mucosa. <i>Otolaryngology - Head and Neck Surgery</i> , <b>2007</b> , 136, 459-63	5.5	21
35	2-[18F]-Fluoro-2-deoxy-D-glucose positron emission tomography as guidance for primary treatment in patients with advanced-stage resectable squamous cell carcinoma of the larynx and hypopharynx. <i>European Journal of Surgical Oncology</i> , <b>2007</b> , 33, 790-5	3.6	56
34	Lymphomas of the head and neck in the pediatric population. <i>International Journal of Pediatric Otorhinolaryngology</i> , <b>2007</b> , 71, 1471-7	1.7	22
33	Clinical utility of 18F-FDG PET for patients with salivary gland malignancies. <i>Journal of Nuclear Medicine</i> , <b>2007</b> , 48, 240-6	8.9	65
32	Intraoperative parathyroid hormone assay for management of patients undergoing total thyroidectomy. <i>Head and Neck</i> , <b>2006</b> , 28, 990-7	4.2	59
31	Treatment of branchial cleft cyst with intracystic injection of OK-432. <i>Acta Oto-Laryngologica</i> , <b>2006</b> , 126, 510-4	1.6	28
30	Resection of cervical vagal schwannoma via a post-auricular approach. <i>Acta Oto-Laryngologica</i> , <b>2006</b> , 126, 318-20	1.6	7
29	Spontaneous tracheal rupture after severe coughing in a 7-year-old boy. <i>Pediatrics</i> , <b>2006</b> , 118, e224-7	7.4	23
28	Application of mitomycin C after endoscopic lysis of congenital laryngeal web combined with epiglottic hypoplasia in a middle-aged man. <i>Acta Oto-Laryngologica</i> , <b>2006</b> , 126, 438-41	1.6	9
27	Removal of the submandibular gland by a retroauricular approach. <i>JAMA Otolaryngology</i> , <b>2006</b> , 132, 783-7		49
26	Subglottic wound healing in a new rabbit model of acquired subglottic stenosis. <i>Annals of Otolaryngology, Rhinology and Laryngology</i> , <b>2006</b> , 115, 611-6	2.1	27

25	Effect of acid, pepsin, and bile acid on the stenotic progression of traumatized subglottis. <i>American Journal of Gastroenterology</i> , <b>2006</b> , 101, 1186-92	0.7	22
24	Routine oral calcium and vitamin D supplements for prevention of hypocalcemia after total thyroidectomy. <i>American Journal of Surgery</i> , <b>2006</b> , 192, 675-8	2.7	123
23	Papillary thyroid carcinoma presenting a great vein invasion in the neck and upper chest. <i>Otolaryngology - Head and Neck Surgery</i> , <b>2006</b> , 135, 818-20	5.5	4
22	Unilateral submandibular gland aplasia: an isolated phenomenon of early fetal development. <i>Otolaryngology - Head and Neck Surgery</i> , <b>2006</b> , 135, 332-4	5.5	15
21	Removal of nonthyroidal neck masses with improved cosmetic outcomes in skin-lifting surgery. <i>Otolaryngology - Head and Neck Surgery</i> , <b>2006</b> , 135, 463-8	5.5	8
20	The effect of acute xerostomia on vocal function. <i>JAMA Otolaryngology</i> , <b>2006</b> , 132, 542-6		27
19	Effect of acid and pepsin on glottic wound healing: a simulated reflux model. <i>JAMA Otolaryngology</i> , <b>2006</b> , 132, 995-1000		14
18	Intrathyroid hemorrhage and acute upper airway obstruction after fine needle aspiration of the thyroid gland. <i>Laryngoscope</i> , <b>2006</b> , 116, 154-6	3.6	52
17	Primary treatment of ranula with intracystic injection of OK-432. <i>Laryngoscope</i> , <b>2006</b> , 116, 169-72	3.6	37
16	Can mitomycin C really prevent airway stenosis?. <i>Laryngoscope</i> , <b>2006</b> , 116, 440-5	3.6	21
15	Transseptal laser resection of recurrent carcinoma confined to the nasopharynx. <i>Laryngoscope</i> , <b>2006</b> , 116, 839-41	3.6	10
14	Prevention of hypopharyngeal stenosis with silastic sheeting following transoral resection. <i>Dysphagia</i> , <b>2006</b> , 21, 112-5	3.7	0
13	Prediction of difficult laryngeal exposure in patients undergoing microlaryngosurgery. <i>Annals of Otolaryngology, Rhinology and Laryngology</i> , <b>2005</b> , 114, 614-20	2.1	32
12	Effect of topical mitomycin C on the healing of surgical and laser wounds: a hint on clinical application. <i>Otolaryngology - Head and Neck Surgery</i> , <b>2005</b> , 133, 851-6	5.5	18
11	Application of mitomycin C after transoral removal of submandibular stones and sialodochoplasty. <i>Laryngoscope</i> , <b>2005</b> , 115, 915-8	3.6	10
10	Prevention of anterior glottic stenosis after transoral microresection of glottic lesions involving the anterior commissure with mitomycin C. <i>Laryngoscope</i> , <b>2005</b> , 115, 1055-9	3.6	40
9	Retroauricular hairline incision for removal of upper neck masses. <i>Laryngoscope</i> , <b>2005</b> , 115, 2161-6	3.6	53
8	Suppression of accelerated tumor growth in surgical wounds by celecoxib and indomethacin. <i>Head and Neck</i> , <b>2005</b> , 27, 326-32	4.2	12

7	Removal of infratemporal fossa schwannoma via a transmandibular transpterygoid approach. <i>European Archives of Oto-Rhino-Laryngology</i> , <b>2005</b> , 262, 428-31	3.5	10
6	Endoscopic resection of pleomorphic adenoma arising in the nasopharynx. <i>Acta Oto-Laryngologica</i> , <b>2005</b> , 125, 910-12	1.6	16
5	Kötner's tumor: unusual presentation with bilateral involvement of the lacrimal and submandibular glands. <i>Acta Oto-Laryngologica</i> , <b>2005</b> , 125, 792-6	1.6	12
4	Prevention of posterior glottic stenosis by mitomycin C. <i>Annals of Otology, Rhinology and Laryngology</i> , <b>2005</b> , 114, 558-62	2.1	19
3	Prevention of anterior glottic stenosis after bilateral vocal fold stripping with mitomycin C. <i>JAMA Otolaryngology</i> , <b>2005</b> , 131, 690-5		33
2	Transoral endoscopic resection of a nasopharyngeal hairy polyp. <i>International Journal of Pediatric Otorhinolaryngology</i> , <b>2004</b> , 68, 1087-90	1.7	24
1	Transpalatal endoscopic resection of residual nasopharyngeal carcinoma after sequential chemoradiotherapy. <i>Journal of Laryngology and Otology</i> , <b>2004</b> , 118, 951-4	1.8	6