## Jochen Seufert

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/313219/publications.pdf

Version: 2024-02-01

		304743	110387
68	5,835	22	64
papers	citations	h-index	g-index
70	70	70	7017
70	70	70	7217
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Switching the basal insulin to insulin glargine 300 U/ <scp>ml</scp> in people with type 2 diabetes under basal insulin supported oral therapy: Observational trial on effectiveness and safety. Diabetes, Obesity and Metabolism, 2022, 24, 72-81.	4.4	3
2	Elevated liver enzymes and comorbidities in type 2 diabetes: A multicentre analysis of 51 645 patients from the Diabetes Prospective Followâ€up ( <scp>DPV)</scp> database. Diabetes, Obesity and Metabolism, 2022, 24, 727-732.	4.4	5
3	<scp>Realâ€world</scp> data of 12â€month adjunct sodiumâ€glucose coâ€transporterâ€2 inhibitor treatment ir type 1 diabetes from the <scp>German/Austrian DPV</scp> registry: Improved <scp>HbA1c</scp> without diabetic ketoacidosis. Diabetes, Obesity and Metabolism, 2022, 24, 742-746.	n 4.4	14
4	Disease heterogeneity of adult diabetes based on routine clinical variables at diagnosis: Results from the German/Austrian Diabetes Followâ€up Registry. Diabetes, Obesity and Metabolism, 2022, 24, 2253-2262.	4.4	1
5	Cardiovascular protection by SGLT2 inhibitors – Do anti-inflammatory mechanisms play a role?. Molecular Metabolism, 2022, 64, 101549.	6.5	23
6	Effectiveness and Safety of Insulin Glulisine When Initiating Supplementary Prandial Insulin Treatment (SIT) in Insulin-NaÃ-ve Patients with Type 2 Diabetes: The Observational IGLU-SIT Study. Diabetes Therapy, 2021, 12, 733-747.	2.5	1
7	Effectiveness and Safety of Switching Rapid-Acting Insulins to Insulin Glulisine in Patients with Diabetes: The Observational IGLU-S Study. Diabetes Therapy, 2021, 12, 749-764.	2.5	1
8	The SAGE study: Global observational analysis of glycaemic control, hypoglycaemia and diabetes management in T1DM. Diabetes/Metabolism Research and Reviews, 2021, 37, e3430.	4.0	44
9	Stereotactic cisternal lavage in patients with aneurysmal subarachnoid hemorrhage with urokinase and nimodipine for the prevention of secondary brain injury (SPLASH): study protocol for a randomized controlled trial. Trials, 2021, 22, 285.	1.6	2
10	Guidelines adherence in the prevention and management of chronic kidney disease in patients with diabetes mellitus on the background of recent European recommendations – a registry-based analysis. BMC Nephrology, 2021, 22, 184.	1.8	13
11	Patientâ€reported outcomes in adults with type 1 diabetes in global realâ€world clinical practice: The <scp>SAGE</scp> study. Diabetes, Obesity and Metabolism, 2021, 23, 1892-1901.	4.4	5
12	Licogliflozin versus placebo in women with polycystic ovary syndrome: A randomized, doubleâ€blind, phase 2 trial. Diabetes, Obesity and Metabolism, 2021, 23, 2595-2599.	4.4	27
13	Combination of Lenvatinib and Pembrolizumab Is an Effective Treatment Option for Anaplastic and Poorly Differentiated Thyroid Carcinoma. Thyroid, 2021, 31, 1076-1085.	4.5	96
14	Durch Förderung des diabetologischen Nachwuchses in der DDG exzellente Forschung und Patientenversorgung zukunftssicher aufstellen – Hellmut-Otto-Medaille 2021 - KurzÁ¼bersicht der Preisträger Annette Schürmann und Jochen Seufert. Diabetologie Und Stoffwechsel, 2021, 16, 467-468.	0.0	0
15	Clinical Impact of the TCF7L2 Gene rs7903146 Type 2 Diabetes Mellitus Risk Polymorphism in Women with Gestational Diabetes Mellitus: Impaired Glycemic Control and Increased Need of Insulin Therapy. Experimental and Clinical Endocrinology and Diabetes, 2020, 128, 663-666.	1.2	9
16	Titration of insulin glargine 100ÂU/mL when added to oral antidiabetic drugs in patients with type 2 diabetes: results of the TOP-1 real-world study. Acta Diabetologica, 2020, 57, 89-99.	2.5	7
17	Treatment intensification strategies after initial metformin therapy in adult patients with type-2 diabetes: results of the DPV and DIVE registries. Acta Diabetologica, 2020, 57, 229-236.	2.5	4
18	Similar glycaemic control and less hypoglycaemia during active titration after insulin initiation with glargine 300 units/mL and degludec 100 units/mL: A subanalysis of the BRIGHT study. Diabetes, Obesity and Metabolism, 2020, 22, 346-354.	4.4	6

#	Article	IF	CITATIONS
19	Effectiveness and safety of insulin glargine 300 U/mL in insulinâ€naÃ⁻ve patients with type 2 diabetes after failure of oral therapy in a realâ€world setting. Diabetes, Obesity and Metabolism, 2020, 22, 759-766.	4.4	10
20	Real-world outcomes of treatment with insulin glargine 300 U/mL versus standard-of-care in people with uncontrolled type 2 diabetes mellitus. Current Medical Research and Opinion, 2020, 36, 571-581.	1.9	12
21	Duodenal-Jejunal Bypass Liner (DJBL) Improves Cardiovascular Risk Biomarkers and Predicted 4-Year Risk of Major CV Events in Patients with Type 2 Diabetes and Metabolic Syndrome. Obesity Surgery, 2020, 30, 1200-1210.	2.1	10
22	Type 2 diabetes in older patients: an analysis of the DPV and DIVE databases. Therapeutic Advances in Endocrinology and Metabolism, 2020, 11, 204201882095829.	3.2	7
23	The DIVE/DPV registries: evolution of empagliflozin use in clinical practice in Germany. BMJ Open Diabetes Research and Care, 2020, 8, e001486.	2.8	2
24	Effects of once-weekly subcutaneous semaglutide on kidney function and safety in patients with type 2 diabetes: a post-hoc analysis of the SUSTAIN 1–7 randomised controlled trials. Lancet Diabetes and Endocrinology,the, 2020, 8, 880-893.	11.4	86
25	NUPR1 preserves insulin secretion of pancreatic $\hat{l}^2$ -cells during inflammatory stress by multiple low-dose streptozotocin and high-fat diet. American Journal of Physiology - Endocrinology and Metabolism, 2020, 319, E338-E344.	3.5	13
26	Rationale for Timely Insulin Therapy in TypeÂ2 Diabetes Within the Framework of Individualised Treatment: 2020 Update. Diabetes Therapy, 2020, 11, 1645-1666.	2.5	27
27	Detection of Insulinomas Using Dual-Time-Point 68Ga-DOTA-Exendin 4 PET/CT. Clinical Nuclear Medicine, 2020, 45, 519-524.	1.3	9
28	Reductions in Insulin Resistance are Mediated Primarily via Weight Loss in Subjects With Type 2 Diabetes on Semaglutide. Journal of Clinical Endocrinology and Metabolism, 2019, 104, 4078-4086.	3.6	25
29	Event Rates and Risk Factors for the Development of Diabetic Ketoacidosis in Adult Patients With Type 1 Diabetes: Analysis From the DPV Registry Based on 46,966 Patients. Diabetes Care, 2019, 42, e34-e36.	8.6	22
30	Characteristics of Patients with Type-1 or Type-2 Diabetes Receiving Insulin Glargine U300: An Analysis of 7268 Patients Based on the DPV and DIVE Registries. Advances in Therapy, 2019, 36, 1628-1641.	2.9	5
31	Comparative Dose Accuracy of Durable and Patch Insulin Pumps Under Laboratory Conditions. Diabetes Technology and Therapeutics, 2019, 21, 371-378.	4.4	13
32	Predictors of treatment response in typeâ€2 diabetes patients initiating basalâ€supported oral therapy with insulin glargine 100 U/mL: A subâ€analysis of the Titration and OPtimisation (TOP) registry. Diabetes, Obesity and Metabolism, 2019, 21, 2169-2173.	4.4	3
33	Patient and disease characteristics of type-2 diabetes patients with or without chronic kidney disease: an analysis of the German DPV and DIVE databases. Cardiovascular Diabetology, 2019, 18, 33.	6.8	42
34	Addition of a single short-acting insulin bolus to basal insulin-supported oral therapy: a systematic review of data on the basal-plus regimen. BMJ Open Diabetes Research and Care, 2019, 7, e000679.	2.8	8
35	Titration and optimization trial for the initiation of insulin glargine 100 U/mL in patients with inadequately controlled type 2 diabetes on oral antidiabetic drugs. Diabetes, Obesity and Metabolism, 2019, 21, 439-443.	4.4	9
36	Stem cells in the treatment of diabetes mellitus $\hat{a}\in$ " Focus on mesenchymal stem cells. Metabolism: Clinical and Experimental, 2019, 90, 1-15.	3.4	88

#	Article	IF	CITATIONS
37	Types of diabetes are not limited to age groups: type 1 diabetes in adults and type 2 diabetes in children and adolescents, 2019, 4, 29-49.		11
38	Longitudinal evaluation of efficacy, safety and nutritional status during one-year treatment with the duodenal-jejunal bypass liner. Surgery for Obesity and Related Diseases, 2018, 14, 769-779.	1.2	14
39	Comparative efficacy and safety of the duodenalâ€jejunal bypass liner in obese patients with type 2 diabetes mellitus: A case control study. Diabetes, Obesity and Metabolism, 2018, 20, 1868-1877.	4.4	20
40	Primary aldosteronism: key characteristics at diagnosis: a trend toward milder forms. European Journal of Endocrinology, 2018, 178, 605-611.	3.7	26
41	Mesenchymal stem cell (MSC)-mediated survival of insulin producing pancreatic $\hat{l}^2$ -cells during cellular stress involves signalling via Akt and ERK1/2. Molecular and Cellular Endocrinology, 2018, 473, 235-244.	3.2	11
42	Trends in BMI, Glycemic Control and Obesity-Associated Comorbidities After Explantation of the Duodenal-Jejunal Bypass Liner (DJBL). Obesity Surgery, 2018, 28, 2187-2196.	2.1	8
43	Dapagliflozin in patients with type 2 diabetes mellitus: A pooled analysis of safety data from phase IIb/III clinical trials. Diabetes, Obesity and Metabolism, 2018, 20, 620-628.	4.4	121
44	17q12 Deletion Syndrome as a Rare Cause for Diabetes Mellitus Type MODY5. Journal of Clinical Endocrinology and Metabolism, 2018, 103, 3601-3610.	3.6	39
45	Design of the Weight-loss Endoscopy Trial (WET): a multi-center, randomized, controlled trial comparing weight loss in endoscopically implanted duodenal-jejunal bypass liners vs. intragastric balloons vs. a sham procedure. BMC Gastroenterology, 2018, 18, 118.	2.0	5
46	Efficacy and safety of dapagliflozin or dapagliflozin plus saxagliptin versus glimepiride as addâ€on to metformin in patients with type 2 diabetes. Diabetes, Obesity and Metabolism, 2018, 20, 2598-2607.	4.4	48
47	Ischemic Duodenal Ulceration after Transarterial Chemoembolization for Hepatocellular Carcinoma: A Case Report. Case Reports in Gastroenterology, 2018, 12, 352-359.	0.6	3
48	Comparative Characteristics of Patients with Type 2 Diabetes Mellitus Treated by Bariatric Surgery Versus Medical Treatment: a Multicentre Analysis of 277,862 Patients from the German/Austrian DPV Database. Obesity Surgery, 2018, 28, 3366-3373.	2.1	3
49	Preventive medicine of von Hippel–Lindau disease-associated pancreatic neuroendocrine tumors. Endocrine-Related Cancer, 2018, 25, 783-793.	3.1	42
50	Regional differences in type 2 diabetes treatment and outcomes in Germanyâ€"An analysis of the German DPV and DIVE registries. Diabetes/Metabolism Research and Reviews, 2018, 34, e3049.	4.0	8
51	Thyroid function, reduced kidney function and incident chronic kidney disease in a community-based population: the Atherosclerosis Risk in Communities study. Nephrology Dialysis Transplantation, 2017, 32, gfw301.	0.7	33
52	Physiology and role of irisin in glucose homeostasis. Nature Reviews Endocrinology, 2017, 13, 324-337.	9.6	403
53	Glycaemic control and hypoglycaemia burden in patients with type 2 diabetes initiating basal insulin in <scp>E</scp> urope and the <scp>USA</scp> . Diabetes, Obesity and Metabolism, 2017, 19, 1155-1164.	4.4	100
54	Use of Adjuvant Pharmacotherapy in Type 1 Diabetes: International Comparison of 49,996 Individuals in the Prospective Diabetes Follow-up and T1D Exchange Registries. Diabetes Care, 2017, 40, e139-e140.	8.6	44

#	Article	IF	CITATIONS
55	Titration of basal insulin or immediate addition of rapid acting insulin in patients not at target using basal insulin supported oral antidiabetic treatment $\hat{a} \in A$ prospective observational study in 2202 patients. Diabetes and Metabolic Syndrome: Clinical Research and Reviews, 2017, 11, 51-57.	3.6	3
56	Dyslipidaemia and its treatment in patients with type 2 diabetes: A joint analysis of the German <scp>DIVE</scp> and <scp>DPV</scp> registries. Diabetes, Obesity and Metabolism, 2017, 19, 61-69.	4.4	9
57	Trend of antihyperglycaemic therapy and glycaemic control in 184,864 adults with type 1 or 2 diabetes between 2002 and 2014: Analysis of real-life data from the DPV registry from Germany and Austria. Diabetes Research and Clinical Practice, 2016, 115, 31-38.	2.8	38
58	Semaglutide and Cardiovascular Outcomes in Patients with Type 2 Diabetes. New England Journal of Medicine, 2016, 375, 1834-1844.	27.0	3,898
59	Treatment intensification using long-acting insulin –predictors of future basal insulin supported oral therapy in the DIVE registry. BMC Endocrine Disorders, 2015, 15, 54.	2.2	19
60	Value of MRI and MRS fat measurements to complement conventional screening methods for childhood obesity. Journal of Magnetic Resonance Imaging, 2015, 42, 1214-1222.	3.4	9
61	Effectiveness and tolerability of treatment intensification to basal–bolus therapy in patients with type 2 diabetes on previous basal insulin-supported oral therapy with insulin glargine or supplementary insulin therapy with insulin glulisine: the PARTNER observational study. Vascular Health and Risk Management. 2015, 11, 569.	2.3	3
62	SGLT2 inhibitors & Samp; ndash; an insulin-independent therapeutic approach for treatment of type 2 diabetes: focus on canagliflozin. Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy, 2015, 8, 543.	2.4	51
63	Minimally invasive treatment of a duodenal perforation associated with the EndoBarrier duodenal–jejunal bypass liner. Endoscopy, 2014, 46, E171-E172.	1.8	9
64	Glucagon-like peptide-1 receptor imaging for the localisation of insulinomas: a prospective multicentre imaging study. Lancet Diabetes and Endocrinology, the, 2013, 1, 115-122.	11.4	153
65	Efficacy and safety of insulin glargine added to a fixed-dose combination of metformin and a dipeptidyl peptidase-4 inhibitor: results of the GOLD observational study. Vascular Health and Risk Management, 2013, 9, 711.	2.3	9
66	The backbone of oral glucoseâ€lowering therapy: time for a paradigm shift?. Fundamental and Clinical Pharmacology, 2009, 23, 651-667.	1.9	0
67	2-Year effects of pioglitazone add-on to sulfonylurea or metformin on oral glucose tolerance in patients with Type 2 diabetes. Diabetes Research and Clinical Practice, 2008, 79, 453-460.	2.8	29
68	A fixed-dose combination of pioglitazone and metformin:a promising alternative in metabolic control. Current Medical Research and Opinion, 2006, 22, S39-S48.	1.9	14