

Erhan Gulyuz

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3132696/publications.pdf>

Version: 2024-02-01

13
papers

163
citations

1478505

6
h-index

1199594

12
g-index

15
all docs

15
docs citations

15
times ranked

176
citing authors

#	ARTICLE	IF	CITATIONS
1	Neogene restoration of geometry of the Neotethyan suture zone in Central Anatolia (Turkey). <i>International Geology Review</i> , 2022, 64, 2985-3004.	2.1	3
2	Deformation in SW Anatolia (Turkey) Documented by Anisotropy of Magnetic Susceptibility Data. <i>Tectonics</i> , 2021, 40, e2021TC006882.	2.8	3
3	Geological and mineralization characteristics of the Kestanelik epithermal Au-Ag deposit in the Tethyan Metallogenic Belt, NW Turkey. <i>Geosciences Journal</i> , 2020, 24, 407-424.	1.2	4
4	Paleomagnetic constraints on the early Miocene closure of the southern Neo-Tethys (Van region; East) Tj ETQq0 0 0 rgBT /Overlock 10 T 185, 103089.	3.5	28
5	Apatite fission track dating of the Beypazarı Granitoid: insight for the inception of collision along the Northern Neotethys, Turkey. <i>Geodinamica Acta</i> , 2020, 32, 1-10.	2.2	3
6	Kinematic and thermal evolution of the Haymana Basin, a fore-arc to foreland basin in Central Anatolia (Turkey). <i>Tectonophysics</i> , 2019, 766, 326-339.	2.2	7
7	Giant tufas of Lake Van record lake-level fluctuations and climatic changes in eastern Anatolia, Turkey. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2019, 533, 109226.	2.3	7
8	Repeated reactivation of clogged permeable pathways in epithermal gold deposits: Kestanelik epithermal vein system, NW Turkey. <i>Journal of the Geological Society</i> , 2018, 175, 509-524.	2.1	8
9	Paleomagnetic evidence for upper plate response to a STEP fault, SW Anatolia. <i>Earth and Planetary Science Letters</i> , 2018, 498, 101-115.	4.4	35
10	Age and kinematics of the Burdur Basin: Inferences for the existence of the Fethiye Burdur Fault Zone in SW Anatolia (Turkey). <i>Tectonophysics</i> , 2018, 744, 256-274.	2.2	15
11	Relationship between the anisotropy of magnetic susceptibility and development of the Haymana Anticline, Central Anatolia (Turkey). <i>Turkish Journal of Earth Sciences</i> , 2018, 28, 103-121.	1.0	6
12	Late Eocene evolution of the Şekdağ Basin (central Turkey): Syn-sedimentary compression during microcontinent-continent collision in central Anatolia. <i>Tectonophysics</i> , 2013, 602, 286-299.	2.2	39
13	Neogene Kinematics of the Potwar Plateau and the Salt Range, NW Himalayan Front: A Paleostress Inversion and AMS study. <i>International Geology Review</i> , 0, , 1-19.	2.1	5