
## Audrey DunnGalvin

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3132975/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Risk factors for post-COVID-19 condition in previously hospitalised children using the ISARIC Global follow-up protocol: a prospective cohort study. European Respiratory Journal, 2022, 59, 2101341.	3.1	216
2	EAACI guidelines: Anaphylaxis (2021 update). Allergy: European Journal of Allergy and Clinical Immunology, 2022, 77, 357-377.	2.7	193
3	Development and validation of the self-administered Food Allergy Quality of Life Questionnaire for adolescents. Journal of Allergy and Clinical Immunology, 2008, 122, 139-144.e2.	1.5	159
4	Incidence and risk factors for persistent symptoms in adults previously hospitalized for COVIDâ€19. Clinical and Experimental Allergy, 2021, 51, 1107-1120.	1.4	116
5	Peanut Allergen Threshold Study (PATS): Novel single-dose oral food challenge study to validate eliciting doses in children with peanut allergy. Journal of Allergy and Clinical Immunology, 2017, 139, 1583-1590.	1.5	106
6	Efficacy and safety of oral immunotherapy with AR101 in European children with a peanut allergy (ARTEMIS): a multicentre, double-blind, randomised, placebo-controlled phase 3 trial. The Lancet Child and Adolescent Health, 2020, 4, 728-739.	2.7	106
7	Highly accurate prediction of food challenge outcome using routinely available clinical data. Journal of Allergy and Clinical Immunology, 2011, 127, 633-639.e3.	1.5	103
8	Excessive Media Consumption About COVID-19 is Associated With Increased State Anxiety: Outcomes of a Large Online Survey in Russia. Journal of Medical Internet Research, 2020, 22, e20955.	2.1	87
9	Parent perceived quality of life is ageâ€dependent in children with food allergy. Pediatric Allergy and Immunology, 2012, 23, 412-419.	1.1	84
10	EAACI Guidelines on the effective transition of adolescents and young adults with allergy and asthma. Allergy: European Journal of Allergy and Clinical Immunology, 2020, 75, 2734-2752.	2.7	76
11	The Effects of Food Allergy on Quality of Life. Chemical Immunology and Allergy, 2015, 101, 235-252.	1.7	65
12	A quality-of-life measure for adults with primary ciliary dyskinesia: QOL–PCD. European Respiratory Journal, 2015, 46, 375-383.	3.1	60
13	Probiotic peanut oral immunotherapy versus oral immunotherapy and placebo in children with peanut allergy in Australia (PPOIT-003): a multicentre, randomised, phase 2b trial. The Lancet Child and Adolescent Health, 2022, 6, 171-184.	2.7	55
14	Diagnosing primary ciliary dyskinesia: an international patient perspective. European Respiratory Journal, 2016, 48, 1096-1107.	3.1	54
15	Immunological Outcomes of Allergen-Specific Immunotherapy in Food Allergy. Frontiers in Immunology, 2020, 11, 568598.	2.2	53
16	Test–retest reliability of the Food Allergy Quality of Life Questionnaires (FAQLQ) for children, adolescents and adults. Quality of Life Research, 2009, 18, 245-251.	1.5	50
17	An Examination of the Food Allergy Quality of Life Questionnaire Performance in a Countrywide American Sample of Children: Cross-Cultural Differences in Age and Impact in the United States and Europe. Journal of Allergy and Clinical Immunology: in Practice, 2017, 5, 363-368.e2.	2.0	49
18	Prevalence and risk factors of post-COVID-19 condition in adults and children at 6 and 12 months after hospital discharge: a prospective, cohort study in Moscow (StopCOVID). BMC Medicine, 2022, 20, .	2.3	48

AUDREY DUNNGALVIN

#	Article	IF	CITATIONS
19	Profiling Families Enrolled in Food Allergy Immunotherapy Studies. Pediatrics, 2009, 124, e503-e509.	1.0	45
20	Validation of a health-related quality of life instrument for primary ciliary dyskinesia (QOL-PCD). Thorax, 2017, 72, 832-839.	2.7	45
21	The effect of provision of an adrenaline autoinjector on quality of life in children with food allergy. Journal of Allergy and Clinical Immunology, 2013, 131, 238-240.e1.	1.5	42
22	The Emperor Has No Symptoms: The Risks of a Blanket Approach to Using Epinephrine Autoinjectors for All Allergic Reactions. Journal of Allergy and Clinical Immunology: in Practice, 2016, 4, 1143-1146.	2.0	41
23	Understanding the challenges faced by adolescents and young adults with allergic conditions: A systematic review. Allergy: European Journal of Allergy and Clinical Immunology, 2020, 75, 1850-1880.	2.7	41
24	Openâ€label followâ€on study evaluating the efficacy, safety, and quality of life with extended daily oral immunotherapy in children with peanut allergy. Allergy: European Journal of Allergy and Clinical Immunology, 2022, 77, 991-1003.	2.7	41
25	APPEALâ€1: A multipleâ€country European survey assessing the psychosocial impact of peanut allergy. Allergy: European Journal of Allergy and Clinical Immunology, 2020, 75, 2899-2908.	2.7	40
26	Diagnosing, managing and preventing anaphylaxis: Systematic review. Allergy: European Journal of Allergy and Clinical Immunology, 2021, 76, 1493-1506.	2.7	40
27	Food allergy: Stakeholder perspectives on acceptable risk. Regulatory Toxicology and Pharmacology, 2010, 57, 256-265.	1.3	39
28	Allergen immunotherapy: The growing role of observational and randomized trial "Realâ€World Evidence― Allergy: European Journal of Allergy and Clinical Immunology, 2021, 76, 2663-2672.	2.7	39
29	Managing food allergens in the food supply chain - viewed from different stakeholder perspectives. Quality Assurance and Safety of Crops and Foods, 2009, 1, 50-60.	1.8	38
30	Health-related quality of life in children and adolescents with celiac disease: patient-driven data from focus group interviews. Quality of Life Research, 2014, 23, 1883-1894.	1.5	37
31	Primary Ciliary Dyskinesia: First Health-related Quality of Life Measures for Pediatric Patients. Annals of the American Thoracic Society, 2016, 13, 1726-1735.	1.5	37
32	Evidenceâ€based approaches to the application of precautionary allergen labelling: Report from two iFAAM workshops. Clinical and Experimental Allergy, 2019, 49, 1191-1200.	1.4	35
33	The effectiveness of interventions to improve selfâ€management for adolescents and young adults with allergic conditions: A systematic review. Allergy: European Journal of Allergy and Clinical Immunology, 2020, 75, 1881-1898.	2.7	35
34	Understanding how consumers with food allergies make decisions based on precautionary labelling. Clinical and Experimental Allergy, 2019, 49, 1446-1454.	1.4	34
35	Improvements in Quality of Life in Children Following Epicutaneous Immunotherapy (EPIT) for Peanut Allergy in the PEPITES and PEOPLE Studies. Journal of Allergy and Clinical Immunology: in Practice, 2021, 9, 216-224.e1.	2.0	33
36	APPEALâ€2: A panâ€European qualitative study to explore the burden of peanutâ€allergic children, teenagers and their caregivers. Clinical and Experimental Allergy, 2020, 50, 1238-1248.	1.4	30

#	Article	IF	CITATIONS
37	Health-Related Quality of Life in Children and Adults with Primary Immunodeficiencies: A Systematic Review and Meta-Analysis. Journal of Allergy and Clinical Immunology: in Practice, 2019, 7, 1929-1957.e5.	2.0	28
38	Food labeling issues for severe food allergic patients. World Allergy Organization Journal, 2021, 14, 100598.	1.6	27
39	Single lowâ€dose exposure to cow's milk at diagnosis accelerates cow's milk allergic infants' progress on a milk ladder programme. Allergy: European Journal of Allergy and Clinical Immunology, 2022, 77, 2760-2769.	2.7	24
40	Identifying and managing patients at risk of severe allergic reactions to food: Report from two iFAAM workshops. Clinical and Experimental Allergy, 2019, 49, 1558-1566.	1.4	22
41	Psychosocial Mediators of Change and Patient Selection Factors in Oral Immunotherapy Trials. Clinical Reviews in Allergy and Immunology, 2018, 55, 217-236.	2.9	20
42	Preliminary Development of the Food Allergy Coping and Emotions Questionnaires for Children, Adolescents, and Young People: Qualitative Analysis of Data on IgE-Mediated Food Allergy from Five Countries. Journal of Allergy and Clinical Immunology: in Practice, 2018, 6, 506-513.e11.	2.0	19
43	Psychotherapeutic Treatment for Psychosocial Concerns Related to Food Allergy: Current Treatment Approaches and Unmet Needs. Journal of Allergy and Clinical Immunology: in Practice, 2021, 9, 101-108.	2.0	18
44	Validation and reliability of the Japanese version of the Food Allergy Quality of Life Questionnaire–Parent Form. Allergology International, 2017, 66, 290-295.	1.4	17
45	Current transition management of adolescents and young adults with allergy and asthma: a European survey. Clinical and Translational Allergy, 2020, 10, 40.	1.4	17
46	Media Influence on Anxiety, Health Utility, and Health Beliefs Early in the SARS-CoV-2 Pandemic—a Survey Study. Journal of General Internal Medicine, 2021, 36, 1327-1337.	1.3	17
47	Factors Affecting Food Allergy-Related Quality of Life From Parents' Perception in Turkish Children. Allergy, Asthma and Immunology Research, 2018, 10, 379.	1.1	16
48	Development of the Food Allergy Anxiety Scale in an Adult Population: Psychometric Parameters and Convergent Validity. Journal of Allergy and Clinical Immunology: in Practice, 2021, 9, 3452-3458.e1.	2.0	15
49	A comprehensive questionnaire for the assessment of health-related quality of life in coeliac disease (CDQL). Quality of Life Research, 2017, 26, 2831-2850.	1.5	14
50	Preliminary psychometric analyses and clinical performance of a caregiver self-efficacy scale for food allergy self-management. Annals of Allergy, Asthma and Immunology, 2018, 120, 73-79.	0.5	13
51	APPEALâ€1: A panâ€European survey of patient/caregiver perceptions of peanut allergy management. Allergy: European Journal of Allergy and Clinical Immunology, 2020, 75, 2920-2935.	2.7	13
52	Self-administration of adrenaline for anaphylaxis during in-hospital food challenges improves health-related quality of life. Archives of Disease in Childhood, 2021, 106, 558-563.	1.0	12
53	Impact of COVIDâ€19 pandemic on quality of life for children and adolescents with food allergy. Clinical and Experimental Allergy, 2022, 52, 162-166.	1.4	11
54	Harmonizing allergy care–integrated care pathways and multidisciplinary approaches. World Allergy Organization Journal, 2021, 14, 100584.	1.6	11

#	Article	IF	CITATIONS
55	Quality of life associated with maternal anxiety disorder in Russian children and adolescents with food allergy. Pediatric Allergy and Immunology, 2020, 31, 78-84.	1.1	10
56	Long-term benefit of probiotic peanut oral immunotherapy on quality of life in a randomized trial. Journal of Allergy and Clinical Immunology: in Practice, 2021, 9, 4493-4495.e1.	2.0	9
57	A short simple tool to measure the impact of food allergy on patients in routine clinical practice; the Food Allergy Quality of Life Questionnaire, Parent Form 10 (FAQLQâ€₱F10). Clinical and Translational Allergy, 2015, 5, P7.	1.4	7
58	Perceptions of adolescents and young adults with allergy and/or asthma and their parents on EAACI guideline recommendations about transitional care: A European survey. Allergy: European Journal of Allergy and Clinical Immunology, 2022, 77, 1094-1104.	2.7	7
59	The Challenges of Managing Multiple Food Allergies and Consequent Food Aversions. Journal of Allergy and Clinical Immunology: in Practice, 2022, 10, 35-44.	2.0	7
60	Food protein-induced enterocolitis syndrome in the British Isles. Archives of Disease in Childhood, 2022, 107, 123-127.	1.0	6
61	Measuring the Impact of Food Immunotherapy on Health-Related Quality of Life in Clinical Trials. Frontiers in Allergy, 0, 3, .	1.2	6
62	Study protocol of a multicentre, randomised, controlled trial evaluating the effectiveness of probiotic and peanut oral immunotherapy (PPOIT) in inducing desensitisation or tolerance in children with peanut allergy compared with oral immunotherapy (OIT) alone and with placebo (the PPOIT-003) Tj ETQq0	0 0 <sup>0</sup> rgBT /(	Overlock 10 T
63	Dissemination of EAACI food allergy guidelines using a flexible, practical, whole school allergy awareness toolkit. Allergy: European Journal of Allergy and Clinical Immunology, 2021, 76, 3479-3488.	2.7	5
64	A multiâ€disciplinary approach to the diagnosis and management of allergic diseases: An EAACI Task Force. Pediatric Allergy and Immunology, 2022, 33, .	1.1	5
65	Allergy education and training for physicians. World Allergy Organization Journal, 2021, 14, 100589.	1.6	5
66	Allergy to Peanuts imPacting Emotions And Life (APPEAL): The impact of peanut allergy on children, teenagers, adults and caregivers in the UK and Ireland. PLoS ONE, 2022, 17, e0262851.	1.1	5
67	A 24-h helpline for access to expert management advice for food allergy-related anaphylaxis in children: protocol for a pragmatic randomised controlled trial. BMJ Open, 2012, 2, e001282.	0.8	4
68	Development and preliminary validation of the food intolerance Quality of Life Questionnaire (FIQLQ): Adult Form. Quality of Life Research, 2018, 27, 1109-1116.	1.5	4
69	Probiotic peanut oral immunotherapy is associated with longâ€ŧerm persistence of 8â€week sustained unresponsiveness and longâ€lasting qualityâ€ofâ€life improvement. Clinical and Experimental Allergy, 2022, 52, 806-811.	1.4	4
70	The need for improved transition and services for adolescent and young adult patients with allergy and asthma in all settings. Allergy: European Journal of Allergy and Clinical Immunology, 2020, 75, 2731-2733.	2.7	3
71	The Positive and Negative Affect Schedule — Food Allergy (PANAS-FA): Adaptation and psychometric properties. World Allergy Organization Journal, 2021, 14, 100615.	1.6	3
72	Evaluation of the measurement properties of the Brazilian version of two quality-of-life questionnaires in food allergy – for children and their parents. Jornal De Pediatria, 2020, 96, 600-606.	0.9	2

AUDREY DUNNGALVIN

#	Article	IF	CITATIONS
73	Psychometric parameters of food allergy quality of life during an allergen immunotherapy trial. Allergy: European Journal of Allergy and Clinical Immunology, 2022, , .	2.7	2
74	Developing and validating a novel questionnaire to capture bioâ€psychoâ€social variables of allergic reactions in the community: the AlleRiC study and the preliminary analyses. Clinical and Translational Allergy, 2015, 5, P1.	1.4	1
75	The Impact of "Labelling―on the Beliefs, Attitudes and Behaviours of Consumers with Food Allergy: A Multilevel Perspective. Food Chemistry, Function and Analysis, 2019, , 127-140.	0.1	1
76	Early life Transepidermal Water Loss (TEWL) values as a predictor of food allergy and sensitisation at 2 years: results from the BASELINE Study. Clinical and Translational Allergy, 2015, 5, O2.	1.4	0
77	Should peanut allergy screening be introduced for all Irish children?. Clinical and Translational Allergy, 2015, 5, P13.	1.4	0
78	Reply. Journal of Allergy and Clinical Immunology: in Practice, 2016, 4, 1269-1270.	2.0	0