

Raffaele Colombelli

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3133258/raffaele-colombelli-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

151
papers

4,228
citations

31
h-index

59
g-index

199
ext. papers

5,070
ext. citations

5.3
avg, IF

4.97
L-index

#	Paper	IF	Citations
151	A 5.7 THz GaN/AlGaIn quantum cascade detector based on polar step quantum wells. <i>Applied Physics Letters</i> , 2022 , 120, 171103	3.4	2
150	Unified Description of Saturation and Bistability of Intersubband Transitions in the Weak and Strong Light-Matter Coupling Regimes. <i>Physical Review Letters</i> , 2021 , 127, 187401	7.4	0
149	A nanoscale double-sided mid-IR photodetector based on a MIM architecture. <i>Applied Physics Letters</i> , 2021 , 119, 181102	3.4	1
148	Millimeter wave photonics with terahertz semiconductor lasers. <i>Nature Communications</i> , 2021 , 12, 1427	17.4	16
147	Femtosecond Broadband Frequency Switch of Terahertz Three-Dimensional Meta-Atoms. <i>ACS Photonics</i> , 2021 , 8, 1097-1102	6.3	2
146	Excitons bound by photon exchange. <i>Nature Physics</i> , 2021 , 17, 31-35	16.2	10
145	Fast amplitude modulation up to 1.5 GHz of mid-IR free-space beams at room-temperature. <i>Nature Communications</i> , 2021 , 12, 799	17.4	15
144	Ultrafast Quantum-Well Photodetectors Operating at 10 fs with a Flat Frequency Response up to 70 GHz at Room Temperature. <i>ACS Photonics</i> , 2021 , 8, 464-471	6.3	10
143	Ultrafast response of harmonic modelocked THz lasers. <i>Light: Science and Applications</i> , 2020 , 9, 51	16.7	17
142	Cavity-based photoconductive sources for real-time terahertz imaging. <i>Photonics Research</i> , 2020 , 8, 858	6	4
141	Realization of Harmonic Oscillator Arrays with Graded Semiconductor Quantum Wells. <i>Physical Review Letters</i> , 2020 , 125, 097403	7.4	4
140	Nanospectroscopy of a single patch antenna strongly coupled to a mid-infrared intersubband transition in a quantum well. <i>Applied Physics Letters</i> , 2020 , 117, 101104	3.4	3
139	Giant optical nonlinearity interferences in quantum structures. <i>Science Advances</i> , 2019 , 5, eaaw7554	14.3	6
138	Evidence of Intersubband Linewidth Narrowing Using Growth Interruption Technique. <i>Photonics</i> , 2019 , 6, 38	2.2	2
137	Strong coupling of ionizing transitions. <i>Optica</i> , 2019 , 6, 354	8.6	13
136	Quantum well infrared photo-detectors operating in the strong light-matter coupling regime. <i>Applied Physics Letters</i> , 2019 , 114, 131104	3.4	13
135	III-V on CaF ₂ : a possible waveguiding platform for mid-IR photonic devices. <i>Optics Express</i> , 2019 , 27, 1672-1682	3.5	4

134	High-speed THz spectroscopic imaging at ten kilohertz pixel rate with amplitude and phase contrast. <i>Optics Express</i> , 2019 , 27, 10866-10872	3.3	6
133	III-nitride on silicon electrically injected microrings for nanophotonic circuits. <i>Optics Express</i> , 2019 , 27, 11800-11808	3.3	15
132	Development of high-speed, patch-antenna intersubband photodetectors at 10.3 μm 2019 ,		1
131	Compact and sensitive heterodyne receiver at 2.7 THz exploiting a quasi-optical HEB-QCL coupling scheme. <i>Applied Physics Letters</i> , 2019 , 115, 231104	3.4	5
130	Multi-Terahertz Sideband Generation on an Optical Telecom Carrier with a Quantum Cascade Laser. <i>ACS Photonics</i> , 2018 , 5, 890-896	6.3	3
129	Short infrared wavelength quantum cascade detectors based on m-plane ZnO/ZnMgO quantum wells. <i>Applied Physics Letters</i> , 2018 , 113, 251104	3.4	14
128	Advanced and reliable GaAs/AlGaAs ICP-DRIE etching for optoelectronic, microelectronic and microsystem applications. <i>Microelectronic Engineering</i> , 2018 , 202, 42-50	2.5	15
127	Intersubband polaritons at $\approx 2 \mu\text{m}$ in the InAs/AlSb system. <i>Applied Physics Letters</i> , 2018 , 112, 201113	3.4	0
126	Resonant intersubband polariton-LO phonon scattering in an optically pumped polaritonic device. <i>Applied Physics Letters</i> , 2018 , 112, 191106	3.4	10
125	Surface emitting thermally assisted polaritonic light-emitting device. <i>Applied Physics Letters</i> , 2017 , 110, 081108	3.4	3
124	Monolithic echo-less photoconductive switches as a high-resolution detector for terahertz time-domain spectroscopy. <i>Applied Physics Letters</i> , 2017 , 110, 141102	3.4	12
123	Short-wave infrared ($\approx 3 \mu\text{m}$) intersubband polaritons in the GaN/AlN system. <i>Applied Physics Letters</i> , 2017 , 110, 131102	3.4	9
122	Short Terahertz Pulse Generation from a Dispersion Compensated Modelocked Semiconductor Laser. <i>Laser and Photonics Reviews</i> , 2017 , 11, 1700013	8.3	40
121	Short Terahertz Pulse Generation from a Dispersion Compensated Modelocked Semiconductor Laser (Laser Photonics Rev. 11(4)/2017). <i>Laser and Photonics Reviews</i> , 2017 , 11, 1770042	8.3	2
120	Immunity of intersubband polaritons to inhomogeneous broadening. <i>Physical Review B</i> , 2017 , 96,	3.3	12
119	Ultrafast terahertz detectors based on three-dimensional meta-atoms. <i>Optica</i> , 2017 , 4, 1451	8.6	15
118	Echo-Less Photoconductive Antenna Sources for High-Resolution Terahertz Time-Domain Spectroscopy. <i>IEEE Transactions on Terahertz Science and Technology</i> , 2016 , 6, 20-25	3.4	9
117	Engineered far-fields of metal-metal terahertz quantum cascade lasers with integrated planar horn structures. <i>Optics Express</i> , 2016 , 24, 2174-82	3.3	8

116	Extraction-controlled terahertz frequency quantum cascade lasers with a diagonal LO-phonon extraction and injection stage. <i>Optics Express</i> , 2016 , 24, 28583-28593	3-3	6
115	Room temperature strong light-matter coupling in three dimensional terahertz meta-atoms. <i>Applied Physics Letters</i> , 2016 , 108, 101101	3-4	11
114	Towards strong light-matter coupling at the single-resonator level with sub-wavelength mid-infrared nano-antennas. <i>Applied Physics Letters</i> , 2016 , 109, 021111	3-4	16
113	Terahertz master-oscillator power-amplifier quantum cascade lasers. <i>Applied Physics Letters</i> , 2016 , 109, 231105	3-4	17
112	Demonstration of a fully integrated superconducting receiver with a 2.7 THz quantum cascade laser. <i>Optics Express</i> , 2015 , 23, 4453-8	3-3	8
111	Phase-locked arrays of surface-emitting graded-photonic-heterostructure terahertz semiconductor lasers. <i>Optics Express</i> , 2015 , 23, 6915-23	3-3	12
110	Perspectives for Intersubband Polariton Lasers. <i>Physical Review X</i> , 2015 , 5,	9-1	14
109	Generating ultrafast pulses of light from quantum cascade lasers. <i>Optica</i> , 2015 , 2, 944	8-6	36
108	Surface-emitting terahertz quantum cascade lasers with continuous-wave power in the tens of milliwatt range. <i>Applied Physics Letters</i> , 2014 , 104, 091112	3-4	24
107	Electrically Pumped Photonic Crystal Lasers: Laser Diodes and Quantum Cascade Lasers 2014 , 91-148		
106	Antenna-coupled microcavities for enhanced infrared photo-detection. <i>Applied Physics Letters</i> , 2014 , 104, 031113	3-4	54
105	Mid-infrared intersubband polaritons in dispersive metal-insulator-metal resonators. <i>Applied Physics Letters</i> , 2014 , 105, 081105	3-4	15
104	Perfect energy-feeding into strongly coupled systems and interferometric control of polariton absorption. <i>Nature Physics</i> , 2014 , 10, 830-834	16-2	52
103	THz quantum cascade lasers operating on the radiative modes of a 2D photonic crystal. <i>Optics Letters</i> , 2014 , 39, 3962-5	3	18
102	Circuit-tunable sub-wavelength THz resonators: hybridizing optical cavities and loop antennas. <i>Optics Express</i> , 2014 , 22, 21302-12	3-3	15
101	High temperature, single mode, long infrared (≈ 17.8 μm) InAs-based quantum cascade lasers. <i>Applied Physics Letters</i> , 2014 , 105, 111118	3-4	11
100	Long-infrared InAs-based quantum cascade lasers operating at 291 K (≈ 19 μm) with metal-metal resonators. <i>Applied Physics Letters</i> , 2014 , 104, 021106	3-4	9
99	Monolithically integrated two-dimensional arrays of surface-emitting photonic-crystal terahertz lasers. <i>Journal of Infrared, Millimeter, and Terahertz Waves</i> , 2013 , 34, 386-392	2-2	2

98	Wave engineering with THz quantum cascade lasers. <i>Nature Photonics</i> , 2013 , 7, 691-701	33.9	103
97	A hybrid plasmonic semiconductor laser. <i>Applied Physics Letters</i> , 2013 , 102, 101106	3.4	16
96	Optical critical coupling into highly confining metal-insulator-metal resonators. <i>Applied Physics Letters</i> , 2013 , 103, 091110	3.4	26
95	Hybrid electronic-photonic subwavelength cavities operating at terahertz frequencies. <i>Physical Review B</i> , 2013 , 87,	3.3	10
94	Stable single-mode operation of surface-emitting terahertz lasers with graded photonic heterostructure resonators. <i>Applied Physics Letters</i> , 2013 , 102, 231105	3.4	11
93	High order sideband generation in terahertz quantum cascade lasers. <i>Applied Physics Letters</i> , 2013 , 102, 221101	3.4	9
92	Subwavelength metallic waveguides as a tool for extreme confinement of THz surface waves. <i>Scientific Reports</i> , 2013 , 3, 1369	4.9	23
91	Near-field analysis of metallic DFB lasers at telecom wavelengths. <i>Optics Express</i> , 2013 , 21, 10422-9	3.3	3
90	Phase-locking of surface-emitting THz quantum cascade laser arrays 2013 ,		1
89	Loss and Gain Measurements of Tensile-Strained Quantum Well Diode Lasers for Plasmonic Devices at Telecom Wavelengths. <i>IEEE Journal of Quantum Electronics</i> , 2012 , 48, 73-78	2	11
88	Limiting Factors to the Temperature Performance of THz Quantum Cascade Lasers Based on the Resonant-Phonon Depopulation Scheme. <i>IEEE Transactions on Terahertz Science and Technology</i> , 2012 , 2, 83-92	3.4	53
87	In situ generation of surface plasmon polaritons using a near-infrared laser diode. <i>Nano Letters</i> , 2012 , 12, 4693-7	11.5	18
86	Efficient power extraction in surface-emitting semiconductor lasers using graded photonic heterostructures. <i>Nature Communications</i> , 2012 , 3, 952	17.4	96
85	Electrical modulation of the complex refractive index in mid-infrared quantum cascade lasers. <i>Optics Express</i> , 2012 , 20, 1172-83	3.3	11
84	Sub-diffraction-limit semiconductor resonators operating on the fundamental magnetic resonance. <i>Applied Physics Letters</i> , 2012 , 100, 131113	3.4	21
83	Sub-wavelength energy concentration with electrically generated mid-infrared surface plasmons. <i>Optics Express</i> , 2012 , 20, 13738-47	3.3	8
82	Design of an integrated coupler for the electrical generation of surface plasmon polaritons. <i>Optics Express</i> , 2011 , 19, 18155-63	3.3	12
81	Coupling of a surface plasmon with localized subwavelength microcavity modes. <i>Applied Physics Letters</i> , 2011 , 98, 021105	3.4	44

80	Low temperature near-field scanning optical microscopy on infrared and terahertz photonic-crystal quantum cascade lasers. <i>Applied Physics Letters</i> , 2011 , 98, 231112	3-4	10
79	Intersubband absorption of cubic GaN/Al(GaN) quantum wells in the near-infrared to terahertz spectral range. <i>Physical Review B</i> , 2011 , 83,	3-3	48
78	Vertical subwavelength mode confinement in terahertz and mid-infrared quantum cascade lasers. <i>Applied Physics Letters</i> , 2011 , 98, 101101	3-4	20
77	Phase-locking of a 2.7-THz quantum cascade laser to a mode-locked erbium-doped fibre laser. <i>Nature Photonics</i> , 2010 , 4, 636-640	33-9	110
76	Loss-reduction in midinfrared photonic crystal quantum cascade lasers using metallic waveguides. <i>Optical Engineering</i> , 2010 , 49, 111112	1-1	2
75	Graded photonic crystal terahertz quantum cascade lasers. <i>Applied Physics Letters</i> , 2010 , 96, 031104	3-4	42
74	Injection of midinfrared surface plasmon polaritons with an integrated device. <i>Applied Physics Letters</i> , 2010 , 97, 211110	3-4	13
73	Optimized surface-emitting photonic-crystal terahertz quantum cascade lasers with reduced resonator dimensions. <i>Applied Physics Letters</i> , 2010 , 97, 131101	3-4	17
72	Continuous-wave operation of 2.7 THz photonic crystal quantum cascade lasers. <i>Electronics Letters</i> , 2010 , 46, 1513	1-1	7
71	Intersubband electroluminescent devices operating in the strong-coupling regime. <i>Physical Review B</i> , 2010 , 82,	3-3	20
70	Semiconductor surface plasmon sources. <i>Physical Review Letters</i> , 2010 , 104, 226806	7-4	41
69	Surface-emitting mid-infrared quantum cascade lasers with high-contrast photonic crystal resonators. <i>Optics Express</i> , 2010 , 18, 11979-89	3-3	11
68	Optical properties of metal-dielectric-metal microcavities in the THz frequency range. <i>Optics Express</i> , 2010 , 18, 13886-907	3-3	114
67	Polarized single-lobed surface emission in mid-infrared, photonic-crystal, quantum-cascade lasers. <i>Optics Letters</i> , 2010 , 35, 859-61	3	13
66	Terahertz intersubband absorption in GaN/AlGaIn step quantum wells. <i>Applied Physics Letters</i> , 2010 , 97, 191101	3-4	77
65	Ultrastrong light-matter coupling regime with polariton dots. <i>Physical Review Letters</i> , 2010 , 105, 196402	7-4	305
64	Strong light-matter coupling in subwavelength metal-dielectric microcavities at terahertz frequencies. <i>Physical Review Letters</i> , 2009 , 102, 186402	7-4	135
63	Integrated quantum cascade laser-modulator using vertically coupled cavities. <i>Applied Physics Letters</i> , 2009 , 94, 211105	3-4	5

62	Terahertz time domain spectroscopy of phonon-depopulation based quantum cascade lasers. <i>Applied Physics Letters</i> , 2009 , 94, 251108	3-4	17
61	Surface-emitting quantum cascade lasers with metallic photonic-crystal resonators. <i>Applied Physics Letters</i> , 2009 , 94, 221101	3-4	21
60	Surface-plasmon distributed-feedback quantum cascade lasers operating pulsed, room temperature. <i>Applied Physics Letters</i> , 2009 , 95, 091105	3-4	8
59	Electrically pumped photonic-crystal terahertz lasers controlled by boundary conditions. <i>Nature</i> , 2009 , 457, 174-8	50-4	244
58	A semiconductor laser device for the generation of surface-plasmons upon electrical injection. <i>Optics Express</i> , 2009 , 17, 9391-400	3-3	22
57	Predictable surface emission patterns in terahertz photonic-crystal quantum cascade lasers. <i>Optics Express</i> , 2009 , 17, 9491-502	3-3	25
56	High-speed operation of GaN/AlGaIn quantum cascade detectors at $\lambda = 1.55 \mu\text{m}$. <i>Applied Physics Letters</i> , 2008 , 93, 193509	3-4	43
55	Proof-of-principle of surface detection with air-guided quantum cascade lasers. <i>Optics Express</i> , 2008 , 16, 6387-96	3-3	5
54	Surface-plasmon distributed-feedback mid-infrared quantum cascade lasers based on hybrid plasmon/air-guided modes 2008 ,		1
53	Surface-plasmon distributed-feedback mid-infrared quantum cascade lasers based on hybrid plasmon/air-guided modes. <i>Electronics Letters</i> , 2008 , 44, 807	1-1	11
52	Gigahertz modulation of tunable terahertz radiation from photomixers driven at telecom wavelengths. <i>Applied Physics Letters</i> , 2008 , 93, 131112	3-4	9
51	Stark-tunable electroluminescence from cavity polariton states. <i>Applied Physics Letters</i> , 2008 , 93, 171105	3-4	7
50	Effect of transverse mode structure on the far field pattern of metal-metal terahertz quantum cascade lasers. <i>Journal of Applied Physics</i> , 2008 , 104, 124513	2-5	14
49	Intracavity near-field optical imaging of a mid-infrared quantum cascade laser mode. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2008 , 149, 270-274	3-1	3
48	Electrically injected cavity polaritons. <i>Physical Review Letters</i> , 2008 , 100, 136806	7-4	54
47	Nitride intersubband devices: prospects and recent developments. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2007 , 204, 1987-1995	1-6	12
46	Low threshold THz QC lasers with thin core regions. <i>Electronics Letters</i> , 2007 , 43, 285	1-1	16
45	Terahertz microcavity lasers with subwavelength mode volumes and thresholds in the milliamperere range. <i>Applied Physics Letters</i> , 2007 , 90, 091113	3-4	29

44	Photovoltaic probe of cavity polaritons in a quantum cascade structure. <i>Applied Physics Letters</i> , 2007 , 90, 201101	3-4	24
43	Design of mid-IR and THz quantum cascade laser cavities with complete TM photonic bandgap. <i>Optics Express</i> , 2007 , 15, 5948-65	3-3	52
42	Demonstration of air-guided quantum cascade lasers without top claddings. <i>Optics Express</i> , 2007 , 15, 14861-9	3-3	11
41	Direct imaging of a laser mode via midinfrared near-field microscopy. <i>Applied Physics Letters</i> , 2007 , 90, 201114	3-4	8
40	New developments for nitride unipolar devices at 1.3-1.5 μm wavelengths. <i>Superlattices and Microstructures</i> , 2006 , 40, 412-417	2-8	9
39	GaN/AlN quantum dot photodetectors at 1.3-1.5 μm . <i>Superlattices and Microstructures</i> , 2006 , 40, 262-267	2-8	6
38	. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2006 , 12, 66-70	3-8	5
37	Room-temperature intersubband emission of GaN/AlN quantum wells at ≈ 2.3 [μm]. <i>Electronics Letters</i> , 2006 , 42, 1308	1-1	17
36	Room-temperature operation of 1.5 μm surface-plasmon quantum cascade lasers. <i>Applied Physics Letters</i> , 2006 , 88, 181103	3-4	22
35	Optical Mode Control of Surface-Plasmon Quantum Cascade Lasers. <i>IEEE Photonics Technology Letters</i> , 2006 , 18, 2499-2501	2-2	5
34	Intraband photodetection at 1.3-1.5 μm in self-organized GaN/AlN quantum dots. <i>Physica Status Solidi (B): Basic Research</i> , 2006 , 243, 3993-3997	1-3	1
33	Quantum cascade intersubband polariton light emitters. <i>Semiconductor Science and Technology</i> , 2005 , 20, 985-990	1-8	44
32	Pulsed operation of long-wavelength (≈ 11.3 [μm]) MOVPE-grown quantum cascade lasers up to 350 K. <i>Electronics Letters</i> , 2005 , 41, 1175	1-1	4
31	GaN-based quantum dot infrared photodetector operating at 1.38 [μm]. <i>Electronics Letters</i> , 2005 , 41, 1077	1-1	32
30	Intraband absorption of doped GaN/AlN quantum dots at telecommunication wavelengths. <i>Applied Physics Letters</i> , 2005 , 87, 101912	3-4	36
29	Magnetic field effects in terahertz quantum-cascade lasers. <i>Semiconductor Science and Technology</i> , 2004 , 19, S348-S350	1-8	1
28	Lasing mode pattern of a quantum cascade photonic crystal surface-emitting microcavity laser. <i>Applied Physics Letters</i> , 2004 , 84, 4164-4166	3-4	10
27	Fabrication technologies for quantum cascade photonic-crystal microlasers. <i>Nanotechnology</i> , 2004 , 15, 675-681	3-4	8

26	Quantum Cascade Lasers and Photonic Crystal Technology: Surface-Emitting Microlasers 2004 , FMK1		
25	Quantum cascade photonic-crystal microlasers 2004 , 5365, 228		0
24	Resonant second-order nonlinear optical processes in quantum cascade lasers. <i>Physical Review Letters</i> , 2003 , 90, 043902	7.4	84
23	Quantum cascade surface-emitting photonic crystal laser. <i>Science</i> , 2003 , 302, 1374-7	33.3	228
22	Terahertz quantum cascade lasers in a magnetic field. <i>Applied Physics Letters</i> , 2003 , 83, 3873-3875	3.4	22
21	FIR quantum cascade lasers at and THz emitters at. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2002 , 13, 848-853	3	
20	Ultra-broadband semiconductor laser. <i>Nature</i> , 2002 , 415, 883-7	50.4	194
19	Quantum cascade lasers: ultrahigh-speed operation, optical wireless communication, narrow linewidth, and far-infrared emission. <i>IEEE Journal of Quantum Electronics</i> , 2002 , 38, 511-532	2	216
18	Terahertz electroluminescence from superlattice quantum cascade structures. <i>Journal of Applied Physics</i> , 2002 , 91, 3526-3529	2.5	14
17	Quantum cascade lasers with double metal-semiconductor waveguide resonators. <i>Applied Physics Letters</i> , 2002 , 80, 3060-3062	3.4	81
16	Laser Optics: Ultrabroadband Quantum Cascade Lasers. <i>Optics and Photonics News</i> , 2002 , 13, 23	1.9	1
15	Minimal group refractive index dispersion and gain evolution in ultra-broad-band quantum cascade lasers. <i>IEEE Photonics Technology Letters</i> , 2002 , 14, 1671-1673	2.2	9
14	Threshold reduction in quantum cascade lasers with partially undoped, dual-wavelength interdigitated cascades. <i>Applied Physics Letters</i> , 2002 , 80, 2845-2847	3.4	19
13	. <i>IEEE Journal of Quantum Electronics</i> , 2002 , 38, 569-581	2	68
12	Continuous wave operation of ~ 19 [micro sign]m surface-plasmon quantum cascade lasers. <i>Electronics Letters</i> , 2001 , 37, 1023	1.1	7
11	Far-infrared surface-plasmon quantum-cascade lasers at 21.5 μm and 24 μm wavelengths. <i>Applied Physics Letters</i> , 2001 , 78, 2620-2622	3.4	160
10	Far-Infrared and Ultra-High-Speed Quantum-Cascade Lasers. <i>Optics and Photonics News</i> , 2001 , 12, 40	1.9	8
9	Quantum-Cascade Lasers With Heterogeneous Cascades: Multiple- Wavelength Operation. <i>Optics and Photonics News</i> , 2001 , 12, 24	1.9	9

8	Polaronic excitons in $\text{Zn}_x\text{Cd}_{1-x}\text{Se}/\text{ZnSe}$ quantum wells. <i>Physical Review B</i> , 2000 , 61, 1700-1703	3-3	18
7	Conduction-band offset of single InAs monolayers on GaAs. <i>Applied Physics Letters</i> , 2000 , 76, 1146-1148	3-4	24
6	Intersubband electroluminescence from long-side-cleaved quantum-cascade lasers above threshold: Investigation of phonon bottleneck effects. <i>Applied Physics Letters</i> , 2000 , 77, 3893-3895	3-4	8
5	Resonant second harmonic generation in ZnSe bulk microcavity. <i>Applied Physics Letters</i> , 1999 , 74, 1945-1947	3-4	24
4	Acoustic-phonon-mediated polariton photoluminescence in a GaAs bulk microcavity. <i>Physical Review B</i> , 1999 , 59, 10059-10063	3-3	4
3	Evidence of electronic confinement in pseudomorphic Si/GaAs superlattices. <i>Physical Review B</i> , 1998 , 57, R15100-R15103	3-3	3
2	Quantum tailoring of optical transitions in $\text{In}_x\text{Ga}_{1-x}\text{As}/\text{AlAs}$ strained quantum wells. <i>Applied Physics Letters</i> , 1998 , 73, 2621-2623	3-4	17
1	InAs monolayers and the controlled introduction of deep levels in AlGaAs alloys. <i>Applied Physics Letters</i> , 1996 , 68, 1534-1536	3-4	8