

Heng Zhang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3133448/heng-zhang-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

63

papers

3,857

citations

32

h-index

62

g-index

67

ext. papers

5,429

ext. citations

11.4

avg, IF

5.39

L-index

#	Paper	IF	Citations
63	Transcriptome analyses of quinoa leaves revealed critical function of epidermal bladder cells in salt stress acclimation. <i>Plant Stress</i> , 2022 , 3, 100061		0
62	Liquid-liquid phase separation of RBGD2/4 is required for heat stress resistance in Arabidopsis.. <i>Developmental Cell</i> , 2022 ,	10.2	1
61	Mechanisms of Salinity Tolerance in Quinoa 2021 , 221-242		
60	Comparative physiological and transcriptomic analysis reveals salinity tolerance mechanisms in Sorghum bicolor (L.) Moench. <i>Planta</i> , 2021 , 254, 98	4.7	1
59	A histone H3K4me1-specific binding protein is required for siRNA accumulation and DNA methylation at a subset of loci targeted by RNA-directed DNA methylation. <i>Nature Communications</i> , 2021 , 12, 3367	17.4	4
58	Recognition of H3K9me1 by maize RNA-directed DNA methylation factor SHH2. <i>Journal of Integrative Plant Biology</i> , 2021 , 63, 1091-1096	8.3	2
57	Salinity Effects on Guard Cell Proteome in. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	7
56	The receptor-like kinases BAM1 and BAM2 are required for root xylem patterning. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118,	11.5	12
55	Alleviating the effect of quinoa and the underlying mechanism on hepatic steatosis in high-fat diet-fed rats.. <i>Nutrition and Metabolism</i> , 2021 , 18, 106	4.6	1
54	Mechanisms of Plant Responses and Adaptation to Soil Salinity. <i>Innovation(China)</i> , 2020 , 1, 100017	17.8	156
53	Developing and validating protocols for mechanical isolation of guard-cell enriched epidermal peels for omics studies. <i>Functional Plant Biology</i> , 2020 , 47, 803-814	2.7	4
52	RNA-directed DNA methylation has an important developmental function in Arabidopsis that is masked by the chromatin remodeler PICKLE. <i>Journal of Integrative Plant Biology</i> , 2020 , 62, 1647-1652	8.3	2
51	It Takes NSUN2 to Beat the Heat in Rice. <i>Developmental Cell</i> , 2020 , 53, 253-254	10.2	0
50	Thriving under Stress: How Plants Balance Growth and the Stress Response. <i>Developmental Cell</i> , 2020 , 55, 529-543	10.2	38
49	Unveiling of active diazotrophs in a flooded rice soil by combination of NanoSIMS and ¹⁵ N ₂ -DNA-stable isotope probing. <i>Biology and Fertility of Soils</i> , 2020 , 56, 1189-1199	6.1	10
48	Identification of endogenous small peptides involved in rice immunity through transcriptomics- and proteomics-based screening. <i>Plant Biotechnology Journal</i> , 2020 , 18, 415-428	11.6	12
47	Sugar Beet () Guard Cells Responses to Salinity Stress: A Proteomic Analysis. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	5

46	HDAC1 and HDAC2 Regulate Intermediate Progenitor Positioning to Safeguard Neocortical Development. <i>Neuron</i> , 2019 , 101, 1117-1133.e5	13.9	17
45	The genome of broomcorn millet. <i>Nature Communications</i> , 2019 , 10, 436	17.4	61
44	TMK1-mediated auxin signalling regulates differential growth of the apical hook. <i>Nature</i> , 2019 , 568, 240-243	11.4	70
43	Histone acetylation recruits the SWR1 complex to regulate active DNA demethylation in. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 16641-16650	11.5	39
42	A Role for PICKLE in the Regulation of Cold and Salt Stress Tolerance in Arabidopsis. <i>Frontiers in Plant Science</i> , 2019 , 10, 900	6.2	28
41	A large-scale screening of quinoa accessions reveals an important role of epidermal bladder cells and stomatal patterning in salinity tolerance. <i>Environmental and Experimental Botany</i> , 2019 , 168, 103885	5.9	24
40	Soil aluminum oxides determine biological nitrogen fixation and diazotrophic communities across major types of paddy soils in China. <i>Soil Biology and Biochemistry</i> , 2019 , 131, 81-89	7.5	26
39	Critical function of DNA methyltransferase 1 in tomato development and regulation of the DNA methylome and transcriptome. <i>Journal of Integrative Plant Biology</i> , 2019 , 61, 1224-1242	8.3	24
38	Global increase in DNA methylation during orange fruit development and ripening. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 1430-1436	11.5	86
37	A virus-targeted plant receptor-like kinase promotes cell-to-cell spread of RNAi. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, 1388-1393	11.5	135
36	Genome Sequence of Bacillus megaterium Strain YC4-R4, a Plant Growth-Promoting Rhizobacterium Isolated from a High-Salinity Environment. <i>Genome Announcements</i> , 2018 , 6,		4
35	Complete Genome Sequence of Bacillus megaterium Strain TG1-E1, a Plant Drought Tolerance-Enhancing Bacterium. <i>Microbiology Resource Announcements</i> , 2018 , 7,	1.3	3
34	Developing naturally stress-resistant crops for a sustainable agriculture. <i>Nature Plants</i> , 2018 , 4, 989-996	11.5	99
33	Understanding the Molecular Basis of Salt Sequestration in Epidermal Bladder Cells of Chenopodium quinoa. <i>Current Biology</i> , 2018 , 28, 3075-3085.e7	6.3	57
32	Structural Basis for Recognition of a Unique Epitope by a Human Anti-tau Antibody. <i>Structure</i> , 2018 , 26, 1626-1634.e4	5.2	6
31	Arabidopsis AGDP1 links H3K9me2 to DNA methylation in heterochromatin. <i>Nature Communications</i> , 2018 , 9, 4547	17.4	38
30	The Chromatin Remodelers PKL and PIE1 Act in an Epigenetic Pathway That Determines H3K27me3 Homeostasis in Arabidopsis. <i>Plant Cell</i> , 2018 , 30, 1337-1352	11.6	59
29	The developmental regulator PKL is required to maintain correct DNA methylation patterns at RNA-directed DNA methylation loci. <i>Genome Biology</i> , 2017 , 18, 103	18.3	23

28	A pair of transposon-derived proteins function in a histone acetyltransferase complex for active DNA demethylation. <i>Cell Research</i> , 2017 , 27, 226-240	24.7	59
27	Circulating tumour DNA methylation markers for diagnosis and prognosis of hepatocellular carcinoma. <i>Nature Materials</i> , 2017 , 16, 1155-1161	27	387
26	A protein complex regulates RNA processing of intronic heterochromatin-containing genes in. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, E7377-E7384	11.5	30
25	A high-quality genome assembly of quinoa provides insights into the molecular basis of salt bladder-based salinity tolerance and the exceptional nutritional value. <i>Cell Research</i> , 2017 , 27, 1327-1340	24.7	104
24	DNA methylation markers for diagnosis and prognosis of common cancers. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, 7414-7419	11.5	231
23	Genome sequencing and analysis of phylotype I strains FJAT-91, FJAT-452 and FJAT-462 isolated from tomato, eggplant, and chili pepper in China. <i>Standards in Genomic Sciences</i> , 2017 , 12, 29		1
22	The <i>Vigna unguiculata</i> Gene Expression Atlas (VuGEA) from de novo assembly and quantification of RNA-seq data provides insights into seed maturation mechanisms. <i>Plant Journal</i> , 2016 , 88, 318-327	6.9	32
21	The DNA demethylase ROS1 targets genomic regions with distinct chromatin modifications. <i>Nature Plants</i> , 2016 , 2, 16169	11.5	80
20	The chromatin remodeler DDM1 promotes hybrid vigor by regulating salicylic acid metabolism. <i>Cell Discovery</i> , 2016 , 2, 16027	22.3	37
19	Dicer-independent RNA-directed DNA methylation in Arabidopsis. <i>Cell Research</i> , 2016 , 26, 66-82	24.7	67
18	Methylation interactions in Arabidopsis hybrids require RNA-directed DNA methylation and are influenced by genetic variation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, E4248-56	11.5	54
17	Cross-Talk Between Sporophyte and Gametophyte Generations Is Promoted by CHD3 Chromatin Remodelers in Arabidopsis thaliana. <i>Genetics</i> , 2016 , 203, 817-29	4	12
16	Involvement of Multiple Gene-Silencing Pathways in a Paramutation-like Phenomenon in Arabidopsis. <i>Cell Reports</i> , 2015 , 11, 1160-7	10.6	10
15	Protecting genes from RNA silencing by destroying aberrant transcripts. <i>Science China Life Sciences</i> , 2015 , 58, 613-5	8.5	
14	Comparative physiological, metabolomic, and transcriptomic analyses reveal mechanisms of improved abiotic stress resistance in bermudagrass [<i>Cynodon dactylon</i> (L). Pers.] by exogenous melatonin. <i>Journal of Experimental Botany</i> , 2015 , 66, 681-94	7	310
13	The CRISPR/Cas9 system produces specific and homozygous targeted gene editing in rice in one generation. <i>Plant Biotechnology Journal</i> , 2014 , 12, 797-807	11.6	540
12	An Rrp6-like protein positively regulates noncoding RNA levels and DNA methylation in Arabidopsis. <i>Molecular Cell</i> , 2014 , 54, 418-30	17.6	34
11	Arabidopsis EDM2 promotes IBM1 distal polyadenylation and regulates genome DNA methylation patterns. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 527-32	11.5	65

10	PICKLE is a CHD subfamily II ATP-dependent chromatin remodeling factor. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2013 , 1829, 199-210	6	40
9	DTF1 is a core component of RNA-directed DNA methylation and may assist in the recruitment of Pol IV. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 8290-5	11.5	125
8	A Pre-mRNA-splicing factor is required for RNA-directed DNA methylation in Arabidopsis. <i>PLoS Genetics</i> , 2013 , 9, e1003779	6	45
7	RNA-directed DNA methylation in plants: Where to start?. <i>RNA Biology</i> , 2013 , 10, 1593-6	4.8	23
6	A histone acetyltransferase regulates active DNA demethylation in Arabidopsis. <i>Science</i> , 2012 , 336, 1445-8	39.3	157
5	The CHD3 remodeler PICKLE associates with genes enriched for trimethylation of histone H3 lysine 27. <i>Plant Physiology</i> , 2012 , 159, 418-32	6.6	122
4	An epigenetic perspective on developmental regulation of seed genes. <i>Molecular Plant</i> , 2009 , 2, 610-627	14.4	55
3	The CHD3 remodeler PICKLE promotes trimethylation of histone H3 lysine 27. <i>Journal of Biological Chemistry</i> , 2008 , 283, 22637-48	5.4	104
2	PICKLE acts during germination to repress expression of embryonic traits. <i>Plant Journal</i> , 2005 , 44, 1010-22	32	75
1	The receptor-like kinases BAM1 and BAM2 promote the cell-to-cell movement of miRNA in the root stele to regulate xylem patterning		2