## Yolanda Ramallo-Fariña

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3133453/publications.pdf Version: 2024-02-01

		759233	610901
30	617	12	24
papers	citations	h-index	g-index
32	32	32	1039
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Handling Data Quality Issues to Estimate the Spanish EQ-5D-5L Value Set Using a Hybrid Interval Regression Approach. Value in Health, 2018, 21, 596-604.	0.3	129
2	Validity of the EQ–5D–5L and reference norms for the Spanish population. Quality of Life Research, 2018, 27, 2337-2348.	3.1	94
3	Immediately sequential versus delayed sequential bilateral cataract surgery: Safety and effectiveness. Journal of Cataract and Refractive Surgery, 2012, 38, 1734-1742.	1.5	61
4	Prevalence of depression in patients with type 2 diabetes mellitus in Spain (the DIADEMA Study) : results from the MADIABETES cohort. BMJ Open, 2018, 8, e020768.	1.9	58
5	Obesity and health related quality of life in the general adult population of the Canary Islands. Quality of Life Research, 2009, 18, 171-177.	3.1	38
6	Hopelessness and suicidal risk in bipolar disorder. A study in clinically nonsyndromal patients. Comprehensive Psychiatry, 2012, 53, 1103-1109.	3.1	33
7	The relationship among Mental Health Status (GHQ-12), Health Related Quality of Life (EQ-5D) and Health-State Utilities in a general population. Epidemiologia E Psichiatria Sociale, 2009, 18, 229-239.	0.9	32
8	Effectiveness and cost-effectiveness of knowledge transfer and behavior modification interventions in type 2 diabetes mellitus patients—the INDICA study: a cluster randomized controlled trial. Implementation Science, 2015, 10, 47.	6.9	19
9	Antipsychotic treatment dosing profile in patients with schizophrenia evaluated with electronic monitoring (MEMS®). Schizophrenia Research, 2013, 146, 196-200.	2.0	17
10	Effectiveness of Internet-Based Multicomponent Interventions for Patients and Health Care Professionals to Improve Clinical Outcomes in Type 2 Diabetes Evaluated Through the INDICA Study: Multiarm Cluster Randomized Controlled Trial. JMIR MHealth and UHealth, 2020, 8, e18922.	3.7	17
11	Subcutaneous implantable cardioverterâ€defibrillator in primary and secondary prevention of sudden cardiac death: A metaâ€analysis. PACE - Pacing and Clinical Electrophysiology, 2019, 42, 1253-1268.	1.2	14
12	Clinical and cost-effectiveness analysis of early detection of patients at nutrition risk during their hospital stay through the new screening method CIPA: a study protocol. BMC Health Services Research, 2017, 17, 292.	2.2	13
13	Should full adherence be a necessary goal in schizophrenia? Full versus non-full adherence to antipsychotic treatment. Comprehensive Psychiatry, 2014, 55, 33-39.	3.1	12
14	Suicide Coverage in the Digital Press Media: Adherence to World Health Organization Guidelines and Effectiveness of Different Interventions Aimed at Media Professionals. Health Communication, 2020, 35, 1623-1632.	3.1	12
15	Mapping WOMAC Onto the EQ-5D-5L Utility Index in Patients With Hip or Knee Osteoarthritis. Value in Health, 2020, 23, 379-387.	0.3	10
16	Biomarkers of acute respiratory distress syndrome in adults hospitalised for severe SARS-CoV-2 infection in Tenerife Island, Spain. BMC Research Notes, 2020, 13, 555.	1.4	10
17	Patient-reported outcome measures for knowledge transfer and behaviour modification interventions in type 2 diabetes—the INDICA study: a multiarm cluster randomised controlled trial. BMJ Open, 2021, 11, e050804.	1.9	9
18	Development and validation of a computer-aided diagnostic tool to screen for age-related macular degeneration by optical coherence tomography. British Journal of Ophthalmology, 2012, 96, 503-507.	3.9	8

#	Article	IF	CITATIONS
19	Cost-effectiveness of the hospital nutrition screening tool CIPA. Archives of Medical Science, 2020, 16, 273-281.	0.9	5
20	Ozone therapy versus surgery for lumbar disc herniation: A randomized double-blind controlled trial. Complementary Therapies in Medicine, 2021, 59, 102724.	2.7	5
21	Painful insight vs. usable insight in schizophrenia. Do they have different influences on suicidal behavior?. Schizophrenia Research, 2020, 220, 147-154.	2.0	4
22	Relationship between glycemic control and chronic obstructive pulmonary disease in patients with type 2 diabetes: A nested case-control study. Primary Care Diabetes, 2020, 14, 729-735.	1.8	4
23	Increased Patient Empowerment Is Associated with Improvement in Anxiety and Depression Symptoms in Type 2 Diabetes Mellitus: Findings from the INDICA Study. International Journal of Environmental Research and Public Health, 2022, 19, 4818.	2.6	4
24	Effectiveness and cost-effectiveness of a multicomponent intervention to implement a clinical practice guideline for systemic lupus erythematosus: protocol for a cluster-randomized controlled trial. BMC Health Services Research, 2019, 19, 783.	2.2	2
25	Motivational Interviewing and Self-Care in Type 1 Diabetes: A Randomized Controlled Clinical Trial Study Protocol. Frontiers in Endocrinology, 2020, 11, 574312.	3.5	2
26	Response Mapping Methods to Estimate the EQ-5D-5L From the Western Ontario McMaster Universities Osteoarthritis in Patients With Hip or Knee Osteoarthritis. Value in Health, 2021, 24, 874-883.	0.3	2
27	Eq5dds: A Command to Analyze the Descriptive System of EQ-5D Quality-of-life Instrument. The Stata Journal, 2016, 16, 691-701.	2.2	1
28	Alpha-1 antitrypsin as a risk marker in SARS-CoV-2 infection. Archives of Medical Science, 2021, 17, 1134-1136.	0.9	1
29	Cost-effectiveness of multicomponent interventions in type 2 diabetes mellitus in a cluster randomised controlled trial: the INDICA study. BMJ Open, 2022, 12, e058049.	1.9	1
30	Prospective study of variables associated with nonadherence to psychotherapy. Journal of Mental Health, 2020, 29, 581-589.	1.9	0