# Qian-Hua Zhao

List of Publications by Year
in descending order

| 103 | 2,271 | 279487 | 276539 |
|:---:|:---:|:---:|:---:|
| papers | citations | 23 | 41 |
| | | h-index | g-index |

| 123 | 123 | 123 | 2866 |
|:---:|:---:|:---:|:---:|
| all docs | docs citations | times ranked | citing authors |

| # | ARTICLE | IF | CITATIONS |
|---|---------|-----|-----------|
| 1 | Validation of the Chinese Version of Montreal Cognitive Assessment Basic for Screening Mild Cognitive Impairment. Journal of the American Geriatrics Society, 2016, 64, e285-e290. | 1.3 | 211 |
| 2 | Prevalence of mild cognitive impairment in an urban community in China: A cross‐sectional analysis of the Shanghai Aging Study. Alzheimer's and Dementia, 2015, 11, 300. | 0.4 | 153 |
| 3 | The Shape Trail Test: Application of a New Variant of the Trail Making Test. PLoS ONE, 2013, 8, e57333. | 1.1 | 141 |
| 4 | Short-Term Delayed Recall of Auditory Verbal Learning Test Is Equivalent to Long-Term Delayed Recall for Identifying Amnestic Mild Cognitive Impairment. PLoS ONE, 2012, 7, e51157. | 1.1 | 138 |
| 5 | Clustering and switching during a semantic verbal fluency test contribute to differential diagnosis of cognitive impairment. Neuroscience Bulletin, 2013, 29, 75-82. | 1.5 | 104 |
| 6 | A 36-week multicenter, randomized, double-blind, placebo-controlled, parallel-group, phase 3 clinical trial of sodium oligomannate for mild-to-moderate Alzheimer's dementia. Alzheimer's Research and Therapy, 2021, 13, 62. | 3.0 | 99 |
| 7 | The Shanghai Aging Study: Study Design, Baseline Characteristics, and Prevalence of Dementia. Neuroepidemiology, 2014, 43, 114-122. | 1.1 | 92 |
| 8 | Identification of genetic risk factors in the Chinese population implicates a role of immune system in Alzheimer's disease pathogenesis. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, 1697-1706. | 3.3 | 71 |
| 9 | Association between Tooth Loss and Cognitive Function among 3063 Chinese Older Adults: A Community-Based Study. PLoS ONE, 2015, 10, e0120986. | 1.1 | 64 |
| 10 | Chinese version of Montreal Cognitive Assessment Basic for discrimination among different severities of Alzheimer&amp;rsquo;s disease. Neuropsychiatric Disease and Treatment, 2018, Volume 14, 2133-2140. | 1.0 | 59 |
| 11 | Retinal biomarkers in Alzheimer's disease and mild cognitive impairment: A systematic review and meta-analysis. Ageing Research Reviews, 2021, 69, 101361. | 5.0 | 47 |
| 12 | Decreased Retinal Vascular Density in Alzheimer's Disease (AD) and Mild Cognitive Impairment (MCI): An Optical Coherence Tomography Angiography (OCTA) Study. Frontiers in Aging Neuroscience, 2020, 12, 572484. | 1.7 | 45 |
| 13 | Progression and predictors of mild cognitive impairment in Chinese elderly: A prospective follow‐up in the Shanghai Aging Study. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2016, 4, 28-36. | 1.2 | 44 |
| 14 | Feature Selection and Combination of Information in the Functional Brain Connectome for Discrimination of Mild Cognitive Impairment and Analyses of Altered Brain Patterns. Frontiers in Aging Neuroscience, 2020, 12, 28. | 1.7 | 39 |
| 15 | Plasma biomarker profiles and the correlation with cognitive function across the clinical spectrum of Alzheimer's disease. Alzheimer's Research and Therapy, 2021, 13, 123. | 3.0 | 39 |
| 16 | Disturbed microbial ecology in Alzheimer's disease: evidence from the gut microbiota and fecal metabolome. BMC Microbiology, 2021, 21, 226. | 1.3 | 38 |
| 17 | Short-term delayed recall of auditory verbal learning test provides equivalent value to long-term delayed recall in predicting MCI clinical outcomes: A longitudinal follow-up study. Applied Neuropsychology Adult, 2020, 27, 73-81. | 0.7 | 32 |
| 18 | Anxiety and depression symptoms among caregivers of care-recipients with subjective cognitive decline and cognitive impairment. BMC Neurology, 2016, 16, 191. | 0.8 | 31 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 19 | Metabolomics and incident dementia in older Chinese adults: The Shanghai Aging Study. Alzheimer's and Dementia, 2020, 16, 779-788. | 0.4 | 30 |
| 20 | Cognitive Decline in Patients with Alzheimerâ€™s Disease and Its Related Factors in a Memory Clinic Setting, Shanghai, China. PLoS ONE, 2014, 9, e95755. | 1.1 | 28 |
| 21 | Parkinson's disease research in a prospective cohort in China. Parkinsonism and Related Disorders, 2015, 21, 1200-1204. | 1.1 | 27 |
| 22 | Mutation profile of APP, PSEN1, and PSEN2 in Chinese familial Alzheimer's disease. Neurobiology of Aging, 2019, 77, 154-157. | 1.5 | 27 |
| 23 | Associations of [18F]-APN-1607 Tau PET Binding in the Brain of Alzheimerâ€™s Disease Patients With Cognition and Glucose Metabolism. Frontiers in Neuroscience, 2020, 14, 604. | 1.4 | 27 |
| 24 | White matter hyperintensities associated with progression of cerebral small vessel disease: a 7-year Chinese urban community study. Aging, 2020, 12, 8506-8522. | 1.4 | 26 |
| 25 | Genetic Features of MAPT, GRN, C9orf72 and CHCHD10 Gene Mutations in Chinese Patients with Frontotemporal Dementia. Current Alzheimer Research, 2017, 14, 1102-1108. | 0.7 | 26 |
| 26 | Association between olfactory identification and cognitive function in community-dwelling elderly: the Shanghai aging study. BMC Neurology, 2016, 16, 199. | 0.8 | 24 |
| 27 | Tau PET Imaging with [18F]PM-PBB3 in Frontotemporal Dementia with MAPT Mutation. Journal of Alzheimer's Disease, 2020, 76, 149-157. | 1.2 | 24 |
| 28 | Diabetes is Associated with Worse ExecutiveÂFunction in Both Eastern andÂWestern Populations: Shanghai Aging Study andÂMayo Clinic Study of Aging. Journal of Alzheimer's Disease, 2015, 47, 167-176. | 1.2 | 23 |
| 29 | High Low-Density Lipoprotein Cholesterol Inversely Relates to Dementia in Community-Dwelling Older Adults: The Shanghai Aging Study. Frontiers in Neurology, 2018, 9, 952. | 1.1 | 23 |
| 30 | Association of Glaucoma and Cataract with Incident Dementia: A 5-Year Follow-Up in the Shanghai Aging Study. Journal of Alzheimer's Disease, 2020, 76, 529-537. | 1.2 | 23 |
| 31 | Longitudinal Changes in Clock Drawing Test (CDT) Performance before and after Cognitive Decline. PLoS ONE, 2014, 9, e97873. | 1.1 | 22 |
| 32 | Does parity matter in womenâ€™s risk of dementia? A COSMIC collaboration cohort study. BMC Medicine, 2020, 18, 210. | 2.3 | 21 |
| 33 | Prevalence, Mortality, and Predictive Factors on Survival of Dementia in Shanghai, China. Alzheimer Disease and Associated Disorders, 2010, 24, 151-158. | 0.6 | 20 |
| 34 | Cholesterol profiles and incident cognitive decline among older adults: the Shanghai Aging Study. Age and Ageing, 2021, 50, 472-479. | 0.7 | 20 |
| 35 | Development of a Plasma Biomarker Diagnostic Model Incorporating Ultrasensitive Digital Immunoassay as a Screening Strategy for Alzheimer Disease in a Chinese Population. Clinical Chemistry, 2021, 67, 1628-1639. | 1.5 | 20 |
| 36 | Kidney function and dementia risk in community-dwelling older adults: the Shanghai Aging Study. Alzheimer's Research and Therapy, 2021, 13, 21. | 3.0 | 19 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 37 | Prevalence and incidence of dementia in an older Chinese population over two decades: The role of education. Alzheimer's and Dementia, 2020, 16, 1650-1662. | 0.4 | 18 |
| 38 | Caregivers' attitude toward disclosure of Alzheimer's disease diagnosis in Urban China. International Psychogeriatrics, 2017, 29, 1849-1855. | 0.6 | 17 |
| 39 | White Matter Hyperintensity Predicts the Risk of Incident Cognitive Decline in Community Dwelling Elderly. Journal of Alzheimer's Disease, 2018, 61, 1333-1341. | 1.2 | 17 |
| 40 | Consensus statement on the neurocognitive outcomes for early detection of mild cognitive impairment and Alzheimer dementia from the Chinese Neuropsychological Normative (CN-NORM) Project. Journal of Global Health, 2019, 9, 020320. | 1.2 | 17 |
| 41 | Perifovea retinal thickness as an ophthalmic biomarker for mild cognitive impairment and early Alzheimer's disease. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2019, 11, 405-414. | 1.2 | 16 |
| 42 | Mutation Screening of the CHCHD2 Gene for Alzheimer's Disease and Frontotemporal Dementia in Chinese Mainland Population. Journal of Alzheimer's Disease, 2018, 61, 1283-1288. | 1.2 | 15 |
| 43 | Association between tooth loss and hypertension among older Chinese adults: a community-based study. BMC Oral Health, 2019, 19, 277. | 0.8 | 15 |
| 44 | White matter hyperintensities induce distal deficits in the connected fibers. Human Brain Mapping, 2021, 42, 1910-1919. | 1.9 | 15 |
| 45 | Hypertension and High Blood Pressure Are Associated With Dementia Among Chinese Dwelling Elderly: The Shanghai Aging Study. Frontiers in Neurology, 2018, 9, 664. | 1.1 | 14 |
| 46 | Lack of association between triggering receptor expressed on myeloid cells 2 polymorphism rs75932628 and late-onset Alzheimer's disease in a Chinese Han population. Psychiatric Genetics, 2018, 28, 16-18. | 0.6 | 14 |
| 47 | A comparative study on the validations of three cognitive screening tests in identifying subtle cognitive decline. BMC Neurology, 2020, 20, 78. | 0.8 | 14 |
| 48 | Comparative study of two Chinese versions of Montreal Cognitive Assessment for Screening of Mild Cognitive Impairment. Applied Neuropsychology Adult, 2021, 28, 88-93. | 0.7 | 14 |
| 49 | One-year Outcome of Shanghai Mild Cognitive Impairment Cohort Study. Current Alzheimer Research, 2019, 16, 156-165. | 0.7 | 13 |
| 50 | Mental Work Demands and Late-Life Cognitive Impairment: Results From the Shanghai Aging Study. Journal of Aging and Health, 2019, 31, 883-898. | 0.9 | 12 |
| 51 | Incident cerebral microbleeds and hypertension defined by the 2017 ACC/AHA Guidelines. Annals of Translational Medicine, 2021, 9, 314-314. | 0.7 | 11 |
| 52 | Mortality of Alzheimer's Disease Patients: A 10-Year Follow-up Pilot Study in Shanghai. Canadian Journal of Neurological Sciences, 2020, 47, 226-230. | 0.3 | 10 |
| 53 | An abbreviated version of Silhouettes test: a brief validated mild cognitive impairment screening tool. International Psychogeriatrics, 2019, 31, 849-856. | 0.6 | 9 |
| 54 | Medium-to-High Late-Life Physical Activity Is Associated with Lower Risk of Incident Dementia: The Shanghai Aging Study. Journal of Alzheimer's Disease, 2020, 73, 751-758. | 1.2 | 9 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 55 | Synergistic Effect between Apolipoprotein E Îµ4 and Diabetes Mellitus for Dementia: Result from a Population-Based Study in Urban China. Journal of Alzheimer's Disease, 2012, 32, 1019-1027. | 1.2 | 8 |
| 56 | Adverse life events and lateâ€life cognitive decline in a Chinese cohort: The Shanghai Aging Study. International Journal of Geriatric Psychiatry, 2020, 35, 712-718. | 1.3 | 8 |
| 57 | TOMM40 and APOE variants synergistically increase the risk of Alzheimerâ€™s disease in a Chinese population. Aging Clinical and Experimental Research, 2021, 33, 1667-1675. | 1.4 | 8 |
| 58 | Doseâ€response relationship between lateâ€life physical activity and incident dementia: A pooled analysis of 10 cohort studies of memory in an international consortium. Alzheimer's and Dementia, 2022, , . | 0.4 | 8 |
| 59 | Inability to Smell Peppermint Is Related to Cognitive Decline: A Prospective Community-Based Study. Neuroepidemiology, 2020, 54, 258-264. | 1.1 | 7 |
| 60 | Elevated Fasting Blood Glucose Level Increases the Risk of Cognitive Decline Among Older Adults with Diabetes Mellitus: The Shanghai Aging Study. Journal of Alzheimer's Disease, 2019, 67, 1255-1265. | 1.2 | 6 |
| 61 | Pharmacological treatments for psychotic symptoms in dementia: A systematic review with pairwise and network meta-analysis. Ageing Research Reviews, 2022, 75, 101568. | 5.0 | 6 |
| 62 | Comparing the neuropsychological profiles of mild dementia with <scp>L</scp>ewy bodies and mild <scp>A</scp>lzheimerâ€™s disease. Psychogeriatrics, 2018, 18, 64-71. | 0.6 | 5 |
| 63 | A novel homozygous mutation in TREM2 found in a Chinese early-onset dementia family with mild bone involvement. Neurobiology of Aging, 2020, 86, 201.e1-201.e7. | 1.5 | 5 |
| 64 | A diseaseâ€specific metabolic imaging marker for diagnosis and progression evaluation of semantic variant primary progressive aphasia. European Journal of Neurology, 2021, 28, 2927-2939. | 1.7 | 5 |
| 65 | Brain hemodynamic changes in amnestic mild cognitive impairment measured by pulsed arterial spin labeling. Aging, 2020, 12, 4348-4356. | 1.4 | 5 |
| 66 | Î²-Amyloid Upregulates Intracellular Clusterin but not Secretory Clusterin in Primary Cultured Neurons and APP Mice. Current Alzheimer Research, 2017, 14, 1207-1214. | 0.7 | 5 |
| 67 | Smaller Head Circumference Combined with Lower Education Predicts High Risk of Incident Dementia: The Shanghai Aging Study. Neuroepidemiology, 2019, 53, 152-161. | 1.1 | 4 |
| 68 | Predictive Value of Odor Identification for Incident Dementia: The Shanghai Aging Study. Frontiers in Aging Neuroscience, 2020, 12, 266. | 1.7 | 4 |
| 69 | Can dementia be predicted using olfactory identification test in the elderly? A Bayesian network analysis. Brain and Behavior, 2020, 10, e01822. | 1.0 | 4 |
| 70 | Association of combined engagement in cognitive and physical activity with domainâ€specific cognitive function: The Shanghai Aging Study. International Journal of Geriatric Psychiatry, 2021, 36, 116-126. | 1.3 | 4 |
| 71 | Sleep Timing and Risk of Dementia Among the Chinese Elderly in an Urban Community: The Shanghai Aging Study. Frontiers in Neurology, 2021, 12, 629507. | 1.1 | 4 |
| 72 | Genetic profiles of familial late-onset Alzheimer's disease in China: The Shanghai FLOAD study. Genes and Diseases, 2022, 9, 1639-1649. | 1.5 | 4 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|-----|-----------|
| 73 | Relation of middle cerebral artery flow velocity and risk of cognitive decline: A prospective community-based study. Journal of Clinical Neuroscience, 2022, 97, 56-61. | 0.8 | 4 |
| 74 | Association Between Body Mass Index and Incident Dementia Among Community-Dwelling Older Adults: The Shanghai Aging Study1. Journal of Alzheimer's Disease, 2022, 86, 919-929. | 1.2 | 4 |
| 75 | The Relationship Between Low-Density Lipoprotein Cholesterol and Progression of Mild Cognitive Impairment: The Influence of rs6859 in PVRL2. Frontiers in Genetics, 2022, 13, 823406. | 1.1 | 4 |
| 76 | Education, neighborhood environment, and cognitive decline: Findings from two prospective cohort studies of older adults in China. Alzheimer's and Dementia, 2023, 19, 560-568. | 0.4 | 4 |
| 77 | Potential herb–drug interactions in community-dwelling older adults in China: the Shanghai Aging Study. Aging Clinical and Experimental Research, 2020, 32, 2677-2685. | 1.4 | 3 |
| 78 | Low and High-Density Lipoprotein Cholesterol and 10-Year Mortality in Community-Dwelling Older Adults: The Shanghai Aging Study. Frontiers in Medicine, 2022, 9, 783618. | 1.2 | 3 |
| 79 | P1-222: Auditory verbal learning test is superior to rey-osterrieth complex figure memory for predicting progression from mild cognitive impairment to Alzheimer's disease. , 2015, 11, P436-P437. | | 2 |
| 80 | Poor Odor Identification Predicts Mortality Risk in Older Adults without Neurodegenerative Diseases: The Shanghai Aging Study. Journal of the American Medical Directors Association, 2021, 22, 2218-2219.e1. | 1.2 | 2 |
| 81 | Determining association of rho kinase 1 gene polymorphisms with risk of Alzheimer's disease: a multicenter pilot study. Annals of Translational Medicine, 2018, 6, 434-434. | 0.7 | 2 |
| 82 | Joint Effect of ABCA7 rs4147929 and Body Mass Index on Progression from Mild Cognitive Impairment to Alzheimer's Disease: The Shanghai Aging Study. Current Alzheimer Research, 2020, 17, 185-195. | 0.7 | 2 |
| 83 | Coexisting cortical atrophy plays a crucial role in cognitive impairment in moderate to severe cerebral small vessel disease patients. Discovery Medicine, 2017, 23, 175-182. | 0.5 | 2 |
| 84 | Peripheral neurofilament light (NFL) chain level predicts the two‐year outcome of amnestic mild cognitive impairment in Chinese Han population. Alzheimer's and Dementia, 2020, 16, e046696. | 0.4 | 1 |
| 85 | Computed Tomography Density and Î²-Amyloid Deposition of Intraorbital Optic Nerve May Assist in Diagnosing Mild Cognitive Impairment and Alzheimer's Disease: A 18F-Flutemetamol Positron Emission Tomography/Computed Tomography Study. Frontiers in Aging Neuroscience, 2022, 14, 836568. | 1.7 | 1 |
| 86 | Retinal examination modalities in the early detection of Alzheimer's disease: Seeing brain through the eye. Journal of Translational Internal Medicine, 2022, 10, 185-187. | 1.0 | 1 |
| 87 | P4-076: Amyloid burden is associated with cognition in a cross-sectional and short-term longitudinal manner in patients with mild cognitive impairment. , 2015, 11, P799-P799. | | 0 |
| 88 | P2-260: Diabetes is associated with worse executive function in both eastern and western populations: Shanghai aging study and mayo clinic study of aging. , 2015, 11, P591-P591. | | 0 |
| 89 | P1–395: Progression and Predictors of Mild Cognitive Impairment in Chinese Elderly: A Prospective Follow–Up in The Shanghai Aging Study. Alzheimer's and Dementia, 2016, 12, P584. | 0.4 | 0 |
| 90 | P1–355: SMALL HEAD CIRCUMFERENCE IS ASSOCIATED WITH RISK OF INCIDENT DEMENTIA IN OLDER MEN: THE SHANGHAI AGING STUDY. Alzheimer's and Dementia, 2018, 14, P430. | 0.4 | 0 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 91 | P3â€104: IDENTIFICATION OF GENETIC RISK FACTORS FOR ALZHEIMER'S DISEASE IN THE CHINESE POPULATION. Alzheimer's and Dementia, 2018, 14, P1106. | 0.4 | 0 |
| 92 | P1â€263: THE TOMM40 GENE RS2075650 POLYMORPHISM PREDICTS THE 2â€YEAR OUTCOME OF AMNESTIC MILD COGNITIVE IMPAIRMENT IN CHINESE HAN POPULATION. Alzheimer's and Dementia, 2018, 14, P382. | 0.4 | 0 |
| 93 | P2â€604: HIGH BLOOD PRESSURE IS RELATED TO COGNITIVE DECLINE AMONG CHINESEâ€DWELLING ELDERLY: THE SHANGHAI AGING STUDY. Alzheimer's and Dementia, 2018, 14, P970. | 0.4 | 0 |
| 94 | F2â€08â€01: SLEEP TIMING AND RISK OF DEMENTIA AMONG CHINESE ELDERLY IN AN URBAN COMMUNITY. Alzheimer's and Dementia, 2019, 15, P528. | 0.4 | 0 |
| 95 | Physical activity and domainâ€specific cognitive function: The Shanghai Aging Study. Alzheimer's and Dementia, 2020, 16, e038373. | 0.4 | 0 |
| 96 | Mediumâ€toâ€high physical activity specifically reduces the risk of memory impairment among older adults: The Shanghai Aging Study. Alzheimer's and Dementia, 2020, 16, e042416. | 0.4 | 0 |
| 97 | Emotional Comparison Between Semantic Dementia and Alzheimer's Disease. Frontiers in Psychiatry, 2021, 12, 680332. | 1.3 | 0 |
| 98 | Abstract WP245: New Definition of Hypertension and Incident Cerebral Microbleeds: A 7-Year Chinese Urban Community Study. Stroke, 2020, 51, . | 1.0 | 0 |
| 99 | Abstract WMP59: White Matter Hyperintensities Play a Pivotal Role in Progression of Cerebral Small Vessel Disease: A 7-Year Chinese Urban Community Study. Stroke, 2020, 51, . | 1.0 | 0 |
| 100 | Is Olfactory Impairment Associated With 10-year Mortality Mediating by Neurodegenerative Diseases in Older Adults? The Four-Way Decomposition Analysis. Frontiers in Public Health, 2021, 9, 771584. | 1.3 | 0 |
| 101 | Association of the volume, duration, and intensity of physical activity with incident dementia: A COSMIC collaborative cohort study. Alzheimer's and Dementia, 2021, 17, . | 0.4 | 0 |
| 102 | Plasma biomarker profiles and the association with cognitive function across the clinical spectrum of Alzheimer's disease. Alzheimer's and Dementia, 2021, 17, . | 0.4 | 0 |
| 103 | Living With Early-Onset Dementia in China: Through a Person-Centered Care Lens. Innovation in Aging, 2021, 5, 65-66. | 0.0 | 0 |