

# Angela Heck

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3134376/publications.pdf>

Version: 2024-02-01

23  
papers

874  
citations

567144

15  
h-index

642610

23  
g-index

23  
all docs

23  
docs citations

23  
times ranked

2347  
citing authors

#	ARTICLE	IF	CITATIONS
1	The Neuronal Transporter Gene SLC6A15 Confers Risk to Major Depression. <i>Neuron</i> , 2011, 70, 252-265.	3.8	189
2	Epigenetic Modification of the Glucocorticoid Receptor Gene Is Linked to Traumatic Memory and Post-Traumatic Stress Disorder Risk in Genocide Survivors. <i>Journal of Neuroscience</i> , 2014, 34, 10274-10284.	1.7	151
3	Converging Genetic and Functional Brain Imaging Evidence Links Neuronal Excitability to Working Memory, Psychiatric Disease, and Brain Activity. <i>Neuron</i> , 2014, 81, 1203-1213.	3.8	86
4	Association of <i>KIBRA</i> with episodic and working memory: A meta-analysis. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012, 159B, 958-969.	1.1	74
5	PKC $\zeta$ is genetically linked to memory capacity in healthy subjects and to risk for posttraumatic stress disorder in genocide survivors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 8746-8751.	3.3	61
6	Polymorphisms in the GAD2 gene region are associated with susceptibility for unipolar depression and with a risk factor for anxiety disorders. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2009, 150B, 1100-1109.	1.1	34
7	Further evidence for executive dysfunction in subjects with RLS from a non-clinical sample. <i>Sleep Medicine</i> , 2011, 12, 1003-1007.	0.8	34
8	Polymorphisms in the angiotensin-converting enzyme gene region predict coping styles in healthy adults and depressed patients. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2009, 150B, 104-114.	1.1	27
9	Rare variants in <i>TMEM132D</i> in a case-control sample for panic disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012, 159B, 896-907.	1.1	25
10	Genetic Analysis of Association Between Calcium Signaling and Hippocampal Activation, Memory Performance in the Young and Old, and Risk for Sporadic Alzheimer Disease. <i>JAMA Psychiatry</i> , 2015, 72, 1029.	6.0	23
11	Human genome-guided identification of memory-modulating drugs. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, E4369-74.	3.3	20
12	The BclI polymorphism of the glucocorticoid receptor gene is associated with emotional memory performance in healthy individuals. <i>Psychoneuroendocrinology</i> , 2013, 38, 1203-1207.	1.3	19
13	BAIAP2 Is Related to Emotional Modulation of Human Memory Strength. <i>PLoS ONE</i> , 2014, 9, e83707.	1.1	19
14	Possible Associations of NTRK2 Polymorphisms with Antidepressant Treatment Outcome: Findings from an Extended Tag SNP Approach. <i>PLoS ONE</i> , 2013, 8, e64947.	1.1	17
15	Computational dissection of human episodic memory reveals mental process-specific genetic profiles. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E4939-48.	3.3	16
16	Identification of Two Distinct Working Memory-Related Brain Networks in Healthy Young Adults. <i>ENeuro</i> , 2018, 5, ENEURO.0222-17.2018.	0.9	16
17	Polymorphisms within the metabotropic glutamate receptor 1 gene are associated with depression phenotypes. <i>Psychoneuroendocrinology</i> , 2012, 37, 565-575.	1.3	14
18	The NCAM1 gene set is linked to depressive symptoms and their brain structural correlates in healthy individuals. <i>Journal of Psychiatric Research</i> , 2017, 91, 116-123.	1.5	14

#	ARTICLE	IF	CITATIONS
19	Evidence for associations between MDGA2 polymorphisms and harm avoidance – replication and extension of a genome-wide association finding. <i>Psychiatric Genetics</i> , 2011, 21, 257-260.	0.6	11
20	Common epigenetic variation in a European population of mentally healthy young adults. <i>Journal of Psychiatric Research</i> , 2016, 83, 260-268.	1.5	8
21	Exome sequencing of healthy phenotypic extremes links TROVE2 to emotional memory and PTSD. <i>Nature Human Behaviour</i> , 2017, 1, .	6.2	8
22	Statistical Epistasis and Functional Brain Imaging Support a Role of Voltage-Gated Potassium Channels in Human Memory. <i>PLoS ONE</i> , 2011, 6, e29337.	1.1	6
23	Exhaustive search for epistatic effects on the human methylome. <i>Scientific Reports</i> , 2017, 7, 13669.	1.6	2