Ling Gao

List of Publications by Citations

Source: https://exaly.com/author-pdf/3135166/ling-gao-publications-by-citations.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

121
papers

2,770
citations

30
h-index
g-index

129
ext. papers

3,644
ext. citations

5
avg, IF

5-33
L-index

| # | Paper | IF | Citations |
|-----|--|------|-----------|
| 121 | A Large-scale, multicenter serum metabolite biomarker identification study for the early detection of hepatocellular carcinoma. <i>Hepatology</i> , 2018 , 67, 662-675 | 11.2 | 152 |
| 120 | High-fat diet feeding impairs both the expression and activity of AMPKa in ratsSskeletal muscle. <i>Biochemical and Biophysical Research Communications</i> , 2006 , 339, 701-7 | 3.4 | 121 |
| 119 | New perspectives of physiological and pathological functions of nucleolin (NCL). <i>Life Sciences</i> , 2017 , 186, 1-10 | 6.8 | 102 |
| 118 | A novel role for thyroid-stimulating hormone: up-regulation of hepatic 3-hydroxy-3-methyl-glutaryl-coenzyme A reductase expression through the cyclic adenosine monophosphate/protein kinase A/cyclic adenosine monophosphate-responsive element binding | 11.2 | 93 |
| 117 | Alpha-lipoic acid improves high-fat diet-induced hepatic steatosis by modulating the transcription factors SREBP-1, FoxO1 and Nrf2 via the SIRT1/LKB1/AMPK pathway. <i>Journal of Nutritional Biochemistry</i> , 2014 , 25, 1207-1217 | 6.3 | 87 |
| 116 | SAT-553 Gut Microbiota Involved in Thyroxine Metabolism and Development of Subclinical Hypothyroidism. <i>Journal of the Endocrine Society</i> , 2019 , 3, | 0.4 | 78 |
| 115 | SAT-047 Disorders in Mice with Subclinical Hypothyroidism. <i>Journal of the Endocrine Society</i> , 2019 , 3, | 0.4 | 78 |
| 114 | SAT-549 Characterization and Comprehensive Proteome Profiling of Exosomes Secreted by Primary Human Thyrocytes. <i>Journal of the Endocrine Society</i> , 2019 , 3, | 0.4 | 78 |
| 113 | SAT-550 High Fat Diet-Induced ER Stress Affects Hypothyroidism. <i>Journal of the Endocrine Society</i> , 2019 , 3, | 0.4 | 78 |
| 112 | OR33-2 Blocking FSH Inhibits Hepatic Cholesterol Biosynthesis and Reduces Serum Cholesterol. Journal of the Endocrine Society, 2019 , 3, | 0.4 | 78 |
| 111 | Presence of thyrotropin receptor in hepatocytes: not a case of illegitimate transcription. <i>Journal of Cellular and Molecular Medicine</i> , 2009 , 13, 4636-42 | 5.6 | 73 |
| 110 | Thyrotropin increases hepatic triglyceride content through upregulation of SREBP-1c activity. <i>Journal of Hepatology</i> , 2014 , 61, 1358-64 | 13.4 | 63 |
| 109 | Circular RNA Profiling Reveals Exosomal circ_0006156 as a Novel Biomarker in Papillary Thyroid Cancer. <i>Molecular Therapy - Nucleic Acids</i> , 2020 , 19, 1134-1144 | 10.7 | 62 |
| 108 | Thyroid-stimulating hormone regulates hepatic bile acid homeostasis via SREBP-2/HNF-4/CYP7A1 axis. <i>Journal of Hepatology</i> , 2015 , 62, 1171-9 | 13.4 | 55 |
| 107 | Dietary Lycium barbarum polysaccharide induces Nrf2/ARE pathway and ameliorates insulin resistance induced by high-fat via activation of PI3K/AKT signaling. <i>Oxidative Medicine and Cellular Longevity</i> , 2014 , 2014, 145641 | 6.7 | 53 |
| 106 | Prevalence of dyslipidemia and its control in type 2 diabetes: A multicenter study in endocrinology clinics of China. <i>Journal of Clinical Lipidology</i> , 2016 , 10, 150-60 | 4.9 | 48 |
| 105 | Expression profiles of six circulating microRNAs critical to atherosclerosis in patients with subclinical hypothyroidism: a clinical study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, E766-74 | 5.6 | 46 |

(2015-2015)

| 104 | Thyroid-stimulating hormone decreases HMG-CoA reductase phosphorylation via AMP-activated protein kinase in the liver. <i>Journal of Lipid Research</i> , 2015 , 56, 963-71 | 43 | |
|-----|---|----|--|
| 103 | A high-fat diet impairs mitochondrial biogenesis, mitochondrial dynamics, and the respiratory chain complex in rat myocardial tissues. <i>Journal of Cellular Biochemistry</i> , 2018 , 119, 9602 | 43 | |
| 102 | Peroxisome proliferator-activated receptor lactivation induces hepatic steatosis, suggesting an adverse effect. <i>PLoS ONE</i> , 2014 , 9, e99245 | 42 | |
| 101 | Peroxisome proliferator-activated receptor-alpha regulates the expression of pancreatic/duodenal homeobox-1 in rat insulinoma (INS-1) cells and ameliorates glucose-induced insulin secretion 4.8 impaired by palmitate. <i>Endocrinology</i> , 2008 , 149, 662-71 | 38 | |
| 100 | Thyrotropin and obesity: increased adipose triglyceride content through glycerol-3-phosphate acyltransferase 3. <i>Scientific Reports</i> , 2015 , 5, 7633 | 37 | |
| 99 | Loss of PDK4 switches the hepatic NF- B /TNF pathway from pro-survival to pro-apoptosis. Hepatology, 2018 , 68, 1111-1124 | 36 | |
| 98 | Rodent Models of Nonalcoholic Fatty Liver Disease. <i>Digestion</i> , 2020 , 101, 522-535 3.6 | 36 | |
| 97 | Cyclophilin D deficiency attenuates mitochondrial perturbation and ameliorates hepatic steatosis. Hepatology, 2018 , 68, 62-77 | 34 | |
| 96 | The relationship between endogenous testosterone and lipid profile in middle-aged and elderly Chinese men. <i>European Journal of Endocrinology</i> , 2014 , 170, 487-94 | 33 | |
| 95 | AICAR-Induced Activation of AMPK Inhibits TSH/SREBP-2/HMGCR Pathway in Liver. <i>PLoS ONE</i> , 2015 , 10, e0124951 | 33 | |
| 94 | Role of exosome-associated microRNA in diagnostic and therapeutic applications to metabolic disorders. <i>Journal of Zhejiang University: Science B</i> , 2018 , 19, 183-198 | 31 | |
| 93 | Roles of long non-coding RNAs in gastric cancer metastasis. <i>World Journal of Gastroenterology</i> , 2015, 21, 5220-30 | 31 | |
| 92 | Mechanism of subclinical hypothyroidism accelerating endothelial dysfunction (Review). Experimental and Therapeutic Medicine, 2015, 9, 3-10 | 30 | |
| 91 | Thyroid stimulating hormone, independent of thyroid hormone, can elevate the serum total cholesterol level in patients with coronary heart disease: a cross-sectional design. <i>Nutrition and</i> 4.6 <i>Metabolism</i> , 2012 , 9, 44 | 30 | |
| 90 | Benefits of Levothyroxine Replacement Therapy on Nonalcoholic Fatty Liver Disease in Subclinical Hypothyroidism Patients. <i>International Journal of Endocrinology</i> , 2017 , 2017, 5753039 | 29 | |
| 89 | Blocking FSH inhibits hepatic cholesterol biosynthesis and reduces serum cholesterol. <i>Cell Research</i> , 2019 , 29, 151-166 | 29 | |
| 88 | circRASSF2 Acts as ceRNA and Promotes Papillary Thyroid Carcinoma Progression through miR-1178/TLR4 Signaling Pathway. <i>Molecular Therapy - Nucleic Acids</i> , 2020 , 19, 1153-1163 | 28 | |
| 87 | High-density lipoprotein synthesis and metabolism (Review). <i>Molecular Medicine Reports</i> , 2015 , 12, 4015-4921 | 27 | |

| 86 | Matrine alleviates lipopolysaccharide-induced intestinal inflammation and oxidative stress via CCR7 signal. <i>Oncotarget</i> , 2017 , 8, 11621-11628 | 3.3 | 27 |
|----|--|--------|----|
| 85 | The lipid-lowering effect of levothyroxine in patients with subclinical hypothyroidism: A systematic review and meta-analysis of randomized controlled trials. <i>Clinical Endocrinology</i> , 2017 , 87, 1-9 | 3.4 | 26 |
| 84 | Association of maternal serum lipids at late gestation with the risk of neonatal macrosomia in women without diabetes mellitus. <i>Lipids in Health and Disease</i> , 2018 , 17, 78 | 4.4 | 26 |
| 83 | A Worthy Finding: Decrease in Total Cholesterol and Low-Density Lipoprotein Cholesterol in Treated Mild Subclinical Hypothyroidism. <i>Thyroid</i> , 2016 , 26, 1019-29 | 6.2 | 25 |
| 82 | The Effect of Aromatase on the Reproductive Function of Obese Males. <i>Hormone and Metabolic Research</i> , 2017 , 49, 572-579 | 3.1 | 25 |
| 81 | Lipotoxicity, a potential risk factor for the increasing prevalence of subclinical hypothyroidism?. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 1887-94 | 5.6 | 24 |
| 80 | Thyroid-stimulating hormone maintains bone mass and strength by suppressing osteoclast differentiation. <i>Journal of Biomechanics</i> , 2014 , 47, 1307-14 | 2.9 | 24 |
| 79 | Insulin-like growth factor-1 promotes cell cycle progression via upregulation of cyclin D1 expression through the phosphatidylinositol 3-kinase/nuclear factor-kappaB signaling pathway in FRTL thyroid cells. <i>Acta Pharmacologica Sinica</i> , 2009 , 30, 113-9 | 8 | 24 |
| 78 | Alpha-lipoic acid attenuates insulin resistance and improves glucose metabolism in high fat diet-fed mice. <i>Acta Pharmacologica Sinica</i> , 2014 , 35, 1285-92 | 8 | 22 |
| 77 | Diosgenin relieves goiter via the inhibition of thyrocyte proliferation in a mouse model of GravesS disease. <i>Acta Pharmacologica Sinica</i> , 2014 , 35, 65-73 | 8 | 22 |
| 76 | Subclinical hypothyroidism might worsen the effects of aging on serum lipid profiles: a population-based case-control study. <i>Thyroid</i> , 2015 , 25, 485-93 | 6.2 | 21 |
| 75 | miR-100 Reverses Cisplatin Resistance in Breast Cancer by Suppressing HAX-1. <i>Cellular Physiology and Biochemistry</i> , 2018 , 47, 2077-2087 | 3.9 | 21 |
| 74 | Decreased fasting blood glucose is associated with impaired hepatic glucose production in thyroid-stimulating hormone receptor knockout mice. <i>Endocrine Journal</i> , 2013 , 60, 941-50 | 2.9 | 21 |
| 73 | Thyroid stimulating hormone increases hepatic gluconeogenesis via CRTC2. <i>Molecular and Cellular Endocrinology</i> , 2017 , 446, 70-80 | 4.4 | 20 |
| 72 | A novel role for CRTC2 in hepatic cholesterol synthesis through SREBP-2. <i>Hepatology</i> , 2017 , 66, 481-49 | 7 11.2 | 20 |
| 71 | High glucose increases LPS-induced DC apoptosis through modulation of ERK1/2, AKT and Bax/Bcl-2. <i>BMC Gastroenterology</i> , 2014 , 14, 98 | 3 | 20 |
| 70 | A cullin 4B-RING E3 ligase complex fine-tunes pancreatic Lell paracrine interactions. <i>Journal of Clinical Investigation</i> , 2017 , 127, 2631-2646 | 15.9 | 19 |
| 69 | Conditional ablation of HDAC3 in islet beta cells results in glucose intolerance and enhanced susceptibility to STZ-induced diabetes. <i>Oncotarget</i> , 2016 , 7, 57485-57497 | 3.3 | 18 |

| 68 | Follicle-stimulating hormone enhances hepatic gluconeogenesis by GRK2-mediated AMPK hyperphosphorylation at Ser485 in mice. <i>Diabetologia</i> , 2018 , 61, 1180-1192 | 10.3 | 17 |
|----|--|------|----|
| 67 | MicroRNA-146b-3p Promotes Cell Metastasis by Directly Targeting in Human Papillary Thyroid Cancer. <i>Thyroid</i> , 2018 , 28, 1627-1641 | 6.2 | 17 |
| 66 | HC diet inhibited testosterone synthesis by activating endoplasmic reticulum stress in testicular Leydig cells. <i>Journal of Cellular and Molecular Medicine</i> , 2019 , 23, 3140-3150 | 5.6 | 16 |
| 65 | Ablation of prolactin receptor increases hepatic triglyceride accumulation. <i>Biochemical and Biophysical Research Communications</i> , 2018 , 498, 693-699 | 3.4 | 16 |
| 64 | Therapeutic targets of hypercholesterolemia: HMGCR and LDLR. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2019 , 12, 1543-1553 | 3.4 | 15 |
| 63 | Relative variations of gut microbiota in disordered cholesterol metabolism caused by high-cholesterol diet and host genetics. <i>MicrobiologyOpen</i> , 2017 , 6, e00491 | 3.4 | 15 |
| 62 | Functional thyrotropin receptor expression in the ventricle and the effects on ventricular BNP secretion. <i>Endocrine</i> , 2014 , 46, 328-39 | 4 | 14 |
| 61 | Design, synthesis and activity of Mnk1 and Mnk2 selective inhibitors containing thieno[2,3-d]pyrimidine scaffold. <i>European Journal of Medicinal Chemistry</i> , 2019 , 162, 735-751 | 6.8 | 14 |
| 60 | LDL in patients with subclinical hypothyroidism shows increased lipid peroxidation. <i>Lipids in Health and Disease</i> , 2015 , 14, 95 | 4.4 | 13 |
| 59 | High glucose induces the release of endothelin-1 through the inhibition of hydrogen sulfide production in HUVECs. <i>International Journal of Molecular Medicine</i> , 2015 , 35, 810-4 | 4.4 | 13 |
| 58 | A High-Fat Diet Rich in Saturated and Mono-Unsaturated Fatty Acids Induces Disturbance of Thyroid Lipid Profile and Hypothyroxinemia in Male Rats. <i>Molecular Nutrition and Food Research</i> , 2018 , 62, e1700599 | 5.9 | 12 |
| 57 | Prevalence of CHD-related metabolic comorbidity of diabetes mellitus in Northern Chinese adults: the REACTION study. <i>Journal of Diabetes and Its Complications</i> , 2016 , 30, 199-205 | 3.2 | 12 |
| 56 | Endoplasmic Reticulum Stress May Play a Pivotal Role in Lipid Metabolic Disorders in a Novel Mouse Model of Subclinical Hypothyroidism. <i>Scientific Reports</i> , 2016 , 6, 31381 | 4.9 | 12 |
| 55 | Thyrotropin aggravates atherosclerosis by promoting macrophage inflammation in plaques. <i>Journal of Experimental Medicine</i> , 2019 , 216, 1182-1198 | 16.6 | 11 |
| 54 | The relationship between obesity indices and serum vitamin D levels in Chinese adults from urban settings. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2016 , 25, 333-9 | 1 | 11 |
| 53 | Relation of Gut Microbes and L-Thyroxine Through Altered Thyroxine Metabolism in Subclinical Hypothyroidism Subjects. <i>Frontiers in Cellular and Infection Microbiology</i> , 2020 , 10, 495 | 5.9 | 11 |
| 52 | THYROID-STIMULATING HORMONE LEVELS ARE INVERSELY ASSOCIATED WITH SERUM TOTAL BILE ACID LEVELS: A CROSS-SECTIONAL STUDY. <i>Endocrine Practice</i> , 2016 , 22, 420-6 | 3.2 | 11 |
| 51 | Cyclophilin D deficiency protects against the development of mitochondrial ROS and cellular inflammation in aorta. <i>Biochemical and Biophysical Research Communications</i> , 2019 , 508, 1202-1208 | 3.4 | 11 |

| 50 | Blocking mitochondrial cyclophilin D ameliorates TSH-impaired defensive barrier of artery. <i>Redox Biology</i> , 2018 , 15, 418-434 | 11.3 | 10 |
|----|---|-------------------|----|
| 49 | ER stress contributes to high-fat diet-induced decrease of thyroglobulin and hypothyroidism. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2019 , 316, E510-E518 | 6 | 10 |
| 48 | Expression of FSHR in chondrocytes and the effect of FSH on chondrocytes. <i>Biochemical and Biophysical Research Communications</i> , 2018 , 495, 587-593 | 3.4 | 10 |
| 47 | Palmitic Acid Downregulates Thyroglobulin (Tg), Sodium Iodide Symporter (NIS), and Thyroperoxidase (TPO) in Human Primary Thyrocytes: A Potential Mechanism by Which Lipotoxicity Affects Thyroid?. <i>International Journal of Endocrinology</i> , 2018 , 2018, 4215848 | 2.7 | 10 |
| 46 | Physical Activity Patterns and Risk of Type 2 Diabetes and Metabolic Syndrome in Middle-Aged and Elderly Northern Chinese Adults. <i>Journal of Diabetes Research</i> , 2018 , 2018, 7198274 | 3.9 | 9 |
| 45 | Liver-specific deletion of TSHR inhibits hepatic lipid accumulation in mice. <i>Biochemical and Biophysical Research Communications</i> , 2018 , 497, 39-45 | 3.4 | 8 |
| 44 | Natural history of mild subclinical hypothyroidism in a middle-aged and elderly Chinese population: a prospective study. <i>Endocrine Journal</i> , 2017 , 64, 437-447 | 2.9 | 7 |
| 43 | Unsatisfactory Glucose Management and Adverse Pregnancy Outcomes of Gestational Diabetes Mellitus in the Real World of Clinical Practice: A Retrospective Study. <i>Chinese Medical Journal</i> , 2018 , 131, 1079-1085 | 2.9 | 7 |
| 42 | Integrated microRNA and proteome analysis reveal a regulatory module in hepatic lipid metabolism disorders in mice with subclinical hypothyroidism. <i>Experimental and Therapeutic Medicine</i> , 2020 , 19, 897 | - 9 06 | 6 |
| 41 | Cardiovascular safety of GLP-1 receptor agonists for diabetes patients with high cardiovascular risk: A meta-analysis of cardiovascular outcomes trials. <i>Diabetes Research and Clinical Practice</i> , 2018 , 143, 34-42 | 7.4 | 5 |
| 40 | Thyroid-Stimulating Hormone Increases HNF-4[Phosphorylation via cAMP/PKA Pathway in the Liver. <i>Scientific Reports</i> , 2015 , 5, 13409 | 4.9 | 5 |
| 39 | The presence of adenosine A2a receptor in thyrocytes and its involvement in GravesSigG-induced VEGF expression. <i>Endocrinology</i> , 2013 , 154, 4927-38 | 4.8 | 5 |
| 38 | Effects of Kang-Jia-Wan, a Chinese medicinal herb officinal, on apoptosis induction in goiter of rats. Journal of Ethnopharmacology, 2009 , 122, 533-40 | 5 | 5 |
| 37 | Nonalcoholic fatty liver disease represents a greater metabolic burden in patients with atherosclerosis: A cross-sectional study. <i>Medicine (United States)</i> , 2019 , 98, e14896 | 1.8 | 5 |
| 36 | FSHR ablation induces depression-like behaviors. <i>Acta Pharmacologica Sinica</i> , 2020 , 41, 1033-1040 | 8 | 4 |
| 35 | FSH signaling is involved in affective disorders. <i>Biochemical and Biophysical Research Communications</i> , 2020 , 525, 915-920 | 3.4 | 4 |
| 34 | Comparison of Erythrocyte Membrane Lipid Profiles between NAFLD Patients with or without Hyperlipidemia. <i>International Journal of Endocrinology</i> , 2020 , 2020, 9501826 | 2.7 | 4 |
| 33 | Analysis of the correlation between lipotoxicity and pituitary-thyroid axis hormone levels in men and male rats. <i>Oncotarget</i> , 2016 , 7, 39332-39344 | 3.3 | 4 |

(2021-2014)

| 32 | Rhesus monkey is a new model of secondary lymphedema in the upper limb. <i>International Journal of Clinical and Experimental Pathology</i> , 2014 , 7, 5665-73 | 1.4 | 4 | |
|----|--|-----|---|--|
| 31 | TSH Activates Macrophage Inflammation by G13- and G15-dependent Pathways. <i>Endocrinology</i> , 2021 , 162, | 4.8 | 4 | |
| 30 | High Circulating Follicle-Stimulating Hormone Level Is a Potential Risk Factor for Renal Dysfunction in Post-Menopausal Women. <i>Frontiers in Endocrinology</i> , 2021 , 12, 627903 | 5.7 | 4 | |
| 29 | Beta-Arrestin 1 Mediates Liver Thyrotropin Regulation of Cholesterol Conversion Metabolism via the Akt-Dependent Pathway. <i>International Journal of Endocrinology</i> , 2018 , 2018, 4371396 | 2.7 | 4 | |
| 28 | Cholesterol Synthesis Increased in the MMI-Induced Subclinical Hypothyroidism Mice Model. <i>International Journal of Endocrinology</i> , 2017 , 2017, 7921071 | 2.7 | 3 | |
| 27 | Lipotoxicity suppresses the synthesis of growth hormone in pituitary somatotrophs via endoplasmic reticulum stress. <i>Journal of Cellular and Molecular Medicine</i> , 2021 , 25, 5250-5259 | 5.6 | 3 | |
| 26 | Impaired secretion of active GLP-1 in patients with hypertriglyceridaemia: A novel lipotoxicity paradigm?. <i>Diabetes/Metabolism Research and Reviews</i> , 2018 , 34, e2964 | 7.5 | 3 | |
| 25 | TSH promotes adiposity by inhibiting the browning of white fat. <i>Adipocyte</i> , 2020 , 9, 264-278 | 3.2 | 2 | |
| 24 | Thyroid Stimulating Hormone Triggers Hepatic Mitochondrial Stress through Cyclophilin D Acetylation. <i>Oxidative Medicine and Cellular Longevity</i> , 2020 , 2020, 1249630 | 6.7 | 2 | |
| 23 | Thyroxine therapy ameliorates serum levels of eicosanoids in Chinese subclinical hypothyroidism patients. <i>Acta Pharmacologica Sinica</i> , 2016 , 37, 656-63 | 8 | 2 | |
| 22 | Chronic leucine exposure results in reduced but reversible glucose-stimulated insulin secretion in INS-1 cells. <i>Molecular Medicine Reports</i> , 2014 , 9, 2554-8 | 2.9 | 2 | |
| 21 | Thyrotropin receptor signaling deficiency impairs spatial learning and memory in mice. <i>Journal of Endocrinology</i> , 2020 , 246, 41-55 | 4.7 | 2 | |
| 20 | Quantitative Analysis of the Proteome and the Succinylome in the Thyroid Tissue of High-Fat Diet-Induced Hypothyroxinemia in Rats. <i>International Journal of Endocrinology</i> , 2020 , 2020, 3240198 | 2.7 | 2 | |
| 19 | Statin Use and Benefits of Thyroid Function: A Retrospective Cohort Study. <i>Frontiers in Endocrinology</i> , 2021 , 12, 578909 | 5.7 | 2 | |
| 18 | Association between different obesity phenotypes and hypothyroidism: a study based on a longitudinal health management cohort. <i>Endocrine</i> , 2021 , 72, 688-698 | 4 | 2 | |
| 17 | Berberine improves intralipid-induced insulin resistance in murine. <i>Acta Pharmacologica Sinica</i> , 2021 , 42, 735-743 | 8 | 2 | |
| 16 | Identification and characterization of novel compound variants in SLC25A26 associated with combined oxidative phosphorylation deficiency 28. <i>Gene</i> , 2021 , 804, 145891 | 3.8 | 2 | |
| 15 | Changes in hepatic triglyceride content with the activation of ER stress and increased FGF21 secretion during pregnancy. <i>Nutrition and Metabolism</i> , 2021 , 18, 40 | 4.6 | 1 | |

| 14 | Elevated Levels of Apolipoprotein CIII Increase the Risk of Postprandial Hypertriglyceridemia. <i>Frontiers in Endocrinology</i> , 2021 , 12, 646185 | 5.7 | 1 |
|----|--|-------|---|
| 13 | Associations Between Serum Free Fatty Acid Levels and Incident Diabetes in a 3-Year Cohort Study. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy,</i> 2021 , 14, 2743-2751 | 3.4 | 1 |
| 12 | Explore the Mechanism of Astragalus mongholicus Bunge against Nonalcoholic Fatty Liver Disease Based on Network Pharmacology and Experimental Verification <i>Gastroenterology Research and Practice</i> , 2022 , 2022, 4745042 | 2 | 1 |
| 11 | Red Blood Cell Count: An Unrecognized Risk Factor for Nonalcoholic Fatty Liver Disease <i>Frontiers in Endocrinology</i> , 2021 , 12, 760981 | 5.7 | 1 |
| 10 | Presence of serum autoantibodies to vacuolar H -ATPase in patients with renal tubular acidosis. <i>International Journal of Rheumatic Diseases</i> , 2019 , 22, 805-814 | 2.3 | O |
| 9 | High-fat and low-carbohydrate diet feeding down-regulates the expression of the AMP-activated protein kinase pathway in rat cardiac muscle. <i>Process Biochemistry</i> , 2010 , 45, 941-946 | 4.8 | O |
| 8 | Mendelian randomisation highlights hypothyroidism as a causal determinant of idiopathic pulmonary fibrosis. <i>EBioMedicine</i> , 2021 , 73, 103669 | 8.8 | О |
| 7 | Identification of the Chinese Population That Can Benefit Most From Postprandial Lipid Testing: Validation of the Use of Oral Fat Tolerance Testing in Clinical Practice <i>Frontiers in Endocrinology</i> , 2022 , 13, 831435 | 5.7 | O |
| 6 | Liver T1 relaxation time of the Snormal liverSin healthy Asians: measurement with MOLLI and B-corrected VFA methods at 3T <i>British Journal of Radiology</i> , 2022 , 20211008 | 3.4 | Ο |
| 5 | Prevalence of thyroid disorders and associated risk factors with various glycemic status in North China. <i>Biotechnology and Biotechnological Equipment</i> , 2019 , 33, 1244-1250 | 1.6 | |
| 4 | Thyroid function modifies the association between ratio of triglyceride to high-density lipoprotein cholesterol and renal function: a multicenter cross-sectional study. <i>Scientific Reports</i> , 2015 , 5, 11052 | 4.9 | |
| 3 | Effect of CD40 siRNA on Th17 cells and IL-17 and IL-23 in rats with experimental autoimmune myocarditis. <i>European Heart Journal</i> , 2013 , 34, 3504-3504 | 9.5 | |
| 2 | A case of Klinefelter syndrome with aplastic anemia. <i>International Journal of Hematology</i> , 2011 , 93, 213 | 3-215 | |
| 1 | Thrombospondin1 as a potential therapeutic target for human nonalcoholic fatty liver disease. EBioMedicine, 2020, 58, 102888 | 8.8 | |