Piero Boraschi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/313528/publications.pdf

Version: 2024-02-01

93 papers 1,694 citations

279798 23 h-index 315739 38 g-index

97 all docs

97
docs citations

97 times ranked 2071 citing authors

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Upper transversal hepatectomy with double hepatic vein resection and reconstruction to treat colorectal cancer liver metastases at the hepatocaval confluence: a strategy to achieve RO liver-sparing resection. Langenbeck's Archives of Surgery, 2022, 407, 1741-1750. | 1.9 | 3 |
| 2 | Chemotherapy-Induced Liver Injury in Patients with Colorectal Liver Metastases: Findings from MR Imaging. Diagnostics, 2022, 12, 867. | 2.6 | 2 |
| 3 | Mathematical modeling of cancer cells and vasculature dynamics with serological and imaging biomarkers suggests synergistic effects of TACE and TKIs in HCC patients. Digestive and Liver Disease, 2022, 54, S58. | 0.9 | O |
| 4 | The management of colorectal liver metastases amenable of surgical resection: How to shape treatment strategies according to clinical, radiological, pathological and molecular features. Cancer Treatment Reviews, 2022, 106, 102382. | 7.7 | 9 |
| 5 | Cystic Lesions of the Pancreas: Is Apparent Diffusion Coefficient Value Useful at 3 T Magnetic Resonance Imaging?. Journal of Computer Assisted Tomography, 2022, 46, 363-370. | 0.9 | 4 |
| 6 | MR imaging features of multiple biliary hamartomas (Von Meyenburg Complex): A pictorial review and differential diagnosis. Journal of Medical Imaging and Radiation Oncology, 2021, 65, 323-330. | 1.8 | 3 |
| 7 | Preoperative Diagnostic Challenges and Management in Pancreatic Metastasis From Dermatofibrosarcoma Protuberans. Pancreas, 2021, 50, e29-e31. | 1.1 | O |
| 8 | Colorectal liver metastases: ADC as an imaging biomarker of tumor behavior and therapeutic response. European Journal of Radiology, 2021, 137, 109609. | 2.6 | 18 |
| 9 | Modeling Hepatocellular Carcinoma Cells Dynamics by Serological and Imaging Biomarkers to Explain the Different Responses to Sorafenib and Regorafenib. Cancers, 2021, 13, 2064. | 3.7 | 3 |
| 10 | Abdominal and gastrointestinal manifestations in COVID-19 patients: Is imaging useful?. World Journal of Gastroenterology, 2021, 27, 4143-4159. | 3.3 | 25 |
| 11 | AF.96 MODELING HEPATOCELLULAR CARCINOMA CELLS DYNAMICS BY SEROLOGICAL AND IMAGING BIOMARKERS TO EXPLAIN COMPLETE RESPONSE TO SORAFENIB. Digestive and Liver Disease, 2021, 53, S181-S182. | 0.9 | 0 |
| 12 | Diffusion-weighted MRI of solid pancreatic lesions: Comparison between reduced field-of-view and large field-of-view sequences. European Journal of Radiology, 2021, 143, 109936. | 2.6 | 5 |
| 13 | Hepatic adrenal rest tumor in a patient with multifactorial liver cirrhosis: a case report with CT and MRI findings and pathologic correlation. Egyptian Journal of Radiology and Nuclear Medicine, 2021, 52, | 0.6 | O |
| 14 | COVID-19 Pulmonary Involvement: Is Really an Interstitial Pneumonia?. Academic Radiology, 2020, 27, 900. | 2.5 | 25 |
| 15 | Side-branch intraductal papillary mucinous neoplasms of the pancreas: outcome of MR imaging surveillance over a 10 years follow-up. European Journal of Radiology Open, 2020, 7, 100250. | 1.6 | 10 |
| 16 | Early Tumor Shrinkage and Depth of Response Evaluation in Metastatic Pancreatic Cancer Treated with First Line Chemotherapy: An Observational Retrospective Cohort Study. Cancers, 2019, 11, 939. | 3.7 | 12 |
| 17 | Gadoxetate Disodium–Enhanced MR Cholangiography for Evaluation of Biliary-Enteric Anastomoses: Added Value Beyond Conventional T2-Weighted Images. American Journal of Roentgenology, 2019, 213, W123-W133. | 2.2 | 4 |
| 18 | 3â€T MR perfusion of solid pancreatic lesions using dynamic contrast-enhanced DISCO sequence: Usefulness of qualitative and quantitative analyses in a pilot study. Magnetic Resonance Imaging, 2019, 59, 105-113. | 1.8 | 9 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Role of abdominal ultrasound for the surveillance follow-up of pancreatic cystic neoplasms: a cost-effective safe alternative to the routine use of magnetic resonance imaging. World Journal of Gastroenterology, 2019, 25, 2217-2228. | 3.3 | 20 |
| 20 | The liver tunnel: is there a place for vascular and biliary reconstruction for this new parenchyma sparing hepatectomy?. Hpb, 2018, 20, S454. | 0.3 | 0 |
| 21 | Recommendations from the United European Gastroenterology evidence-based guidelines for the diagnosis and therapy of chronic pancreatitis. Pancreatology, 2018, 18, 847-854. | 1.1 | 116 |
| 22 | Biliary complications after liver transplantation: Assessment with MR cholangiopancreatography and MR imaging at 3T device. European Journal of Radiology, 2018, 106, 46-55. | 2.6 | 20 |
| 23 | Incidence and reasons of pancreatic resection in patients with asymptomatic serous cystadenoma. Pancreatology, 2018, 18, 577-584. | 1.1 | 10 |
| 24 | Techniques of parenchyma-sparing hepatectomy for the treatment of tumors involving the hepatocaval confluence: AÂreliable way to assure an adequate future liver remnant volume. Surgery, 2017, 162, 483-499. | 1.9 | 13 |
| 25 | 3T diffusion-weighted MRI in the response assessment of colorectal liver metastases after chemotherapy: Correlation between ADC value and histological tumour regression grading. European Journal of Radiology, 2017, 91, 57-65. | 2.6 | 21 |
| 26 | Special Issue "Liver Imaging― European Journal of Radiology, 2017, 96, 39. | 2.6 | 0 |
| 27 | Diagnosis and treatment in chronic pancreatitis: an international survey and case vignette study. Hpb, 2017, 19, 978-985. | 0.3 | 22 |
| 28 | MR colonography with a fecal tagging technique and water-based enema for the assessment of inflammatory bowel disease. Japanese Journal of Radiology, 2016, 34, 585-594. | 2.4 | 2 |
| 29 | Parenchymal sparing surgical techniques to avoid major hepatectomies for tumours located at the hepatocaval confluence. Hpb, 2016, 18, e265. | 0.3 | 0 |
| 30 | Biliary complications following orthotopic liver transplantation: May contrast-enhanced MR Cholangiography provide additional information?. European Journal of Radiology Open, 2016, 3, 108-116. | 1.6 | 8 |
| 31 | Role of MDCT in the detection of early abdominal complications after orthotopic liver transplantation. Clinical Imaging, 2016, 40, 1200-1206. | 1.5 | 13 |
| 32 | PTFE Graft as a "Bridge―to Communicating Veins Maturation in the Treatment of an Intrahepatic Cholangiocarcinoma Involving the 3 Hepatic Veins. The Minor-but-Complex Liver Resection. Annals of Surgical Oncology, 2016, 23, 911-911. | 1.5 | 3 |
| 33 | Secretin-stimulated MR cholangiopancreatography: spectrum of findings in pancreatic diseases. Insights Into Imaging, 2016, 7, 819-829. | 3.4 | 26 |
| 34 | Graft complications following orthotopic liver transplantation: Role of non-invasive cross-sectional imaging techniques. European Journal of Radiology, 2016, 85, 1271-1283. | 2.6 | 16 |
| 35 | Staging of pelvic lymph nodes in patients with prostate cancer: Usefulness of multiple b value SE-EPI diffusion-weighted imaging on a 3.0 T MR system. European Journal of Radiology Open, 2016, 3, 16-21. | 1.6 | 29 |
| 36 | ESGAR consensus statement on liver MR imaging and clinical use of liver-specific contrast agents. European Radiology, 2016, 26, 921-931. | 4.5 | 124 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 37 | Minor-but-Complex Liver Resection. Medicine (United States), 2015, 94, e1188. | 1.0 | 19 |
| 38 | Postoperative biliary adverse events following orthotopic liver transplantation: Assessment with magnetic resonance cholangiography. World Journal of Gastroenterology, 2014, 20, 11080. | 3.3 | 31 |
| 39 | Biliary-enteric anastomoses: spectrum of findings on Gd-EOB-DTPA-enhanced MR cholangiography. Abdominal Imaging, 2013, 38, 1351-1359. | 2.0 | 25 |
| 40 | Focal nodular hyperplasia of the liver: diffusion and perfusion MRI characteristics. Magnetic Resonance Imaging, 2013, 31, 10-16. | 1.8 | 20 |
| 41 | Giant fibrovascular polyp of the esophagusâ€"imaging techniques for proper treatment planning: report of two cases. Abdominal Imaging, 2012, 37, 512-518. | 2.0 | 10 |
| 42 | Imaging findings of myomatous-type angiomyolipoma of the liver. Diagnostic and Interventional Radiology, 2011, 18, 387-90. | 1.5 | 6 |
| 43 | Diffusion-weighted MRI in the characterization of cystic pancreatic lesions: usefulness of ADC values. Magnetic Resonance Imaging, 2010, 28, 1447-1455. | 1.8 | 31 |
| 44 | MR cholangiography in orthotopic liver transplantation: sensitivity and specificity in detecting biliary complications. Clinical Transplantation, 2010, 24, E82-7. | 1.6 | 29 |
| 45 | Secretin-stimulated MR cholangio-pancreatography in the evaluation of asymptomatic patients with non-specific pancreatic hyperenzymemia. European Journal of Radiology, 2010, 75, e38-e44. | 2.6 | 23 |
| 46 | MRA in Liver and in Orthotopic Liver Transplants. Medical Radiology, 2010, , 145-155. | 0.1 | 1 |
| 47 | MRA in Transplanted Pancreas and Kidneys. Medical Radiology, 2010, , 157-168. | 0.1 | 0 |
| 48 | Multiple myeloma in a liver transplant recipient: Diagnostic value of MR imaging. European Journal of Radiology Extra, 2009, 71, e57-e59. | 0.1 | 0 |
| 49 | Secretin-stimulated multi-detector CT versus mangafodipir trisodium-enhanced MR imaging plus MRCP in characterization of non-metastatic solid pancreatic lesions. Digestive and Liver Disease, 2009, 41, 829-837. | 0.9 | 1 |
| 50 | Acute Abdomen Due to Twisted Ovarian Immature Teratoma in a 7-Year-Old Girl. Pediatric Emergency Care, 2008, 24, 557-560. | 0.9 | 2 |
| 51 | Biliary Tract. , 2008, , 303-316. | | 0 |
| 52 | Urinary Tract. , 2008, , 317-327. | | 0 |
| 53 | Complications after liver transplantation: evaluation with magnetic resonance imaging, magnetic resonance cholangiography, and 3-dimensional contrast-enhanced magnetic resonance angiography in a single session. Canadian Association of Radiologists Journal, 2008, 59, 259-63. | 2.0 | 10 |
| 54 | Spleen, Infectious Diseases. , 2008, , 1722-1724. | | 0 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Splenic Anomalies. , 2008, , 1725-1728. | | O |
| 56 | Splenomegaly., 2008,, 1729-1732. | | 0 |
| 57 | Carcinoma, Pancreatic., 2008,, 262-268. | | 0 |
| 58 | Cystic Neoplasms, Pancreatic., 2008,, 593-598. | | 0 |
| 59 | Pneumatosis cystoides intestinalis: Imaging findings with colonoscopy correlation. Digestive and Liver Disease, 2007, 39, 87-90. | 0.9 | 13 |
| 60 | Solitary hilar biliary adenoma: MR imaging and MR cholangiography features with pathologic correlation. Digestive and Liver Disease, 2007, 39, 1031-1034. | 0.9 | 9 |
| 61 | Pancreatic transplants: secretin-stimulated MR pancreatography. Abdominal Imaging, 2007, 32, 207-214. | 2.0 | 8 |
| 62 | Mangafodipir trisodium-enhanced MR imaging of pancreatic disease. European Radiology, 2006, 16, 988-997. | 4.5 | 5 |
| 63 | Multi-detector computed tomography angiography of the hepatic artery in liver transplant recipients. Acta Radiologica, 2005, 46, 455-461. | 1.1 | 9 |
| 64 | Intrapancreatic Accessory Spleen: Diagnosis with RES-Specific Contrast-Enhanced MRI. American Journal of Roentgenology, 2005, 184, 1712-1713. | 2.2 | 23 |
| 65 | Complications of orthotopic liver transplantation: imaging findings. Abdominal Imaging, 2004, 29, 189-202. | 2.0 | 69 |
| 66 | Mr enteroclysis using iron oxide particles (ferristene) as an endoluminal contrast agent: An open phase III trial. Magnetic Resonance Imaging, 2004, 22, 1085-1095. | 1.8 | 19 |
| 67 | Ischemic-type biliary lesions in liver transplant recipients: Evaluation with magnetic resonance cholangiography. Transplantation Proceedings, 2004, 36, 2744-2747. | 0.6 | 28 |
| 68 | Fate of coronary ostial anastomoses after the modified Bentall procedure. Annals of Thoracic Surgery, 2003, 75, 1797-1801. | 1.3 | 64 |
| 69 | Double-contrast MR colonography: in vivo experimental study in an animal model. Medical Science Monitor, 2003, 9, BR363-9. | 1.1 | 2 |
| 70 | Colorectal Cancer: Role of CT Colonography in Preoperative Evaluation after Incomplete Colonoscopy. Radiology, 2002, 223, 615-619. | 7.3 | 188 |
| 71 | Biliary Tract. Medical Radiology, 2002, , 223-232. | 0.1 | 0 |
| 72 | Detection of biliary complications after orthotopic liver transplantation with MR cholangiography. Magnetic Resonance Imaging, 2001, 19, 1097-1105. | 1.8 | 92 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Real-time volume rendering of MRCP: clinical applications. Magnetic Resonance Materials in Physics, Biology, and Medicine, 2000, 10, 35-42. | 2.0 | 0 |
| 74 | Real-time volume rendering of MRCP: clinical applications. Magnetic Resonance Materials in Physics, Biology, and Medicine, 2000, 10, 35-42. | 2.0 | 4 |
| 75 | MR Virtual Endoscopy of the Upper Urinary Tract. American Journal of Roentgenology, 2000, 175, 1697-1702. | 2.2 | 36 |
| 76 | MR virtual endoscopy of the pancreaticobiliary tract. Magnetic Resonance Imaging, 1999, 17, 59-67. | 1.8 | 27 |
| 77 | Choledocolithiasis: Diagnostic accuracy of MR cholangiopancreatography. Three-year experience. Magnetic Resonance Imaging, 1999, 17, 1245-1253. | 1.8 | 72 |
| 78 | MR virtual endoscopy of the pancreaticobiliary tract: a feasible technique?. Abdominal Imaging, 1999, 24, 289-291. | 2.0 | 7 |
| 79 | Magnetic resonance virtual endoscopy of the common bile duct stones. Surgical Endoscopy and Other Interventional Techniques, 1999, 13, 632-633. | 2.4 | 5 |
| 80 | Diagnosis of adrenal adenoma: Value of central spot of high-intensity hyperintense rim sign and homogeneous isointensity to liver on gadolinium-enhanced fat-suppressed spin-echo MR images. Journal of Magnetic Resonance Imaging, 1999, 9, 304-310. | 3.4 | 14 |
| 81 | MR cholangiopancreatography: value of axial and coronal fast Spin-Echo fat-suppressed T2-weighted sequences. European Journal of Radiology, 1999, 32, 171-181. | 2.6 | 12 |
| 82 | Diagnosis of adrenal adenoma: Value of central spot of highâ€intensity hyperintense rim sign and homogeneous isointensity to liver on gadoliniumâ€enhanced fatâ€suppressed spinâ€echo MR images. Journal of Magnetic Resonance Imaging, 1999, 9, 304-310. | 3.4 | 1 |
| 83 | Magnetic resonance appearance of asbestos-related benign and malignant pleural diseases. Scandinavian Journal of Work, Environment and Health, 1999, 25, 18-23. | 3.4 | 24 |
| 84 | Incidentally discovered adrenal masses: evaluation with Gadolinium enhancement and fat-suppressed MR imaging at 0.5 T. European Journal of Radiology, 1997, 24, 245-252. | 2.6 | 18 |
| 85 | Pirenzepine versus scopolamine methyl bromide in double-contrast barium enema study of large bowel. Abdominal Imaging, 1996, 21, 304-308. | 2.0 | 3 |
| 86 | Ultrasound versus plain film in the detection of pneumoperitoneum. Abdominal Imaging, 1996, 21, 404-412. | 2.0 | 45 |
| 87 | Pulmonary function, smoking habits, and high resolution computed tomography (HRCT) early abnormalities of lung and pleural fibrosis in shipyard workers exposed to asbestos., 1996, 30, 588-595. | | 41 |
| 88 | High-resolution computed tomography (HRCT) in the detection of ?early asbestosis?. European Radiology, 1995, 5, 291. | 4.5 | 8 |
| 89 | Hemorrhage in cavernous hemangioma of the adrenal gland: US, CT and MRI appearances with pathologic correlation. European Journal of Radiology, 1995, 21, 41-43. | 2.6 | 28 |
| 90 | Findings from high resolution computed tomography of the lung and pleura of symptom free workers exposed to amosite who had normal chest radiographs and pulmonary function tests Occupational and Environmental Medicine, 1994, 51, 239-243. | 2.8 | 26 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 91 | Usefulness and safety of pirenzepine in double-contrast study of upper gastrointestinal tract: Comparison with scopolamine methylbromide. Abdominal Imaging, 1994, 19, 201-206. | 2.0 | 5 |
| 92 | Neoplasms, Splenic, Benign. , 0, , 1309-1314. | | 0 |
| 93 | Neoplasms, Splenic, Malignant. , 0, , 1314-1317. | | O |