

James M Ricles

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3135460/publications.pdf>

Version: 2024-02-01

147
papers

7,433
citations

44069

48
h-index

56724

83
g-index

149
all docs

149
docs citations

149
times ranked

2307
citing authors

#	ARTICLE	IF	CITATIONS
1	Modeling of nonlinear viscous damper response for analysis and design of earthquake-resistant building structures. Bulletin of Earthquake Engineering, 2022, 20, 1841-1864.	4.1	5
2	Online explicit model updating of nonlinear viscous dampers for real time hybrid simulation. Soil Dynamics and Earthquake Engineering, 2022, 154, 107108.	3.8	6
3	Frame-Spine System with Force-Limiting Connections for Low-Damage Seismic-Resilient Buildings. Lecture Notes in Civil Engineering, 2022, , 804-811.	0.4	2
4	Characterization and real-time hybrid simulation testing of rolling pendulum isolation bearings with different surface treatments. Earthquake Engineering and Structural Dynamics, 2022, 51, 2668-2689.	4.4	1
5	Response to Chang, Veerarajan and Wu's Discussion of "Improved Explicit Integration Algorithms for Structural Dynamic Analysis with Unconditional Stability and Controllable Numerical Dissipation" [Journal of Earthquake Engineering 23 (2019) 771-792]. Journal of Earthquake Engineering, 2021, 25, 3001-3007.	2.5	0
6	Numerical verification of variable friction cladding connection for multihazard mitigation. JVC/Journal of Vibration and Control, 2021, 27, 82-100.	2.6	1
7	Experimental investigation of pulse-type ground motion effects on a steel building with nonlinear viscous dampers. Earthquake Engineering and Structural Dynamics, 2021, 50, 4032-4050.	4.4	10
8	Simplified seismic design procedure for steel MRF structure with nonlinear viscous dampers. Journal of Constructional Steel Research, 2021, 185, 106857.	3.9	6
9	Performance-Based Design Procedure for Structures with Magneto-Rheological Dampers. , 2021, , 1-14.		0
10	Assessment of wind-induced vibration mitigation in a tall building with damped outriggers using real-time hybrid simulations. Engineering Structures, 2020, 205, 110044.	5.3	31
11	NHERI Lehigh Experimental Facility With Large-Scale Multi-Directional Hybrid Simulation Testing Capabilities. Frontiers in Built Environment, 2020, 6, .	2.3	7
12	Discussion of "Choices of Structure-Dependent Pseudodynamic Algorithms" by Shuenn-Yih Chang. Journal of Engineering Mechanics - ASCE, 2020, 146, 07020001.	2.9	0
13	Multi-hazard real-time hybrid simulation of a tall building with damped outriggers. International Journal of Lifecycle Performance Engineering, 2020, 4, 103.	0.2	10
14	Mechanical properties of weathering steels at elevated temperatures. Journal of Constructional Steel Research, 2020, 168, 105996.	3.9	12
15	SMA-Based Low-Damage Solution for Self-Centering Steel and Composite Beam-to-Column Connections. Journal of Structural Engineering, 2020, 146, .	3.4	31
16	Stability analysis of substructure shake table testing using two families of model-based integration algorithms. Soil Dynamics and Earthquake Engineering, 2019, 126, 105777.	3.8	10
17	Behavior and Design of Self-Centering Energy Dissipative Devices Equipped with Superelastic SMA Ring Springs. Journal of Structural Engineering, 2019, 145, .	3.4	60
18	Self-centering friction spring dampers for seismic resilience. Earthquake Engineering and Structural Dynamics, 2019, 48, 1045-1065.	4.4	144

#	ARTICLE	IF	CITATIONS
19	Variable friction cladding connection for seismic mitigation. <i>Engineering Structures</i> , 2019, 189, 243-259.	5.3	9
20	Response to Maxam and Tamma's discussion (EQEâ€18â€0306) to Kolay and Ricles's paper, â€œDevelopment of a family of unconditionally stable explicit direct integration algorithms with controllable numerical energy dissipationâ€. <i>Earthquake Engineering and Structural Dynamics</i> , 2019, 48, 482-485.	4.4	1
21	Motion-based design approach for a novel variable friction cladding connection used in wind hazard mitigation. <i>Engineering Structures</i> , 2019, 181, 397-412.	5.3	8
22	Improved Explicit Integration Algorithms for Structural Dynamic Analysis with Unconditional Stability and Controllable Numerical Dissipation. <i>Journal of Earthquake Engineering</i> , 2019, 23, 771-792.	2.5	23
23	Characterization of a novel variable friction connection for semiactive cladding system. <i>Structural Control and Health Monitoring</i> , 2018, 25, e2157.	4.0	8
24	Performance-based design procedure of a novel friction-based cladding connection for blast mitigation. <i>International Journal of Impact Engineering</i> , 2018, 117, 48-62.	5.0	9
25	Force-Based Frame Element Implementation for Real-Time Hybrid Simulation Using Explicit Direct Integration Algorithms. <i>Journal of Structural Engineering</i> , 2018, 144, .	3.4	11
26	Seismic Response and Damage of Reduced-Strength Steel MRF Structures with Nonlinear Viscous Dampers. <i>Journal of Structural Engineering</i> , 2018, 144, .	3.4	18
27	Modeling and seismic collapse resistance study of a steel SC-MRF. <i>Soil Dynamics and Earthquake Engineering</i> , 2018, 113, 324-338.	3.8	9
28	Application of an Innovative SMA Ring Spring System for Self-Centering Steel Frames Subject to Seismic Conditions. <i>Journal of Structural Engineering</i> , 2018, 144, .	3.4	60
29	Performance evaluation of a semi-active cladding connection for multi-hazard mitigation. , 2018, , .		0
30	Analytical and Experimental Lateral-Load Response of Self-Centering Posttensioned CLT Walls. <i>Journal of Structural Engineering</i> , 2017, 143, .	3.4	63
31	Development of equivalent linear systems for single-degree-of-freedom structures with magneto-rheological dampers for seismic design application. <i>Journal of Intelligent Material Systems and Structures</i> , 2017, 28, 2675-2687.	2.5	2
32	Innovative use of a shape memory alloy ring spring system for self-centering connections. <i>Engineering Structures</i> , 2017, 153, 503-515.	5.3	99
33	Experimental Investigation of Self-Centering Cross-Laminated Timber Walls. <i>Journal of Structural Engineering</i> , 2017, 143, .	3.4	96
34	Seismic Fragility Analysis of the Smithsonian Institute Museum Support Center. <i>Earthquake Spectra</i> , 2017, 33, 85-108.	3.1	1
35	Assessment of explicit and semiâ€explicit classes of modelâ€based algorithms for direct integration in structural dynamics. <i>International Journal for Numerical Methods in Engineering</i> , 2016, 107, 49-73.	2.8	36
36	Erratum for â€œSimulations of a Variable Friction Device for Multihazard Mitigationâ€ by Liang Cao, Simon Laflamme, Douglas Taylor, and James Ricles. <i>Journal of Structural Engineering</i> , 2016, 142, .	3.4	7

#	ARTICLE	IF	CITATIONS
37	Seismic performance of steel MRF building with nonlinear viscous dampers. <i>Frontiers of Structural and Civil Engineering</i> , 2016, 10, 254-271.	2.9	11
38	Collapse simulation of reinforced concrete frame structures. <i>Structural Design of Tall and Special Buildings</i> , 2016, 25, 578-601.	1.9	63
39	Simulations of a Variable Friction Device for Multihazard Mitigation. <i>Journal of Structural Engineering</i> , 2016, 142, .	3.4	23
40	Assessment of the 2011 Virginia Earthquake Damage and Seismic Fragility Analysis of the Washington Monument. <i>Earthquake Spectra</i> , 2016, 32, 2399-2423.	3.1	2
41	High capacity variable friction damper based on band brake technology. <i>Engineering Structures</i> , 2016, 113, 287-298.	5.3	34
42	Seismic Response and Performance of a Steel MRF Building with Nonlinear Viscous Dampers under DBE and MCE. <i>Journal of Structural Engineering</i> , 2016, 142, .	3.4	38
43	Response to "Discussion of paper "Development of a family of unconditionally stable explicit direct integration algorithms with controllable numerical energy dissipation" by Chinmoy Kolay and James M. Ricles" in <i>Earthquake Engineering and Structural Dynamics</i> 2014; 43 :1361-1380. <i>Earthquake Engineering and Structural Dynamics</i> , 2015, 44, 329-332.	4.4	1
44	Implementation and application of the unconditionally stable explicit parametrically dissipative Runge-Kutta method for real-time hybrid simulation. <i>Earthquake Engineering and Structural Dynamics</i> , 2015, 44, 735-755.	4.4	47
45	Accurate real-time hybrid earthquake simulations on large-scale MDOF steel structure with nonlinear viscous dampers. <i>Earthquake Engineering and Structural Dynamics</i> , 2015, 44, 2035-2055.	4.4	32
46	Behavior and damage of the Washington Monument during the 2011 Mineral, Virginia, earthquake. , 2015, , .		5
47	Large-Scale Real-Time Hybrid Simulation for Evaluation of Advanced Damping System Performance. <i>Journal of Structural Engineering</i> , 2015, 141, .	3.4	51
48	Variable friction device for structural control based on duo-servo vehicle brake: Modeling and experimental validation. <i>Journal of Sound and Vibration</i> , 2015, 348, 41-56.	3.9	41
49	Localized Damage Detection Algorithm and Implementation on a Large-Scale Steel Beam-to-Column Moment Connection. <i>Earthquake Spectra</i> , 2015, 31, 1543-1566.	3.1	17
50	Performance-Based Design Procedure for Structures with Magneto-Rheological Dampers. , 2015, , 1885-1898.		1
51	Damage Reconnaissance and Seismic Response Prediction of an East Coast U.S. Building Subjected to 2011 Virginia Earthquake. , 2014, , .		2
52	Seismic performance and probabilistic collapse resistance assessment of steel moment resisting frames with fluid viscous dampers. <i>Earthquake Engineering and Structural Dynamics</i> , 2014, 43, 2135-2154.	4.4	75
53	Large-scale real-time hybrid simulation of a three-story steel frame building with magneto-rheological dampers. <i>Earthquake Engineering and Structural Dynamics</i> , 2014, 43, 1915-1933.	4.4	34
54	Performance Validations of Semiactive Controllers on Large-Scale Moment-Resisting Frame Equipped with 200-kN MR Damper Using Real-Time Hybrid Simulations. <i>Journal of Structural Engineering</i> , 2014, 140, .	3.4	25

#	ARTICLE	IF	CITATIONS
55	Development of a family of unconditionally stable explicit direct integration algorithms with controllable numerical energy dissipation. Earthquake Engineering and Structural Dynamics, 2014, 43, 1361-1380.	4.4	93
56	Adaptive time series compensator for delay compensation of servo-hydraulic actuator systems for real-time hybrid simulation. Earthquake Engineering and Structural Dynamics, 2013, 42, 1697-1715.	4.4	146
57	Large-Scale Experimental Studies of Structural Control Algorithms for Structures with Magnetorheological Dampers Using Real-Time Hybrid Simulation. Journal of Structural Engineering, 2013, 139, 1215-1226.	3.4	27
58	Comparative Studies of Semiactive Control Strategies for MR Dampers: Pure Simulation and Real-Time Hybrid Tests. Journal of Structural Engineering, 2013, 139, 1237-1248.	3.4	57
59	Seismic Performance of a Large-Scale Steel Self-Centering Moment-Resisting Frame: MCE Hybrid Simulations and Quasi-Static Pushover Tests. Journal of Structural Engineering, 2013, 139, 1227-1236.	3.4	71
60	Seismic Performance of Steel Self-Centering, Moment-Resisting Frame: Hybrid Simulations under Design Basis Earthquake. Journal of Structural Engineering, 2013, 139, 1823-1832.	3.4	100
61	Modeling of a large-scale magneto-rheological damper for seismic hazard mitigation. Part II: Semi-active mode. Earthquake Engineering and Structural Dynamics, 2013, 42, 687-703.	4.4	23
62	Modeling of a large-scale magneto-rheological damper for seismic hazard mitigation. Part I: Passive mode. Earthquake Engineering and Structural Dynamics, 2013, 42, 669-685.	4.4	33
63	An Enhanced Hydraulic Actuator Control Method for Large-Scale Real-Time Hybrid Simulations. , 2013, , .		1
64	Minimizing Actuator Tracking and Energy Errors for Real-Time Hybrid Simulation through a New Adaptive Compensation Scheme. , 2012, , .		0
65	Improved Adaptive Inverse Compensation Technique for Real-Time Hybrid Simulation. Journal of Engineering Mechanics - ASCE, 2012, 138, 1432-1446.	2.9	43
66	Response to "Discussion of paper "Real-time hybrid testing using the unconditionally stable explicit CR integration algorithm" by Cheng Chen, James M. Ricles, Thomas M. Marullo and Oya Mercan" in Earthquake Engineering and Structural Dynamics 2009; 38:23-44. Earthquake Engineering and Structural Dynamics, 2012, 41, 1065-1067.	4.4	0
67	Analysis of implicit HHT integration algorithm for real-time hybrid simulation. Earthquake Engineering and Structural Dynamics, 2012, 41, 1021-1041.	4.4	21
68	Evaluation of a real-time hybrid simulation system for performance evaluation of structures with rate dependent devices subjected to seismic loading. Engineering Structures, 2012, 35, 71-82.	5.3	52
69	Seismic design and evaluation of steel moment-resisting frames with compressed elastomer dampers. Earthquake Engineering and Structural Dynamics, 2012, 41, 411-429.	4.4	30
70	Large-scale real-time hybrid simulation involving multiple experimental substructures and adaptive actuator delay compensation. Earthquake Engineering and Structural Dynamics, 2012, 41, 549-569.	4.4	56
71	Experimental Evaluation of the Seismic Performance of Steel Buildings with Passive Dampers Using Real-Time Hybrid Simulation. Geotechnical, Geological and Earthquake Engineering, 2012, , 323-343.	0.2	1
72	Real-Time Hybrid Simulation Studies of Complex Large-Scale Systems Using Multi-Grid Processing. , 2012, , .		7

#	ARTICLE	IF	CITATIONS
73	Experimental evaluation of the seismic performance of steel MRFs with compressed elastomer dampers using large-scale real-time hybrid simulation. <i>Engineering Structures</i> , 2011, 33, 1859-1869.	5.3	85
74	An Unconditionally Stable Explicit Integration Algorithm with Controllable Numerical Damping for Real-Time Testing. , 2010, , .		1
75	A model reference adaptive control based method for actuator delay estimation in real-time testing. <i>Frontiers of Architecture and Civil Engineering in China</i> , 2010, 4, 277-286.	0.4	2
76	Stability Analysis of Direct Integration Algorithms Applied to MDOF Nonlinear Structural Dynamics. <i>Journal of Engineering Mechanics - ASCE</i> , 2010, 136, 485-495.	2.9	22
77	Experimental evaluation of an adaptive inverse compensation technique for real-time simulation of a large-scale magneto-rheological fluid damper. <i>Smart Materials and Structures</i> , 2010, 19, 025017.	3.5	26
78	Tracking Error-Based Servohydraulic Actuator Adaptive Compensation for Real-Time Hybrid Simulation. <i>Journal of Structural Engineering</i> , 2010, 136, 432-440.	3.4	108
79	Evaluation of Structural Control Strategies for Improving Seismic Performance of Buildings with MR Dampers Using Real-Time Large-Scale Hybrid Simulation. , 2010, , .		4
80	Performance-Based Seismic Design and Experimental Evaluation of Steel MRFs with Compressed Elastomer Dampers. <i>Geotechnical, Geological and Earthquake Engineering</i> , 2010, , 277-286.	0.2	4
81	Performance-Based Design of Self-Centering Steel Frame Systems. <i>Geotechnical, Geological and Earthquake Engineering</i> , 2010, , 287-296.	0.2	1
82	A Tracking Error-Based Adaptive Compensation Scheme for Real-Time Hybrid Simulation. , 2009, , .		1
83	Servo-hydraulic actuator control for real-time hybrid simulation. , 2009, , .		7
84	Experimental Studies on Real-Time Testing of Structures with Elastomeric Dampers. <i>Journal of Structural Engineering</i> , 2009, 135, 1124-1133.	3.4	41
85	Real-time hybrid testing using the unconditionally stable explicit CR integration algorithm. <i>Earthquake Engineering and Structural Dynamics</i> , 2009, 38, 23-44.	4.4	139
86	Kinematic transformations for planar multi-directional pseudodynamic testing. <i>Earthquake Engineering and Structural Dynamics</i> , 2009, 38, 1093-1119.	4.4	12
87	Improving the inverse compensation method for real-time hybrid simulation through a dual compensation scheme. <i>Earthquake Engineering and Structural Dynamics</i> , 2009, 38, 1237-1255.	4.4	80
88	Self-centering MRFs with bottom flange friction devices under earthquake loading. <i>Journal of Constructional Steel Research</i> , 2009, 65, 314-325.	3.9	69
89	Analysis of actuator delay compensation methods for real-time testing. <i>Engineering Structures</i> , 2009, 31, 2643-2655.	5.3	92
90	An Overview of Self-Centering Steel Moment Frames. , 2009, , .		5

#	ARTICLE	IF	CITATIONS
91	Design Concepts for Damage-Free Seismic-Resistant Self-Centering Steel Concentrically Braced Frames. , 2009, , .		65
92	Earthquake Simulations on a Self-Centering Steel Moment Resisting Frame with Web Friction Devices. , 2009, , .		16
93	Experimental Study of a Self-Centering Beam-Column Connection with Bottom Flange Friction Device. Journal of Structural Engineering, 2009, 135, 479-488.	3.4	170
94	Prediction of Fatigue Life of Welded Beam-to-Column Connections under Earthquake Loading. Journal of Structural Engineering, 2009, 135, 1472-1480.	3.4	14
95	Experimental Evaluation of an Adaptive Actuator Control Scheme for Real-Time Tests of Large-Scale Magneto-Rheological Damper Under Variable Current Inputs. , 2009, , .		1
96	Performance-Based Seismic Design of Steel MRFs with Elastomeric Dampers. Journal of Structural Engineering, 2009, 135, 489-498.	3.4	25
97	Design and experimental evaluation of steel MRF with magneto-rheological dampers for seismic hazard mitigation. , 2009, , .		2
98	Stability analysis of SDOF real-time hybrid testing systems with explicit integration algorithms and actuator delay. Earthquake Engineering and Structural Dynamics, 2008, 37, 597-613.	4.4	64
99	Stability analysis for real-time pseudodynamic and hybrid pseudodynamic testing with multiple sources of delay. Earthquake Engineering and Structural Dynamics, 2008, 37, 1269-1293.	4.4	44
100	Influence of design parameters on seismic response of post-tensioned steel MRF systems. Engineering Structures, 2008, 30, 1037-1047.	5.3	55
101	Development of Direct Integration Algorithms for Structural Dynamics Using Discrete Control Theory. Journal of Engineering Mechanics - ASCE, 2008, 134, 676-683.	2.9	163
102	Data Model for Large-Scale Structural Experiments. Journal of Earthquake Engineering, 2008, 12, 115-135.	2.5	3
103	Stability Analysis of Direct Integration Algorithms Applied to Nonlinear Structural Dynamics. Journal of Engineering Mechanics - ASCE, 2008, 134, 703-711.	2.9	35
104	Seismic Performance Evaluation of a Large-Scale Composite MRF Using Pseudodynamic Testing. Journal of Structural Engineering, 2008, 134, 279-288.	3.4	33
105	Real-time large-scale hybrid testing for seismic performance evaluation of smart structures. Smart Structures and Systems, 2008, 4, 667-684.	1.9	6
106	Earthquake Resistant Post-Tensioned Connections to Concrete Filled HSS Columns. , 2007, , 1.		1
107	Experimental Behavior and Performance Evaluation of a Large-Scale Composite MRF System under Seismic Loading. , 2007, , 1.		0
108	Seismic Response and Performance of Buckling-Restrained Braced Frames. Journal of Structural Engineering, 2007, 133, 1195-1204.	3.4	151

#	ARTICLE	IF	CITATIONS
109	Rate-Independent and Rate-Dependent Models for Hysteretic Behavior of Elastomers. Journal of Engineering Mechanics - ASCE, 2007, 133, 1162-1170.	2.9	8
110	Implementation of Real-Time Hybrid Pseudodynamic Test Method for Evaluating Seismic Hazard Mitigation Measures. , 2007, , .		1
111	Behavior and Design of Posttensioned Steel Frame Systems. Journal of Structural Engineering, 2007, 133, 389-399.	3.4	217
112	Experimental Evaluation of a Large-Scale Buckling-Restrained Braced Frame. Journal of Structural Engineering, 2007, 133, 1205-1214.	3.4	266
113	Stability and accuracy analysis of outer loop dynamics in real-time pseudodynamic testing of SDOF systems. Earthquake Engineering and Structural Dynamics, 2007, 36, 1523-1543.	4.4	74
114	Seismic Performance of Reduced Beam Section Moment Connections to Deep Columns. , 2006, , 1.		1
115	Experimental Evaluation of Reduced Beam Section Connections to Deep Columns. Journal of Structural Engineering, 2006, 132, 346-357.	3.4	75
116	Seismic Behavior of Reduced Beam Section Moment Connections to Deep Columns. Journal of Structural Engineering, 2006, 132, 358-367.	3.4	30
117	Modified predictor-corrector numerical scheme for real-time pseudo dynamic tests using state-space formulation. Earthquake Engineering and Structural Dynamics, 2005, 34, 271-288.	4.4	33
118	Simplified design procedure for frame buildings with viscoelastic or elastomeric structural dampers. Earthquake Engineering and Structural Dynamics, 2005, 34, 1271-1284.	4.4	59
119	Review of selected recent research on US seismic design and retrofit strategies for steel structures. Structural Control and Health Monitoring, 2005, 7, 103-114.	0.7	7
120	Seismic damage reduction of steel moment resisting frames using post-tensioning and friction dampers. , 2005, , 1247-1252.		0
121	Seismic Performance of Post-tensioned Steel Moment Resisting Frames With Friction Devices. Journal of Structural Engineering, 2005, 131, 529-540.	3.4	231
122	Experimental Studies of Full-Scale Posttensioned Steel Connections. Journal of Structural Engineering, 2005, 131, 438-448.	3.4	235
123	Seismic Behavior and Design of High-Strength Square Concrete-Filled Steel Tube Beam Columns. Journal of Structural Engineering, 2004, 130, 169-179.	3.4	143
124	Ductility demands on buckling-restrained braced frames under earthquake loading. Earthquake Engineering and Engineering Vibration, 2003, 2, 255-268.	2.3	52
125	Ductile details for welded unreinforced moment connections subject to inelastic cyclic loading. Engineering Structures, 2003, 25, 667-680.	5.3	39
126	Cyclic Load Tests and Analysis of Bolted Top-and-Seat Angle Connections. Journal of Structural Engineering, 2003, 129, 1615-1625.	3.4	100

#	ARTICLE	IF	CITATIONS
127	Closure to "Experimental Behavior of High Strength Square Concrete-Filled Steel Tube Beam-Columns" by Amit H. Varma, James M. Ricles, Richard Sause, and Le-We Lu. Journal of Structural Engineering, 2003, 129, 1286-1286.	3.4	1
128	Behavior and Strength of Partially Encased Composite Columns with Built-up Shapes. Journal of Structural Engineering, 2002, 128, 279-288.	3.4	62
129	Experimental Behavior of High Strength Square Concrete-Filled Steel Tube Beam-Columns. Journal of Structural Engineering, 2002, 128, 309-318.	3.4	164
130	Experimental Evaluation of Earthquake Resistant Posttensioned Steel Connections. Journal of Structural Engineering, 2002, 128, 850-859.	3.4	241
131	Inelastic Cyclic Testing of Welded Unreinforced Moment Connections. Journal of Structural Engineering, 2002, 128, 429-440.	3.4	73
132	Development of improved welded moment connections for earthquake-resistant design. Journal of Constructional Steel Research, 2002, 58, 565-604.	3.9	82
133	Seismic behavior and modeling of high-strength composite concrete-filled steel tube (CFT) beam-columns. Journal of Constructional Steel Research, 2002, 58, 725-758.	3.9	228
134	Strength and ductility of HPS flexural members. Journal of Constructional Steel Research, 2002, 58, 907-941.	3.9	55
135	Effect of Local Details on Ductility of Welded Moment Connections. Journal of Structural Engineering, 2001, 127, 1036-1044.	3.4	73
136	Posttensioned Seismic-Resistant Connections for Steel Frames. Journal of Structural Engineering, 2001, 127, 113-121.	3.4	445
137	Axial Behavior of Reinforced Concrete Columns Confined with FRP Jackets. Journal of Composites for Construction, 2001, 5, 237-245.	3.2	432
138	Critical issues in achieving ductile behaviour of welded moment connections. Journal of Constructional Steel Research, 2000, 55, 325-341.	3.9	42
139	Damage Detection in Structures by Modal Vibration Characterization. Journal of Structural Engineering, 1999, 125, 1384-1392.	3.4	76
140	High-strength steel: implications of material and geometric characteristics on inelastic flexural behavior. Engineering Structures, 1998, 20, 323-335.	5.3	78
141	Modeling Nonductile R/C Columns for Seismic Analysis of Bridges. Journal of Structural Engineering, 1998, 124, 415-425.	3.4	26
142	The Fractional Order Elastic-Viscoelastic Equations of Motion: Formulation and Solution Methods. Journal of Intelligent Material Systems and Structures, 1998, 9, 489-502.	2.5	16
143	Grout Repair of Dent-Damaged Steel Marine Tubulars. Journal of Waterway, Port, Coastal and Ocean Engineering, 1996, 122, 110-117.	1.2	1
144	Seismic Performance of Steel-Encased Composite Columns. Journal of Structural Engineering, 1994, 120, 2474-2494.	3.4	109

#	ARTICLE	IF	CITATIONS
145	Real-Time Hybrid Simulation of a Steel MRF with Large Scale Passive Magneto-Rheological Fluid Dampers under Selected Ground Motions. <i>Advanced Materials Research</i> , 0, 243-249, 3962-3965.	0.3	0
146	Computational Challenges in Real-Time Hybrid Simulation of Tall Buildings under Multiple Natural Hazards. <i>Key Engineering Materials</i> , 0, 763, 566-575.	0.4	4
147	Seismic Performance of Steel MRF Structures with Nonlinear Viscous Dampers from Real-Time Hybrid Simulations. <i>Key Engineering Materials</i> , 0, 763, 967-974.	0.4	3