Qingbo Guan

List of Publications by Citations

Source: https://exaly.com/author-pdf/3137328/qingbo-guan-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

61 1,063 21 31 g-index

66 1,438 4.4 4.4 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
61	New perspectives of physiological and pathological functions of nucleolin (NCL). <i>Life Sciences</i> , 2017 , 186, 1-10	6.8	102
60	MON-016 Maternal Hyperuricemia Superimposed on Maternal Hypertension Aggravates the Risk of Small-for-Gestational-Age Fetus. <i>Journal of the Endocrine Society</i> , 2019 , 3,	0.4	78
59	SUN-216 High Fat Diet Regulate Energy Metabolism of Sertoli Cells. <i>Journal of the Endocrine Society</i> , 2019 , 3,	0.4	78
58	Prevalence, awareness, treatment and control of diabetes mellitus among middle-aged and elderly people in a rural Chinese population: A cross-sectional study. <i>PLoS ONE</i> , 2018 , 13, e0198343	3.7	68
57	Thyrotropin increases hepatic triglyceride content through upregulation of SREBP-1c activity. <i>Journal of Hepatology</i> , 2014 , 61, 1358-64	13.4	63
56	Follicle-Stimulating Hormone Increases the Risk of Postmenopausal Osteoporosis by Stimulating Osteoclast Differentiation. <i>PLoS ONE</i> , 2015 , 10, e0134986	3.7	40
55	Hydrogen sulfide protects against high-glucose-induced apoptosis in endothelial cells. <i>Journal of Cardiovascular Pharmacology</i> , 2012 , 59, 188-93	3.1	39
54	Thyrotropin and obesity: increased adipose triglyceride content through glycerol-3-phosphate acyltransferase 3. <i>Scientific Reports</i> , 2015 , 5, 7633	4.9	37
53	The relationship between endogenous testosterone and lipid profile in middle-aged and elderly Chinese men. <i>European Journal of Endocrinology</i> , 2014 , 170, 487-94	6.5	33
52	Benefits of Levothyroxine Replacement Therapy on Nonalcoholic Fatty Liver Disease in Subclinical Hypothyroidism Patients. <i>International Journal of Endocrinology</i> , 2017 , 2017, 5753039	2.7	29
51	Blocking FSH inhibits hepatic cholesterol biosynthesis and reduces serum cholesterol. <i>Cell Research</i> , 2019 , 29, 151-166	24.7	29
50	Hydrogen sulfide improves diabetic wound healing in ob/ob mice via attenuating inflammation. <i>Journal of Diabetes and Its Complications</i> , 2017 , 31, 1363-1369	3.2	28
49	The lipid-lowering effect of levothyroxine in patients with subclinical hypothyroidism: A systematic review and meta-analysis of randomized controlled trials. <i>Clinical Endocrinology</i> , 2017 , 87, 1-9	3.4	26
48	The Orphan Nuclear Receptor NR4A1 Protects Pancreatic Ecells from Endoplasmic Reticulum (ER) Stress-mediated Apoptosis. <i>Journal of Biological Chemistry</i> , 2015 , 290, 20687-20699	5.4	26
47	Association of maternal serum lipids at late gestation with the risk of neonatal macrosomia in women without diabetes mellitus. <i>Lipids in Health and Disease</i> , 2018 , 17, 78	4.4	26
46	Metformin Improves Fertility in Obese Males by Alleviating Oxidative Stress-Induced Blood-Testis Barrier Damage. <i>Oxidative Medicine and Cellular Longevity</i> , 2019 , 2019, 9151067	6.7	25
45	A Worthy Finding: Decrease in Total Cholesterol and Low-Density Lipoprotein Cholesterol in Treated Mild Subclinical Hypothyroidism. <i>Thyroid</i> , 2016 , 26, 1019-29	6.2	25

(2018-2017)

44	The Effect of Aromatase on the Reproductive Function of Obese Males. <i>Hormone and Metabolic Research</i> , 2017 , 49, 572-579	3.1	25	
43	Hydrogen sulfide suppresses high glucose-induced expression of intercellular adhesion molecule-1 in endothelial cells. <i>Journal of Cardiovascular Pharmacology</i> , 2013 , 62, 278-84	3.1	24	
42	Involvement of CSE/ H2S in high glucose induced aberrant secretion of adipokines in 3T3-L1 adipocytes. <i>Lipids in Health and Disease</i> , 2014 , 13, 155	4.4	22	
41	Free triiodothyronine levels are positively associated with non-alcoholic fatty liver disease in euthyroid middle-aged subjects. <i>Endocrine Research</i> , 2015 , 40, 188-93	1.9	21	
40	Cytochrome P450 (CYP) epoxygenases as potential targets in the management of impaired diabetic wound healing. <i>Laboratory Investigation</i> , 2017 , 97, 782-791	5.9	18	
39	Salvianolic acid B accelerated ABCA1-dependent cholesterol efflux by targeting PPAR-tand LXR Biochemical and Biophysical Research Communications, 2015, 462, 233-8	3.4	18	
38	The stress-response molecule NR4A1 resists ROS-induced pancreatic Etells apoptosis via WT1. <i>Cellular Signalling</i> , 2017 , 35, 129-139	4.9	17	
37	HC diet inhibited testosterone synthesis by activating endoplasmic reticulum stress in testicular Leydig cells. <i>Journal of Cellular and Molecular Medicine</i> , 2019 , 23, 3140-3150	5.6	16	
36	Identification of two novel mutations in SLC12A3 gene in two Chinese pedigrees with Gitelman syndrome and review of literature. <i>Clinical Endocrinology</i> , 2015 , 83, 985-93	3.4	13	
35	High glucose induces the release of endothelin-1 through the inhibition of hydrogen sulfide production in HUVECs. <i>International Journal of Molecular Medicine</i> , 2015 , 35, 810-4	4.4	13	
34	Effects of hydrogen sulfide on high glucose-induced glomerular podocyte injury in mice. <i>International Journal of Clinical and Experimental Pathology</i> , 2015 , 8, 6814-20	1.4	11	
33	High fat diet impairs spermatogenesis by regulating glucose and lipid metabolism in Sertoli cells. Life Sciences, 2020 , 257, 118028	6.8	10	
32	Expression of FSHR in chondrocytes and the effect of FSH on chondrocytes. <i>Biochemical and Biophysical Research Communications</i> , 2018 , 495, 587-593	3.4	10	
31	Physical Activity Patterns and Risk of Type 2 Diabetes and Metabolic Syndrome in Middle-Aged and Elderly Northern Chinese Adults. <i>Journal of Diabetes Research</i> , 2018 , 2018, 7198274	3.9	9	
30	Different Contributions of Dyslipidemia and Obesity to the Natural History of Type 2 Diabetes: 3-Year Cohort Study in China. <i>Journal of Diabetes Research</i> , 2019 , 2019, 4328975	3.9	7	
29	Genotype-phenotype correlation study and mutational and hormonal analysis in a Chinese cohort with 21-hydroxylase deficiency. <i>Molecular Genetics & Enomic Medicine</i> , 2019 , 7, e671	2.3	7	
28	Natural history of mild subclinical hypothyroidism in a middle-aged and elderly Chinese population: a prospective study. <i>Endocrine Journal</i> , 2017 , 64, 437-447	2.9	7	
27	Genetic association of AKR1B1 gene polymorphism rs759853 with diabetic retinopathy risk: A meta-analysis. <i>Gene</i> , 2018 , 676, 73-78	3.8	7	

26	Hypercholesterolaemia increases the risk of high-turnover osteoporosis in men. <i>Molecular Medicine Reports</i> , 2019 , 19, 4603-4612	2.9	6
25	Causal Effects of Overall and Abdominal Obesity on Insulin Resistance and the Risk of Type 2 Diabetes Mellitus: A Two-Sample Mendelian Randomization Study. <i>Frontiers in Genetics</i> , 2020 , 11, 603	4.5	6
24	Non-high-density lipoprotein cholesterol is more informative than traditional cholesterol indices in predicting diabetes risk for women with normal glucose tolerance. <i>Journal of Diabetes Investigation</i> , 2018 , 9, 1304-1311	3.9	6
23	Cyclophilin D participates in the inhibitory effect of high-fat diet on the expression of steroidogenic acute regulatory protein. <i>Journal of Cellular and Molecular Medicine</i> , 2019 , 23, 6859-6871	5.6	6
22	Increased intermediate monocyte fraction in peripheral blood is associated with nonalcoholic fatty liver disease. <i>Wiener Klinische Wochenschrift</i> , 2018 , 130, 390-397	2.3	6
21	Nonalcoholic fatty liver disease represents a greater metabolic burden in patients with atherosclerosis: A cross-sectional study. <i>Medicine (United States)</i> , 2019 , 98, e14896	1.8	5
20	High Circulating Follicle-Stimulating Hormone Level Is a Potential Risk Factor for Renal Dysfunction in Post-Menopausal Women. <i>Frontiers in Endocrinology</i> , 2021 , 12, 627903	5.7	4
19	Effects of 59029G/A polymorphism on the risk to diabetic nephropathy. <i>Oncotarget</i> , 2017 , 8, 106926-10	06934	3
18	Impaired secretion of active GLP-1 in patients with hypertriglyceridaemia: A novel lipotoxicity paradigm?. <i>Diabetes/Metabolism Research and Reviews</i> , 2018 , 34, e2964	7.5	3
17	Clinical and molecular characterization of 5E eductase type 2 deficiency due to mutations (p.Q6X, p.R246Q) in SRD5A2 gene. <i>Endocrine Journal</i> , 2018 , 65, 645-655	2.9	3
16	Successful Management of Recurrent Subacute Thyroiditis by Adding Colchicine to Glucocorticoid Treatment: A Case Series Study. <i>Hormone and Metabolic Research</i> , 2020 , 52, 712-717	3.1	2
15	Association Between Forearm Bone Mineral Density and Metabolic Obesity in a Northern Chinese Population. <i>Metabolic Syndrome and Related Disorders</i> , 2020 , 18, 251-259	2.6	2
14	Viscus fat area contributes to the Framingham 10-year general cardiovascular disease risk in patients with type 2 diabetes mellitus. <i>Life Sciences</i> , 2019 , 220, 69-75	6.8	1
13	Identification of a novel compound heterozygous mutation of the CYP21A2 gene causing 21-hydroxylase deficiency in a Chinese pedigree. <i>Molecular Medicine Reports</i> , 2018 , 17, 4265-4272	2.9	1
12	Genetic and Epigenetic Characteristics of Autosomal Dominant Pseudohypoparathyroidism Type 1B: Case Reports and Literature Review. <i>Hormone and Metabolic Research</i> , 2021 , 53, 225-235	3.1	1
11	Bioavailable testosterone level is associated with COVID-19 severity in female: A sex-stratified Mendelian randomization study <i>Journal of Infection</i> , 2022 ,	18.9	1
10	Multifactorial Intervention on Type 2 Diabetes (MIDiab) Study: A multicenter, open-label, randomized, parallel controlled, community trial. <i>Journal of Diabetes</i> , 2020 , 12, 862-864	3.8	О
9	Association of Metabolic Obesity Phenotypes and Total Testosterone in Chinese Male Population. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2021 , 14, 399-408	3.4	O

LIST OF PUBLICATIONS

8	Restoring Impaired Fertility Through Diet: Observations of Switching From High-Fat Diet During Puberty to Normal Diet in Adulthood Among Obese Male Mice <i>Frontiers in Endocrinology</i> , 2022 , 13, 83	39 0 374 °
7	Maternal hyperuricemia superimposed on maternal hypertension aggravates the risk of small-for-gestational-age fetus. <i>Life Sciences</i> , 2019 , 228, 215-220	6.8
6	Thyroid function modifies the association between ratio of triglyceride to high-density lipoprotein cholesterol and renal function: a multicenter cross-sectional study. <i>Scientific Reports</i> , 2015 , 5, 11052	4.9
5	Serum cystatin C levels are decreased in type 1 diabetes mellitus patients with diabetic ketoacidosis. <i>Minerva Endocrinologica</i> , 2020 , 45, 106-116	1.9
4	Effects of increasing intake of soybean oil on synthesis of testosterone in Leydig cells. <i>Nutrition and Metabolism</i> , 2021 , 18, 53	4.6
3	Clinical Diagnosis of X-Linked Spondyloepiphyseal Dysplasia Tarda and a Novel Missense Mutation in the Sedlin Gene (SEDL). <i>International Journal of Endocrinology</i> , 2018 , 2018, 8263136	2.7
2	The Predictability of Cystatin C for Peripheral Arterial Disease in Chinese Population with Type 2 Diabetes Mellitus <i>Journal of Diabetes Research</i> , 2022 , 2022, 5064264	3.9
1	Correlation Between Gut Microbiota and Testosterone in Male Patients With Type 2 Diabetes Mellitus <i>Frontiers in Endocrinology</i> , 2022 , 13, 836485	5.7