

Li-Ping Zhu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3139192/publications.pdf>

Version: 2024-02-01

103
papers

6,384
citations

66343

42
h-index

66911

78
g-index

103
all docs

103
docs citations

103
times ranked

6342
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Surface Characteristics of a Self-Polymerized Dopamine Coating Deposited on Hydrophobic Polymer Films. <i>Langmuir</i> , 2011, 27, 14180-14187. | 3.5 | 639 |
| 2 | A facile method of surface modification for hydrophobic polymer membranes based on the adhesive behavior of poly(DOPA) and poly(dopamine). <i>Journal of Membrane Science</i> , 2009, 327, 244-253. | 8.2 | 582 |
| 3 | Antifouling and Antimicrobial Polymer Membranes Based on Bioinspired Polydopamine and Strong Hydrogen-Bonded Poly(<i>N</i> -vinyl pyrrolidone). <i>ACS Applied Materials & Interfaces</i> , 2013, 5, 12895-12904. | 8.0 | 340 |
| 4 | Surface modification of PE porous membranes based on the strong adhesion of polydopamine and covalent immobilization of heparin. <i>Journal of Membrane Science</i> , 2010, 364, 194-202. | 8.2 | 315 |
| 5 | Fabrication and characterization of a novel TiO ₂ nanoparticle self-assembly membrane with improved fouling resistance. <i>Journal of Membrane Science</i> , 2009, 326, 659-666. | 8.2 | 243 |
| 6 | Immobilization of bovine serum albumin onto porous polyethylene membranes using strongly attached polydopamine as a spacer. <i>Colloids and Surfaces B: Biointerfaces</i> , 2011, 86, 111-118. | 5.0 | 187 |
| 7 | Improving the hydrophilicity and fouling-resistance of polysulfone ultrafiltration membranes via surface zwitterionization mediated by polysulfone-based triblock copolymer additive. <i>Journal of Membrane Science</i> , 2013, 440, 40-47. | 8.2 | 176 |
| 8 | Surface modification of PVDF porous membranes via poly(DOPA) coating and heparin immobilization. <i>Colloids and Surfaces B: Biointerfaces</i> , 2009, 69, 152-155. | 5.0 | 175 |
| 9 | Hydrophilic and anti-fouling polyethersulfone ultrafiltration membranes with poly(2-hydroxyethyl) Tj ETQq1 1 0.784314 rgBT /Overlock 147 | 8.2 | 147 |
| 10 | Polysulfone-based amphiphilic polymer for hydrophilicity and fouling-resistant modification of polyethersulfone membranes. <i>Journal of Membrane Science</i> , 2010, 365, 25-33. | 8.2 | 138 |
| 11 | Anti-fouling and anti-bacterial polyethersulfone membranes quaternized from the additive of poly(2-dimethylamino ethyl methacrylate) grafted SiO ₂ nanoparticles. <i>Journal of Materials Chemistry A</i> , 2014, 2, 15566. | 10.3 | 137 |
| 12 | Improved thermal and electrochemical performances of PMMA modified PE separator skeleton prepared via dopamine-initiated ATRP for lithium ion batteries. <i>Journal of Membrane Science</i> , 2013, 437, 160-168. | 8.2 | 122 |
| 13 | Improved hydrodynamic permeability and antifouling properties of poly(vinylidene fluoride) membranes using polydopamine nanoparticles as additives. <i>Journal of Membrane Science</i> , 2014, 457, 73-81. | 8.2 | 117 |
| 14 | A crosslinked β-cyclodextrin polymer used for rapid removal of a broad-spectrum of organic micropollutants from water. <i>Carbohydrate Polymers</i> , 2017, 177, 224-231. | 10.2 | 107 |
| 15 | Zwitterionic hydrogel thin films as antifouling surface layers of polyethersulfone ultrafiltration membranes anchored via reactive copolymer additive. <i>Journal of Membrane Science</i> , 2014, 470, 148-158. | 8.2 | 93 |
| 16 | Poly(<i>N</i> -isopropylacrylamide) grafted poly(vinylidene fluoride) copolymers for temperature-sensitive membranes. <i>Journal of Membrane Science</i> , 2011, 366, 176-183. | 8.2 | 87 |
| 17 | Structures and antifouling properties of polyvinyl chloride/poly(methyl Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 107 Td (methacrylate) Journal of Membrane Science, 2017, 524, 235-244. | 8.2 | 85 |
| 18 | Hydrophilic nanofiltration membranes with self-polymerized and strongly-adhered polydopamine as separating layer. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2012, 30, 152-163. | 3.8 | 82 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Versatile antifouling polyethersulfone filtration membranes modified via surface grafting of zwitterionic polymers from a reactive amphiphilic copolymer additive. <i>Journal of Colloid and Interface Science</i> , 2015, 448, 380-388. | 9.4 | 81 |
| 20 | Tethering hydrophilic polymer brushes onto PPESK membranes via surface-initiated atom transfer radical polymerization. <i>Journal of Membrane Science</i> , 2008, 320, 407-415. | 8.2 | 73 |
| 21 | A novel positively charged nanofiltration membrane prepared from N,N-dimethylaminoethyl methacrylate by quaternization cross-linking. <i>Journal of Membrane Science</i> , 2011, 374, 33-42. | 8.2 | 72 |
| 22 | Amphiphilic ABA copolymers used for surface modification of polysulfone membranes, Part 1: Molecular design, synthesis, and characterization. <i>Polymer</i> , 2008, 49, 3256-3264. | 3.8 | 67 |
| 23 | High permselectivity hyperbranched polyester/polyamide ultrathin films with nanoscale heterogeneity. <i>Journal of Materials Chemistry A</i> , 2017, 5, 7876-7884. | 10.3 | 63 |
| 24 | Hydrophilic polymers of intrinsic microporosity as water transport nanochannels of highly permeable thin-film nanocomposite membranes used for antibiotic desalination. <i>Journal of Membrane Science</i> , 2019, 592, 117375. | 8.2 | 61 |
| 25 | A readily modified polyethersulfone with amino-substituted groups: Its amphiphilic copolymer synthesis and membrane application. <i>Polymer</i> , 2012, 53, 350-358. | 3.8 | 60 |
| 26 | Interfacially crosslinked composite porous membranes for ultrafast removal of anionic dyes from water through permeating adsorption. <i>Journal of Hazardous Materials</i> , 2017, 337, 217-225. | 12.4 | 60 |
| 27 | Tannic acid/polyethyleneimine-decorated polypropylene separators for Li-Ion batteries and the role of the interfaces between separator and electrolyte. <i>Electrochimica Acta</i> , 2018, 275, 25-31. | 5.2 | 60 |
| 28 | Electrolyte-responsive polyethersulfone membranes with zwitterionic polyethersulfone-based copolymers as additive. <i>Journal of Membrane Science</i> , 2016, 510, 306-313. | 8.2 | 57 |
| 29 | Positively-charged nanofiltration membrane formed by quaternization and cross-linking of blend PVC/P(DMA-co-MMA) precursors. <i>Journal of Membrane Science</i> , 2015, 492, 187-196. | 8.2 | 56 |
| 30 | Surface zwitterionization of poly(vinylidene fluoride) porous membranes by post-reaction of the amphiphilic precursor. <i>Journal of Membrane Science</i> , 2011, 385-386, 57-66. | 8.2 | 55 |
| 31 | An amphiphobic graphene-based hydrogel as oil-water separator and oil fence material. <i>Chemical Engineering Journal</i> , 2018, 353, 708-716. | 12.7 | 55 |
| 32 | Hierarchically micro-mesoporous β -cyclodextrin polymers used for ultrafast removal of micropollutants from water. <i>Carbohydrate Polymers</i> , 2019, 213, 352-360. | 10.2 | 55 |
| 33 | F127-based multi-block copolymer additives with poly(N,N-dimethylamino-2-ethyl methacrylate) end chains: The hydrophilicity and stimuli-responsive behavior investigation in polyethersulfone membranes modification. <i>Journal of Membrane Science</i> , 2010, 364, 34-42. | 8.2 | 54 |
| 34 | PIM-1 pore-filled thin film composite membranes for tunable organic solvent nanofiltration. <i>Journal of Membrane Science</i> , 2020, 601, 117951. | 8.2 | 54 |
| 35 | Preparation and characterization of improved fouling-resistant PPESK ultrafiltration membranes with amphiphilic PPESK-graft-PEG copolymers as additives. <i>Journal of Membrane Science</i> , 2007, 294, 196-206. | 8.2 | 52 |
| 36 | Incorporating hyperbranched polyester into cross-linked polyamide layer to enhance both permeability and selectivity of nanofiltration membrane. <i>Journal of Membrane Science</i> , 2016, 518, 141-149. | 8.2 | 51 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Interfacially crosslinked β -cyclodextrin polymer composite porous membranes for fast removal of organic micropollutants from water by flow-through adsorption. <i>Journal of Hazardous Materials</i> , 2020, 384, 121187. | 12.4 | 49 |
| 38 | Graphene-based materials for adsorptive removal of pollutants from water and underlying interaction mechanism. <i>Advances in Colloid and Interface Science</i> , 2021, 289, 102360. | 14.7 | 49 |
| 39 | Improving antifouling ability and hemocompatibility of poly(vinylidene fluoride) membranes by polydopamine-mediated ATRP. <i>Journal of Materials Chemistry B</i> , 2015, 3, 7698-7706. | 5.8 | 48 |
| 40 | Highly permeable thin-film nanocomposite membranes embedded with PDA/PEG nanocapsules as water transport channels. <i>Journal of Membrane Science</i> , 2019, 586, 115-121. | 8.2 | 46 |
| 41 | Grafting of styrene/maleic anhydride copolymer onto PVDF membrane by supercritical carbon dioxide: Preparation, characterization and biocompatibility. <i>Journal of Supercritical Fluids</i> , 2008, 45, 374-383. | 3.2 | 45 |
| 42 | Construction of porous coating layer and electrochemical performances of the corresponding modified polyethylene separators for lithium ion batteries. <i>Journal of Applied Polymer Science</i> , 2014, 131, . | 2.6 | 44 |
| 43 | Surface zwitterionization of poly(vinylidene fluoride) membranes from the entrapped reactive core-shell silica nanoparticles. <i>Journal of Colloid and Interface Science</i> , 2016, 468, 110-119. | 9.4 | 44 |
| 44 | An extending of candidate for the hydrophilic modification of polysulfone membranes from the compatibility consideration: The polyethersulfone-based amphiphilic copolymer as an example. <i>Journal of Membrane Science</i> , 2012, 390-391, 48-57. | 8.2 | 43 |
| 45 | Improving the wettability and thermal resistance of polypropylene separators with a thin inorganic-organic hybrid layer stabilized by polydopamine for lithium ion batteries. <i>RSC Advances</i> , 2014, 4, 22501-22508. | 3.6 | 40 |
| 46 | Preparation and characterization of poly (N-vinyl imidazole) gel-filled nanofiltration membranes. <i>Journal of Membrane Science</i> , 2015, 492, 380-391. | 8.2 | 40 |
| 47 | Antifouling properties of poly(vinyl chloride) membranes modified by amphiphilic copolymers P(MMA-b-MAA). <i>Chinese Journal of Polymer Science (English Edition)</i> , 2012, 30, 568-577. | 3.8 | 39 |
| 48 | Improved chlorine resistance of polyamide thin-film composite membranes with a terpolymer coating. <i>Separation and Purification Technology</i> , 2016, 157, 112-119. | 7.9 | 37 |
| 49 | Amphiphilic PPESK-graft-P(PEGMA) copolymer for surface modification of PPESK membranes. <i>Materials Chemistry and Physics</i> , 2009, 115, 223-228. | 4.0 | 36 |
| 50 | Polydopamine Nanotubes Decorated with Ag Nanoparticles as Catalyst for the Reduction of Methylene Blue. <i>ACS Applied Nano Materials</i> , 2020, 3, 156-164. | 5.0 | 36 |
| 51 | Enhancing the Antifouling and Antimicrobial Properties of Poly(ether sulfone) Membranes by Surface Quaternization from a Reactive Poly(ether sulfone) Based Copolymer Additive. <i>Industrial & Engineering Chemistry Research</i> , 2014, 53, 13952-13962. | 3.7 | 35 |
| 52 | Poly (N-vinyl imidazole) gel composite porous membranes for rapid separation of dyes through permeating adsorption. <i>Separation and Purification Technology</i> , 2017, 188, 1-10. | 7.9 | 35 |
| 53 | Ultrathin nanofilm with tailored pore size fabricated by metal-phenolic network for precise and rapid molecular separation. <i>Separation and Purification Technology</i> , 2018, 207, 435-442. | 7.9 | 35 |
| 54 | Route to hemocompatible polyethersulfone membranes via surface aminolysis and heparinization. <i>Journal of Colloid and Interface Science</i> , 2014, 422, 38-44. | 9.4 | 34 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Effect of Lithium Doping on the Structures and CO ₂ Adsorption Properties of Metal-Organic Frameworks HKUST-1. <i>ChemistrySelect</i> , 2018, 3, 12865-12870. | 1.5 | 34 |
| 56 | Macroporous membranes doped with micro-mesoporous β -cyclodextrin polymers for ultrafast removal of organic micropollutants from water. <i>Carbohydrate Polymers</i> , 2019, 222, 114970. | 10.2 | 32 |
| 57 | In-situ incorporating zwitterionic nanocellulose into polyamide nanofiltration membrane towards excellent perm-selectivity and antifouling performances. <i>Desalination</i> , 2022, 521, 115397. | 8.2 | 32 |
| 58 | Controllable thermal annealing of polyimide membranes for highly-precise organic solvent nanofiltration. <i>Journal of Membrane Science</i> , 2022, 643, 120013. | 8.2 | 30 |
| 59 | Preparation of positively charged composite nanofiltration membranes by quaternization crosslinking for precise molecular and ionic separations. <i>Journal of Colloid and Interface Science</i> , 2018, 531, 168-180. | 9.4 | 29 |
| 60 | Symmetrical Permeable Membranes Consisting of Overlapped Block Copolymer Cylindrical Micelles for Nanoparticle Size Fractionation. <i>Macromolecules</i> , 2016, 49, 3343-3351. | 4.8 | 27 |
| 61 | Cost-Effective Strategy for Surface Modification via Complexation of Disassembled Polydopamine with Fe(III) Ions. <i>Langmuir</i> , 2019, 35, 4101-4109. | 3.5 | 26 |
| 62 | Highly permeable polyamide nanofiltration membrane incorporated with phosphorylated nanocellulose for enhanced desalination. <i>Journal of Membrane Science</i> , 2022, 647, 120339. | 8.2 | 26 |
| 63 | Composition and properties of porous blend membranes containing tertiary amine based amphiphilic copolymers with different sequence structures. <i>Journal of Colloid and Interface Science</i> , 2015, 437, 124-131. | 9.4 | 25 |
| 64 | Regenerable adsorptive membranes prepared by mussel-inspired co-deposition for aqueous dye removal. <i>Separation and Purification Technology</i> , 2022, 281, 119876. | 7.9 | 25 |
| 65 | Ionic liquids as co-solvents for zwitterionic copolymers and the preparation of poly(vinylidene fluoride) membranes. <i>Journal of Membrane Science</i> , 2014, 463, 49-57. | 3.8 | 24 |
| 66 | Effects of coagulant pH and ion strength on the dehydration and self-assembly of poly(N-vinylpyrrolidone)/polyethersulfone blend membranes. <i>Journal of Membrane Science</i> , 2014, 463, 49-57. | 8.2 | 24 |
| 67 | Tailoring ultrathin microporous polyamide films with rapid solvent transport by molecular layer-by-layer deposition. <i>Journal of Membrane Science</i> , 2021, 628, 119249. | 8.2 | 24 |
| 68 | Polyphenols assisted silica coating on polypropylene separators with improved wettability and heat-resistance for lithium-ion batteries. <i>Journal of Applied Polymer Science</i> , 2019, 136, 47277. | 2.6 | 23 |
| 69 | Investigation on PVDF-HFP microporous membranes prepared by TIPS process and their application as polymer electrolytes for lithium ion batteries. <i>Ionics</i> , 2009, 15, 469-476. | 2.4 | 22 |
| 70 | Fabrication of superhydrophilic poly(styrene-alt-maleic anhydride)/silica hybrid surfaces on poly(vinylidene fluoride) membranes. <i>Journal of Colloid and Interface Science</i> , 2011, 363, 676-681. | 9.4 | 22 |
| 71 | A facile transesterification route to polysulfone-poly(ethylene glycol) amphiphilic block copolymers with improved protein resistance. <i>Polymer Chemistry</i> , 2014, 5, 2836-2842. | 3.9 | 22 |
| 72 | Poly(N,N-dimethylaminoethyl methacrylate) grafted poly(vinyl chloride)s synthesized via ATRP process and their membranes for dye separation. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2015, 33, 1491-1502. | 3.8 | 22 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Amphiphilic PPESK-g-PEG graft copolymers for hydrophilic modification of PPESK microporous membranes. <i>European Polymer Journal</i> , 2007, 43, 1383-1393. | 5.4 | 21 |
| 74 | Ion Exchange and Antibiofouling Properties of Poly(ether sulfone) Membranes Prepared by the Surface Immobilization of Brønsted Acidic Ionic Liquids via Double-Click Reactions. <i>Langmuir</i> , 2015, 31, 7970-7979. | 3.5 | 21 |
| 75 | Engineering novel thin-film composite membranes with crater-like surface morphology using rigidly-contorted monomer for high flux nanofiltration. <i>Desalination</i> , 2021, 509, 115067. | 8.2 | 21 |
| 76 | An investigation on the antifouling ability of PVDF membranes by polyDOPA coating. <i>Desalination and Water Treatment</i> , 2012, 50, 22-33. | 1.0 | 18 |
| 77 | Molecular separation by poly (N-vinyl imidazole) gel-filled membranes. <i>Journal of Membrane Science</i> , 2016, 497, 472-484. | 8.2 | 18 |
| 78 | Engineering highly transparent UV-shielding films with disassembled polydopamine oligomers as light adsorber. <i>Applied Surface Science</i> , 2021, 550, 149284. | 6.1 | 18 |
| 79 | Polypropylene Glycol: The Hydrophilic Phenomena in the Modification of Polyethersulfone Membranes. <i>Industrial & Engineering Chemistry Research</i> , 2011, 50, 11297-11305. | 3.7 | 17 |
| 80 | Tough poly(L-DOPA)-containing Double Network Hydrogel Beads with High Capacity of Dye Adsorption. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2018, 36, 1251-1261. | 3.8 | 17 |
| 81 | Improving the antifouling property of poly(vinyl chloride) membranes by poly(vinyl Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 422 | 2.6 | 16 |
| 82 | Preparation of PVDF-HFP Microporous Membranes via the Thermally Induced Phase Separation Process. <i>Journal of Macromolecular Science - Physics</i> , 2009, 48, 41-54. | 1.0 | 15 |
| 83 | Hemocompatible and antibacterial porous membranes with heparinized copper hydroxide nanofibers as separation layer. <i>Colloids and Surfaces B: Biointerfaces</i> , 2013, 110, 36-44. | 5.0 | 14 |
| 84 | Hierarchical Self-Assembly of Dopamine into Patterned Structures. <i>Advanced Materials Interfaces</i> , 2017, 4, 1601218. | 3.7 | 13 |
| 85 | In-situ healing of damaged polyethersulfone ultrafiltration membranes with microgels. <i>Journal of Membrane Science</i> , 2022, 647, 120313. | 8.2 | 13 |
| 86 | Fabrication of composite nanofiltration membranes by dopamine-assisted poly(ethylene imine) deposition and cross-linking. <i>Journal of Zhejiang University: Science A</i> , 2017, 18, 138-150. | 2.4 | 11 |
| 87 | Poly (N-vinyl imidazole) gel-filled membrane adsorbers for highly efficient removal of dyes from water. <i>Journal of Chromatography A</i> , 2018, 1563, 198-206. | 3.7 | 11 |
| 88 | Positively charged poly (N-vinyl imidazole) gel-filled loose nanofiltration membranes: Performances and modelling analysis. <i>Journal of Membrane Science</i> , 2021, 625, 118975. | 8.2 | 10 |
| 89 | Effects of the extractant on the hydrophilicity and performance of high-density polyethylene/polyethylene glycol blend membranes prepared via a thermally induced phase separation process. <i>Journal of Applied Polymer Science</i> , 2013, 130, 3816-3824. | 2.6 | 8 |
| 90 | Intrinsically antibacterial thin film composite membranes with supramolecularly assembled lysozyme nanofilm as selective layer for molecular separation. <i>Separation and Purification Technology</i> , 2021, 254, 117585. | 7.9 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Design of One-Dimensional Cadmium Sulfide/Polydopamine Heteronanotube Photocatalysts for Ultrafast Degradation of Antibiotics. <i>Industrial & Engineering Chemistry Research</i> , 2022, 61, 1100-1110. | 3.7 | 8 |
| 92 | Polyarylester thin films with narrowed pore size distribution via metal-phenolic network modulated interfacial polymerization for precise separation. <i>Journal of Membrane Science</i> , 2022, 646, 120263. | 8.2 | 7 |
| 93 | The effects of spinning temperature on morphologies and properties of polyethersulfone hollow fiber membranes. <i>Journal of Applied Polymer Science</i> , 2009, 113, 1701-1709. | 2.6 | 6 |
| 94 | PVDF-HFP Membrane Prepared via TIPS Process as the Matrix of Gel Electrolyte for Lithium Ion Battery. <i>Journal of Macromolecular Science - Physics</i> , 2010, 50, 275-290. | 1.0 | 6 |
| 95 | Enhancing membrane surface antifouling by implanting amphiphilic polymer brushes using a swelling induced entrapment technique. <i>Colloids and Surfaces B: Biointerfaces</i> , 2020, 195, 111212. | 5.0 | 6 |
| 96 | Synthesis of sulfonyl fluorinated macro emulsifier for low surface energy emulsion polymerization application. <i>Journal of Applied Polymer Science</i> , 2017, 134, . | 2.6 | 4 |
| 97 | Supercritical carbon dioxide assisted synthesis of amphiphilic graft copolymers based on poly(styrene-co-maleic anhydride) with methoxyl poly(ethylene glycol) side chains. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2012, 30, 173-180. | 3.8 | 3 |
| 98 | Influences of extractant on the hydrophilicity and performances of HDPE/PEA-PEG blend membranes prepared via thermally induced phase separation (TIPS) process. <i>Journal of Applied Polymer Science</i> , 2013, 130, 2680-2687. | 2.6 | 3 |
| 99 | Influences of the chain structure of PEA-PEG on the properties of PE/PEA-PEG blend membranes prepared by TIPS. <i>Journal of Applied Polymer Science</i> , 2018, 135, 46499. | 2.6 | 3 |
| 100 | Surface/Interfacial design and tailoring of polymeric membranes for liquid-phase separation. <i>Journal of Zhejiang University: Science A</i> , 2021, 22, 85-93. | 2.4 | 2 |
| 101 | Improving aging resistance of PIM-1 thin films by nano-TiO ₂ filler used for robust solvent permeation. <i>Journal of Polymer Science</i> , 2022, 60, 2298-2308. | 3.8 | 2 |
| 102 | Mass transfer enhancement of hollow fiber membrane deoxygenation by Dean vortices. <i>Journal of Zhejiang University: Science A</i> , 2019, 20, 601-613. | 2.4 | 1 |
| 103 | Effects of extra amine sources on the permeability and separation properties of nanofiltration membranes prepared by polydopamine deposition. , 0, 147, 10-19. | | 1 |