

Li-Ping Zhu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3139192/publications.pdf>

Version: 2024-02-01

103
papers

6,384
citations

66343

42
h-index

66911

78
g-index

103
all docs

103
docs citations

103
times ranked

6342
citing authors

#	ARTICLE	IF	CITATIONS
1	Controllable thermal annealing of polyimide membranes for highly-precise organic solvent nanofiltration. <i>Journal of Membrane Science</i> , 2022, 643, 120013.	8.2	30
2	Regenerable adsorptive membranes prepared by mussel-inspired co-deposition for aqueous dye removal. <i>Separation and Purification Technology</i> , 2022, 281, 119876.	7.9	25
3	In-situ incorporating zwitterionic nanocellulose into polyamide nanofiltration membrane towards excellent perm-selectivity and antifouling performances. <i>Desalination</i> , 2022, 521, 115397.	8.2	32
4	Design of One-Dimensional Cadmium Sulfide/Polydopamine Heteronanotube Photocatalysts for Ultrafast Degradation of Antibiotics. <i>Industrial & Engineering Chemistry Research</i> , 2022, 61, 1100-1110.	3.7	8
5	Improving aging resistance of PIM thin films by TiO_2 filler used for robust solvent permeation. <i>Journal of Polymer Science</i> , 2022, 60, 2298-2308.	3.8	2
6	Polyarylester thin films with narrowed pore size distribution via metal-phenolic network modulated interfacial polymerization for precise separation. <i>Journal of Membrane Science</i> , 2022, 646, 120263.	8.2	7
7	In-situ healing of damaged polyethersulfone ultrafiltration membranes with microgels. <i>Journal of Membrane Science</i> , 2022, 647, 120313.	8.2	13
8	Highly permeable polyamide nanofiltration membrane incorporated with phosphorylated nanocellulose for enhanced desalination. <i>Journal of Membrane Science</i> , 2022, 647, 120339.	8.2	26
9	Surface/Interfacial design and tailoring of polymeric membranes for liquid-phase separation. <i>Journal of Zhejiang University: Science A</i> , 2021, 22, 85-93.	2.4	2
10	Positively charged poly (N-vinyl imidazole) gel-filled loose nanofiltration membranes: Performances and modelling analysis. <i>Journal of Membrane Science</i> , 2021, 625, 118975.	8.2	10
11	Intrinsically antibacterial thin film composite membranes with supramolecularly assembled lysozyme nanofilm as selective layer for molecular separation. <i>Separation and Purification Technology</i> , 2021, 254, 117585.	7.9	8
12	Graphene-based materials for adsorptive removal of pollutants from water and underlying interaction mechanism. <i>Advances in Colloid and Interface Science</i> , 2021, 289, 102360.	14.7	49
13	Engineering highly transparent UV-shielding films with disassembled polydopamine oligomers as light adsorber. <i>Applied Surface Science</i> , 2021, 550, 149284.	6.1	18
14	Tailoring ultrathin microporous polyamide films with rapid solvent transport by molecular layer-by-layer deposition. <i>Journal of Membrane Science</i> , 2021, 628, 119249.	8.2	24
15	Engineering novel thin-film composite membranes with crater-like surface morphology using rigidly-contorted monomer for high flux nanofiltration. <i>Desalination</i> , 2021, 509, 115067.	8.2	21
16	Interfacially crosslinked β -cyclodextrin polymer composite porous membranes for fast removal of organic micropollutants from water by flow-through adsorption. <i>Journal of Hazardous Materials</i> , 2020, 384, 121187.	12.4	49
17	Polydopamine Nanotubes Decorated with Ag Nanoparticles as Catalyst for the Reduction of Methylene Blue. <i>ACS Applied Nano Materials</i> , 2020, 3, 156-164.	5.0	36
18	Enhancing membrane surface antifouling by implanting amphiphilic polymer brushes using a swelling induced entrapment technique. <i>Colloids and Surfaces B: Biointerfaces</i> , 2020, 195, 111212.	5.0	6

#	ARTICLE	IF	CITATIONS
19	PIM-1 pore-filled thin film composite membranes for tunable organic solvent nanofiltration. <i>Journal of Membrane Science</i> , 2020, 601, 117951.	8.2	54
20	Mass transfer enhancement of hollow fiber membrane deoxygenation by Dean vortices. <i>Journal of Zhejiang University: Science A</i> , 2019, 20, 601-613.	2.4	1
21	Hydrophilic polymers of intrinsic microporosity as water transport nanochannels of highly permeable thin-film nanocomposite membranes used for antibiotic desalination. <i>Journal of Membrane Science</i> , 2019, 592, 117375.	8.2	61
22	Highly permeable thin-film nanocomposite membranes embedded with PDA/PEG nanocapsules as water transport channels. <i>Journal of Membrane Science</i> , 2019, 586, 115-121.	8.2	46
23	Macroporous membranes doped with micro-mesoporous β -cyclodextrin polymers for ultrafast removal of organic micropollutants from water. <i>Carbohydrate Polymers</i> , 2019, 222, 114970.	10.2	32
24	Hierarchically micro-mesoporous β -cyclodextrin polymers used for ultrafast removal of micropollutants from water. <i>Carbohydrate Polymers</i> , 2019, 213, 352-360.	10.2	55
25	Cost-Effective Strategy for Surface Modification via Complexation of Disassembled Polydopamine with Fe(III) Ions. <i>Langmuir</i> , 2019, 35, 4101-4109.	3.5	26
26	Polyphenols assisted silica coating on polypropylene separators with improved wettability and heat resistance for lithium-ion batteries. <i>Journal of Applied Polymer Science</i> , 2019, 136, 47277.	2.6	23
27	Influences of the chain structure of PEI- <i>b</i> -PEG on the properties of PE/PEI- <i>b</i> -PEG blend membranes prepared by TIPS. <i>Journal of Applied Polymer Science</i> , 2018, 135, 46499.	2.6	3
28	Tannic acid/polyethyleneimine-decorated polypropylene separators for Li-Ion batteries and the role of the interfaces between separator and electrolyte. <i>Electrochimica Acta</i> , 2018, 275, 25-31.	5.2	60
29	Effect of Lithium Doping on the Structures and CO ₂ Adsorption Properties of Metal-Organic Frameworks HKUST-1. <i>ChemistrySelect</i> , 2018, 3, 12865-12870.	1.5	34
30	Tough poly(L-DOPA)-containing Double Network Hydrogel Beads with High Capacity of Dye Adsorption. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2018, 36, 1251-1261.	3.8	17
31	Ultrathin nanofilm with tailored pore size fabricated by metal-phenolic network for precise and rapid molecular separation. <i>Separation and Purification Technology</i> , 2018, 207, 435-442.	7.9	35
32	Preparation of positively charged composite nanofiltration membranes by quaternization crosslinking for precise molecular and ionic separations. <i>Journal of Colloid and Interface Science</i> , 2018, 531, 168-180.	9.4	29
33	An amphiphobic graphene-based hydrogel as oil-water separator and oil fence material. <i>Chemical Engineering Journal</i> , 2018, 353, 708-716.	12.7	55
34	Poly (N-vinyl imidazole) gel-filled membrane adsorbers for highly efficient removal of dyes from water. <i>Journal of Chromatography A</i> , 2018, 1563, 198-206.	3.7	11
35	Hierarchical Self-Assembly of Dopamine into Patterned Structures. <i>Advanced Materials Interfaces</i> , 2017, 4, 1601218.	3.7	13
36	Interfacially crosslinked composite porous membranes for ultrafast removal of anionic dyes from water through permeating adsorption. <i>Journal of Hazardous Materials</i> , 2017, 337, 217-225.	12.4	60

#	ARTICLE	IF	CITATIONS
37	Poly (N-vinyl imidazole) gel composite porous membranes for rapid separation of dyes through permeating adsorption. <i>Separation and Purification Technology</i> , 2017, 188, 1-10.	7.9	35
38	Synthesis of sulfonyl fluorinated macro emulsifier for low surface energy emulsion polymerization application. <i>Journal of Applied Polymer Science</i> , 2017, 134, .	2.6	4
39	Fabrication of composite nanofiltration membranes by dopamine-assisted poly(ethylene imine) deposition and cross-linking. <i>Journal of Zhejiang University: Science A</i> , 2017, 18, 138-150.	2.4	11
40	High permselectivity hyperbranched polyester/polyamide ultrathin films with nanoscale heterogeneity. <i>Journal of Materials Chemistry A</i> , 2017, 5, 7876-7884.	10.3	63
41	A crosslinked β -cyclodextrin polymer used for rapid removal of a broad-spectrum of organic micropollutants from water. <i>Carbohydrate Polymers</i> , 2017, 177, 224-231.	10.2	107
42	Structures and antifouling properties of poly(vinyl chloride)/poly(methyl Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 547 Td (methacrylate)-grafted Journal of Membrane Science, 2017, 524, 235-244.	8.2	85
43	Symmetrical Permeable Membranes Consisting of Overlapped Block Copolymer Cylindrical Micelles for Nanoparticle Size Fractionation. <i>Macromolecules</i> , 2016, 49, 3343-3351.	4.8	27
44	Electrolyte-responsive polyethersulfone membranes with zwitterionic polyethersulfone-based copolymers as additive. <i>Journal of Membrane Science</i> , 2016, 510, 306-313.	8.2	57
45	Incorporating hyperbranched polyester into cross-linked polyamide layer to enhance both permeability and selectivity of nanofiltration membrane. <i>Journal of Membrane Science</i> , 2016, 518, 141-149.	8.2	51
46	Surface zwitterionicalization of poly(vinylidene fluoride) membranes from the entrapped reactive core-shell silica nanoparticles. <i>Journal of Colloid and Interface Science</i> , 2016, 468, 110-119.	9.4	44
47	Improved chlorine resistance of polyamide thin-film composite membranes with a terpolymer coating. <i>Separation and Purification Technology</i> , 2016, 157, 112-119.	7.9	37
48	Molecular separation by poly (N-vinyl imidazole) gel-filled membranes. <i>Journal of Membrane Science</i> , 2016, 497, 472-484.	8.2	18
49	Improving the antifouling property of poly(vinyl chloride) membranes by poly(vinyl Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 262 Journal of Membrane Science, 2016, 510, 166-174.	2.6	16
50	Poly(N,N-dimethylaminoethyl methacrylate) grafted poly(vinyl chloride)s synthesized via ATRP process and their membranes for dye separation. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2015, 33, 1491-1502.	3.8	22
51	Versatile antifouling polyethersulfone filtration membranes modified via surface grafting of zwitterionic polymers from a reactive amphiphilic copolymer additive. <i>Journal of Colloid and Interface Science</i> , 2015, 448, 380-388.	9.4	81
52	Positively-charged nanofiltration membrane formed by quaternization and cross-linking of blend PVC/P(DMA-co-MMA) precursors. <i>Journal of Membrane Science</i> , 2015, 492, 187-196.	8.2	56
53	Ion Exchange and Antibiofouling Properties of Poly(ether sulfone) Membranes Prepared by the Surface Immobilization of Br ⁻ sted Acidic Ionic Liquids via Double-Click Reactions. <i>Langmuir</i> , 2015, 31, 7970-7979.	3.5	21
54	Preparation and characterization of poly (N-vinyl imidazole) gel-filled nanofiltration membranes. <i>Journal of Membrane Science</i> , 2015, 492, 380-391.	8.2	40

#	ARTICLE	IF	CITATIONS
55	Improving antifouling ability and hemocompatibility of poly(vinylidene fluoride) membranes by polydopamine-mediated ATRP. <i>Journal of Materials Chemistry B</i> , 2015, 3, 7698-7706.	5.8	48
56	Composition and properties of porous blend membranes containing tertiary amine based amphiphilic copolymers with different sequence structures. <i>Journal of Colloid and Interface Science</i> , 2015, 437, 124-131.	9.4	25
57	Construction of porous coating layer and electrochemical performances of the corresponding modified polyethylene separators for lithium ion batteries. <i>Journal of Applied Polymer Science</i> , 2014, 131, .	2.6	44
58	Route to hemocompatible polyethersulfone membranes via surface aminolysis and heparinization. <i>Journal of Colloid and Interface Science</i> , 2014, 422, 38-44.	9.4	34
59	Hydrophilic and anti-fouling polyethersulfone ultrafiltration membranes with poly(2-hydroxyethyl) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 302	8.2	147
60	Improved hydrodynamic permeability and antifouling properties of poly(vinylidene fluoride) membranes using polydopamine nanoparticles as additives. <i>Journal of Membrane Science</i> , 2014, 457, 73-81.	8.2	117
61	A facile transesterification route to polysulfone-poly(ethylene glycol) amphiphilic block copolymers with improved protein resistance. <i>Polymer Chemistry</i> , 2014, 5, 2836-2842.	3.9	22
62	Anti-fouling and anti-bacterial polyethersulfone membranes quaternized from the additive of poly(2-dimethylamino ethyl methacrylate) grafted SiO ₂ nanoparticles. <i>Journal of Materials Chemistry A</i> , 2014, 2, 15566.	10.3	137
63	Improving the wettability and thermal resistance of polypropylene separators with a thin inorganic-organic hybrid layer stabilized by polydopamine for lithium ion batteries. <i>RSC Advances</i> , 2014, 4, 22501-22508.	3.6	40
64	Enhancing the Antifouling and Antimicrobial Properties of Poly(ether sulfone) Membranes by Surface Quaternization from a Reactive Poly(ether sulfone) Based Copolymer Additive. <i>Industrial & Engineering Chemistry Research</i> , 2014, 53, 13952-13962.	3.7	35
65	Zwitterionic hydrogel thin films as antifouling surface layers of polyethersulfone ultrafiltration membranes anchored via reactive copolymer additive. <i>Journal of Membrane Science</i> , 2014, 470, 148-158.	8.2	93
66	Ionic liquids as co-solvents for zwitterionic copolymers and the preparation of poly(vinylidene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 302	8.8	24
67	Effects of coagulant pH and ion strength on the dehydration and self-assembly of poly(N, Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 302 polyethersulfone blend membranes. <i>Journal of Membrane Science</i> , 2014, 463, 49-57.	8.2	24
68	Effects of the extractant on the hydrophilicity and performance of high-density polyethylene/polyethylene- <i>co</i> -poly(ethylene glycol) blend membranes prepared via a thermally induced phase separation process. <i>Journal of Applied Polymer Science</i> , 2013, 130, 3816-3824.	2.6	8
69	Hemocompatible and antibacterial porous membranes with heparinized copper hydroxide nanofibers as separation layer. <i>Colloids and Surfaces B: Biointerfaces</i> , 2013, 110, 36-44.	5.0	14
70	Improved thermal and electrochemical performances of PMMA modified PE separator skeleton prepared via dopamine-initiated ATRP for lithium ion batteries. <i>Journal of Membrane Science</i> , 2013, 437, 160-168.	8.2	122
71	Improving the hydrophilicity and fouling-resistance of polysulfone ultrafiltration membranes via surface zwitterionization mediated by polysulfone-based triblock copolymer additive. <i>Journal of Membrane Science</i> , 2013, 440, 40-47.	8.2	176
72	Antifouling and Antimicrobial Polymer Membranes Based on Bioinspired Polydopamine and Strong Hydrogen-Bonded Poly(<i>N</i> -vinyl pyrrolidone). <i>ACS Applied Materials & Interfaces</i> , 2013, 5, 12895-12904.	8.0	340

#	ARTICLE	IF	CITATIONS
73	Influences of extractant on the hydrophilicity and performances of HDPE/PEA-PEG blend membranes prepared via thermally induced phase separation (TIPS) process. <i>Journal of Applied Polymer Science</i> , 2013, 130, 2680-2687.	2.6	3
74	An investigation on the antifouling ability of PVDF membranes by polyDOPA coating. <i>Desalination and Water Treatment</i> , 2012, 50, 22-33.	1.0	18
75	Antifouling properties of poly(vinyl chloride) membranes modified by amphiphilic copolymers P(MMA-b-MAA). <i>Chinese Journal of Polymer Science (English Edition)</i> , 2012, 30, 568-577.	3.8	39
76	An extending of candidate for the hydrophilic modification of polysulfone membranes from the compatibility consideration: The polyethersulfone-based amphiphilic copolymer as an example. <i>Journal of Membrane Science</i> , 2012, 390-391, 48-57.	8.2	43
77	A readily modified polyethersulfone with amino-substituted groups: Its amphiphilic copolymer synthesis and membrane application. <i>Polymer</i> , 2012, 53, 350-358.	3.8	60
78	Hydrophilic nanofiltration membranes with self-polymerized and strongly-adhered polydopamine as separating layer. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2012, 30, 152-163.	3.8	82
79	Supercritical carbon dioxide assisted synthesis of amphiphilic graft copolymers based on poly(styrene-co-maleic anhydride) with methoxyl poly(ethylene glycol) side chains. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2012, 30, 173-180.	3.8	3
80	Polypropylene Glycol: The Hydrophilic Phenomena in the Modification of Polyethersulfone Membranes. <i>Industrial & Engineering Chemistry Research</i> , 2011, 50, 11297-11305.	3.7	17
81	Surface Characteristics of a Self-Polymerized Dopamine Coating Deposited on Hydrophobic Polymer Films. <i>Langmuir</i> , 2011, 27, 14180-14187.	3.5	639
82	Surface zwitterionization of poly(vinylidene fluoride) porous membranes by post-reaction of the amphiphilic precursor. <i>Journal of Membrane Science</i> , 2011, 385-386, 57-66.	8.2	55
83	Fabrication of superhydrophilic poly(styrene-alt-maleic anhydride)/silica hybrid surfaces on poly(vinylidene fluoride) membranes. <i>Journal of Colloid and Interface Science</i> , 2011, 363, 676-681.	9.4	22
84	Immobilization of bovine serum albumin onto porous polyethylene membranes using strongly attached polydopamine as a spacer. <i>Colloids and Surfaces B: Biointerfaces</i> , 2011, 86, 111-118.	5.0	187
85	Poly(N-isopropylacrylamide) grafted poly(vinylidene fluoride) copolymers for temperature-sensitive membranes. <i>Journal of Membrane Science</i> , 2011, 366, 176-183.	8.2	87
86	A novel positively charged nanofiltration membrane prepared from N,N-dimethylaminoethyl methacrylate by quaternization cross-linking. <i>Journal of Membrane Science</i> , 2011, 374, 33-42.	8.2	72
87	Surface modification of PE porous membranes based on the strong adhesion of polydopamine and covalent immobilization of heparin. <i>Journal of Membrane Science</i> , 2010, 364, 194-202.	8.2	315
88	F127-based multi-block copolymer additives with poly(N,N-dimethylamino-2-ethyl methacrylate) end chains: The hydrophilicity and stimuli-responsive behavior investigation in polyethersulfone membranes modification. <i>Journal of Membrane Science</i> , 2010, 364, 34-42.	8.2	54
89	Polysulfone-based amphiphilic polymer for hydrophilicity and fouling-resistant modification of polyethersulfone membranes. <i>Journal of Membrane Science</i> , 2010, 365, 25-33.	8.2	138
90	PVDF-HFP Membrane Prepared via TIPS Process as the Matrix of Gel Electrolyte for Lithium Ion Battery. <i>Journal of Macromolecular Science - Physics</i> , 2010, 50, 275-290.	1.0	6

#	ARTICLE	IF	CITATIONS
91	Preparation of PVDF-HFP Microporous Membranes via the Thermally Induced Phase Separation Process. <i>Journal of Macromolecular Science - Physics</i> , 2009, 48, 41-54.	1.0	15
92	Amphiphilic PPESK-graft-P(PEGMA) copolymer for surface modification of PPESK membranes. <i>Materials Chemistry and Physics</i> , 2009, 115, 223-228.	4.0	36
93	The effects of spinning temperature on morphologies and properties of polyethersulfone hollow fiber membranes. <i>Journal of Applied Polymer Science</i> , 2009, 113, 1701-1709.	2.6	6
94	Fabrication and characterization of a novel TiO ₂ nanoparticle self-assembly membrane with improved fouling resistance. <i>Journal of Membrane Science</i> , 2009, 326, 659-666.	8.2	243
95	A facile method of surface modification for hydrophobic polymer membranes based on the adhesive behavior of poly(DOPA) and poly(dopamine). <i>Journal of Membrane Science</i> , 2009, 327, 244-253.	8.2	582
96	Investigation on PVDF-HFP microporous membranes prepared by TIPS process and their application as polymer electrolytes for lithium ion batteries. <i>Ionics</i> , 2009, 15, 469-476.	2.4	22
97	Surface modification of PVDF porous membranes via poly(DOPA) coating and heparin immobilization. <i>Colloids and Surfaces B: Biointerfaces</i> , 2009, 69, 152-155.	5.0	175
98	Amphiphilic ABA copolymers used for surface modification of polysulfone membranes, Part 1: Molecular design, synthesis, and characterization. <i>Polymer</i> , 2008, 49, 3256-3264.	3.8	67
99	Tethering hydrophilic polymer brushes onto PPESK membranes via surface-initiated atom transfer radical polymerization. <i>Journal of Membrane Science</i> , 2008, 320, 407-415.	8.2	73
100	Grafting of styrene/maleic anhydride copolymer onto PVDF membrane by supercritical carbon dioxide: Preparation, characterization and biocompatibility. <i>Journal of Supercritical Fluids</i> , 2008, 45, 374-383.	3.2	45
101	Amphiphilic PPESK-g-PEG graft copolymers for hydrophilic modification of PPESK microporous membranes. <i>European Polymer Journal</i> , 2007, 43, 1383-1393.	5.4	21
102	Preparation and characterization of improved fouling-resistant PPESK ultrafiltration membranes with amphiphilic PPESK-graft-PEG copolymers as additives. <i>Journal of Membrane Science</i> , 2007, 294, 196-206.	8.2	52
103	Effects of extra amine sources on the permeability and separation properties of nanofiltration membranes prepared by polydopamine deposition. , 0, 147, 10-19.		1