## Zlatina K Kokanova-Nedialkova

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3139297/publications.pdf

Version: 2024-02-01

20 papers

116 citations

7 h-index

9 g-index

22 all docs 22 docs citations

22 times ranked 80 citing authors

#	Article	IF	Citations
1	Chenopodium bonus - henricus L. – A source of hepatoprotective flavonoids. Fìtoterapìâ, 2017, 118, 13-20.	2.2	19
2	Saponins from the roots of <i>Chenopodium bonus</i> - <i>henricus</i> L Natural Product Research, 2019, 33, 2024-2031.	1.8	14
3	Flavonol glycosides from Chenopodium foliosum Asch. Phytochemistry Letters, 2011, 4, 367-371.	1.2	12
4	Neuroprotective, anti-α-glucosidase and prolipase active flavonoids from Good King Henry (Chenopodium bonus-henricus L.). Natural Product Research, 2020, 35, 1-5.	1.8	8
5	Redox-Modulating Capacity and Antineoplastic Activity of Wastewater Obtained from the Distillation of the Essential Oils of Four Bulgarian Oil-Bearing Roses. Antioxidants, 2021, 10, 1615.	5.1	8
6	Cytotoxic prenylated acylphloroglucinols from Hypericum annulatum. Fìtoterapìâ, 2018, 127, 375-382.	2.2	7
7	30-normedicagenic acid glycosides from Chenopodium foliosum. Natural Product Communications, 2012, 7, 1419-22.	0.5	7
8	In Vitro Study of the Biological Potential of Wastewater Obtained after the Distillation of Four Bulgarian Oil-Bearing Roses. Plants, 2022, 11, 1073.	3.5	7
9	UHPLC-HRMS based flavonoid profiling of the aerial parts of Chenopodium foliosum Asch. (Amaranthaceae). Natural Product Research, 2019, 35, 1-5.	1.8	6
10	Polyprenylated Phloroglucinols from Hypericum maculatum. Natural Product Communications, 2015, 10, 1934578X1501000.	0.5	4
11	Hepatoprotective activity of a purified methanol extract and saponins from the roots of Chenopodium bonus-henricus L Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2019, 74, 329-337.	1.4	4
12	Polyprenylated Phloroglucinols from Hypericum maculatum. Natural Product Communications, 2015, 10, 1231-5.	0.5	4
13	Pharmacognostic investigations of the aerial parts of Chenopodium foliosum Asch. and radical-scavenging activities of five flavonoids isolated from methanol extract of the plant. Pharmacognosy Journal, 2014, 6, 43-48.	0.8	3
14	Validated UHPLC-HRMS method for simultaneous quantification of flavonoid contents in the aerial parts of Chenopodium bonus-henricus L. (wild spinach). Pharmacia, 2021, 68, 597-601.	1.2	3
15	Bioactive Compounds of Goosefoot (Genus Chenopodium). Reference Series in Phytochemistry, 2021, , 1-24.	0.4	3
16	30-Normedicagenic Acid Glycosides from Chenopodium Foliosum. Natural Product Communications, 2012, 7, 1934578X1200701.	0.5	2
17	Ultra-high-performance liquid chromatography – high-resolution mass spectrometry profiling and hepatoprotective activity of purified saponin and flavonoid fractions from the aerial parts of wild spinach (Chenopodium bonus-henricus L.). Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2021, 76, 261-271.	1.4	2
18	6-Methoxyflavonol Glycosides with <i>In Vitro</i> Hepatoprotective Activity from <i>Chenopodium Bonus</i> - <i>henricus</i> Roots. Natural Product Communications, 2015, 10, 1934578X1501000.	0.5	1

## ZLATINA K

#	Article	lF	CITATIONS
19	Three new prenyloxy chromanones from aerial parts of Hypericum aucheri. Fìtoterapìâ, 2019, 139, 104421.	2.2	1
20	Bioactive Compounds of Goosefoot (Genus Chenopodium). Reference Series in Phytochemistry, 2021, , 97-119.	0.4	1