

# Zlatina K Kokanova-Nedialkova

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3139297/publications.pdf>

Version: 2024-02-01

20  
papers

116  
citations

1307594

7  
h-index

1474206

9  
g-index

22  
all docs

22  
docs citations

22  
times ranked

80  
citing authors

#	ARTICLE	IF	CITATIONS
1	In Vitro Study of the Biological Potential of Wastewater Obtained after the Distillation of Four Bulgarian Oil-Bearing Roses. <i>Plants</i> , 2022, 11, 1073.	3.5	7
2	Validated UHPLC-HRMS method for simultaneous quantification of flavonoid contents in the aerial parts of <i>Chenopodium bonus-henricus</i> L. (wild spinach). <i>Pharmacia</i> , 2021, 68, 597-601.	1.2	3
3	Bioactive Compounds of Goosefoot (Genus <i>Chenopodium</i> ). <i>Reference Series in Phytochemistry</i> , 2021, , 97-119.	0.4	1
4	Bioactive Compounds of Goosefoot (Genus <i>Chenopodium</i> ). <i>Reference Series in Phytochemistry</i> , 2021, , 1-24.	0.4	3
5	Ultra-high-performance liquid chromatography – high-resolution mass spectrometry profiling and hepatoprotective activity of purified saponin and flavonoid fractions from the aerial parts of wild spinach ( <i>Chenopodium bonus-henricus</i> L.). <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2021, 76, 261-271.	1.4	2
6	Redox-Modulating Capacity and Antineoplastic Activity of Wastewater Obtained from the Distillation of the Essential Oils of Four Bulgarian Oil-Bearing Roses. <i>Antioxidants</i> , 2021, 10, 1615.	5.1	8
7	Neuroprotective, anti- $\alpha$ -glucosidase and prolipase active flavonoids from Good King Henry ( <i>Chenopodium bonus-henricus</i> L.). <i>Natural Product Research</i> , 2020, 35, 1-5.	1.8	8
8	Saponins from the roots of <i>Chenopodium bonus-henricus</i> L.. <i>Natural Product Research</i> , 2019, 33, 2024-2031.	1.8	14
9	Hepatoprotective activity of a purified methanol extract and saponins from the roots of <i>Chenopodium bonus-henricus</i> L.. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2019, 74, 329-337.	1.4	4
10	UHPLC-HRMS based flavonoid profiling of the aerial parts of <i>Chenopodium foliosum</i> Asch. ( <i>Amaranthaceae</i> ). <i>Natural Product Research</i> , 2019, 35, 1-5.	1.8	6
11	Three new prenyloxy chromanones from aerial parts of <i>Hypericum aucheri</i> . <i>FÄ-toterapÄ-Äç</i> , 2019, 139, 104421.	2.2	1
12	Cytotoxic prenylated acylphloroglucinols from <i>Hypericum annulatum</i> . <i>FÄ-toterapÄ-Äç</i> , 2018, 127, 375-382.	2.2	7
13	<i>Chenopodium bonus-henricus</i> L. – A source of hepatoprotective flavonoids. <i>FÄ-toterapÄ-Äç</i> , 2017, 118, 13-20.	2.2	19
14	Polyprenylated Phloroglucinols from <i>Hypericum maculatum</i> . <i>Natural Product Communications</i> , 2015, 10, 1934578X1501000.	0.5	4
15	6-Methoxyflavonol Glycosides with <i>In Vitro</i> Hepatoprotective Activity from <i>Chenopodium Bonus-henricus</i> Roots. <i>Natural Product Communications</i> , 2015, 10, 1934578X1501000.	0.5	1
16	Polyprenylated Phloroglucinols from <i>Hypericum maculatum</i> . <i>Natural Product Communications</i> , 2015, 10, 1231-5.	0.5	4
17	Pharmacognostic investigations of the aerial parts of <i>Chenopodium foliosum</i> Asch. and radical-scavenging activities of five flavonoids isolated from methanol extract of the plant. <i>Pharmacognosy Journal</i> , 2014, 6, 43-48.	0.8	3
18	30-Normedicagenic Acid Glycosides from <i>Chenopodium Foliosum</i> . <i>Natural Product Communications</i> , 2012, 7, 1934578X1200701.	0.5	2

#	ARTICLE	IF	CITATIONS
19	30-normedicagenic acid glycosides from <i>Chenopodium foliosum</i> . <i>Natural Product Communications</i> , 2012, 7, 1419-22.	0.5	7
20	Flavonol glycosides from <i>Chenopodium foliosum</i> Asch. <i>Phytochemistry Letters</i> , 2011, 4, 367-371.	1.2	12