

Michael J Dibley

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3139701/michael-j-dibley-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

137
papers

3,005
citations

30
h-index

50
g-index

158
ext. papers

3,571
ext. citations

3.7
avg, IF

5.37
L-index

#	Paper	IF	Citations
137	Impact of micronutrient supplementation during pregnancy on birth weight, duration of gestation, and perinatal mortality in rural western China: double blind cluster randomised controlled trial. <i>BMJ, The</i> , 2008 , 337, a2001	5.9	176
136	Why do some women still prefer traditional birth attendants and home delivery?: a qualitative study on delivery care services in West Java Province, Indonesia. <i>BMC Pregnancy and Childbirth</i> , 2010 , 10, 43	3.2	172
135	Determinants of neonatal mortality in Indonesia. <i>BMC Public Health</i> , 2008 , 8, 232	4.1	131
134	Factors associated with underutilization of antenatal care services in Indonesia: results of Indonesia Demographic and Health Survey 2002/2003 and 2007. <i>BMC Public Health</i> , 2010 , 10, 485	4.1	120
133	Determinants of inappropriate complementary feeding practices in young children in India: secondary analysis of National Family Health Survey 2005-2006. <i>Maternal and Child Nutrition</i> , 2012 , 8 Suppl 1, 28-44	3.4	94
132	Comparisons of complementary feeding indicators and associated factors in children aged 6-23 months across five South Asian countries. <i>Maternal and Child Nutrition</i> , 2012 , 8 Suppl 1, 89-106	3.4	91
131	Determinants of stunting and severe stunting among under-fives in Tanzania: evidence from the 2010 cross-sectional household survey. <i>BMC Pediatrics</i> , 2015 , 15, 165	2.6	88
130	Why don't some women attend antenatal and postnatal care services?: a qualitative study of community members' perspectives in Garut, Sukabumi and Ciamis districts of West Java Province, Indonesia. <i>BMC Pregnancy and Childbirth</i> , 2010 , 10, 61	3.2	88
129	Risk factors for postneonatal, infant, child and under-5 mortality in Nigeria: a pooled cross-sectional analysis. <i>BMJ Open</i> , 2015 , 5, e006779	3	84
128	Effect of short message service on infant feeding practice: findings from a community-based study in Shanghai, China. <i>JAMA Pediatrics</i> , 2014 , 168, 471-8	8.3	76
127	The impact of water and sanitation on childhood mortality in Nigeria: evidence from demographic and health surveys, 2003-2013. <i>International Journal of Environmental Research and Public Health</i> , 2014 , 11, 9256-72	4.6	64
126	Determinants of inappropriate complementary feeding practices in young children in Sri Lanka: secondary data analysis of Demographic and Health Survey 2006-2007. <i>Maternal and Child Nutrition</i> , 2012 , 8 Suppl 1, 60-77	3.4	63
125	Prevalence and risk factors for stunting and severe stunting among under-fives in North Maluku province of Indonesia. <i>BMC Pediatrics</i> , 2009 , 9, 64	2.6	63
124	Iron and folic acid supplements and reduced early neonatal deaths in Indonesia. <i>Bulletin of the World Health Organization</i> , 2010 , 88, 500-8	8.2	55
123	Factors associated with nonexclusive breastfeeding in 5 east and southeast Asian countries: a multilevel analysis. <i>Journal of Human Lactation</i> , 2010 , 26, 248-57	2.6	55
122	Complementary feeding indicators and determinants of poor feeding practices in Indonesia: a secondary analysis of 2007 Demographic and Health Survey data. <i>Public Health Nutrition</i> , 2012 , 15, 827-39	3.3	53
121	Determinants of breastfeeding practices: an analysis of the Sri Lanka Demographic and Health Survey 2006-2007. <i>Maternal and Child Nutrition</i> , 2012 , 8, 315-29	3.4	49

120	Across-country comparisons of selected infant and young child feeding indicators and associated factors in four South Asian countries. <i>Food and Nutrition Bulletin</i> , 2010 , 31, 366-75	1.8	47
119	Determinants of inadequate complementary feeding practices among children aged 6-23 months in Ghana. <i>Public Health Nutrition</i> , 2015 , 18, 669-78	3.3	45
118	Risk factors for under-5 mortality: evidence from Bangladesh Demographic and Health Survey, 2004-2011. <i>BMJ Open</i> , 2015 , 5, e006722	3	45
117	Factors associated with non-use of antenatal iron and folic acid supplements among Pakistani women: a cross sectional household survey. <i>BMC Pregnancy and Childbirth</i> , 2014 , 14, 305	3.2	45
116	Association between physical activity and metabolic syndrome: a cross sectional survey in adolescents in Ho Chi Minh City, Vietnam. <i>BMC Public Health</i> , 2010 , 10, 141	4.1	40
115	Determinants of the Stunting of Children Under Two Years Old in Indonesia: A Multilevel Analysis of the 2013 Indonesia Basic Health Survey. <i>Nutrients</i> , 2019 , 11,	6.7	37
114	Prevalence and risk factors for non-use of antenatal care visits: analysis of the 2010 South Sudan household survey. <i>BMC Pregnancy and Childbirth</i> , 2015 , 15, 68	3.2	37
113	Determinants of suboptimal breast-feeding practices in Pakistan. <i>Public Health Nutrition</i> , 2013 , 16, 659-723	3.3	37
112	Combined iron/folic acid supplements and malaria prophylaxis reduce neonatal mortality in 19 sub-Saharan African countries. <i>American Journal of Clinical Nutrition</i> , 2010 , 92, 235-43	7	37
111	Factors associated with adolescent overweight/obesity in Ho Chi Minh city. <i>Pediatric Obesity</i> , 2010 , 5, 396-403		35
110	Social determinants of inequalities in child undernutrition in Bangladesh: A decomposition analysis. <i>Maternal and Child Nutrition</i> , 2018 , 14,	3.4	33
109	How can formative research inform the design of an iron-folic acid supplementation intervention starting in first trimester of pregnancy in Bangladesh?. <i>BMC Public Health</i> , 2015 , 15, 374	4.1	31
108	Longitudinal sedentary behavior changes in adolescents in Ho Chi Minh City. <i>American Journal of Preventive Medicine</i> , 2013 , 44, 223-30	6.1	30
107	Perceptions of antenatal iron-folic acid supplements in urban and rural Pakistan: a qualitative study. <i>BMC Pregnancy and Childbirth</i> , 2014 , 14, 344	3.2	30
106	Validity and reliability of an FFQ for use with adolescents in Ho Chi Minh City, Vietnam. <i>Public Health Nutrition</i> , 2010 , 13, 368-75	3.3	29
105	Overweight and obesity are rapidly emerging among adolescents in Ho Chi Minh City, Vietnam, 2002-2004. <i>Pediatric Obesity</i> , 2007 , 2, 194-201		29
104	Prevalence, awareness, treatment and control of hypertension in Macau: results from a cross-sectional epidemiological study in Macau, China. <i>American Journal of Hypertension</i> , 2015 , 28, 159-65	2.3	28
103	Iron and folic acid supplements in pregnancy improve child survival in Indonesia. <i>American Journal of Clinical Nutrition</i> , 2012 , 95, 220-30	7	28

102	Determinants of inappropriate timing of introducing solid, semi-solid or soft food to infants in Pakistan: secondary data analysis of Demographic and Health Survey 2006-2007. <i>Maternal and Child Nutrition</i> , 2012 , 8 Suppl 1, 78-88	3.4	28
101	Infant and young child feeding indicators across nine East and Southeast Asian countries: an analysis of National Survey Data 2000-2005. <i>Public Health Nutrition</i> , 2010 , 13, 1296-303	3.3	25
100	Determinants of suboptimal complementary feeding practices among children aged 6-23 months in seven francophone West African countries. <i>Maternal and Child Nutrition</i> , 2015 , 11 Suppl 1, 31-52	3.4	24
99	Determinants of suboptimal complementary feeding practices among children aged 6-23 months in four anglophone West African countries. <i>Maternal and Child Nutrition</i> , 2015 , 11 Suppl 1, 14-30	3.4	21
98	Cohort profile: Ho Chi Minh City Youth Cohort--changes in diet, physical activity, sedentary behaviour and relationship with overweight/obesity in adolescents. <i>BMJ Open</i> , 2012 , 2, e000362	3	21
97	Earlier initiation and use of a greater number of iron-folic acid supplements during pregnancy prevents early neonatal deaths in Nepal and Pakistan. <i>PLoS ONE</i> , 2014 , 9, e112446	3.7	21
96	Validity and reliability of a physical activity questionnaire for Vietnamese adolescents. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2012 , 9, 93	8.4	20
95	Home gardens as a predictor of enhanced dietary diversity and food security in rural Myanmar. <i>BMC Public Health</i> , 2019 , 19, 1145	4.1	19
94	A formative study to inform mHealth based randomized controlled trial intervention to promote exclusive breastfeeding practices in Myanmar: incorporating qualitative study findings. <i>BMC Medical Informatics and Decision Making</i> , 2016 , 16, 60	3.6	18
93	The importance of intersectoral factors in promoting equity-oriented universal health coverage: a multilevel analysis of social determinants affecting neonatal infant and under-five mortality in Bangladesh. <i>Global Health Action</i> , 2016 , 9, 29741	3	18
92	"The system here isn't on patients' side"- perspectives of women and men on the barriers to accessing and utilizing maternal healthcare services in South Sudan. <i>BMC Health Services Research</i> , 2018 , 18, 10	2.9	17
91	Mobile-Based Nutrition Counseling and Unconditional Cash Transfers for Improving Maternal and Child Nutrition in Bangladesh: Pilot Study. <i>JMIR MHealth and UHealth</i> , 2018 , 6, e156	5.5	17
90	Beyond counting stillbirths to understanding their determinants in low- and middle-income countries: a systematic assessment of stillbirth data availability in household surveys. <i>Tropical Medicine and International Health</i> , 2017 , 22, 294-311	2.3	16
89	Peer counselling improves breastfeeding practices: A cluster randomized controlled trial in urban Bangladesh. <i>Maternal and Child Nutrition</i> , 2018 , 14, e12605	3.4	16
88	The problem of suboptimal complementary feeding practices in West Africa: what is the way forward?. <i>Maternal and Child Nutrition</i> , 2015 , 11 Suppl 1, 53-60	3.4	16
87	Antenatal iron/folic acid supplements, but not postnatal care, prevents neonatal deaths in Indonesia: analysis of Indonesia Demographic and Health Surveys 2002/2003-2007 (a retrospective cohort study). <i>BMJ Open</i> , 2012 , 2,	3	16
86	Longitudinal physical activity changes in adolescents: Ho Chi Minh City Youth Cohort. <i>Medicine and Science in Sports and Exercise</i> , 2012 , 44, 1481-9	1.2	16
85	Household Air Pollution Intervention Implications: Findings from Qualitative Studies and a Field Trial of Clean Cookstoves in Two Rural Villages in India. <i>International Journal of Environmental Research and Public Health</i> , 2016 , 13,	4.6	16

84	A partnership for health - working with schools to promote healthy lifestyle. <i>Australian Family Physician</i> , 2011 , 40, 1011-3		16
83	Antenatal Iron-Folic Acid Supplementation Reduces Neonatal and Under-5 Mortality in Nepal. <i>Journal of Nutrition</i> , 2015 , 145, 1873-83	4.1	15
82	Socio-economic predictors of stillbirths in Nepal (2001-2011). <i>PLoS ONE</i> , 2017 , 12, e0181332	3.7	15
81	Association of Antenatal Micronutrient Supplementation With Adolescent Intellectual Development in Rural Western China: 14-Year Follow-up From a Randomized Clinical Trial. <i>JAMA Pediatrics</i> , 2018 , 172, 832-841	8.3	15
80	Analysis of stakeholders networks of infant and young child nutrition programmes in Sri Lanka, India, Nepal, Bangladesh and Pakistan. <i>BMC Public Health</i> , 2017 , 17, 405	4.1	15
79	Iron-Folic Acid Supplementation During Pregnancy Reduces the Risk of Stunting in Children Less Than 2 Years of Age: A Retrospective Cohort Study from Nepal. <i>Nutrients</i> , 2016 , 8, 67	6.7	15
78	Early initiation of breastfeeding and severe illness in the early newborn period: An observational study in rural Bangladesh. <i>PLoS Medicine</i> , 2019 , 16, e1002904	11.6	14
77	Opportunities for strengthening infant and young child feeding policies in South Asia: Insights from the SAIFRN policy analysis project. <i>BMC Public Health</i> , 2017 , 17, 404	4.1	14
76	Predictors of stillbirths in Bangladesh: evidence from the 2004-2014 nation-wide household surveys. <i>Global Health Action</i> , 2017 , 10, 1410048	3	14
75	Determinants of neonatal, infant and under-five mortality in a war-affected country: analysis of the 2010 Household Health Survey in South Sudan. <i>BMJ Global Health</i> , 2018 , 3, e000510	6.6	13
74	Determinants of age-appropriate breastfeeding, dietary diversity, and consumption of animal source foods among Indonesian children. <i>Maternal and Child Nutrition</i> , 2020 , 16, e12889	3.4	13
73	Factors associated with perinatal mortality in Nepal: evidence from Nepal demographic and health survey 2001-2016. <i>BMC Pregnancy and Childbirth</i> , 2019 , 19, 88	3.2	12
72	Household Food Security and Birth Size of Infants: Analysis of the Bangladesh Demographic and Health Survey 2011. <i>Current Developments in Nutrition</i> , 2018 , 2, nzy003	0.4	12
71	Antenatal iron-folic acid supplementation reduces risk of low birthweight in Pakistan: secondary analysis of Demographic and Health Survey 2006-2007. <i>Maternal and Child Nutrition</i> , 2016 , 12, 85-98	3.4	11
70	Factors associated with early introduction of formula and/or solid, semi-solid or soft foods in seven Francophone West African countries. <i>Nutrients</i> , 2015 , 7, 948-69	6.7	11
69	Determinants of early introduction of solid, semi-solid or soft foods among infants aged 3-5 months in four Anglophone West African countries. <i>Nutrients</i> , 2014 , 6, 2602-18	6.7	11
68	Mobile Phone Short Messages to Improve Exclusive Breastfeeding and Reduce Adverse Infant Feeding Practices: Protocol for a Randomized Controlled Trial in Yangon, Myanmar. <i>JMIR Research Protocols</i> , 2017 , 6, e126	2	11
67	Predictors for neonatal death in the rural areas of Shaanxi Province of Northwestern China: a cross-sectional study. <i>BMC Public Health</i> , 2015 , 15, 387	4.1	10

66	Perinatal Mortality in South Asia: Systematic Review of Observational Studies. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	10
65	Assessing the Intergenerational Linkage between Short Maternal Stature and Under-Five Stunting and Wasting in Bangladesh. <i>Nutrients</i> , 2019 , 11,	6.7	10
64	A community-based cluster randomised controlled trial to evaluate the effectiveness of different bundles of nutrition-specific interventions in improving mean length-for-age z score among children at 24 months of age in rural Bangladesh: study protocol. <i>BMC Public Health</i> , 2017 , 17, 375	4.1	9
63	Qualitative exploration of facilitating factors and barriers to use of antenatal care services by pregnant women in urban and rural settings in Pakistan. <i>BMC Pregnancy and Childbirth</i> , 2016 , 16, 42	3.2	9
62	How community and healthcare provider perceptions, practices and experiences influence reporting, disclosure and data collection on stillbirth: Findings of a qualitative study in Afghanistan. <i>Social Science and Medicine</i> , 2019 , 236, 112413	5.1	9
61	Benefits and risks of Iron interventions in children (BRISC): protocol for a three-arm parallel-group randomised controlled field trial in Bangladesh. <i>BMJ Open</i> , 2017 , 7, e018325	3	9
60	Exploring the intergenerational effects of undernutrition: association of maternal height with neonatal, infant and under-five mortality in Bangladesh. <i>BMJ Global Health</i> , 2018 , 3, e000881	6.6	9
59	Barriers Faced by the Health Workers to Deliver Maternal Care Services and Their Perceptions of the Factors Preventing Their Clients from Receiving the Services: A Qualitative Study in South Sudan. <i>Maternal and Child Health Journal</i> , 2018 , 22, 1598-1606	2.4	9
58	M-SAKHI-Mobile health solutions to help community providers promote maternal and infant nutrition and health using a community-based cluster randomized controlled trial in rural India: A study protocol. <i>Maternal and Child Nutrition</i> , 2019 , 15, e12850	3.4	8
57	Understanding country-specific determinants of stillbirth using household surveys: The case of Afghanistan. <i>Paediatric and Perinatal Epidemiology</i> , 2019 , 33, 28-44	2.7	8
56	Comparisons of complementary feeding indicators among children aged 6-23 months in Anglophone and Francophone West African countries. <i>Maternal and Child Nutrition</i> , 2015 , 11 Suppl 1, 1-13	3.4	8
55	Utilization of village midwives and other trained delivery attendants for home deliveries in Indonesia: results of Indonesia Demographic and Health Survey 2002/2003 and 2007. <i>Maternal and Child Health Journal</i> , 2011 , 15, 1400-15	2.4	8
54	Iron/folic acid supplementation during pregnancy prevents neonatal and under-five mortality in Pakistan: propensity score matched sample from two Pakistan Demographic and Health Surveys. <i>Global Health Action</i> , 2016 , 9, 29621	3	8
53	Risk Factors for Non-use of Skilled Birth Attendants: Analysis of South Sudan Household Survey, 2010. <i>Maternal and Child Health Journal</i> , 2016 , 20, 1266-79	2.4	8
52	Examining horizontal inequity and social determinants of inequality in facility delivery services in three South Asian countries. <i>Journal of Global Health</i> , 2018 , 8, 010416	4.3	8
51	Factors associated with intention to exclusive breastfeed in central women@ hospital, Yangon, Myanmar. <i>International Breastfeeding Journal</i> , 2017 , 12, 29	3.8	7
50	Factors associated with different types of birth attendants for home deliveries: an analysis of the cross-sectional 2010 South Sudan household survey. <i>Global Health Action</i> , 2016 , 9, 29693	3	7
49	Association between health service use and diarrhoea management approach among caregivers of under-five children in Nepal. <i>PLoS ONE</i> , 2018 , 13, e0191988	3.7	7

48	Making a balanced plate for pregnant women to improve birthweight of infants: a study protocol for a cluster randomised controlled trial in rural Bangladesh. <i>BMJ Open</i> , 2017 , 7, e015393	3	6
47	Peer Counseling Promotes Appropriate Infant Feeding Practices and Improves Infant Growth and Development in an Urban Slum in Bangladesh: A Community-Based Cluster Randomized Controlled Trial. <i>Current Developments in Nutrition</i> , 2019 , 3, nzz072	0.4	6
46	Overview of the infant and young child feeding policy environment in Pakistan: Federal, Sindh and Punjab context. <i>BMC Public Health</i> , 2017 , 17, 474	4.1	6
45	"In the Past, the Seeds I Planted often Didn't Grow." A Mixed-Methods Feasibility Assessment of Integrating Agriculture and Nutrition Behaviour Change Interventions with Cash Transfers in Rural Bangladesh. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	5
44	Perceptions and Practices Related to Obesity in Adolescent Students and Their Programmatic Implications: Qualitative Evidence from Ho Chi Minh City, Vietnam. <i>Maternal and Child Health Journal</i> , 2017 , 21, 2199-2208	2.4	5
43	The National Survey on the Constitution and Health of Chinese Students in 1995: Nutritional status of school students aged 10-17 years in Shaanxi, China. <i>Asia Pacific Journal of Clinical Nutrition</i> , 1999 , 8, 121-8	1	5
42	The Use of Tablet-Based Multiple-Pass 24-Hour Dietary Recall Application (MP24Diet) to Collect Dietary Intake of Children under Two Years Old in the Prospective Cohort Study in Indonesia. <i>Nutrients</i> , 2019 , 11,	6.7	5
41	Determinants of low breastfeeding self-efficacy amongst mothers of children aged less than six months: results from the BADUTA study in East Java, Indonesia. <i>International Breastfeeding Journal</i> , 2021 , 16, 12	3.8	5
40	The links between agricultural production and the nutritional status of children in rural Myanmar. <i>Food Security</i> , 2018 , 10, 1603-1614	6.7	5
39	Under-Five Mortality and Associated Factors: Evidence from the Nepal Demographic and Health Survey (2001-2016). <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	4
38	Evaluation of a Package of Behaviour Change Interventions (Baduta Program) to Improve Maternal and Child Nutrition in East Java, Indonesia: Protocol for an Impact Study. <i>JMIR Research Protocols</i> , 2020 , 9, e18521	2	4
37	Anemia and associated factors among adolescent girls and boys at 10-14 years in rural western China. <i>BMC Public Health</i> , 2021 , 21, 218	4.1	4
36	Factors associated with delayed initiation of breastfeeding in health facilities: secondary analysis of Bangladesh demographic and health survey 2014. <i>International Breastfeeding Journal</i> , 2021 , 16, 14	3.8	4
35	Understanding pathways leading to stillbirth: The role of care-seeking and care received during pregnancy and childbirth in Kabul province, Afghanistan. <i>Women and Birth</i> , 2020 , 33, 544-555	3.3	3
34	Improved Understanding of Interactions between Risk Factors for Child Obesity May Lead to Better Designed Prevention Policies and Programs in Indonesia. <i>Nutrients</i> , 2020 , 12,	6.7	3
33	A community-based cluster randomised controlled trial in rural Bangladesh to evaluate the impact of the use of iron-folic acid supplements early in pregnancy on the risk of neonatal mortality: the Shonjibon trial. <i>BMC Public Health</i> , 2018 , 18, 816	4.1	3
32	How Can We Improve the Consumption of a Nutritionally Balanced Maternal Diet in Rural Bangladesh? The Key Elements of the "Balanced Plate" Intervention. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	3
31	Sugar-sweetened beverage consumption and overweight and obesity in adolescents in Ho Chi Minh City, Vietnam: a population-based analysis. <i>Pediatrics International</i> , 2021 ,	1.2	3

30	Early life cognitive development trajectories and intelligence quotient in middle childhood and early adolescence in rural western China. <i>Scientific Reports</i> , 2019 , 9, 18315	4.9	3
29	Effect of an Integrated Package of Nutrition Behavior Change Interventions on Infant and Young Child Feeding Practices and Child Growth from Birth to 18 Months: Cohort Evaluation of the Baduta Cluster Randomized Controlled Trial in East Java, Indonesia. <i>Nutrients</i> , 2020 , 12,	6.7	2
28	Research for development to improve health outcomes from agriculture for rural communities: what is needed?. <i>Food Security</i> , 2018 , 10, 661-675	6.7	2
27	Antenatal Iron-Folic Acid Supplementation Is Associated with Improved Linear Growth and Reduced Risk of Stunting or Severe Stunting in South Asian Children Less than Two Years of Age: A Pooled Analysis from Seven Countries. <i>Nutrients</i> , 2020 , 12,	6.7	2
26	Effect of nutrition counselling with a digital job aid on child dietary diversity: Analysis of secondary outcomes from a cluster randomised controlled trial in rural Bangladesh. <i>Maternal and Child Nutrition</i> , 2021 , e13267	3.4	2
25	mHealth nutrition and lifestyle intervention (mHENAL) to reduce cardiovascular disease risk in a middle-aged, overweight and obese population in Sri Lanka: Study protocol for a randomized controlled trial. <i>Contemporary Clinical Trials Communications</i> , 2019 , 16, 100453	1.8	1
24	Body Mass Index Increases With Ageing and Risk Factors for Overweight/Obesity in a Representative Macau Population. <i>Asia-Pacific Journal of Public Health</i> , 2019 , 31, 167-172	2	1
23	Triceps and subscapular skinfold thickness percentiles of a school-based sample of adolescents in Ho Chi Minh City, Vietnam. <i>European Journal of Clinical Nutrition</i> , 2020 , 74, 1483-1487	5.2	1
22	Factors influencing quality nutrition service provision at antenatal care contacts: Findings from a public health facility-based observational study in 21 districts of Bangladesh.. <i>PLoS ONE</i> , 2022 , 17, e0262867	2.7	1
21	Effectiveness of a mobile health intervention on infant and young child feeding among children 24 months of age in rural Islamabad over six months duration. <i>F1000Research</i> , 2019 , 8, 551	3.6	1
20	Trends and determinants of minimum dietary diversity among children aged 6-23 months: a pooled analysis of Indonesia Demographic and Health Surveys from 2007 to 2017. <i>Public Health Nutrition</i> , 2021 , 1-12	3.3	1
19	Breastfeeding perceptions and exclusive breastfeeding practices: A qualitative comparative study in rural and urban Central Java, Indonesia.. <i>Appetite</i> , 2021 , 170, 105907	4.5	1
18	Improving the Lifestyle of Adolescents Through Peer Education and Support in Vietnam: Protocol for a Pilot Cluster Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2020 , 9, e15930	2	1
17	Association of infant and young child feeding practices with cognitive development at 10-12 years: a birth cohort in rural Western China. <i>British Journal of Nutrition</i> , 2020 , 123, 768-779	3.6	1
16	Shonjibon cash and counselling: a community-based cluster randomised controlled trial to measure the effectiveness of unconditional cash transfers and mobile behaviour change communications to reduce child undernutrition in rural Bangladesh. <i>BMC Public Health</i> , 2020 , 20, 1776	4.1	1
15	Assessing the impact of a combined nutrition counselling and cash transfer intervention on women's empowerment in rural Bangladesh: a randomised control trial protocol. <i>BMJ Open</i> , 2021 , 11, e044263	3	1
14	Delayed Initiation of Breastfeeding and Role of Mode and Place of Childbirth: Evidence from Health Surveys in 58 Low- and Middle- Income Countries (2012-2017). <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	1
13	Characteristics and experiences of peer counsellors in urban Dhaka: a structured interview study. <i>International Breastfeeding Journal</i> , 2019 , 14, 48	3.8	1

12	Overweight and obesity among urban women with iron deficiency anaemia in Bangladesh. <i>Maternal and Child Nutrition</i> , 2021 , 17, e13102	3.4	1
11	Factors associated with not using antenatal iron/folic acid supplements in Indonesia: the 2002/2003 and 2007 Indonesia Demographic and Health Survey. <i>FASEB Journal</i> , 2013 , 27, 841.6	0.9	0
10	The Shishu Pushti Trial-Extended Peer Counseling for Improving Feeding Practices and Reducing Undernutrition in Children Aged 0-48 Months in Urban Bangladesh: Protocol for a Cluster-Randomized Controlled Trial.. <i>JMIR Research Protocols</i> , 2022 , 11, e31475	2	0
9	"My husband is my family." The culture of pregnancy disclosure and its implications on early pregnancy registration in a child nutrition intervention in rural Maharashtra, India. <i>Midwifery</i> , 2021 , 103, 103141	2.8	0
8	Wealth- and education-related inequalities in minimum dietary diversity among Indonesian infants and young children: a decomposition analysis.. <i>Global Health Action</i> , 2022 , 15, 2040152	3	0
7	Protocol for a cluster randomised controlled trial of LPG cookstoves compared to usual cooking practices to reduce perinatal mortality and morbidity in rural Bangladesh called Poriborton: the CHANge trial.. <i>Trials</i> , 2022 , 23, 325	2.8	0
6	The impact of a package of behaviour change interventions on breastfeeding practices in East Java Province, Indonesia.. <i>Maternal and Child Nutrition</i> , 2022 , e13362	3.4	0
5	Effect of baseline physical activity on the fat gain of adolescents in a 5-year cohort study in Ho Chi Minh City, Viet Nam. <i>British Journal of Nutrition</i> , 2021 , 1-7	3.6	
4	Maternal anemia modifies the effect of multiple micronutrient supplements on birth weight and infant mortality in Indonesia. <i>FASEB Journal</i> , 2013 , 27, 358.7	0.9	
3	Bovine Lactoferrin to Prevent Neonatal Infections in Low-Birth-Weight Newborns in Pakistan: Protocol for a Three-Arm Double-Blind Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2021 , 10, e23994	2	
2	Undiagnosed diabetes, hypertension, and hypercholesterolaemia in an overweight or obese population: implications for cardiovascular disease risk screening programme. <i>Ceylon Medical Journal</i> , 2020 , 65, 46-55	0.7	
1	The effect of electronic job aid assisted one-to-one counselling to support exclusive breastfeeding among 0-5-month-old infants in rural Bangladesh.. <i>Maternal and Child Nutrition</i> , 2022 , e13377	3.4	