## Fei Zeng

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3140036/publications.pdf

Version: 2024-02-01

933447 794594 23 409 10 19 h-index citations g-index papers 23 23 23 491 citing authors all docs docs citations times ranked

#	Article	IF	CITATIONS
1	BrÃ,nsted Acidic Ionic Liquid-Promoted Amidation of Quinoline <i>N</i> Oxides with Nitriles. ACS Sustainable Chemistry and Engineering, 2018, 6, 7989-7994.	6.7	88
2	Synergistic cooperative effect of CF <sub>3</sub> SO <sub>2</sub> Na and bis(2-butoxyethyl)ether towards selective oxygenation of sulfides with molecular oxygen under visible-light irradiation. Green Chemistry, 2021, 23, 496-500.	9.0	86
3	Cross-linked supramolecular polymer networks with responsive and elastic gel properties via host–guest complexation: controlled release of squaraine dyes. Soft Matter, 2013, 9, 4875.	2.7	43
4	A multi-stimuli responsive organogel based on a tetrapeptide–dithienylcyclopentene conjugate. Soft Matter, 2013, 9, 7538.	2.7	38
5	Self-sorting behavior of a four-component host–guest system and its incorporation into a linear supramolecular alternating copolymer. Chemical Communications, 2015, 51, 3593-3595.	4.1	25
6	A Pore-Forming Tripeptide as an Extraordinarily Active Anion Channel. Organic Letters, 2019, 21, 4826-4830.	4.6	24
7	Formation of a "pseudosuitane―type complex between a triptycene-derived bis(crown ether) host and 1,1′-(anthracene-9,10-diyl)bis(N-benzylmethanaminium): a new method for the synthesis of linear polyrotaxanes. Chemical Communications, 2014, 50, 7611-7613.	4.1	19
8	High-yield synthesis of a novel water-soluble macrocycle for selective recognition of naphthalene. Chinese Chemical Letters, 2021, 32, 1665-1668.	9.0	18
9	Phenanthrene[2]arene: synthesis and application as nonporous adaptive crystals in the separation of benzene from cyclohexane. Organic Chemistry Frontiers, 2022, 9, 3307-3311.	4.5	18
10	Pyromellitic Diimide-Extended Pillar[6] arene: Synthesis, Structure, and Its Complexation with Polycyclic Aromatic Hydrocarbons. Journal of Organic Chemistry, 2022, 87, 3863-3867.	3.2	16
11	Self-assembled macrocycle that binds polycyclic aromatic hydrocarbons. Dyes and Pigments, 2021, 192, 109430.	3.7	9
12	Synthesis of a novel water-soluble cylindrical macrotricyclic host and its complexation with N-methylquinolinium and N-methylisoquinolinium salts: formation of 1 : 2 complexes in water. Organic and Biomolecular Chemistry, 2015, 13, 1988-1991.	2.8	6
13	Vanadium Polyoxoanions within Coordination Polymers Based on a Macrocyclic Nickel Complex: Structural Diversities and Singleâ€Crystal to Singleâ€Crystal Transformation. European Journal of Inorganic Chemistry, 2016, 2016, 3500-3505.	2.0	6
14	Crystal structure of (2-(chlorophenyl)-5-methyl-1,3-dioxane-5-carboxylato–le <sup>2</sup> ) Tj ETQq0 0 0 rgBT / Ni(C <sub>16</sub> H <sub>4</sub> 0 <sub>4</sub> Cl)ClO	0.3	4
15	Zeitschrift Fur Kristallographie - New Crystal Structures, 2018, 233, 369-370.  Li+-templated complexation of cylindrical macrotricyclic host with naphthalene diimide:  Cation-controlled switchable complexation processes. Science China Chemistry, 2012, 55, 2069-2074.	8.2	3
16	Synthesis and physical properties of triptycene-based oligo(p-phenyleneethynylene)s. Tetrahedron, 2018, 74, 6917-6921.	1.9	2
17	Water-Soluble Cyclophanes Synthesized via the Zincke Reaction. Organic Letters, 2021, 23, 9343-9347.	4.6	2
18	Chiral Recognition of Racemic Proline based on Chiral Macrocyclic Nickel(II) Complex: Synthesis and Crystal Structures. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2018, 644, 449-453.	1.2	1

#	Article	IF	CITATIONS
19	Structure and absolute configuration of liquid molecules based on adamantane derivative cocrystallization. RSC Advances, 2022, 12, 6459-6462.	3.6	1
20	The crystal structure of 1-benzyl-2-((4-(tert-butyl)phenyl)ethynyl)pyridin-1-ium bromide,C <sub>24</sub> H <sub>24</sub> BrN. Zeitschrift Fur Kristallographie - New Crystal Structures, 2020, 235, 309-310.	0.3	0
21	Formation of sandwich, macrocyclic and box supramolecular assemblies that were controlled by the distance of two oxygen atoms in hydrogen bonding donors. CrystEngComm, 2021, 23, 4901-4904.	2.6	O
22	The crystal structure of 1,3(4,1)-dipyridin-1-iuma-2(1,8)-diethynylanthracena-5(1,3)-benzenacyclohexaphane-11,31-diium bis(hexafluoridophosphate), C <sub>36</sub> H <sub>24</sub> F <sub>12</sub> N <sub>2</sub> P <sub>2</sub> . Zeitschrift Fur	0.3	0
23	Kristallographie - New Crystal Structures, 2022, . The crystal structure of 2-(3,6-di- <i>tert</i> -butyl-1,8-diiodo-9 <i>H</i> -carbazol-9-yl)acetonitrile, C <sub>22</sub> H <sub>24</sub> I <sub>2</sub> N <sub>2</sub> . Zeitschrift Fur Kristallographie - New Crystal Structures, 2022, .	0.3	0