P W B Nanayakkara

List of Publications by Citations

Source: https://exaly.com/author-pdf/3140124/p-w-b-nanayakkara-publications-by-citations.pdf

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

81 1,608 23 39 h-index g-index citations papers 89 2,179 5.2 4.79 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
81	The impact of the use of the Early Warning Score (EWS) on patient outcomes: a systematic review. <i>Resuscitation</i> , 2014 , 85, 587-94	4	234
80	Prehospital antibiotics in the ambulance for sepsis: a multicentre, open label, randomised trial. Lancet Respiratory Medicine,the, 2018 , 6, 40-50	35.1	131
79	Quality and Quantity of Sleep and Factors Associated With Sleep Disturbance in Hospitalized Patients. <i>JAMA Internal Medicine</i> , 2018 , 178, 1201-1208	11.5	90
78	Exploring the performance of the National Early Warning Score (NEWS) in a European emergency department. <i>Resuscitation</i> , 2015 , 90, 111-5	4	84
77	Effect of a treatment strategy consisting of pravastatin, vitamin E, and homocysteine lowering on carotid intima-media thickness, endothelial function, and renal function in patients with mild to moderate chronic kidney disease: results from the Anti-Oxidant Therapy in Chronic Renal		80
76	Plasma asymmetric dimethylarginine (ADMA) concentration is independently associated with carotid intima-media thickness and plasma soluble vascular cell adhesion molecule-1 (sVCAM-1) concentration in patients with mild-to-moderate renal failure. <i>Kidney International</i> , 2005 , 68, 2230-6	9.9	79
75	Introducing Artificial Intelligence Training in Medical Education. <i>JMIR Medical Education</i> , 2019 , 5, e1604	18 5	68
74	Prognostic value of early warning scores in the emergency department (ED) and acute medical unit (AMU): A narrative review. <i>European Journal of Internal Medicine</i> , 2017 , 45, 20-31	3.9	67
73	How to save costs by reducing unnecessary testing: lean thinking in clinical practice. <i>European Journal of Internal Medicine</i> , 2012 , 23, 70-5	3.9	58
72	Efficacy and safety of haloperidol for in-hospital delirium prevention and treatment: A systematic review of current evidence. <i>European Journal of Internal Medicine</i> , 2016 , 27, 14-23	3.9	41
71	Clinical applications of artificial intelligence in sepsis: A narrative review. <i>Computers in Biology and Medicine</i> , 2019 , 115, 103488	7	39
70	Association between global leukocyte DNA methylation, renal function, carotid intima-media thickness and plasma homocysteine in patients with stage 2-4 chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2008 , 23, 2586-92	4.3	34
69	Delayed Recognition of Deterioration of Patients in General Wards Is Mostly Caused by Human Related Monitoring Failures: A Root Cause Analysis of Unplanned ICU Admissions. <i>PLoS ONE</i> , 2016 , 11, e0161393	3.7	33
68	Chest CT in COVID-19 at the ED: Validation of the COVID-19 Reporting and Data System (CO-RADS) and CT Severity Score: A Prospective, Multicenter, Observational Study. <i>Chest</i> , 2021 , 159, 1126-1135	5.3	31
67	Reducing Test Utilization in Hospital Settings: A Narrative Review. <i>Annals of Laboratory Medicine</i> , 2018 , 38, 402-412	3.1	30
66	Randomized placebo-controlled trial assessing a treatment strategy consisting of pravastatin, vitamin E, and homocysteine lowering on plasma asymmetric dimethylarginine concentration in mild to moderate CKD. <i>American Journal of Kidney Diseases</i> , 2009 , 53, 41-50	7.4	30
65	The Power of Flash Mob Research: Conducting a Nationwide Observational Clinical Study on Capillary Refill Time in a Single Day. <i>Chest</i> , 2017 , 151, 1106-1113	5.3	29

(2018-2020)

64	Diagnosing COVID-19 pneumonia in a pandemic setting: Lung Ultrasound CT (LUVCT) - a multicentre, prospective, observational study. <i>ERJ Open Research</i> , 2020 , 6,	3.5	27
63	Epidemiology of Sepsis and Its Recognition by Emergency Medical Services Personnel in the Netherlands. <i>Prehospital Emergency Care</i> , 2016 , 20, 90-6	2.8	26
62	Exploring the preventable causes of unplanned readmissions using root cause analysis: Coordination of care is the weakest link. <i>European Journal of Internal Medicine</i> , 2016 , 30, 18-24	3.9	26
61	Readmissions of medical patients: an external validation of two existing prediction scores. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2016 , 109, 245-8	2.7	26
60	An overview of positive cultures and clinical outcomes in septic patients: a sub-analysis of the Prehospital Antibiotics Against Sepsis (PHANTASi) trial. <i>Critical Care</i> , 2019 , 23, 182	10.8	25
59	Haloperidol versus placebo for delirium prevention in acutely hospitalised older at risk patients: a multi-centre double-blind randomised controlled clinical trial. <i>Age and Ageing</i> , 2018 , 47, 48-55	3	25
58	Long length of stay at the emergency department is mostly caused by organisational factors outside the influence of the emergency department: A root cause analysis. <i>PLoS ONE</i> , 2018 , 13, e02027	5³t ⁷	23
57	A Protocolised Once a Day Modified Early Warning Score (MEWS) Measurement Is an Appropriate Screening Tool for Major Adverse Events in a General Hospital Population. <i>PLoS ONE</i> , 2016 , 11, e01608	1 ^{3.7}	22
56	Evaluation of blood culture epidemiology and efficiency in a large European teaching hospital. <i>PLoS ONE</i> , 2019 , 14, e0214052	3.7	19
55	Acute medical units: The way to go? A literature review. European Journal of Internal Medicine, 2017 , 39, 24-31	3.9	17
54	Outcome of Immediate Versus Early Antibiotics in Severe Sepsis and Septic Shock: A Systematic Review and Meta-analysis. <i>Annals of Emergency Medicine</i> , 2020 , 76, 427-441	2.1	15
53	Internet programs targeting multiple lifestyle interventions in primary and secondary care are not superior to usual care alone in improving cardiovascular risk profile: a systematic review. <i>European Journal of Internal Medicine</i> , 2014 , 25, 73-81	3.9	15
52	Homocysteine and asymmetric dimethylarginine (ADMA): biochemically linked but differently related to vascular disease in chronic kidney disease. <i>Clinical Chemistry and Laboratory Medicine</i> , 2007 , 45, 1683-7	5.9	15
51	Vascular disease and chronic renal failure: new insights. <i>Netherlands Journal of Medicine</i> , 2010 , 68, 5-14	0.5	15
50	Timeliness of antibiotics for patients with sepsis and septic shock. <i>Journal of Thoracic Disease</i> , 2020 , 12, S66-S71	2.6	11
49	What are we waiting for? Factors influencing completion times in an academic and peripheral emergency department. <i>Netherlands Journal of Medicine</i> , 2015 , 73, 331-40	0.5	11
48	Frequency, Determinants, and Satisfaction of Breast Augmentation in Trans Women Receiving Hormone Treatment. <i>Journal of Sexual Medicine</i> , 2020 , 17, 342-348	1.1	10
47	Anticholinergic medications in patients admitted with cognitive impairment or falls (AMiCI). The impact of hospital admission on anticholinergic cognitive medication burden. Results of a multicentre observational study. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2018 , 43, 682-694	2.2	9

46	Analysing completion times in an academic emergency department: coordination of care is the weakest link. <i>Netherlands Journal of Medicine</i> , 2011 , 69, 392-8	0.5	9
45	Association of a Multifaceted Intervention With Ordering of Unnecessary Laboratory Tests Among Caregivers in Internal Medicine Departments. <i>JAMA Network Open</i> , 2019 , 2, e197577	10.4	8
44	Pravastatin: an evidence-based statin?. Expert Opinion on Drug Metabolism and Toxicology, 2008, 4, 821	- 5 5.5	7
43	An observational cohort study on geriatric patient profile in an emergency department in the Netherlands. <i>Netherlands Journal of Medicine</i> , 2013 , 71, 324-30	0.5	7
42	Bilateral pulmonary infiltrates in a patient with ulcerative colitis receiving mesalazine. <i>European Journal of Internal Medicine</i> , 2004 , 15, 470-472	3.9	6
41	PRISMA Analysis of 30 Day Readmissions to a Tertiary Cancer Hospital. <i>Acute Medicine</i> , 2015 , 14, 53-6	0.7	6
40	A Multicenter Before-After Study on Reducing Unnecessary Diagnostics by Changing the Attitude of Caregivers: Protocol for the RODEO Project. <i>JMIR Research Protocols</i> , 2018 , 7, e10473	2	5
39	What Sepsis Researchers Can Learn from COVID-19. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2021 , 203, 125-127	10.2	5
38	Vascular type of Ehlers-Danlos syndrome in a patient with ruptured aneurysm of the splenic artery. <i>Netherlands Journal of Medicine</i> , 2006 , 64, 374-6	0.5	5
37	Long-term health related quality of life in patients with sepsis after intensive care stay: A systematic review. <i>Acute Medicine</i> , 2017 , 16, 164-169	0.7	5
36	Patient's perspective on improving the quality of acute medical care: determining patient reported outcomes. <i>BMJ Open Quality</i> , 2019 , 8, e000736	1.9	4
35	Handover Structure and Quality in the Acute Medical Assessment Unit: A Prospective Observational Study. <i>Journal of Patient Safety</i> , 2019 , 15, 224-229	1.9	4
34	Strengths and weaknesses of the acute care systems in the United Kingdom and the Netherlands: what can we learn from each other?. <i>BMC Emergency Medicine</i> , 2019 , 19, 40	2.4	3
33	A Delphi study among internal medicine clinicians to determine which therapeutic information is essential to record in a medical record. <i>Journal of Clinical Pharmacology</i> , 2015 , 55, 1415-21	2.9	3
32	Assessing COVID-19 pneumonia-Clinical extension and risk with point-of-care ultrasound: A multicenter, prospective, observational study. <i>Journal of the American College of Emergency Physicians Open</i> , 2021 , 2, e12429	1.6	3
31	Verapamil-induced erythermalgia. <i>Netherlands Journal of Medicine</i> , 2007 , 65, 349-51	0.5	3
30	Health related quality of life in sepsis survivors from the Prehospital Antibiotics Against Sepsis (PHANTASi) trial. <i>PLoS ONE</i> , 2019 , 14, e0222450	3.7	2
29	Follow-up of patients with hyperglycemia in the emergency department without a history of diabetes mellitus. <i>European Journal of Internal Medicine</i> , 2014 , 25, 909-13	3.9	2

28	What have we here? A man or a fish?. <i>Lancet, The</i> , 2010 , 376, 1710	40	2
27	Unplanned return presentations of older patients to the emergency department: a root cause analysis. <i>BMC Geriatrics</i> , 2020 , 20, 365	4.1	2
26	A narrative review of frailty assessment in older patients at the emergency department. <i>European Journal of Emergency Medicine</i> , 2021 , 28, 266-276	2.3	2
25	Towards Understanding the Effective Use of Antibiotics for Sepsis. <i>Chest</i> , 2021 , 160, 1211-1221	5.3	2
24	Different Perspectives on Predictability and Preventability of Surgical Readmissions. <i>Journal of Surgical Research</i> , 2019 , 237, 95-105	2.5	2
23	How many urinalysis and urine cultures are necessary?. European Journal of Internal Medicine, 2021 , 83, 58-61	3.9	2
22	A Different Perspective on the Use of Sepsis Alert. <i>Critical Care Medicine</i> , 2020 , 48, e632-e633	1.4	1
21	Long-term sustainability of a multi-step intervention to reduce unnecessary diagnostic testing. <i>European Journal of Internal Medicine</i> , 2017 , 44, e38-e39	3.9	1
20	Experiences and perspectives of older patients with a return visit to the emergency department within 30 days: patient journey mapping. <i>European Geriatric Medicine</i> , 2021 , 1	3	1
19	Understanding what matters most to patients in acute care in seven countries, using the flash mob study design. <i>BMC Health Services Research</i> , 2021 , 21, 474	2.9	1
18	Can vital signs recorded in patientsUhomes aid decision making in emergency care? A Scoping Review. <i>Resuscitation Plus</i> , 2021 , 6, 100116	1.4	1
17	Culture-Negative Septic Shock Compared With Culture-Positive Septic Shock Mortality. <i>Critical Care Medicine</i> , 2018 , 46, e964	1.4	1
16	Root causes and preventability of emergency department presentations of older patients: a prospective observational study. <i>BMJ Open</i> , 2021 , 11, e049543	3	1
15	Changes in vital signs post discharge as a potential target for intervention to avoid readmission. <i>Acute Medicine</i> , 2018 , 17, 77-82	0.7	1
14	The effects of a single dose of paracetamol in a critical phase of sepsis: a sub-analysis of the PHANTASi trial. <i>European Journal of Internal Medicine</i> , 2019 , 70, e7-e9	3.9	O
13	A bumpy ride to a discarded diagnosis. <i>Lancet, The</i> , 2007 , 369, 436	40	O
12	Using machine learning to predict blood culture outcomes in the emergency department: a single-centre, retrospective, observational study <i>BMJ Open</i> , 2022 , 12, e053332	3	О
11	Multi-organ point-of-care ultrasound for detection of pulmonary embolism in critically ill COVID-19 patients - A diagnostic accuracy study <i>Journal of Critical Care</i> , 2022 , 69, 153992	4	O

10	Randomised feasibility study of prehospital recognition and antibiotics for emergency patients with sepsis (PhRASe). <i>Scientific Reports</i> , 2021 , 11, 18586	4.9	О
9	Sepsis Performance Improvement Programs: From Evidence Toward Clinical Implementation <i>Critical Care</i> , 2022 , 26, 77	10.8	0
8	A man with fever and a persistent handgrip. Lancet, The, 2003, 362, 1038	40	
7	Quality of acute internal medicine: A patient-centered approach. Validation and usage of the Patient Reported Measure-acute care in the Netherlands. <i>PLoS ONE</i> , 2020 , 15, e0242603	3.7	
6	Sepsis. <i>Lancet, The</i> , 2020 , 396, 1804	40	
5	Authorld response to commentary on the PHANTASi trial. <i>Journal of Thoracic Disease</i> , 2018 , 10, E750-E	75:1 6	
5	Author'd response to commentary on the PHANTASi trial. <i>Journal of Thoracic Disease</i> , 2018 , 10, E750-E Poor Sleep in Hospitalized Patients: Are Hospital-Related Factors at Fault?-Reply. <i>JAMA Internal Medicine</i> , 2018 , 178, 1728-1729	75:1 6	
	Poor Sleep in Hospitalized Patients: Are Hospital-Related Factors at Fault?-Reply. <i>JAMA Internal</i>		
4	Poor Sleep in Hospitalized Patients: Are Hospital-Related Factors at Fault?-Reply. <i>JAMA Internal Medicine</i> , 2018 , 178, 1728-1729 Recognition of sepsis in the pre-hospital environment one year after intensive traineeship.	11.5	