

# Xinping Wang

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/3140364/xinping-wang-publications-by-year.pdf>

**Version:** 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

92  
papers

1,734  
citations

25  
h-index

38  
g-index

103  
ext. papers

2,127  
ext. citations

9.2  
avg, IF

4.99  
L-index

#	Paper	IF	Citations
92	A cationic sulfur-hydrocarbon triradical with an excited quartet state.. <i>Chemical Communications</i> , <b>2022</b> ,	5.8	1
91	Isolable Pincer-type Dianionic Dialane(6). <i>Organometallics</i> , <b>2022</b> , 41, 680-685	3.8	
90	Controlling the unpaired electron by electrostatic attraction in the solid state. <i>Chemical Communications</i> , <b>2021</b> , 57, 13345-13348	5.8	
89	A stable triplet diradical emitter.. <i>Chemical Science</i> , <b>2021</b> , 12, 15151-15156	9.4	2
88	Stable Boron-Containing Blue-Photoluminescent Radicals. <i>Chinese Journal of Chemistry</i> , <b>2021</b> , 39, 1297-1302	13.92	3
87	Rational design and syntheses of aniline-based diradical dication: isolable congeners of quinodimethane diradicals. <i>Organic Chemistry Frontiers</i> , <b>2021</b> , 8, 891-900	5.2	0
86	Yttrium germole dianion complexes with Y-Ge bonds. <i>Dalton Transactions</i> , <b>2021</b> , 50, 5552-5556	4.3	6
85	A high-spin diradical dianion and its bridged chemically switchable single-molecule magnet. <i>Chemical Science</i> , <b>2021</b> , 12, 9998-10004	9.4	0
84	Persistent 2-3 bonded heteronuclear radical cations centered on S/Se and P/As atoms. <i>Chemical Communications</i> , <b>2021</b> , 57, 5067-5070	5.8	1
83	Magnetic Multistability in an Anion-Radical Pimer. <i>Angewandte Chemie</i> , <b>2020</b> , 132, 14144-14147	3.6	6
82	Magnetic Multistability in an Anion-Radical Pimer. <i>Angewandte Chemie - International Edition</i> , <b>2020</b> , 59, 14040-14043	16.4	10
81	Stable Radical Cation and Dication of an N-Heterocyclic Carbene Stabilized Digallene: Synthesis, Characterization and Reactivity. <i>Angewandte Chemie</i> , <b>2020</b> , 132, 6835-6840	3.6	4
80	Tuning the Single-Molecule Magnetism of Dysprosium Complexes by a Redox-Noninnocent Diborane Ligand. <i>Organometallics</i> , <b>2020</b> , 39, 4143-4148	3.8	2
79	Stable, yet "naked", azo radical anion ArNNAr and dianion ArNNAr (Ar = 4-CN-2,6-Pr-CH) with selective CO activation. <i>Chemical Communications</i> , <b>2020</b> , 56, 3285-3288	5.8	3
78	Isolable cyclic radical cations of heavy main-group elements. <i>Chemical Communications</i> , <b>2020</b> , 56, 2167-2170	13.70	8
77	Zig-Zag Diphosphene Oligomers Linked by Silver(I) Cation. <i>Chinese Journal of Chemistry</i> , <b>2020</b> , 38, 351-359	4.79	2
76	Stable Radical Cation and Dication of an N-Heterocyclic Carbene Stabilized Digallene: Synthesis, Characterization and Reactivity. <i>Angewandte Chemie - International Edition</i> , <b>2020</b> , 59, 6769-6774	16.4	4

75	A Magnetically Robust Triplet Ground State Sulfur-Hydrocarbon Diradical Dication. <i>Journal of the American Chemical Society</i> , <b>2020</b> , 142, 7340-7344	16.4	13
74	Crystalline Diradical Dianions of Pyrene-Fused Azaacenes. <i>Angewandte Chemie</i> , <b>2020</b> , 132, 11892-11897	3.6	0
73	A diradical based on odd-electron $\pi$ bonds. <i>Nature Communications</i> , <b>2020</b> , 11, 3441	17.4	5
72	Isolable Lanthanide Metal Complexes of a Phosphorus-Centered Radical. <i>Inorganic Chemistry</i> , <b>2020</b> , 59, 2111-2115	5.1	11
71	Crystalline Diradical Dianions of Pyrene-Fused Azaacenes. <i>Angewandte Chemie - International Edition</i> , <b>2020</b> , 59, 11794-11799	16.4	7
70	Tunable Reduction of 2,4,6-Tri(4-pyridyl)-1,3,5-Triazine: From Radical Anion to Diradical Dianion to Radical Metal-Organic Framework. <i>Angewandte Chemie - International Edition</i> , <b>2019</b> , 58, 18224-18229	16.4	15
69	A Main-Group Element Radical Based One-Dimensional Magnetic Chain. <i>Angewandte Chemie</i> , <b>2019</b> , 131, 6145-6149	3.6	6
68	Orthogonal Oriented Bisanthracene-Bridged Bis(Triarylamine) Diradical Dications: Isolation, Characterizations and Crystal Structures. <i>Chemistry - an Asian Journal</i> , <b>2019</b> , 14, 1708-1711	4.5	2
67	Controlling the Conductivity of Oligomer Radical Cations by Tuning Stacking Structures of $\pi$ -Dimers. <i>Crystal Growth and Design</i> , <b>2019</b> , 19, 4914-4919	3.5	
66	Tricoordinate Nontrigonal Pnictogen-Centered Radical Anions: Isolation, Characterization, and Reactivity. <i>Angewandte Chemie</i> , <b>2019</b> , 131, 15976-15980	3.6	6
65	Tricoordinate Nontrigonal Pnictogen-Centered Radical Anions: Isolation, Characterization, and Reactivity. <i>Angewandte Chemie - International Edition</i> , <b>2019</b> , 58, 15829-15833	16.4	24
64	Tunable Reduction of 2,4,6-Tri(4-pyridyl)-1,3,5-Triazine: From Radical Anion to Diradical Dianion to Radical Metal-Organic Framework. <i>Angewandte Chemie</i> , <b>2019</b> , 131, 18392-18397	3.6	4
63	Selective reduction of 1,5-diazacyclooctatetraenes: synthesis and structures of aromatic diazacyclooctatetraenyl dianions and a 2,6-bipyrrolynyl dianionic Co(ii) complex. <i>Chemical Communications</i> , <b>2019</b> , 55, 2648-2651	5.8	1
62	A Main-Group Element Radical Based One-Dimensional Magnetic Chain. <i>Angewandte Chemie - International Edition</i> , <b>2019</b> , 58, 6084-6088	16.4	9
61	Isolable diboryl radicals acting as highly efficient reaction intermediates under mild conditions. <i>Chemical Communications</i> , <b>2019</b> , 55, 12908-12911	5.8	7
60	A diamidinatogermylene as a Z-type ligand in a nickel(0) complex. <i>Dalton Transactions</i> , <b>2019</b> , 48, 14975-14978	4.7	11
59	Reversible Self-Assembling of Boryl Radical Anions to Their Diradicals with Tunable Singlet Ground States. <i>Chemistry - A European Journal</i> , <b>2019</b> , 25, 4031-4035	4.8	11
58	Studies on the Bridge Dependence of Bis(triarylamine) Diradical Dications: Long-Range $\pi$ -Conjugation and $\pi$ -Coupling Systems. <i>Journal of Organic Chemistry</i> , <b>2018</b> , 83, 3651-3656	4.2	11

57	Isolable Radical Ions of Main-Group Elements: Structures, Bonding and Properties. <i>Chinese Journal of Chemistry</i> , <b>2018</b> , 36, 573-586	4.9	36
56	Experimental Observation of Thermally Excited Triplet States of Heavier Group 15 Element Centered Diradical Dianions. <i>Chemistry - A European Journal</i> , <b>2018</b> , 24, 3156-3160	4.8	10
55	Syntheses, structures and theoretical calculations of stable triarylarsine radical cations. <i>Chemical Communications</i> , <b>2018</b> , 54, 1493-1496	5.8	11
54	Nitrogen Analogues of o-Quinodimethane with Unexpected non-Kekulé Diradical Character. <i>Chinese Journal of Chemistry</i> , <b>2018</b> , 36, 487-490	4.9	1
53	Isomerism, Diradical Signature, and Raman Spectroscopy: Underlying Connections in Diamino Oligophenyl Dications. <i>ChemPhysChem</i> , <b>2018</b> , 19, 1465-1470	3.2	4
52	Air-stable diradical dications with ferromagnetic interaction exceeding the thermal energy at room temperature: from a monomer to a dimer. <i>Science China Chemistry</i> , <b>2018</b> , 61, 300-305	7.9	9
51	SbSI Nanocrystals: An Excellent Visible Light Photocatalyst with Efficient Generation of Singlet Oxygen. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2018</b> , 6, 12166-12175	8.3	18
50	S = 1 Tetraazacyclophane Diradical Dication with Robust Stability: A Case of Low-Temperature One-Dimensional Antiferromagnetic Chain. <i>Journal of the American Chemical Society</i> , <b>2018</b> , 140, 7820-7826	16.4	31
49	An Isolable Diphosphene Radical Cation Stabilized by Three-Center Three-Electron $\pi$ Bonding with Chromium: End-On versus Side-On Coordination. <i>Angewandte Chemie</i> , <b>2018</b> , 130, 9563-9568	3.6	9
48	Magnetic on-off switching in redox non-innocent ligand bridged binuclear cobalt complexes. <i>Dalton Transactions</i> , <b>2018</b> , 47, 17211-17215	4.3	12
47	The Diradical-Dication Strategy for BODIPY- and Porphyrin-Based Dyes with Near-Infrared Absorption Maxima from 1070 to 2040 nm. <i>Chemistry - A European Journal</i> , <b>2018</b> , 24, 19341-19347	4.8	5
46	An Isolable Diphosphene Radical Cation Stabilized by Three-Center Three-Electron $\pi$ Bonding with Chromium: End-On versus Side-On Coordination. <i>Angewandte Chemie - International Edition</i> , <b>2018</b> , 57, 9419-9424	16.4	19
45	Elusive Antimony-Centered Radical Cations: Isolation, Characterization, Crystal Structures, and Reactivity Studies. <i>Angewandte Chemie</i> , <b>2017</b> , 129, 647-651	3.6	12
44	An Isolable Diboron-Centered Diradical with a Triplet Ground State. <i>Chemistry - A European Journal</i> , <b>2017</b> , 23, 6930-6936	4.8	27
43	One-dimensional alkylate-bridged W <sup>VI</sup> -based diradical dications. <i>Science China Chemistry</i> , <b>2017</b> , 60, 602-606	7.9	5
42	Elusive Antimony-Centered Radical Cations: Isolation, Characterization, Crystal Structures, and Reactivity Studies. <i>Angewandte Chemie - International Edition</i> , <b>2017</b> , 56, 632-636	16.4	27
41	The Charge Transfer Approach to Heavier Main-Group Element Radicals in Transition-Metal Complexes. <i>Angewandte Chemie</i> , <b>2017</b> , 129, 12915-12919	3.6	6
40	Isolable Bis(triarylamine) Dications: Analogues of Thiele's, Chichibabin's, and Müller's Hydrocarbons. <i>Accounts of Chemical Research</i> , <b>2017</b> , 50, 1997-2006	24.3	75

39	Cesium Lead Halide Perovskite Quantum Dots as a Photoluminescence Probe for Metal Ions. <i>Advanced Materials</i> , <b>2017</b> , 29, 1700150	24	73
38	The Charge Transfer Approach to Heavier Main-Group Element Radicals in Transition-Metal Complexes. <i>Angewandte Chemie - International Edition</i> , <b>2017</b> , 56, 12741-12745	16.4	17
37	Half-Sandwich Metal Carbonyl Complexes as Precursors to Functional Materials: From a Near-Infrared-Absorbing Dye to a Single-Molecule Magnet. <i>Journal of the American Chemical Society</i> , <b>2017</b> , 139, 12069-12075	16.4	8
36	Isolable Borane-Based Diradical and Triradical Fused by a Diamagnetic Transition Metal Ion. <i>Journal of the American Chemical Society</i> , <b>2017</b> , 139, 17723-17726	16.4	15
35	Putting aniline radical cations in a bottle. <i>Science China Chemistry</i> , <b>2017</b> , 60, 1439-1443	7.9	3
34	Bis(boryl anion)-Substituted Pyrenes: Syntheses, Characterizations, and Crystal Structures. <i>Organometallics</i> , <b>2017</b> , 36, 2498-2501	3.8	21
33	Thermally controlling the singlet-triplet energy gap of a diradical in the solid state. <i>Chemical Science</i> , <b>2016</b> , 7, 6514-6518	9.4	44
32	Isolable Diphosphorus-Centered Radical Anion and Diradical Dianion. <i>Journal of the American Chemical Society</i> , <b>2016</b> , 138, 6735-8	16.4	40
31	An Aliphatic Solvent-Soluble Lithium Salt of the Perhalogenated Weakly Coordinating Anion [Al(OC(CCl <sub>3</sub> )(CF <sub>3</sub> ) <sub>2</sub> ) <sub>4</sub> ] <sup>-</sup> . <i>Inorganic Chemistry</i> , <b>2016</b> , 55, 1008-10	5.1	14
30	A boron-centered radical: a potassium-crown ether stabilized boryl radical anion. <i>Chemical Communications</i> , <b>2016</b> , 52, 12714-12716	5.8	32
29	Magnetic Bistability in a Discrete Organic Radical. <i>Journal of the American Chemical Society</i> , <b>2016</b> , 138, 10092-5	16.4	58
28	Two phosphalkene radical cations with inverse spin density distributions. <i>Dalton Transactions</i> , <b>2015</b> , 44, 15099-102	4.3	35
27	The long-sought seventeen-electron radical [(C <sub>6</sub> Me <sub>6</sub> )Cr(CO) <sub>3</sub> ] <sup>+</sup> : isolation, crystal structure and substitution reaction. <i>Chemical Communications</i> , <b>2015</b> , 51, 8410-3	5.8	11
26	Isolation and structural characterization of a mainly ligand-based dimetallic radical. <i>Dalton Transactions</i> , <b>2015</b> , 44, 19754-7	4.3	7
25	Nitrogen analogues of Thiele's hydrocarbon. <i>Angewandte Chemie - International Edition</i> , <b>2015</b> , 54, 1634-7	16.4	52
24	Isolation and Crystallization of Radical Cations by Weakly Coordinating Anions <b>2015</b> , 523-544		3
23	Nitrogen Analogues of Thiele's Hydrocarbon. <i>Angewandte Chemie</i> , <b>2015</b> , 127, 1654-1657	3.6	18
22	Access to Stable Metalloradical Cations with Unsupported and Isomeric Metal-Metal Hemi-Bonds. <i>Angewandte Chemie - International Edition</i> , <b>2015</b> , 54, 9084-7	16.4	15

21	Access to Stable Metalloradical Cations with Unsupported and Isomeric Metal-Metal Hemi-Bonds. <i>Angewandte Chemie</i> , <b>2015</b> , 127, 9212-9215	3.6	7
20	Bis(phenothiazine)arene diradicaloids: isolation, characterization and crystal structures. <i>Chemical Communications</i> , <b>2015</b> , 51, 11822-5	5.8	35
19	Two stable phosphorus-containing four-membered ring radical cations with inverse spin density distributions. <i>Journal of the American Chemical Society</i> , <b>2014</b> , 136, 6251-4	16.4	52
18	Odd-electron-bonded sulfur radical cations: X-ray structural evidence of a sulfur-sulfur three-electron bond. <i>Journal of the American Chemical Society</i> , <b>2014</b> , 136, 14666-9	16.4	43
17	A crystalline phosphalkene radical anion. <i>Journal of the American Chemical Society</i> , <b>2014</b> , 136, 9834-7	16.4	49
16	Isolation and reversible dimerization of a selenium-selenium three-electron bond. <i>Nature Communications</i> , <b>2014</b> , 5, 4127	17.4	36
15	Reply to Comments on Synthesis, Characterization, and Structures of Persistent Aniline Radical Cation. <i>Angewandte Chemie</i> , <b>2014</b> , 126, 959-961	3.6	2
14	Tuning ground states of bis(triarylamine) dication: from a closed-shell singlet to a diradicaloid with an excited triplet state. <i>Angewandte Chemie - International Edition</i> , <b>2014</b> , 53, 2857-61	16.4	90
13	Tuning Ground States of Bis(triarylamine) Dication: From a Closed-Shell Singlet to a Diradicaloid with an Excited Triplet State. <i>Angewandte Chemie</i> , <b>2014</b> , 126, 2901-2905	3.6	35
12	Titelbild: Tuning Ground States of Bis(triarylamine) Dication: From a Closed-Shell Singlet to a Diradicaloid with an Excited Triplet State (Angew. Chem. 11/2014). <i>Angewandte Chemie</i> , <b>2014</b> , 126, 2819-2819	3.6	36
11	Reply to comments on "synthesis, characterization, and structures of persistent aniline radical cation". <i>Angewandte Chemie - International Edition</i> , <b>2014</b> , 53, 943-5	16.4	4
10	One-electron oxidation of an organic molecule by B(C <sub>6</sub> F <sub>5</sub> ) <sub>3</sub> ; isolation and structures of stable non-para-substituted triarylamine cation radical and bis(triarylamine) dication diradicaloid. <i>Journal of the American Chemical Society</i> , <b>2013</b> , 135, 14912-5	16.4	96
9	Reversible Dimerizations of Persistent Organic Radical Cations. <i>Angewandte Chemie</i> , <b>2013</b> , 125, 617-620	3.6	9
8	Synthesis, crystal structure, and physical property of sterically unprotected thiophene/phenylene co-oligomer radical cations: a conductive hydrogen-bonded supermolecular meso-helix. <i>Chemistry - an Asian Journal</i> , <b>2013</b> , 8, 238-43	4.5	19
7	Isolation and X-ray crystal structures of triarylphosphine radical cations. <i>Journal of the American Chemical Society</i> , <b>2013</b> , 135, 3414-7	16.4	95
6	Stable tetraaryldiphosphine radical cation and dication. <i>Journal of the American Chemical Society</i> , <b>2013</b> , 135, 5561-4	16.4	60
5	Synthesis, Characterization, and Structures of a Persistent Aniline Radical Cation. <i>Angewandte Chemie</i> , <b>2012</b> , 124, 12048-12051	3.6	10
4	Synthesis, characterization, and structures of a persistent aniline radical cation. <i>Angewandte Chemie - International Edition</i> , <b>2012</b> , 51, 11878-81	16.4	31

3	From monomers to $\pi$ -stacks, from nonconductive to conductive: syntheses, characterization, and crystal structures of benzidine radical cations. <i>Chemistry - A European Journal</i> , <b>2012</b> , 18, 11828-36	4.8	37
2	Structural Characterization, Infrared Spectroscopy, and Theoretical Calculations for B(C <sub>6</sub> F <sub>5</sub> ) <sub>3</sub> -Stabilized Benzene-Ammonia and Benzene-Water Complexes. <i>Angewandte Chemie</i> , <b>2011</b> , 123, 11157-11160	3.6	11
1	Structural characterization, infrared spectroscopy, and theoretical calculations for B(C <sub>6</sub> F <sub>5</sub> ) <sub>3</sub> -stabilized benzene-ammonia and benzene-water complexes. <i>Angewandte Chemie - International Edition</i> , <b>2011</b> , 50, 10965-8	16.4	28