

Masahiro Takahashi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3140724/publications.pdf>

Version: 2024-02-01

8
papers

85
citations

1937685

4
h-index

2053705

5
g-index

8
all docs

8
docs citations

8
times ranked

89
citing authors

#	ARTICLE	IF	CITATIONS
1	Cyclooxygenase-2 expression in Schwann cells and macrophages in the sciatic nerve after single spinal nerve injury in rats. <i>Neuroscience Letters</i> , 2004, 363, 203-206.	2.1	55
2	Peri-sciatic administration of indomethacin early after nerve injury can attenuate the development of tactile allodynia in a rat model of L5 single spinal nerve injury. <i>Neuroscience Letters</i> , 2004, 356, 37-40.	2.1	10
3	Systemic Meloxicam Reduces Tactile Allodynia Development After L5 Single Spinal Nerve Injury in Rats. <i>Regional Anesthesia and Pain Medicine</i> , 2005, 30, 351-355.	2.3	9
4	Unpleasant Experiences during and after Anesthesia and Surgery. <i>The Journal of Japan Society for Clinical Anesthesia</i> , 2002, 22, 84-90.	0.0	6
5	Potentially inappropriate medication discontinued or changed based on pharmacists's™ recommendations in older end-stage cancer patients receiving palliative care: a cross-sectional study. <i>Annals of Palliative Medicine</i> , 2021, 10, 0-0.	1.2	5
6	Risk factors of hypomagnesemia in hospitalized patients with end-stage cancer. <i>Magnesium Research</i> , 2019, 32, 124-131.	0.5	0
7	Postoperative Pain Management with Disposable Patient-Controlled Epidural Analgesia (PCEA) Pump: Epidural 0.2% Ropivacaine with Fentanyl Following Major Surgery. <i>The Journal of Japan Society for Clinical Anesthesia</i> , 2010, 30, 1014-1022.	0.0	0
8	A Patient with End-stage Bladder Cancer Who Developed Hyperammonemia and Impaired Consciousness and Who Was Found to Have Asymptomatic Bacteriuria and Alkaline Urine. <i>Palliative Care Research</i> , 2019, 14, 107-111.	0.0	0