

# Rennan Barkana

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/3141225/rennan-barkana-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

70  
papers

5,793  
citations

38  
h-index

72  
g-index

72  
ext. papers

6,603  
ext. citations

8.5  
avg, IF

6.48  
L-index

#	Paper	IF	Citations
70	HERA Phase I Limits on the Cosmic 21 cm Signal: Constraints on Astrophysics and Cosmology during the Epoch of Reionization. <i>Astrophysical Journal</i> , <b>2022</b> , 924, 51	4.7	9
69	Shot noise and scatter in the star formation efficiency as a source of 21-cm fluctuations. <i>Monthly Notices of the Royal Astronomical Society</i> , <b>2022</b> , 511, 5265-5273	4.3	1
68	Quantiles as robust probes of non-Gaussianity in 21-cm images. <i>Monthly Notices of the Royal Astronomical Society</i> , <b>2021</b> , 503, 1221-1232	4.3	3
67	High-redshift radio galaxies: a potential new source of 21-cm fluctuations. <i>Monthly Notices of the Royal Astronomical Society</i> , <b>2020</b> , 499, 5993-6008	4.3	13
66	Emulating the global 21-cm signal from Cosmic Dawn and Reionization. <i>Monthly Notices of the Royal Astronomical Society</i> , <b>2020</b> , 495, 4845-4859	4.3	15
65	Signature of excess radio background in the 21-cm global signal and power spectrum. <i>Monthly Notices of the Royal Astronomical Society</i> , <b>2019</b> , 486, 1763-1773	4.3	60
64	Results from EDGES High-Band. III. New Constraints on Parameters of the Early Universe. <i>Astrophysical Journal</i> , <b>2019</b> , 875, 67	4.7	27
63	Extracting the global signal from 21-cm fluctuations: the multitracer approach. <i>Monthly Notices of the Royal Astronomical Society</i> , <b>2019</b> ,	4.3	3
62	Possible interaction between baryons and dark-matter particles revealed by the first stars. <i>Nature</i> , <b>2018</b> , 555, 71-74	50.4	288
61	SARAS 2 Constraints on Global 21 cm Signals from the Epoch of Reionization. <i>Astrophysical Journal</i> , <b>2018</b> , 858, 54	4.7	49
60	Tighter limits on dark matter explanations of the anomalous EDGES 21 cm signal. <i>Physical Review D</i> , <b>2018</b> , 98,	4.9	69
59	Strong constraints on light dark matter interpretation of the EDGES signal. <i>Physical Review D</i> , <b>2018</b> , 98,	4.9	105
58	Critical assessment of CMB limits on dark matter-baryon scattering: New treatment of the relative bulk velocity. <i>Physical Review D</i> , <b>2018</b> , 98,	4.9	46
57	Charting the parameter space of the 21-cm power spectrum. <i>Monthly Notices of the Royal Astronomical Society</i> , <b>2018</b> , 478, 2193-2217	4.3	20
56	Constraining Baryon-Dark-Matter Scattering with the Cosmic Dawn 21-cm Signal. <i>Physical Review Letters</i> , <b>2018</b> , 121, 011101	7.4	95
55	First Results on the Epoch of Reionization from First Light with SARAS 2. <i>Astrophysical Journal Letters</i> , <b>2017</b> , 845, L12	7.9	64
54	Charting the parameter space of the global 21-cm signal. <i>Monthly Notices of the Royal Astronomical Society</i> , <b>2017</b> , 472, 1915-1931	4.3	94

53	Constraining the redshifted 21-cm signal with the unresolved soft X-ray background. <i>Monthly Notices of the Royal Astronomical Society</i> , <b>2017</b> , 464, 3498-3508	4.3	42
52	The 21-cm BAO signature of enriched low-mass galaxies during cosmic reionization. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , <b>2016</b> , 459, L90-L94	4.3	15
51	The rise of the first stars: Supersonic streaming, radiative feedback, and 21-cm cosmology. <i>Physics Reports</i> , <b>2016</b> , 645, 1-59	27.7	47
50	Reconstructing the nature of the first cosmic sources from the anisotropic 21-cm signal. <i>Physical Review Letters</i> , <b>2015</b> , 114, 101303	7.4	20
49	The observable signature of late heating of the Universe during cosmic reionization. <i>Nature</i> , <b>2014</b> , 506, 197-9	50.4	119
48	The rich complexity of 21-cm fluctuations produced by the first stars. <i>Monthly Notices of the Royal Astronomical Society</i> , <b>2014</b> , 445, 213-224	4.3	38
47	Complete history of the observable 21 cm signal from the first stars during the pre-reionization era. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , <b>2014</b> , 437, L36-L40	4.3	36
46	High-redshift star formation in a time-dependent Lyman-Werner background. <i>Monthly Notices of the Royal Astronomical Society</i> , <b>2014</b> , 445, 107-114	4.3	42
45	The 21-cm signature of the first stars during the Lyman-Werner feedback era. <i>Monthly Notices of the Royal Astronomical Society</i> , <b>2013</b> , 432, 2909-2916	4.3	76
44	Studying cosmic reionization with observations of the global 21-cm signal. <i>Monthly Notices of the Royal Astronomical Society</i> , <b>2012</b> , 424, 2551-2561	4.3	15
43	Impact of the relative motion between the dark matter and baryons on the first stars: semi-analytical modelling. <i>Monthly Notices of the Royal Astronomical Society</i> , <b>2012</b> , 424, 1335-1345	4.3	94
42	The signature of the first stars in atomic hydrogen at redshift 20. <i>Nature</i> , <b>2012</b> , 487, 70-73	50.4	90
41	PROFILES OF DARK MATTER VELOCITY ANISOTROPY IN SIMULATED CLUSTERS. <i>Astrophysical Journal</i> , <b>2012</b> , 752, 141	4.7	43
40	QUANTIFYING THE COLLISIONLESS NATURE OF DARK MATTER AND GALAXIES IN A1689. <i>Astrophysical Journal</i> , <b>2011</b> , 728, 40	4.7	3
39	Scale-dependent bias of galaxies from baryonic acoustic oscillations. <i>Monthly Notices of the Royal Astronomical Society</i> , <b>2011</b> , 415, 3113-3118	4.3	20
38	The non-linear evolution of baryonic overdensities in the early universe: initial conditions of numerical simulations. <i>Monthly Notices of the Royal Astronomical Society</i> , <b>2011</b> , no-no	4.3	10
37	Triaxiality and non-thermal gas pressure in Abell 1689. <i>Monthly Notices of the Royal Astronomical Society</i> , <b>2011</b> , 416, 2567-2573	4.3	33
36	Suppression and spatial variation of early galaxies and minihaloes. <i>Monthly Notices of the Royal Astronomical Society</i> , <b>2011</b> , 418, 906-915	4.3	76

35	Statistics of 21-cm fluctuations in cosmic reionization simulations: PDFs and difference PDFs. <i>Monthly Notices of the Royal Astronomical Society</i> , <b>2010</b> , 408, 2373-2380	4-3	7
34	Strong-lensing analysis of a complete sample of 12 MACS clusters at $z > 0.5$ : mass models and Einstein radii. <i>Monthly Notices of the Royal Astronomical Society</i> , <b>2010</b> , no-no	4-3	48
33	Measuring the history of cosmic reionization using the 21-cm probability distribution function from simulations. <i>Monthly Notices of the Royal Astronomical Society</i> , <b>2010</b> , 406, 2521-2532	4-3	26
32	Gas in simulations of high-redshift galaxies and minihaloes. <i>Monthly Notices of the Royal Astronomical Society</i> , <b>2009</b> , 399, 369-376	4-3	28
31	Studying the sources of cosmic reionization with 21-cm fluctuations. <i>Monthly Notices of the Royal Astronomical Society</i> , <b>2009</b> , 397, 1454-1463	4-3	29
30	DYNAMICAL STUDY OF A1689 FROM WIDE-FIELD VLT/VIMOS SPECTROSCOPY: MASS PROFILE, CONCENTRATION PARAMETER, AND VELOCITY ANISOTROPY. <i>Astrophysical Journal</i> , <b>2009</b> , 701, 1336-1346	4-7	61
29	The difference PDF of 21-cm fluctuations: a powerful statistical tool for probing cosmic reionization. <i>Monthly Notices of the Royal Astronomical Society</i> , <b>2008</b> , 384, 1069-1079	4-3	27
28	Mass and gas profiles in A1689: joint X-ray and lensing analysis. <i>Monthly Notices of the Royal Astronomical Society</i> , <b>2008</b> , 386, 1092-1106	4-3	59
27	The infancy of cosmic reionization. <i>Monthly Notices of the Royal Astronomical Society</i> , <b>2008</b> , 391, 727-737	4-3	2
26	Detecting early galaxies through their 21-cm signature. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , <b>2008</b> , 385, L63-L67	4-3	22
25	The physics and early history of the intergalactic medium. <i>Reports on Progress in Physics</i> , <b>2007</b> , 70, 627-657	4-4	80
24	The first stars in the universe and cosmic reionization. <i>Science</i> , <b>2006</b> , 313, 931-4	3-3	20
23	Light-cone anisotropy in 21-cm fluctuations during the epoch of reionization. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , <b>2006</b> , 372, L43-L47	4-3	25
22	Detecting reionization in the star formation histories of high-redshift galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , <b>2006</b> , 371, 395-400	4-3	16
21	Was the Universe Reionized at Redshift 10?. <i>Astrophysical Journal</i> , <b>2005</b> , 620, 553-558	4-7	27
20	Detecting the Earliest Galaxies through Two New Sources of 21 Centimeter Fluctuations. <i>Astrophysical Journal</i> , <b>2005</b> , 626, 1-11	4-7	175
19	A Method for Separating the Physics from the Astrophysics of High-Redshift 21 Centimeter Fluctuations. <i>Astrophysical Journal</i> , <b>2005</b> , 624, L65-L68	4-7	185
18	Unusually Large Fluctuations in the Statistics of Galaxy Formation at High Redshift. <i>Astrophysical Journal</i> , <b>2004</b> , 609, 474-481	4-7	223

17	Gamma-Ray Bursts versus Quasars: Ly $\alpha$ Signatures of Reionization versus Cosmological Infall. <i>Astrophysical Journal</i> , <b>2004</b> , 601, 64-77	4.7	81
16	Spectral signature of cosmological infall of gas around the first quasars. <i>Nature</i> , <b>2003</b> , 421, 341-3	50.4	50
15	The star formation rate intensity distribution function $\square$ <i>New Astronomy</i> , <b>2002</b> , 7, 337-347	1.8	6
14	An Analytical Approach to Inhomogeneous Structure Formation. <i>Astrophysical Journal</i> , <b>2002</b> , 571, 585-603	4.7	47
13	Effective Screening Due to Mini-halos during the Epoch of Reionization. <i>Astrophysical Journal</i> , <b>2002</b> , 578, 1-11	4.7	56
12	In the beginning: the first sources of light and the reionization of the universe. <i>Physics Reports</i> , <b>2001</b> , 349, 125-238	27.7	916
11	The Reionization of the Universe by the First Stars and Quasars. <i>Annual Review of Astronomy and Astrophysics</i> , <b>2001</b> , 39, 19-66	31.7	260
10	Constraints on Warm Dark Matter from Cosmological Reionization. <i>Astrophysical Journal</i> , <b>2001</b> , 558, 482-496	4.7	135
9	Identifying the Reionization Redshift from the Cosmic Star Formation Rate. <i>Astrophysical Journal</i> , <b>2000</b> , 539, 20-25	4.7	64
8	Fuzzy cold dark matter: the wave properties of ultralight particles. <i>Physical Review Letters</i> , <b>2000</b> , 85, 1158-61	7.4	856
7	High-Redshift Galaxies: Their Predicted Size and Surface Brightness Distributions and Their Gravitational Lensing Probability. <i>Astrophysical Journal</i> , <b>2000</b> , 531, 613-623	4.7	48
6	A Possible Gravitational Lens in the Hubble Deep Field South. <i>Astrophysical Journal</i> , <b>1999</b> , 513, L91-L94	4.7	7
5	A Reassessment of the Data and Models of the Gravitational Lens Q0957+561. <i>Astrophysical Journal</i> , <b>1999</b> , 520, 479-490	4.7	24
4	The Photoevaporation of Dwarf Galaxies during Reionization. <i>Astrophysical Journal</i> , <b>1999</b> , 523, 54-65	4.7	231
3	Fast Calculation of a Family of Elliptical Gravitational Lens Models. <i>Astrophysical Journal</i> , <b>1998</b> , 502, 531-537	4.7	98
2	Analysis of Time Delays in the Gravitational Lens PG 1115+080. <i>Astrophysical Journal</i> , <b>1997</b> , 489, 21-28	4.7	68
1	The subtlety of Ly $\alpha$ photons: changing the expected range of the 21-cm signal. <i>Monthly Notices of the Royal Astronomical Society</i> ,	4.3	5