

Douglas R Cavener

List of Publications by Year in descending order

Source: [//exaly.com/author-pdf/3141704/publications.pdf](https://exaly.com/author-pdf/3141704/publications.pdf)

Version: 2024-02-01

88
papers

10,694
citations

49802

46
h-index

49007

88
g-index

101
all docs

101
docs citations

101
times ranked

13067
citing authors

#	ARTICLE	IF	CITATIONS
1	Masai giraffe population change over 40 years in Arusha National Park. <i>African Journal of Ecology</i> , 2023, 61, 345-353.	0.9	4
2	Genetic evidence of population subdivision among Masai giraffes separated by the Gregory Rift Valley in Tanzania. <i>Ecology and Evolution</i> , 2023, 13, .	1.9	2
3	Using spot pattern recognition to examine population biology, evolutionary ecology, sociality, and movements of giraffes: a 70-year retrospective. <i>Mammalian Biology</i> , 2022, 102, 1055-1071.	1.5	1
4	Co-opting regulation bypass repair as a gene-correction strategy for monogenic diseases. <i>Molecular Therapy</i> , 2021, 29, 3274-3292.	8.1	2
5	Calcineurin Activity Is Increased in Charcot-Marie-Tooth 1B Demyelinating Neuropathy. <i>Journal of Neuroscience</i> , 2021, 41, 4536-4548.	3.8	3
6	Genetic connectivity and population structure of African savanna elephants (<i>Loxodonta</i>). <i>Evolution</i> , 2021, 75, 542-552.	1.9	14
7	Ribosome binding protein GCN1 regulates the cell cycle and cell proliferation and is essential for the embryonic development of mice. <i>PLoS Genetics</i> , 2020, 16, e1008693.	3.4	24
8	The protein kinase PERK/EIF2AK3 regulates proinsulin processing not via protein synthesis but by controlling endoplasmic reticulum chaperones. <i>Journal of Biological Chemistry</i> , 2018, 293, 5134-5149.	3.5	34
9	Seeing spots: quantifying mother-offspring similarity and assessing fitness consequences of coat pattern traits in a wild population of giraffes (<i>Giraffa camelopardalis</i>). <i>PeerJ</i> , 2018, 6, e5690.	2.0	17
10	The PERK arm of the unfolded protein response regulates satellite cell-mediated skeletal muscle regeneration. <i>ELife</i> , 2017, 6, .	5.9	66
11	Evolutionary analysis of vision genes identifies potential drivers of visual differences between giraffe and okapi. <i>PeerJ</i> , 2017, 5, e3145.	2.0	9
12	PERK Regulates Working Memory and Protein Synthesis-Dependent Memory Flexibility. <i>PLoS ONE</i> , 2016, 11, e0162766.	2.5	19
13	Repression of the eIF2 α kinase PERK alleviates mGluR-LTD impairments in a mouse model of Alzheimer's disease. <i>Neurobiology of Aging</i> , 2016, 41, 19-24.	3.2	74
14	Ablation of <i>Perk</i> in Schwann Cells Improves Myelination in the S63del Charcot-Marie-Tooth 1B Mouse. <i>Journal of Neuroscience</i> , 2016, 36, 11350-11361.	3.8	26
15	Giraffe genome sequence reveals clues to its unique morphology and physiology. <i>Nature Communications</i> , 2016, 7, 11519.	13.2	49
16	PERK regulates Gq protein-coupled intracellular Ca ²⁺ dynamics in primary cortical neurons. <i>Molecular Brain</i> , 2016, 9, 87.	3.0	17
17	Perk Gene Dosage Regulates Glucose Homeostasis by Modulating Pancreatic β -Cell Functions. <i>PLoS ONE</i> , 2014, 9, e99684.	2.5	19
18	Genetic inactivation of PERK signaling in mouse oligodendrocytes: Normal developmental myelination with increased susceptibility to inflammatory demyelination. <i>Glia</i> , 2014, 62, 680-691.	5.3	45

#	ARTICLE	IF	CITATIONS
19	The eIF2 γ kinase PERK limits the expression of hippocampal metabotropic glutamate receptor-dependent long-term depression. <i>Learning and Memory</i> , 2014, 21, 298-304.	1.4	62
20	Endoplasmic Reticulum Stress Sensor Protein Kinase γ -Like Endoplasmic Reticulum Kinase (PERK) Protects Against Pressure Overload-Induced Heart Failure and Lung Remodeling. <i>Hypertension</i> , 2014, 64, 738-744.	5.2	94
21	Suppression of eIF2 γ kinases alleviates Alzheimer's disease-related plasticity and memory deficits. <i>Nature Neuroscience</i> , 2013, 16, 1299-1305.	14.5	498
22	25-Hydroxycholesterol Activates the Integrated Stress Response to Reprogram Transcription and Translation in Macrophages. <i>Journal of Biological Chemistry</i> , 2013, 288, 35812-35823.	3.5	66
23	Insulin Secretion and Ca ²⁺ Dynamics in β -Cells Are Regulated by PERK (EIF2AK3) in Concert with Calcineurin. <i>Journal of Biological Chemistry</i> , 2013, 288, 33824-33836.	3.5	83
24	GCN2 in the Brain Programs PPAR γ 2 and Triglyceride Storage in the Liver during Perinatal Development in Response to Maternal Dietary Fat. <i>PLoS ONE</i> , 2013, 8, e75917.	2.5	10
25	Brain-Specific Disruption of the eIF2 γ Kinase PERK Decreases ATF4 Expression and Impairs Behavioral Flexibility. <i>Cell Reports</i> , 2012, 1, 676-688.	6.3	131
26	Hyperthermia Induces the ER Stress Pathway. <i>PLoS ONE</i> , 2011, 6, e23740.	2.5	56
27	Endoplasmic Reticulum Stress Response Mediated by the PERK-eIF2 γ -ATF4 Pathway Is Involved in Osteoblast Differentiation Induced by BMP2. <i>Journal of Biological Chemistry</i> , 2011, 286, 4809-4818.	3.5	234
28	PERK (EIF2AK3) Regulates Proinsulin Trafficking and Quality Control in the Secretory Pathway. <i>Diabetes</i> , 2010, 59, 1937-1947.	0.9	119
29	PERK in beta cell biology and insulin biogenesis. <i>Trends in Endocrinology and Metabolism</i> , 2010, 21, 714-721.	7.0	62
30	GCN2 Protein Kinase Is Required to Activate Amino Acid Deprivation Responses in Mice Treated with the Anti-cancer Agent L-Asparaginase. <i>Journal of Biological Chemistry</i> , 2009, 284, 32742-32749.	3.5	94
31	Sleeping Beauty, Awake! Regulation of Insulin Gene Expression by Methylation of Histone H3. <i>Diabetes</i> , 2009, 58, 28-29.	0.9	4
32	eIF2 γ kinases GCN2 and PERK modulate transcription and translation of distinct sets of mRNAs in mouse liver. <i>Physiological Genomics</i> , 2009, 38, 328-341.	2.3	68
33	Acute ablation of PERK results in ER dysfunctions followed by reduced insulin secretion and cell proliferation. <i>BMC Cell Biology</i> , 2009, 10, 61.	2.9	48
34	PERK Regulates the Proliferation and Development of Insulin-Secreting Beta-Cell Tumors in the Endocrine Pancreas of Mice. <i>PLoS ONE</i> , 2009, 4, e8008.	2.5	52
35	PERK is essential for neonatal skeletal development to regulate osteoblast proliferation and differentiation. <i>Journal of Cellular Physiology</i> , 2008, 217, 693-707.	4.2	111
36	PERK-dependent regulation of lipogenesis during mouse mammary gland development and adipocyte differentiation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 16314-16319.	7.6	234

#	ARTICLE	IF	CITATIONS
37	Rapid Turnover of the mTOR Complex 1 (mTORC1) Repressor REDD1 and Activation of mTORC1 Signaling following Inhibition of Protein Synthesis. <i>Journal of Biological Chemistry</i> , 2008, 283, 3465-3475.	3.5	92
38	The GCN2 eIF2 $\hat{\pm}$ Kinase Regulates Fatty-Acid Homeostasis in the Liver during Deprivation of an Essential Amino Acid. <i>Cell Metabolism</i> , 2007, 5, 103-114.	15.8	248
39	Translational Control and the Unfolded Protein Response. <i>Antioxidants and Redox Signaling</i> , 2007, 9, 2357-2372.	5.5	273
40	PERK eIF2 alpha kinase is required to regulate the viability of the exocrine pancreas in mice. <i>BMC Cell Biology</i> , 2007, 8, 38.	2.9	76
41	Expansion and evolution of insect GMC oxidoreductases. <i>BMC Evolutionary Biology</i> , 2007, 7, 75.	3.1	59
42	PERK EIF2AK3 control of pancreatic $\hat{1}^2$ cell differentiation and proliferation is required for postnatal glucose homeostasis. <i>Cell Metabolism</i> , 2006, 4, 491-497.	15.8	252
43	Tryptophan catabolism generates autoimmune-preventive regulatory T cells. <i>Transplant Immunology</i> , 2006, 17, 58-60.	1.3	98
44	Mutations in GLIS3 are responsible for a rare syndrome with neonatal diabetes mellitus and congenital hypothyroidism. <i>Nature Genetics</i> , 2006, 38, 682-687.	20.4	335
45	The Combined Effects of Tryptophan Starvation and Tryptophan Catabolites Down-Regulate T Cell Receptor $\hat{1}$ -Chain and Induce a Regulatory Phenotype in Naive T Cells. <i>Journal of Immunology</i> , 2006, 176, 6752-6761.	0.8	965
46	PERK (eIF2 $\hat{\pm}$ kinase) is required to activate the stress-activated MAPKs and induce the expression of immediate-early genes upon disruption of ER calcium homeostasis. <i>Biochemical Journal</i> , 2006, 393, 201-209.	3.8	129
47	PERK is responsible for the increased phosphorylation of eIF2 $\hat{\pm}$ and the severe inhibition of protein synthesis after transient global brain ischemia. <i>Journal of Neurochemistry</i> , 2005, 94, 1235-1242.	4.0	61
48	Proinsulin Disulfide Maturation and Misfolding in the Endoplasmic Reticulum. <i>Journal of Biological Chemistry</i> , 2005, 280, 13209-13212.	3.5	99
49	Uncharged tRNA and Sensing of Amino Acid Deficiency in Mammalian Piriform Cortex. <i>Science</i> , 2005, 307, 1776-1778.	20.9	293
50	Preservation of Liver Protein Synthesis during Dietary Leucine Deprivation Occurs at the Expense of Skeletal Muscle Mass in Mice Deleted for eIF2 Kinase GCN2. <i>Journal of Biological Chemistry</i> , 2004, 279, 36553-36561.	3.5	194
51	Activating Transcription Factor 3 Is Integral to the Eukaryotic Initiation Factor 2 Kinase Stress Response. <i>Molecular and Cellular Biology</i> , 2004, 24, 1365-1377.	2.5	444
52	Glucose dehydrogenase is required for normal sperm storage and utilization in female <i>Drosophila melanogaster</i> . <i>Journal of Experimental Biology</i> , 2004, 207, 675-681.	1.7	55
53	Phosphorylation of the $\hat{1}$ Subunit of Eukaryotic Initiation Factor 2 Is Required for Activation of NF- $\hat{1}$ B in Response to Diverse Cellular Stresses. <i>Molecular and Cellular Biology</i> , 2003, 23, 5651-5663.	2.5	396
54	PERK eIF2 $\hat{\pm}$ Kinase Regulates Neonatal Growth by Controlling the Expression of Circulating Insulin-Like Growth Factor-I Derived from the Liver. <i>Endocrinology</i> , 2003, 144, 3505-3513.	2.8	51

#	ARTICLE	IF	CITATIONS
55	The PERK Eukaryotic Initiation Factor 2 ^{1±} Kinase Is Required for the Development of the Skeletal System, Postnatal Growth, and the Function and Viability of the Pancreas. <i>Molecular and Cellular Biology</i> , 2002, 22, 3864-3874.	2.5	546
56	The GCN2 eIF2 ^{1±} Kinase Is Required for Adaptation to Amino Acid Deprivation in Mice. <i>Molecular and Cellular Biology</i> , 2002, 22, 6681-6688.	2.5	401
57	Brain ischemia and reperfusion activates the eukaryotic initiation factor 2 ^{1±} kinase, PERK. <i>Journal of Neurochemistry</i> , 2001, 77, 1418-1421.	4.0	212
58	Complex Organization of Promoter and Enhancer Elements Regulate the Tissue- and Developmental Stage-Specific Expression of the <i>Drosophila melanogaster</i> Gld Gene. <i>Genetics</i> , 2001, 157, 699-715.	2.9	12
59	A Mammalian Homologue of GCN2 Protein Kinase Important for Translational Control by Phosphorylation of Eukaryotic Initiation Factor-2 ^{1±} . <i>Genetics</i> , 2000, 154, 787-801.	2.9	253
60	Isolation of the Gene Encoding the <i>Drosophila melanogaster</i> Homolog of the <i>Saccharomyces cerevisiae</i> GCN2 eIF-2 ^{1±} Kinase. <i>Genetics</i> , 1998, 149, 1495-1509.	2.9	56
61	A Somatic Reproductive Organ Enhancer Complex Activates Expression in both the Developing and the Mature <i>Drosophila</i> Reproductive Tract. <i>Developmental Biology</i> , 1996, 180, 311-323.	2.1	3
62	Heat Shock Effects on Phosphorylation of Protein Synthesis Initiation Factor Proteins eIF-4E and eIF-2.alpha. in <i>Drosophila</i> . <i>Biochemistry</i> , 1995, 34, 2985-2997.	2.6	38
63	Correlated evolution of the cis-acting regulatory elements and developmental expression of the <i>Drosophila</i> Gld gene in seven species from the subgroup <i>melanogaster</i> . <i>Genesis</i> , 1994, 15, 38-50.	2.6	24
64	Isolation and characterization of the <i>Drosophila melanogaster</i> eIF-2 ^{1±} gene encoding the alpha subunit of translation initiation factor eIF-2. <i>Gene</i> , 1994, 140, 239-242.	2.3	17
65	Isolation and characterization of the <i>Drosophila melanogaster</i> gene encoding translation-initiation factor eIF-2 ² . <i>Gene</i> , 1994, 142, 271-274.	2.3	14
66	Tissue-specific regulatory elements of the <i>Drosophila</i> Gld gene. <i>Mechanisms of Development</i> , 1993, 42, 3-13.	1.7	10
67	GMC oxidoreductases. <i>Journal of Molecular Biology</i> , 1992, 223, 811-814.	4.3	252
68	The <i>Drosophila melanogaster</i> stranded at second (sas) gene encodes a putative epidermal cell surface receptor required for larval development. <i>Developmental Biology</i> , 1992, 151, 431-445.	2.1	35
69	Transgenic animal studies on the evolution of genetic regulatory circuitries. <i>BioEssays</i> , 1992, 14, 237-244.	2.6	33
70	Organ-specific patterns of gene expression in the reproductive tract of <i>Drosophila</i> are regulated by the sex-determination genes. <i>Developmental Biology</i> , 1991, 146, 451-460.	2.1	19
71	Eukaryotic start and stop translation sites. <i>Nucleic Acids Research</i> , 1991, 19, 3185-3192.	14.0	631
72	Ecdysteroid regulation of glucose dehydrogenase and alcohol dehydrogenase gene expression in <i>Drosophila melanogaster</i> . <i>Developmental Biology</i> , 1989, 135, 66-73.	2.1	39

#	ARTICLE	IF	CITATIONS
73	Evolution of Developmental Regulation. <i>American Naturalist</i> , 1989, 134, 459-473.	2.2	7
74	The YYRR box: a conserved dipyrimidine-dipurine sequence element in <i>Drosophila</i> and other eukaryotes. <i>Nucleic Acids Research</i> , 1988, 16, 3375-3390.	14.0	7
75	Isolation of genes encoding proteins of immunological importance. <i>Methods in Enzymology</i> , 1987, 150, 746-754.	1.7	0
76	Comparison of the consensus sequence flanking translational start sites in <i>Drosophila</i> and vertebrates. <i>Nucleic Acids Research</i> , 1987, 15, 1353-1361.	14.0	1,068
77	Detection of estrogen receptor mRNA in human uterus. <i>Molecular and Cellular Endocrinology</i> , 1987, 52, 235-242.	3.3	12
78	Combinatorial control of structural genes in <i>Drosophila</i> : Solutions that work for the animal. <i>BioEssays</i> , 1987, 7, 103-107.	2.6	14
79	A REHABILITATION OF THE GENETIC MAP OF THE 84B-D REGION IN <i>DROSOPHILA MELANOGASTER</i> . <i>Genetics</i> , 1986, 114, 111-123.	2.9	49
80	The Developmental Genetic Basis of Organismal Evolution. <i>Evolution; International Journal of Organic Evolution</i> , 1983, 37, 1321.	2.3	0
81	THE RESPONSE OF ENZYME POLYMORPHISMS TO DEVELOPMENTAL RATE SELECTION IN <i>DROSOPHILA MELANOGASTER</i> . <i>Genetics</i> , 1983, 105, 105-113.	2.9	37
82	Dynamics of Correlated Genetic Systems. VII. Demographic Aspects of Sex-Linked Transmission. <i>American Naturalist</i> , 1982, 120, 108-118.	2.2	6
83	Multigenic Response to Ethanol in <i>Drosophila melanogaster</i> . <i>Evolution; International Journal of Organic Evolution</i> , 1981, 35, 1.	2.3	20
84	MULTIGENIC RESPONSE TO ETHANOL IN <i>DROSOPHILA MELANOGASTER</i> . <i>Evolution; International Journal of Organic Evolution</i> , 1981, 35, 1-10.	2.3	88
85	TEMPORAL STABILITY OF ALLOZYME FREQUENCIES IN A NATURAL POPULATION OF <i>DROSOPHILA MELANOGASTER</i> . <i>Genetics</i> , 1981, 98, 613-623.	2.9	36
86	Genetics of male-specific glucose oxidase and the identification of other unusual hexose enzymes in <i>Drosophila melanogaster</i> . <i>Biochemical Genetics</i> , 1980, 18, 929-937.	1.8	40
87	Preference for ethanol in <i>Drosophila melanogaster</i> associated with the alcohol dehydrogenase polymorphism. <i>Behavior Genetics</i> , 1979, 9, 359-365.	2.0	66
88	Sexual dimorphisms in body proportions of Masai giraffes and the evolution of the giraffe's neck. <i>Mammalian Biology</i> , 0, , .	1.5	0