Roos Masereeuw

List of Publications by Citations

Source: https://exaly.com/author-pdf/3142411/roos-masereeuw-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

246
papers

7,715
citations

47
h-index

9,008
ext. papers

6.3
avg, IF

L-index

#	Paper	IF	Citations
246	Multidrug resistance protein 4 (MRP4/ABCC4): a versatile efflux transporter for drugs and signalling molecules. <i>Trends in Pharmacological Sciences</i> , 2008 , 29, 200-7	13.2	317
245	Kidney-on-a-Chip Technology for Drug-Induced Nephrotoxicity Screening. <i>Trends in Biotechnology</i> , 2016 , 34, 156-170	15.1	217
244	Molecular aspects of renal anionic drug transport. <i>Annual Review of Physiology</i> , 2002 , 64, 563-94	23.1	209
243	The breast cancer resistance protein transporter ABCG2 is expressed in the human kidney proximal tubule apical membrane. <i>Kidney International</i> , 2008 , 73, 220-5	9.9	197
242	Renal toxicity of radiolabeled peptides and antibody fragments: mechanisms, impact on radionuclide therapy, and strategies for prevention. <i>Journal of Nuclear Medicine</i> , 2010 , 51, 1049-58	8.9	191
241	Intravenously administered short interfering RNA accumulates in the kidney and selectively suppresses gene function in renal proximal tubules. <i>Drug Metabolism and Disposition</i> , 2006 , 34, 1393-7	4	171
240	Tubuloids derived from human adult kidney and urine for personalized disease modeling. <i>Nature Biotechnology</i> , 2019 , 37, 303-313	44.5	165
239	The role of ATP binding cassette transporters in tissue defense and organ regeneration. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2009 , 328, 3-9	4.7	134
238	Novel conditionally immortalized human proximal tubule cell line expressing functional influx and efflux transporters. <i>Cell and Tissue Research</i> , 2010 , 339, 449-57	4.2	134
237	Ischemic preconditioning in the animal kidney, a systematic review and meta-analysis. <i>PLoS ONE</i> , 2012 , 7, e32296	3.7	132
236	Alkaline phosphatase treatment improves renal function in severe sepsis or septic shock patients. <i>Critical Care Medicine</i> , 2009 , 37, 417-23, e1	1.4	120
235	Selective iNOS inhibition for the treatment of sepsis-induced acute kidney injury. <i>Nature Reviews Nephrology</i> , 2009 , 5, 629-40	14.9	118
234	Cysteamine: an old drug with new potential. <i>Drug Discovery Today</i> , 2013 , 18, 785-92	8.8	114
233	Molecular pharmacology of renal organic anion transporters. <i>American Journal of Physiology - Renal Physiology</i> , 2000 , 279, F216-32	4.3	112
232	The kidney and uremic toxin removal: glomerulus or tubule?. <i>Seminars in Nephrology</i> , 2014 , 34, 191-208	4.8	100
231	Iron metabolism in the pathogenesis of iron-induced kidney injury. <i>Nature Reviews Nephrology</i> , 2013 , 9, 385-98	14.9	96
230	Mechanisms and clinical implications of renal drug excretion. <i>Drug Metabolism Reviews</i> , 2001 , 33, 299-3.	5 / 1	96

229	Mechanisms of renal anionic drug transport. European Journal of Pharmacology, 2008, 585, 245-55	5.3	95
228	Uremic toxins inhibit transport by breast cancer resistance protein and multidrug resistance protein 4 at clinically relevant concentrations. <i>PLoS ONE</i> , 2011 , 6, e18438	3.7	95
227	Uremic toxins inhibit renal metabolic capacity through interference with glucuronidation and mitochondrial respiration. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2013 , 1832, 142-50	6.9	92
226	Bioengineered kidney tubules efficiently excrete uremic toxins. <i>Scientific Reports</i> , 2016 , 6, 26715	4.9	84
225	Complexation-induced resolution enhancement of 3D-printed hydrogel constructs. <i>Nature Communications</i> , 2020 , 11, 1267	17.4	83
224	New markers of inflammation-induced renal injury subside when endotoxin tolerance develops in humans as measured by urine proteomics. <i>Critical Care</i> , 2010 , 14, P511	10.8	78
223	Inflammation-induced renal injury subsides when endotoxin tolerance develops in humans as measured by urine proteomics. <i>Critical Care</i> , 2009 , 13, P251	10.8	78
222	A Human Renal Proximal Tubule Cell Line with Stable Organic Anion Transporter 1 and 3 Expression Predictive for Antiviral-Induced Toxicity. <i>AAPS Journal</i> , 2016 , 18, 465-75	3.7	75
221	Therapeutic implications of renal anionic drug transporters. <i>Pharmacology & Therapeutics</i> , 2010 , 126, 200-16	13.9	75
220	Advances in predictive in vitro models of drug-induced nephrotoxicity. <i>Nature Reviews Nephrology</i> , 2018 , 14, 378-393	14.9	74
219	Human proximal tubule epithelial cells cultured on hollow fibers: living membranes that actively transport organic cations. <i>Scientific Reports</i> , 2015 , 5, 16702	4.9	73
218	Upregulation of renal inducible nitric oxide synthase during human endotoxemia and sepsis is associated with proximal tubule injury. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2006 , 1, 853-62	6.9	73
217	Cysteamine restores glutathione redox status in cultured cystinotic proximal tubular epithelial cells. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2011 , 1812, 643-51	6.9	68
216	A morphological and functional comparison of proximal tubule cell lines established from human urine and kidney tissue. <i>Experimental Cell Research</i> , 2014 , 323, 87-99	4.2	67
215	Endocrine disruptors differentially target ATP-binding cassette transporters in the blood-testis barrier and affect Leydig cell testosterone secretion in vitro. <i>Toxicological Sciences</i> , 2013 , 136, 382-91	4.4	67
214	Remote ischaemic preconditioning by brief hind limb ischaemia protects against renal ischaemia-reperfusion injury: the role of adenosine. <i>Nephrology Dialysis Transplantation</i> , 2011 , 26, 3108	-11-3	67
213	Reducing renal uptake of radiolabeled peptides using albumin fragments. <i>Journal of Nuclear Medicine</i> , 2008 , 49, 1506-11	8.9	67
212	The Influence of Dietary Protein Intake on Mammalian Tryptophan and Phenolic Metabolites. <i>PLoS ONE</i> , 2015 , 10, e0140820	3.7	62

211	Renal uptake of radiolabeled octreotide in human subjects is efficiently inhibited by succinylated gelatin. <i>Journal of Nuclear Medicine</i> , 2006 , 47, 432-6	8.9	62
210	Gelatin-based plasma expander effectively reduces renal uptake of 111In-octreotide in mice and rats. <i>Journal of Nuclear Medicine</i> , 2006 , 47, 528-33	8.9	62
209	Impaired renal secretion of substrates for the multidrug resistance protein 2 in mutant transport-deficient (TR-) rats. <i>Journal of the American Society of Nephrology: JASN</i> , 2003 , 14, 2741-9	12.7	60
208	Alkaline phosphatase: a possible treatment for sepsis-associated acute kidney injury in critically ill patients. <i>American Journal of Kidney Diseases</i> , 2014 , 63, 1038-48	7.4	59
207	In vitro and in vivo transport of zidovudine (AZT) across the blood-brain barrier and the effect of transport inhibitors. <i>Pharmaceutical Research</i> , 1994 , 11, 324-30	4.5	58
206	Endothelin B receptor-mediated regulation of ATP-driven drug secretion in renal proximal tubule. <i>Molecular Pharmacology</i> , 2000 , 57, 59-67	4.3	54
205	Function and regulation of multidrug resistance proteins (MRPs) in the renal elimination of organic anions. <i>Drug Metabolism Reviews</i> , 2005 , 37, 443-71	7	53
204	ABC transporter expression profiling after ischemic reperfusion injury in mouse kidney. <i>Kidney International</i> , 2006 , 69, 2186-93	9.9	52
203	Nephrotoxicity and Kidney Transport Assessment on 3D Perfused Proximal Tubules. <i>AAPS Journal</i> , 2018 , 20, 90	3.7	51
202	Optimized metabolomic approach to identify uremic solutes in plasma of stage 3-4 chronic kidney disease patients. <i>PLoS ONE</i> , 2013 , 8, e71199	3.7	50
201	Effect of drugs on renal development. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011 , 6, 212-7	6.9	49
200	Interaction of immunosuppressive drugs with human organic anion transporter (OAT) 1 and OAT3, and multidrug resistance-associated protein (MRP) 2 and MRP4. <i>Translational Research</i> , 2013 , 162, 398-	465	48
199	Remote sensing and signaling in kidney proximal tubules stimulates gut microbiome-derived organic anion secretion. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 16105-16110	11.5	47
198	Alkaline phosphatase protects against renal inflammation through dephosphorylation of lipopolysaccharide and adenosine triphosphate. <i>British Journal of Pharmacology</i> , 2015 , 172, 4932-45	8.6	47
197	Regulatory pathways for ATP-binding cassette transport proteins in kidney proximal tubules. <i>AAPS Journal</i> , 2012 , 14, 883-94	3.7	46
196	Screening of Drug-Transporter Interactions in a 3D Microfluidic Renal Proximal Tubule on a Chip. <i>AAPS Journal</i> , 2018 , 20, 87	3.7	45
195	Epithelial-to-mesenchymal transition in fibrosis: collagen type I expression is highly upregulated after EMT, but does not contribute to collagen deposition. <i>Experimental Cell Research</i> , 2013 , 319, 3000-	9 ^{4.2}	45
194	Nephrotoxicants induce endothelin release and signaling in renal proximal tubules: effect on drug efflux. <i>Molecular Pharmacology</i> , 2001 , 59, 1433-40	4.3	44

(2003-2013)

193	Mesenchymal stem cell-conditioned medium accelerates regeneration of human renal proximal tubule epithelial cells after gentamicin toxicity. <i>Experimental and Toxicologic Pathology</i> , 2013 , 65, 595-6	00	43	
192	Short- and long-term influences of heavy metals on anionic drug efflux from renal proximal tubule. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2002 , 301, 578-85	4.7	43	
191	Cationic uremic toxins affect human renal proximal tubule cell functioning through interaction with the organic cation transporter. <i>Pflugers Archiv European Journal of Physiology</i> , 2013 , 465, 1701-14	4.6	41	
190	Proximal tubular efflux transporters involved in renal excretion of p-cresyl sulfate and p-cresyl glucuronide: Implications for chronic kidney disease pathophysiology. <i>Toxicology in Vitro</i> , 2015 , 29, 1868	8 ³⁷⁹	41	
189	Localization of breast cancer resistance protein (Bcrp) in endocrine organs and inhibition of its transport activity by steroid hormones. <i>Cell and Tissue Research</i> , 2012 , 349, 551-63	4.2	41	
188	Kidney-based in vitro models for drug-induced toxicity testing. <i>Archives of Toxicology</i> , 2019 , 93, 3397-34	1588	40	
187	Renal Handling of Circulating and Renal-Synthesized Hepcidin and Its Protective Effects against Hemoglobin-Mediated Kidney Injury. <i>Journal of the American Society of Nephrology: JASN</i> , 2016 , 27, 272	.0 ¹³⁷	40	
186	Biotechnological challenges of bioartificial kidney engineering. <i>Biotechnology Advances</i> , 2014 , 32, 1317	-1137287	39	
185	Hyperuricemia influences tryptophan metabolism via inhibition of multidrug resistance protein 4 (MRP4) and breast cancer resistance protein (BCRP). <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2013 , 1832, 1715-22	6.9	39	
184	Multidrug resistance protein mrp2 mediates ATP-dependent transport of classic renal organic anion p-aminohippurate. <i>American Journal of Physiology - Renal Physiology</i> , 2000 , 279, F713-7	4.3	39	
183	Development of a living membrane comprising a functional human renal proximal tubule cell monolayer on polyethersulfone polymeric membrane. <i>Acta Biomaterialia</i> , 2015 , 14, 22-32	10.8	37	
182	Nitric oxide differentially regulates renal ATP-binding cassette transporters during endotoxemia. <i>Pflugers Archiv European Journal of Physiology,</i> 2007 , 454, 321-34	4.6	37	
181	Upscaling of a living membrane for bioartificial kidney device. <i>European Journal of Pharmacology</i> , 2016 , 790, 28-35	5.3	35	
180	Rhodamine 123 accumulates extensively in the isolated perfused rat kidney and is secreted by the organic cation system. <i>European Journal of Pharmacology</i> , 1997 , 321, 315-23	5.3	35	
179	Prophylactic effect of recombinant factor VIIa in factor VII deficient patients. <i>British Journal of Haematology</i> , 2004 , 125, 494-9	4.5	35	
178	Fluorescence-Based Transport Assays Revisited in a Human Renal Proximal Tubule Cell Line. <i>Molecular Pharmaceutics</i> , 2016 , 13, 933-44	5.6	34	
177	Biomarker discovery with SELDI-TOF MS in human urine associated with early renal injury: evaluation with computational analytical tools. <i>Nephrology Dialysis Transplantation</i> , 2007 , 22, 2932-43	4.3	33	
176	Modulatory effects of hormones, drugs, and toxic events on renal organic anion transport. Biochemical Pharmacology, 2003 , 65, 1393-405	6	33	

175	Multiple pathways of organic anion secretion in renal proximal tubule revealed by confocal microscopy. <i>American Journal of Physiology - Renal Physiology</i> , 1996 , 271, F1173-82	4.3	33
174	Nitric oxide down-regulates the expression of organic cation transporters (OCT) 1 and 2 in rat kidney during endotoxemia. <i>European Journal of Pharmacology</i> , 2008 , 584, 390-7	5.3	31
173	Disposition and clinical implications of protein-bound uremic toxins. Clinical Science, 2017, 131, 1631-16	467 .5	30
172	Role of NO in endothelin-regulated drug transport in the renal proximal tubule. <i>American Journal of Physiology - Renal Physiology</i> , 2002 , 282, F458-64	4.3	30
171	Role of multidrug resistance protein 2 (MRP2) in glutathione-bimane efflux from Caco-2 and rat renal proximal tubule cells. <i>British Journal of Pharmacology</i> , 2001 , 134, 931-8	8.6	30
170	A combination of anti-CD3 and anti-CD7 ricin A-immunotoxins for the in vivo treatment of acute graft versus host disease. <i>Blood</i> , 2000 , 95, 3693-3701	2.2	30
169	Characterization of fluorescein transport in isolated proximal tubular cells of the rat: evidence for mitochondrial accumulation. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 1994 , 269, 1261-7	4.7	30
168	From portable dialysis to a bioengineered kidney. Expert Review of Medical Devices, 2018, 15, 323-336	3.5	29
167	Alkaline phosphatase as a treatment of sepsis-associated acute kidney injury. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2013 , 344, 2-7	4.7	29
166	Subunit-specific incorporation efficiency and kinetics in mitochondrial complex I homeostasis. Journal of Biological Chemistry, 2012 , 287, 41851-60	5.4	29
165	Carbon Nanotube Reinforced Supramolecular Hydrogels for Bioapplications. <i>Macromolecular Bioscience</i> , 2019 , 19, e1800173	5.5	28
164	Quantification and visualization of the transport of octreotide, a somatostatin analogue, across monolayers of cerebrovascular endothelial cells. <i>Pharmaceutical Research</i> , 1994 , 11, 442-8	4.5	28
163	Diannexin protects against renal ischemia reperfusion injury and targets phosphatidylserines in ischemic tissue. <i>PLoS ONE</i> , 2011 , 6, e24276	3.7	28
162	Active lucifer yellow secretion in renal proximal tubule: evidence for organic anion transport system crossover. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 1999 , 289, 1104-11	4.7	28
161	P-glycoprotein-deficient mice have proximal tubule dysfunction but are protected against ischemic renal injury. <i>Kidney International</i> , 2007 , 72, 1233-41	9.9	27
160	Regulation of MRP2-mediated transport in shark rectal salt gland tubules. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2002 , 282, R774-81	3.2	27
159	Expression of Organic Anion Transporter 1 or 3 in Human Kidney Proximal Tubule Cells Reduces Cisplatin Sensitivity. <i>Drug Metabolism and Disposition</i> , 2018 , 46, 592-599	4	26
158	Flow stimulates drug transport in a human kidney proximal tubule-on-a-chip independent of primary cilia. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2020 , 1864, 129433	4	26

157	Bioengineering Organs for Blood Detoxification. Advanced Healthcare Materials, 2018, 7, e1800430	10.1	26	
156	In vitro systems to study nephropharmacology: 2D versus 3D models. <i>European Journal of Pharmacology</i> , 2016 , 790, 36-45	5.3	24	
155	Combining Extracellular miRNA Determination with Microfluidic 3D Cell Cultures for the Assessment of Nephrotoxicity: a Proof of Concept Study. <i>AAPS Journal</i> , 2018 , 20, 86	3.7	24	
154	Renal glucuronidation and multidrug resistance protein 2-/ multidrug resistance protein 4-mediated efflux of mycophenolic acid: interaction with cyclosporine and tacrolimus. <i>Translational Research</i> , 2014 , 164, 46-56	11	24	
153	The potential of alkaline phosphatase as a treatment for sepsis-associated acute kidney injury. <i>Nephron Clinical Practice</i> , 2014 , 127, 144-8		24	
152	Mass spectrometry analysis of hepcidin peptides in experimental mouse models. <i>PLoS ONE</i> , 2011 , 6, e16	63 <u>.6</u> 2	24	
151	Regulation of P-glycoprotein in renal proximal tubule epithelial cells by LPS and TNF-alpha. <i>Journal of Biomedicine and Biotechnology</i> , 2010 , 2010, 525180		24	
150	Transport of a fluorescent cAMP analog in teleost proximal tubules. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2007 , 293, R2382-9	3.2	24	
149	Genetic Variations and Cisplatin Nephrotoxicity: A Systematic Review. <i>Frontiers in Pharmacology</i> , 2018 , 9, 1111	5.6	24	
148	The importance of breast cancer resistance protein to the kidneys excretory function and chemotherapeutic resistance. <i>Drug Resistance Updates</i> , 2017 , 30, 15-27	23.2	23	
147	Evaluating Human Intestinal Cell Lines for Studying Dietary Protein Absorption. Nutrients, 2018, 10,	6.7	23	
146	Tubular reabsorption and local production of urine hepcidin-25. BMC Nephrology, 2013, 14, 70	2.7	23	
145	Effects of a human recombinant alkaline phosphatase on renal hemodynamics, oxygenation and inflammation in two models of acute kidney injury. <i>Toxicology and Applied Pharmacology</i> , 2016 , 313, 88-	. 96 6	22	
144	The functional implications of common genetic variation in CYP3A5 and ABCB1 in human proximal tubule cells. <i>Molecular Pharmaceutics</i> , 2015 , 12, 758-68	5.6	22	
143	Insights into the role of bone marrow-derived stem cells in renal repair. <i>Kidney and Blood Pressure Research</i> , 2008 , 31, 104-10	3.1	22	
142	Short-term exposure of renal proximal tubules to gentamicin increases long-term multidrug resistance protein 2 (Abcc2) transport function and reduces nephrotoxicant sensitivity. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2005 , 315, 912-20	4.7	22	
141	Protein-Bound Uremic Toxins in Hemodialysis Patients Relate to Residual Kidney Function, Are Not Influenced by Convective Transport, and Do Not Relate to Outcome. <i>Toxins</i> , 2020 , 12,	4.9	21	
140	Basolateral transport of the uraemic toxin p-cresyl sulfate: role for organic anion transporters?. Nephrology Dialysis Transplantation, 2011 , 26, 4149	4.3	21	

139	Characterization of P-glycoprotein and multidrug resistance proteins in rat kidney and intestinal cell lines. <i>European Journal of Pharmaceutical Sciences</i> , 2007 , 30, 36-44	5.1	21
138	Bioengineered bile ducts recapitulate key cholangiocyte functions. <i>Biofabrication</i> , 2018 , 10, 034103	10.5	21
137	Cetuximab Prevents Methotrexate-Induced Cytotoxicity in Vitro through Epidermal Growth Factor Dependent Regulation of Renal Drug Transporters. <i>Molecular Pharmaceutics</i> , 2017 , 14, 2147-2157	5.6	20
136	Increased volume of distribution for recombinant activated factor VII and longer plasma-derived factor VII half-life may explain their long lasting prophylactic effect. <i>Thrombosis Research</i> , 2013 , 132, 256-62	8.2	20
135	Humoral signalling compounds in remote ischaemic preconditioning of the kidney, a role for the opioid receptor. <i>Nephrology Dialysis Transplantation</i> , 2013 , 28, 1721-32	4.3	20
134	Involvement of guanylyl cyclase and cGMP in the regulation of Mrp2-mediated transport in the proximal tubule. <i>American Journal of Physiology - Renal Physiology</i> , 2004 , 287, F33-8	4.3	20
133	Cyclosporin increases cellular idarubicin and idarubicinol concentrations in relapsed or refractory AML mainly due to reduced systemic clearance. <i>Leukemia</i> , 2001 , 15, 80-8	10.7	20
132	Complex coacervation-based loading and tunable release of a cationic protein from monodisperse glycosaminoglycan microgels. <i>Soft Matter</i> , 2018 , 14, 6327-6341	3.6	19
131	Increased apical insertion of the multidrug resistance protein 2 (MRP2/ABCC2) in renal proximal tubules following gentamicin exposure. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2006 , 318, 1194-202	4.7	19
130	Phase I/II Trial of a Combination of Anti-CD3/CD7 Immunotoxins for Steroid-Refractory Acute Graft-versus-Host Disease. <i>Biology of Blood and Marrow Transplantation</i> , 2019 , 25, 712-719	4.7	19
129	Quantitative Translation of Microfluidic Transporter Data to Reveals Impaired Albumin-Facilitated Indoxyl Sulfate Secretion in Chronic Kidney Disease. <i>Molecular Pharmaceutics</i> , 2019 , 16, 4551-4562	5.6	18
128	Biomarkers for methotrexate-induced liver injury: urinary protein profiling of psoriasis patients. <i>Toxicology Letters</i> , 2013 , 221, 219-24	4.4	18
127	Role of Vitamin D in Maintaining Renal Epithelial Barrier Function in Uremic Conditions. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	18
126	Probenecid interferes with renal oxidative metabolism: a potential pitfall in its use as an inhibitor of drug transport. <i>British Journal of Pharmacology</i> , 2000 , 131, 57-62	8.6	18
125	Indoxyl Sulfate Upregulates Liver P-Glycoprotein Expression and Activity through Aryl Hydrocarbon Receptor Signaling. <i>Journal of the American Society of Nephrology: JASN</i> , 2018 , 29, 906-918	12.7	17
124	Towards a bioengineered kidney: recellularization strategies for decellularized native kidney scaffolds. <i>International Journal of Artificial Organs</i> , 2017 , 40, 150-158	1.9	16
123	Application of urine proteomics for biomarker discovery in drug-induced liver injury. <i>Critical Reviews in Toxicology</i> , 2014 , 44, 823-41	5.7	16
122	Rapid, nongenomic stimulation of multidrug resistance protein 2 (Mrp2) activity by glucocorticoids in renal proximal tubule. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2011 , 338, 362-71	4.7	16

(2016-2018)

121	Indoxyl Sulfate Upregulates Liver P-Glycoprotein Expression and Activity through Aryl Hydrocarbon Receptor Signaling 2018 , 29, 906-918		16	
120	Recellularized Native Kidney Scaffolds as a Novel Tool in Nephrotoxicity Screening. <i>Drug Metabolism and Disposition</i> , 2018 , 46, 1338-1350	4	15	
119	How systemic inflammation modulates adenosine metabolism and adenosine receptor expression in humans in vivo. <i>Critical Care Medicine</i> , 2012 , 40, 2609-16	1.4	15	
118	Implementation of a Human Renal Proximal Tubule on a Chip for Nephrotoxicity and Drug Interaction Studies. <i>Journal of Pharmaceutical Sciences</i> , 2021 , 110, 1601-1614	3.9	15	
117	A Randomized Trial of Distal Diuretics versus Dietary Sodium Restriction for Hypertension in Chronic Kidney Disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2020 , 31, 650-662	12.7	15	
116	Low-titre inhibitors, undetectable by the Nijmegen assay, reduce factor VIII half-life after immune tolerance induction. <i>Journal of Thrombosis and Haemostasis</i> , 2012 , 10, 706-8	15.4	14	
115	Biodistribution and translational pharmacokinetic modeling of a human recombinant alkaline phosphatase. <i>International Journal of Pharmaceutics</i> , 2015 , 495, 122-131	6.5	14	
114	In silico platform for xenobiotics ADME-T pharmacological properties modeling and prediction. Part I: Beyond the reduction of animal model use. <i>Drug Discovery Today</i> , 2009 , 14, 401-5	8.8	14	
113	Short-term beneficial effects of methylene blue on kidney damage in septic shock patients. <i>Intensive Care Medicine</i> , 2008 , 34, 350-4	14.5	14	
112	New approach methodologies (NAMs) for human-relevant biokinetics predictions. Meeting the paradigm shift in toxicology towards an animal-free chemical risk assessment. <i>ALTEX: Alternatives To Animal Experimentation</i> , 2020 , 37, 607-622	4.3	14	
111	Heme Oxygenase-1 and breast cancer resistance protein protect against heme-induced toxicity. <i>Current Pharmaceutical Design</i> , 2013 , 19, 2698-707	3.3	14	
110	Megalin: A Novel Endocytic Receptor for Prorenin and Renin. <i>Hypertension</i> , 2020 , 75, 1242-1250	8.5	14	
109	Therapy with 2RO-Me Phosphorothioate Antisense Oligonucleotides Causes Reversible Proteinuria by Inhibiting Renal Protein Reabsorption. <i>Molecular Therapy - Nucleic Acids</i> , 2019 , 18, 298-307	10.7	13	
108	Human Alpha-1-Antitrypsin (hAAT) therapy reduces renal dysfunction and acute tubular necrosis in a murine model of bilateral kidney ischemia-reperfusion injury. <i>PLoS ONE</i> , 2017 , 12, e0168981	3.7	13	
107	In vitro nephrotoxicity and anticancer potency of newly synthesized cadmium complexes. <i>Scientific Reports</i> , 2019 , 9, 14686	4.9	13	
106	Uremic Solutes in Chronic Kidney Disease and Their Role in Progression. <i>PLoS ONE</i> , 2016 , 11, e0168117	3.7	13	
105	Metabolite anion carriers mediate the uptake of the anionic drug fluorescein in renal cortical mitochondria. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2000 , 292, 968-73	4.7	13	
104	Cardiac Hepcidin Expression Associates with Injury Independent of Iron. <i>American Journal of Nephrology</i> , 2016 , 44, 368-378	4.6	12	

103	Fluorescently Labeled Cyclodextrin Derivatives as Exogenous Markers for Real-Time Transcutaneous Measurement of Renal Function. <i>Bioconjugate Chemistry</i> , 2016 , 27, 2513-2526	6.3	12
102	Pharmacokinetic Modeling and Dose Selection in a Randomized, Double-Blind, Placebo-Controlled Trial of a Human Recombinant Alkaline Phosphatase in Healthy Volunteers. <i>Clinical Pharmacokinetics</i> , 2016 , 55, 1227-1237	6.2	12
101	Allostimulatory capacity of conditionally immortalized proximal tubule cell lines for bioartificial kidney application. <i>Scientific Reports</i> , 2017 , 7, 7103	4.9	12
100	Hydrogel-Based Cell Therapies for Kidney Regeneration: Current Trends in Biofabrication and In Vivo Repair. <i>Current Pharmaceutical Design</i> , 2017 , 23, 3845-3857	3.3	12
99	Acute acetaminophen intoxication leads to hepatic iron loading by decreased hepcidin synthesis. <i>Toxicological Sciences</i> , 2012 , 129, 225-33	4.4	12
98	Endothelin and calciotropic hormones share regulatory pathways in multidrug resistance protein 2-mediated transport. <i>American Journal of Physiology - Renal Physiology</i> , 2007 , 292, F38-46	4.3	12
97	Glibenclamide depletes ATP in renal proximal tubular cells by interfering with mitochondrial metabolism. <i>British Journal of Pharmacology</i> , 2005 , 145, 1069-75	8.6	12
96	Excretory transport of xenobiotics by dogfish shark rectal gland tubules. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 1998 , 275, R697-705	3.2	12
95	Glomerular filtration and saturable absorption of iohexol in the rat isolated perfused kidney. <i>British Journal of Pharmacology</i> , 1996 , 119, 57-64	8.6	12
94	Fabrication of Kidney Proximal Tubule Grafts Using Biofunctionalized Electrospun Polymer Scaffolds. <i>Macromolecular Bioscience</i> , 2019 , 19, e1800412	5.5	12
93	Development and validation of bioengineered intestinal tubules for translational research aimed at safety and efficacy testing of drugs and nutrients. <i>Toxicology in Vitro</i> , 2019 , 60, 1-11	3.6	11
92	Fluo-cAMP is transported by multidrug resistance-associated protein isoform 4 in rat choroid plexus. <i>Journal of Neurochemistry</i> , 2010 , 115, 200-8	6	11
91	Can sulfasalazine therapy induce or exacerbate Wegener® granulomatosis?. <i>Scandinavian Journal of Rheumatology</i> , 2008 , 37, 72-4	1.9	11
90	A Theoretical and Experimental Study to Optimize Cell Differentiation in a Novel Intestinal Chip. <i>Frontiers in Bioengineering and Biotechnology</i> , 2020 , 8, 763	5.8	11
89	A combination of anti-CD3 and anti-CD7 ricin A-immunotoxins for the in vivo treatment of acute graft versus host disease. <i>Blood</i> , 2000 , 95, 3693-701	2.2	11
88	Contribution of bone marrow-derived cells in renal repair after acute kidney injury. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2009 , 61, 373-84	4.4	11
87	Outcome Definition Influences the Relationship Between Genetic Polymorphisms of , , and Cisplatin Nephrotoxicity in Adult Testicular Cancer Patients. <i>Genes</i> , 2019 , 10,	4.2	10
86	Humans are animals, but are animals human enough? A systematic review and meta-analysis on interspecies differences in renal drug clearance. <i>Drug Discovery Today</i> , 2020 , 25, 706-717	8.8	10

(2021-2018)

85	New insights into the effects of biomaterial chemistry and topography on the morphology of kidney epithelial cells. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2018 , 12, e817-e827	4.4	10
84	Altered tryptophan metabolism and CKD-associated fatigue. <i>Kidney International</i> , 2014 , 86, 1061-2	9.9	10
83	Deficiency of either P-glycoprotein or breast cancer resistance protein protect against acute kidney injury. <i>Cell Transplantation</i> , 2010 , 19, 1195-208	4	10
82	Data Sharing Under the General Data Protection Regulation: Time to Harmonize Law and Research Ethics?. <i>Hypertension</i> , 2021 , 77, 1029-1035	8.5	10
81	Safer chemicals using less animals: kick-off of the European ONTOX project. <i>Toxicology</i> , 2021 , 458, 152	8464	10
80	Interaction of fluorescein with the dicarboxylate carrier in rat kidney cortex mitochondria. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 1996 , 279, 1559-65	4.7	10
79	Renal Tubular- and Vascular Basement Membranes and their Mimicry in Engineering Vascularized Kidney Tubules. <i>Advanced Healthcare Materials</i> , 2018 , 7, e1800529	10.1	9
78	Proteomic profiling in incubation medium of mouse, rat and human precision-cut liver slices for biomarker detection regarding acute drug-induced liver injury. <i>Journal of Applied Toxicology</i> , 2014 , 34, 993-1001	4.1	9
77	Convallatoxin: a new P-glycoprotein substrate. European Journal of Pharmacology, 2014, 744, 18-27	5.3	9
76	Identification of novel translational urinary biomarkers for acetaminophen-induced acute liver injury using proteomic profiling in mice. <i>PLoS ONE</i> , 2012 , 7, e49524	3.7	9
75	Local and remote ischemic postconditionings have synergistic protective effects on renal ischemia-reperfusion injury. <i>Transplantation</i> , 2012 , 94, e1-2	1.8	9
74	Organic anion transporters 1 and 3 influence cellular energy metabolism in renal proximal tubule cells. <i>Biological Chemistry</i> , 2019 , 400, 1347-1358	4.5	8
73	Drugs Commonly Applied to Kidney Patients May Compromise Renal Tubular Uremic Toxins Excretion. <i>Toxins</i> , 2020 , 12,	4.9	8
72	Inhibition of Nrf2 alters cell stress induced by chronic iron exposure in human proximal tubular epithelial cells. <i>Toxicology Letters</i> , 2018 , 295, 179-186	4.4	8
71	Urinary proteomic profiling reveals diclofenac-induced renal injury and hepatic regeneration in mice. <i>Toxicology and Applied Pharmacology</i> , 2013 , 269, 141-9	4.6	8
70	Preserved response to diuretics in rosiglitazone-treated subjects with insulin resistance: a randomized double-blind placebo-controlled crossover study. <i>Clinical Pharmacology and Therapeutics</i> , 2011 , 89, 587-94	6.1	8
69	A bioartificial kidney device with polarized secretion of immune modulators. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2018 , 12, 1670-1678	4.4	8
68	The potential of multi-organ-on-chip models for assessment of drug disposition as alternative to animal testing. <i>Current Opinion in Toxicology</i> , 2021 , 27, 8-17	4.4	8

67	Quantification of cystine in human renal proximal tubule cells using liquid chromatography-tandem mass spectrometry. <i>Biomedical Chromatography</i> , 2018 , 32, e4238	1.7	7
66	A proteome comparison between human fetal and mature renal extracellular matrix identifies EMILIN1 as a regulator of renal epithelial cell adhesion. <i>Matrix Biology Plus</i> , 2019 , 4, 100011	5.1	7
65	Pharmacodynamics of recombinant activated factor VII and plasma-derived factor VII in a cohort of severe FVII deficient patients. <i>Thrombosis Research</i> , 2013 , 132, 116-22	8.2	7
64	Creating a bioartificial kidney. International Journal of Artificial Organs, 2017, 40, 323-327	1.9	7
63	The Impact of Genetic Polymorphisms in Organic Cation Transporters on Renal Drug Disposition. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	7
62	Cysteamine-bicalutamide combination therapy corrects proximal tubule phenotype in cystinosis. <i>EMBO Molecular Medicine</i> , 2021 , 13, e13067	12	7
61	Microphysiological Systems to Recapitulate the Gut-Kidney Axis. <i>Trends in Biotechnology</i> , 2021 , 39, 811-	812531	7
60	Topographic Guidance in Melt-Electrowritten Tubular Scaffolds Enhances Engineered Kidney Tubule Performance. <i>Frontiers in Bioengineering and Biotechnology</i> , 2020 , 8, 617364	5.8	7
59	Are cell-based therapies for kidney disease safe? A systematic review of preclinical evidence. <i>Pharmacology & Therapeutics</i> , 2019 , 197, 191-211	13.9	6
58	Role of p-glycoprotein expression and function in cystinotic renal proximal tubular cells. <i>Pharmaceutics</i> , 2011 , 3, 782-92	6.4	6
57	Saturable accumulation and diuretic activity of hydrochlorothiazide in the isolated perfused rat kidney. <i>Pharmacology</i> , 1997 , 54, 33-42	2.3	6
56	Regulation and expression of endothelin-1 (ET-1) and ET-receptors in rat epithelial cells of renal and intestinal origin. <i>Pharmacological Research</i> , 2006 , 54, 429-35	10.2	6
55	Vancomyxins: Vancomycin-Polymyxin Nonapeptide Conjugates That Retain Anti-Gram-Positive Activity with Enhanced Potency against Gram-Negative Strains. <i>ACS Infectious Diseases</i> , 2021 , 7, 2746-27	75:4	6
54	Effects of a human recombinant alkaline phosphatase during impaired mitochondrial function in human renal proximal tubule epithelial cells. <i>European Journal of Pharmacology</i> , 2017 , 796, 149-157	5.3	5
53	Cell-Based Phenotypic Drug Screening Identifies Luteolin as Candidate Therapeutic for Nephropathic Cystinosis. <i>Journal of the American Society of Nephrology: JASN</i> , 2020 , 31, 1522-1537	12.7	5
52	Heterogeneous transport of digitalis-like compounds by P-glycoprotein in vesicular and cellular assays. <i>Toxicology in Vitro</i> , 2016 , 32, 138-45	3.6	5
51	Selective Transport of Protein-Bound Uremic Toxins in Erythrocytes. <i>Toxins</i> , 2019 , 11,	4.9	5
50	Uremic Toxins Induce ET-1 Release by Human Proximal Tubule Cells, which Regulates Organic Cation Uptake Time-Dependently. <i>Cells</i> , 2015 , 4, 234-52	7.9	5

(2020-1996)

49	Renal excretion and accumulation kinetics of 2-methylbenzoylglycine in the isolated perfused rat kidney. <i>Journal of Pharmacy and Pharmacology</i> , 1996 , 48, 560-5	4.8	5	
48	Screening for the role of transporters in hepatic and renal drug handling. <i>Drug Discovery Today: Technologies</i> , 2004 , 1, 357-64	7.1	5	
47	Extracellular Vesicles as a Therapeutic Tool for Kidney Disease: Current Advances and Perspectives. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	5	
46	Renal Epithelial Monolayer Formation on Monomeric and Polymeric Catechol Functionalized Supramolecular Biomaterials. <i>Macromolecular Bioscience</i> , 2019 , 19, e1800300	5.5	5	
45	Innovations in approaches to remove uraemic toxins. <i>Nature Reviews Nephrology</i> , 2020 , 16, 552-553	14.9	4	
44	Differential effects of sulfonylurea derivatives on vascular ATP-sensitive potassium channels. <i>European Journal of Pharmacology</i> , 2012 , 681, 75-9	5.3	4	
43	Switch in FGFR3 and -4 expression profile during human renal development may account for transient hypercalcemia in patients with Sotos syndrome due to 5q35 microdeletions. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, E1361-7	5.6	4	
42	Urinary protein profiling in hyperactive delirium and non-delirium cardiac surgery ICU patients. <i>Proteome Science</i> , 2011 , 9, 13	2.6	4	
41	Biomimetic models of the glomerulus Nature Reviews Nephrology, 2022,	14.9	4	
40	Spinach and Chive for Kidney Tubule Engineering: the Limitations of Decellularized Plant Scaffolds and Vasculature. <i>AAPS Journal</i> , 2020 , 23, 11	3.7	4	
39	Intestinal explant barrier chip: long-term intestinal absorption screening in a novel microphysiological system using tissue explants. <i>Lab on A Chip</i> , 2021 ,	7.2	4	
38	Extrahepatic metabolism of ibrutinib. <i>Investigational New Drugs</i> , 2021 , 39, 1-14	4.3	4	
37	A Human Conditionally Immortalized Proximal Tubule Epithelial Cell Line as a Novel Model for Studying Senescence and Response to Senolytics <i>Frontiers in Pharmacology</i> , 2022 , 13, 791612	5.6	4	
36	Disposition of 4-methylbenzoylglycine in rat isolated perfused kidney and effects of hippurates on renal mitochondrial metabolism. <i>Journal of Pharmacy and Pharmacology</i> , 1998 , 50, 1397-404	4.8	3	
35	Anionic and cationic drug secretion in the isolated perfused rat kidney after neonatal surgical induction of ureteric obstruction. <i>BJU International</i> , 2003 , 92, 452-8	5.6	3	
34	Safety evaluation of conditionally immortalized cells for renal replacement therapy. <i>Oncotarget</i> , 2019 , 10, 5332-5348	3.3	3	
33	A systematic review of in vitro models of drug-induced kidney injury. <i>Current Opinion in Toxicology</i> , 2021 , 27, 18-18	4.4	3	
32	A simple method for the isolation and detailed characterization of primary human proximal tubule cells for renal replacement therapy. <i>International Journal of Artificial Organs</i> , 2020 , 43, 45-57	1.9	3	

31	Mild intracellular acidification by dexamethasone attenuates mitochondrial dysfunction in a human inflammatory proximal tubule epithelial cell model. <i>Scientific Reports</i> , 2017 , 7, 10623	4.9	2
30	A Human Proximal Tubular Epithelial Cell Model to Explore a Knowledge Gap on Neonatal Drug Disposition. <i>Current Pharmaceutical Design</i> , 2017 , 23, 5911-5918	3.3	2
29	Cysteamine-bicalutamide combination treatment restores alpha-ketoglutarate and corrects proximal tubule phenotype in cystinosis		2
28	Tissue-Engineered Bile Ducts for Disease Modeling and Therapy. <i>Tissue Engineering - Part C: Methods</i> , 2021 , 27, 59-76	2.9	2
27	Molecular Mechanisms and Treatment Options of Nephropathic Cystinosis. <i>Trends in Molecular Medicine</i> , 2021 , 27, 673-686	11.5	2
26	Protein-Bound Uremic Toxins Induce Reactive Oxygen Species-Dependent and Inflammasome-Mediated IL-1[Production in Kidney Proximal Tubule Cells. <i>Biomedicines</i> , 2021 , 9,	4.8	2
25	Regulation of Solute Carriers OCT2 and OAT1/3 in the Kidney: A Phylogenetic, Ontogenetic and Cell Dynamic Perspective. <i>Physiological Reviews</i> , 2021 ,	47.9	2
24	FP112INTERACTION BETWEEN DRUGS AND ENDOGENOUS METABOLITES FOR RENAL ORGANIC ANION TRANSPORT. <i>Nephrology Dialysis Transplantation</i> , 2019 , 34,	4.3	1
23	Kidney-on-a-Chip 2017 , 1119-1133		1
22	Pharmacokinetics, safety and tolerability of human recombinant alkaline phosphatase in healthy volunteers. <i>Critical Care</i> , 2015 , 19, P126	10.8	1
21	Alkaline phosphatase treatment improves renal function in patients with severe sepsis or septic shock. <i>Critical Care</i> , 2007 , 11, P14	10.8	1
20	Topographic Guidance in Melt-Electrowritten Tubular Scaffolds Enhances Engineered Kidney Tubule Performance		1
19	Association between Genetic Variants and Cisplatin-Induced Nephrotoxicity: A Genome-Wide Approach and Validation Study. <i>Journal of Personalized Medicine</i> , 2021 , 11,	3.6	1
18	A combined microphysiological-computational omics approach in dietary protein evaluation. <i>Npj Science of Food</i> , 2020 , 4, 22	6.3	1
17	A combined microphysiological-computational omics approach in dietary protein evaluation		1
16	Comparison of Myelotoxicity and Nephrotoxicity Between Daily Low-Dose Cisplatin With Concurrent Radiation and Cyclic High-Dose Cisplatin in Non-Small Cell Lung Cancer Patients. <i>Frontiers in Pharmacology</i> , 2020 , 11, 975	5.6	1
15	Novel Dietary Proteins Selectively Affect Intestinal Health In Vitro after -Secreted Toxin A Exposure. <i>Nutrients</i> , 2020 , 12,	6.7	1
14	Nephroscreen: A robust and versatile renal tubule-on-a-chip platform for nephrotoxicity assessment. <i>Current Opinion in Toxicology</i> , 2021 , 25, 42-48	4.4	1

LIST OF PUBLICATIONS

1	-3	Renal Biology Driven Macro- and Microscale Design Strategies for Creating an Artificial Proximal Tubule Using Fiber-Based Technologies. <i>ACS Biomaterials Science and Engineering</i> , 2021 , 7, 4679-4693	5.5	0	
1	2	Diabetic proximal tubulopathy: Can we mimic the disease for in vitro screening of SGLT inhibitors?. <i>European Journal of Pharmacology</i> , 2021 , 908, 174378	5.3	О	
1	1	Organs-on-chip technology: a tool to tackle genetic kidney diseases <i>Pediatric Nephrology</i> , 2022 , 1	3.2	0	
1	0	Viscoelastic Chondroitin Sulfate and Hyaluronic Acid Double-Network Hydrogels with Reversible Cross-Links <i>Biomacromolecules</i> , 2022 , 23, 1350-1365	6.9	О	
9)	The Authors Reply. Kidney International, 2015, 88, 637	9.9		
8	3	Membranes for Bioartificial Kidney Devices 2018 , 105-147			
7	7	CKD LAB METHODS, PROGRESSION & RISK FACTORS 2. <i>Nephrology Dialysis Transplantation</i> , 2014 , 29, iii369-iii379	4.3		
6	ó	Excretion and accumulation of diatrizoate in the isolated perfused rat kidney. <i>European Journal of Pharmaceutical Sciences</i> , 1997 , 5, 295-301	5.1		
5	;	Renal effects of nitric oxide during sepsis: another two-edged sword?. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2007 , 176, 419-20; author reply 420	10.2		
4	ł	Analysis of Renal Transporters. AAPS Advances in the Pharmaceutical Sciences Series, 2013, 235-256	0.5		
3	•	Predictive and translational models for renal drug safety evaluation 2020 , 507-534			
2	!	David S. Miller: Scientist, Mentor, Friend-a tribute and thank you. <i>Fluids and Barriers of the CNS</i> , 2020 , 17, 56	7		
1		Modeling indoxyl sulfate transport in a bioartificial kidney: Two-step binding kinetics or lumped	7		