

Jaber Karimi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3142483/publications.pdf>

Version: 2024-02-01

24
papers

112
citations

1478505

6
h-index

1372567

10
g-index

24
all docs

24
docs citations

24
times ranked

172
citing authors

#	ARTICLE	IF	CITATIONS
1	Biochemical characterisation of digestive Î±-amylase of Red Palm Weevil, <i>Rhynchophorus ferrugineus</i> (Olivier, 1790) (Coleoptera: Curculionidae). Archives of Phytopathology and Plant Protection, 2012, 45, 2132-2142.	1.3	17
2	The Effect of Essential Oils from <i>Laurus nobilis</i> and <i>Myrtus communis</i> on the Adults of Mediterranean Flour Moth, <i>Ephestia kuehniella</i> Zeller (Lep.: Pyralidae). Journal of Essential Oil-bearing Plants: JEOP, 2014, 17, 553-561.	1.9	13
3	Toxicity of Shirazi thyme, <i>Zataria multiflora</i> essential oil to the tomato leaf miner, <i>Tuta absoluta</i> (Lepidoptera: Gelechiidae). International Journal of Tropical Insect Science, 2018, 38, 340-347.	1.0	13
4	Seasonal population fluctuations of the diamondback moth, <i>Plutella xylostella</i> (L.) (Lep.: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62). 2013, 46, 1136-1149.	1.3	8
5	A study on common bean cultivars to identify sources of resistance against the black bean aphid, <i>Aphis fabae</i> Scopoli (Hemiptera: Aphididae). Archives of Phytopathology and Plant Protection, 2013, 46, 1598-1608.	1.3	8
6	Efficacy of <i>Elettaria cardamomum</i> L. (Zingiberaceae) essential oil on the two spotted spider mite, <i>Tetranychus urticae</i> Koch (Acari: Tetranychidae). Archives of Phytopathology and Plant Protection, 2014, 47, 1008-1014.	1.3	8
7	Interaction effects of <i>Bacillus thuringiensis</i> subsp. <i>kurstaki</i> and single nuclear polyhedrosis virus on <i>Plutella xylostella</i> . Journal of Plant Diseases and Protection, 2013, 120, 173-178.	2.9	7
8	Fumigant Toxicity and Nymph Production Deterrence Effect of Three Essential Oils Against Two Aphid Species in the Laboratory Condition. Journal of Essential Oil-bearing Plants: JEOP, 2016, 19, 706-711.	1.9	7
9	Pathogenicity of the Entomopathogenic Fungus <i>Metarhizium anisopliae</i> Var. <i>Majoron</i> on Different Stages of the Sunn Pest <i>Eurygaster integriceps</i> . Journal of Insect Science, 2013, 13, 1-9.	0.9	6
10	Natural parasitism of the diamondback moth, <i>Plutella xylostella</i> (L.) (Lep.: Plutellidae) by a larval parasitoid wasp, <i>Diadegma anurumon</i> on different cauliflower cultivars. Archives of Phytopathology and Plant Protection, 2014, 47, 456-463.	1.3	5
11	Sublethal effects of essential oil of <i>Cinnamomum zeylanicum</i> Blume on life expectancy (e_x) and age-specific fertility (m_x) of two-spotted spider mite, <i>Tetranychus urticae</i> Koch (Acari: Tetranychidae). Archives of Phytopathology and Plant Protection, 2014, 47, 900-905.	1.3	5
12	The effect of sublethal concentrations of malathion on some biological parameters of the ectoparasitoid wasp, <i>Habrobracon hebetor</i> (Say, 1836). Acta Agriculturae Slovenica, 2018, 111, 639.	0.3	3
13	Bottom-up and top-down effects in a tritrophic system: the population fluctuations of <i>Plutella xylostella</i> and its parasitoid, <i>Oomyzus sokolowskii</i> on the cauliflower cultivars in field conditions. Archives of Phytopathology and Plant Protection, 2014, 47, 681-689.	1.3	2
14	Evaluation of infestation percentage of cotton fields to the spiny bollworm, <i>Earias insulana</i> Boisduval (Lep.: Noctuidae), and its relationship with pheromone traps. Archives of Phytopathology and Plant Protection, 2014, 47, 1523-1529.	1.3	2
15	Population fluctuations of cabbage aphid, <i>Brevicoryne brassicae</i> (L.) (Hom.: Aphididae) and its natural parasitism rate on different canola cultivars. Archives of Phytopathology and Plant Protection, 2014, 47, 1539-1548.	1.3	2
16	Antixenosis resistance to <i>Aphis fabae</i> Scopoli (Hemiptera: Aphididae) in bean cultivars. Archives of Phytopathology and Plant Protection, 2014, 47, 51-58.	1.3	2
17	Spatial distribution of small white butterfly <i>Pieris rapae</i> (L.) in the cauliflower fields of Tehran. Zoology and Ecology, 2013, 23, 233-239.	0.2	1
18	The toxicity and synergistic effects of alkyl-succinate oil on the first nymphal instars of the citrus cottony scale, <i>Pulvinaria aurantii</i> Cock. (Hem.: Coccidae). Archives of Phytopathology and Plant Protection, 2013, 46, 2062-2069.	1.3	1

#	ARTICLE	IF	CITATIONS
19	Identification of Genes Expressed Differentially in Grapefruit Infected with <i>Candidatus Liberibacter asiaticus</i> in the Late Stage of Disease. <i>Journal of Phytopathology</i> , 2014, 162, 811-819.	1.0	1
20	Seasonal population fluctuations of white peach scale, <i>Pseudaulacaspis pentagona</i> (Hemiptera: Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50	1.5	1
21	Spatial summer–autumn distribution of the diamondback moth, <i>Plutella xylostella</i> (L.) and its parasitoids in cauliflower fields. <i>Zoology and Ecology</i> , 2017, 27, 57-63.	0.2	0
22	Laboratory assay of entomopathogenic nematodes against the elm leaf beetle, <i>Xanthogaleruca luteola</i> MÄ¼ller (Col.: Chrysomelidae). <i>Journal of Forest Science</i> , 2020, 66, 524-531.	1.1	0
23	Evaluation of effect of biorational insecticides on horticultural indices of the pistachio trees infested with the pistachio psylla, <i>Agonoscena pistaciae</i> . <i>Archives of Phytopathology and Plant Protection</i> , 2021, 54, 782-793.	1.3	0
24	The Effect of Photoperiods on the Insecticidal Activity of <i>Hypericum perforatum</i> Extract on the Third Larval Instar of Diamondback Moth, <i>Plutella xylostella</i> . <i>Proceedings of the Zoological Society</i> , 0, , 1.	1.0	0