

Xue-Shi Huang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3143209/publications.pdf>

Version: 2024-02-01

95
papers

1,683
citations

304602

22
h-index

395590

33
g-index

96
all docs

96
docs citations

96
times ranked

2329
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of Fufang Huangqi Decoction on the Gut Microbiota in Patients With Class I or II Myasthenia Gravis. <i>Frontiers in Neurology</i> , 2022, 13, 785040.	1.1	5
2	Riligustilide alleviates hepatic insulin resistance and gluconeogenesis in T2DM mice through multitarget actions. <i>Phytotherapy Research</i> , 2022, 36, 462-474.	2.8	6
3	The discovery of germacradienol synthase: construction of genetically-engineered strain, glycosylated modification, bioactive evaluation of germacradienol. <i>Bioorganic Chemistry</i> , 2022, 124, 105819.	2.0	0
4	New Monoterpene Acid and Gallic Acid Glucose Esters with Anti-Inflammatory Activity from Blue Gum (<i>Eucalyptus globulus</i>) Leaves. <i>Journal of Agricultural and Food Chemistry</i> , 2022, , .	2.4	1
5	The crude guava polysaccharides ameliorate high-fat diet-induced obesity in mice via reshaping gut microbiota. <i>International Journal of Biological Macromolecules</i> , 2022, 213, 234-246.	3.6	22
6	Discovery, preparation and characterization of lipid-lowering alkylphenol derivatives from <i>Syzygium jambos</i> fruit. <i>Food Chemistry</i> , 2022, 396, 133668.	4.2	2
7	Levistolide A Attenuates Alzheimer's Pathology Through Activation of the PPAR γ Pathway. <i>Neurotherapeutics</i> , 2021, 18, 326-339.	2.1	11
8	Chemical Characterization and Hepatoprotective Effects of a Standardized Triterpenoid-Enriched Guava Leaf Extract. <i>Journal of Agricultural and Food Chemistry</i> , 2021, 69, 3626-3637.	2.4	14
9	Discovery of Anti-TNBC Agents Targeting PTP1B: Total Synthesis, Structure-Activity Relationship, <i>In Vitro</i> and <i>In Vivo</i> Investigations of Jamunones. <i>Journal of Medicinal Chemistry</i> , 2021, 64, 6008-6020.	2.9	14
10	New phenolic glycosides from <i>Anemone chinensis</i> Bunge and their antioxidant activity. <i>Natural Product Research</i> , 2021, , 1-7.	1.0	3
11	Biomimetic synthesis and anti-inflammatory evaluation of violacin A analogues. <i>Bioorganic Chemistry</i> , 2021, 111, 104898.	2.0	2
12	New dihydro- δ^2 -agarofuran sesquiterpenoids from <i>Tripterygium wilfordii</i> and their anti-inflammatory activity. <i>Bioorganic Chemistry</i> , 2021, 114, 105140.	2.0	4
13	Chemical characterization, antiproliferative and antifungal activities of <i>Clinacanthus nutans</i> . <i>F\ddot{A}-totera\ddot{A}-\ddot{A}</i> , 2021, 155, 105061.	1.1	2
14	Oxazolomycins produced by <i>Streptomyces glaucus</i> and their cytotoxic activity. <i>RSC Advances</i> , 2021, 11, 35011-35019.	1.7	0
15	Downregulating expression of OPTN elevates neuroinflammation via AIM2 inflammasome- and RIPK1-activating mechanisms in APP/PS1 transgenic mice. <i>Journal of Neuroinflammation</i> , 2021, 18, 281.	3.1	21
16	Total synthesis and anti-inflammatory evaluation of violacin A and its analogues. <i>Bioorganic Chemistry</i> , 2020, 94, 103420.	2.0	8
17	Barringtogenol C-type Triterpenoid Saponins from the Stem Bark of Norway Maple (<i>Acer Platanoides</i>). <i>Planta Medica</i> , 2020, 86, 70-77.	0.7	8
18	The anti-inflammatory effects of jiangrines from <i>Jiangella alba</i> through inhibition of p38 and NF- κ B signaling pathways. <i>Bioorganic Chemistry</i> , 2020, 95, 103507.	2.0	12

#	ARTICLE	IF	CITATIONS
19	New antimicrobial terpenoids and phloroglucinol glucosides from <i>Syzygium szemaense</i> . <i>Bioorganic Chemistry</i> , 2020, 103, 104242.	2.0	17
20	<i>Falsigemmobacter faecalis</i> gen. nov. sp. nov., isolated from faeces of <i>Rhinopithecus roxellanae</i> , and reclassification of <i>Gemmobacter intermedius</i> as <i>Falsigemmobacter intermedius</i> comb. nov. <i>Archives of Microbiology</i> , 2020, 202, 2599-2606.	1.0	1
21	Amycolasporins and Dibenzoyls from Lichen-Associated <i>Amycolatopsis hippodromi</i> and Their Antibacterial and Anti-inflammatory Activities. <i>Journal of Natural Products</i> , 2020, 83, 3545-3553.	1.5	11
22	New anti-inflammatory withanolides from <i>Physalis pubescens</i> fruit. <i>FÄ-toterapÄ-Äç</i> , 2020, 146, 104692.	1.1	7
23	Guavinoside B from <i>Psidium guajava</i> alleviates acetaminophen-induced liver injury via regulating the Nrf2 and JNK signaling pathways. <i>Food and Function</i> , 2020, 11, 8297-8308.	2.1	24
24	A semisynthetic borrelidin analogue BN-3b exerts potent antifungal activity against <i>Candida albicans</i> through ROS-mediated oxidative damage. <i>Scientific Reports</i> , 2020, 10, 5081.	1.6	8
25	Glucitol-core containing gallotannins-enriched red maple (<i>Acer rubrum</i>) leaves extract alleviated obesity via modulating short-chain fatty acid production in high-fat diet-fed mice. <i>Journal of Functional Foods</i> , 2020, 70, 103970.	1.6	15
26	<i>Gulosibacter macacae</i> sp. nov., a novel actinobacterium isolated from <i>Macaca mulatta</i> faeces. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 5115-5122.	0.8	12
27	<i>Flavobacterium macacae</i> sp. nov., isolated from <i>Macaca mulatta</i> faeces. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 51-57.	0.8	6
28	Echinosporin antibiotics isolated from <i>Amycolatopsis</i> strain and their antifungal activity against root-rot pathogens of the <i>Panax notoginseng</i> . <i>Folia Microbiologica</i> , 2019, 64, 171-175.	1.1	23
29	New metabolites produced by <i>Streptomyces badius</i> isolated from <i>Giraffa camelopardalis</i> feces. <i>Magnetic Resonance in Chemistry</i> , 2019, 57, 1150-1157.	1.1	3
30	Paricalcitol accelerates BACE1 lysosomal degradation and inhibits calpain-1 dependent neuronal loss in APP/PS1 transgenic mice. <i>EBioMedicine</i> , 2019, 45, 393-407.	2.7	18
31	New Acylated Phenolic Glycosides with ROS-Scavenging Activity from <i>Psidium guajava</i> Leaves. <i>Journal of Agricultural and Food Chemistry</i> , 2019, 67, 11089-11098.	2.4	18
32	Isolation and Characterization of New Phenazine Metabolites with Antifungal Activity against Root-Rot Pathogens of <i>Panax notoginseng</i> from <i>Streptomyces</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2019, 67, 11403-11407.	2.4	23
33	The antiproliferative effect of spectinabilins from <i>Streptomyces spectabilis</i> on hepatocellular carcinoma cells in vitro and in vivo. <i>Bioorganic Chemistry</i> , 2019, 93, 103311.	2.0	3
34	Calcium Ions Stimulate the Hyperphosphorylation of Tau by Activating Microsomal Prostaglandin E Synthase 1. <i>Frontiers in Aging Neuroscience</i> , 2019, 11, 108.	1.7	24
35	Cyclooxygenase-2 is Essential for Mediating the Effects of Calcium Ions on Stimulating Phosphorylation of Tau at the Sites of Ser 396 and Ser 404. <i>Journal of Alzheimer's Disease</i> , 2019, 68, 1095-1111.	1.2	15
36	Two new phenazine metabolites with antimicrobial activities from soil-derived <i>Streptomyces</i> species. <i>Journal of Antibiotics</i> , 2019, 72, 574-577.	1.0	17

#	ARTICLE	IF	CITATIONS
37	Dosage Optimization Based on Population Pharmacokinetic Analysis of Tacrolimus in Chinese Patients with Nephrotic Syndrome. <i>Pharmaceutical Research</i> , 2019, 36, 45.	1.7	18
38	Jamun (<i>Eugenia jambolana</i> Lam.) Fruit Extract Prevents Obesity by Modulating the Gut Microbiome in High-Fat Diet Fed Mice. <i>Molecular Nutrition and Food Research</i> , 2019, 63, e1801307.	1.5	46
39	Total synthesis of (±)-(1 ² ,4 ¹² ,4a ¹² ,8a ¹²)-4,8a-dimethyl-octahydro-naphthalene-1,4a(2H)-diol. <i>Organic Chemistry Frontiers</i> , 2018, 5, 1719-1723.	2.3	3
40	Violacin A, a new chromanone produced by <i>Streptomyces violaceoruber</i> and its anti-inflammatory activity. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2018, 28, 947-951.	1.0	14
41	Bafilomycin C1 exert antifungal effect through disturbing sterol biosynthesis in <i>Candida albicans</i> . <i>Journal of Antibiotics</i> , 2018, 71, 467-476.	1.0	12
42	Urolithins Attenuate LPS-Induced Neuroinflammation in BV2 Microglia via MAPK, Akt, and NF- κ B Signaling Pathways. <i>Journal of Agricultural and Food Chemistry</i> , 2018, 66, 571-580.	2.4	96
43	Sesquiterpenoids from <i>Streptomyces anulatus</i> isolated from <i>Giraffa camelopardalis</i> feces. <i>Magnetic Resonance in Chemistry</i> , 2018, 56, 352-359.	1.1	9
44	The Distal Gut Bacterial Community of Some Primates and Carnivora. <i>Current Microbiology</i> , 2018, 75, 213-222.	1.0	18
45	Design, synthesis and antifungal evaluation of borrelidin derivatives. <i>Bioorganic and Medicinal Chemistry</i> , 2018, 26, 6035-6049.	1.4	10
46	Potential targets for the development of new antifungal drugs. <i>Journal of Antibiotics</i> , 2018, 71, 978-991.	1.0	37
47	Actinofuranones D-I from a Lichen-Associated Actinomycetes, <i>Streptomyces gramineus</i> , and Their Anti-Inflammatory Effects. <i>Molecules</i> , 2018, 23, 2393.	1.7	11
48	Riligustilide Attenuated Renal Injury by the Blockade of Renin. <i>Cellular Physiology and Biochemistry</i> , 2018, 50, 654-667.	1.1	4
49	Hypoglycemic and hypolipidemic effects of triterpenoid-enriched Jamun (<i>Eugenia jambolana</i>) Tj ETQq1 1 0.784314 rgBT /Overl 2.1 26		
50	Catalpol Inhibits Amyloid- β Generation Through Promoting β -Cleavage of APP in Swedish Mutant APP Overexpressed N2a Cells. <i>Frontiers in Aging Neuroscience</i> , 2018, 10, 66.	1.7	27
51	Phenolics from <i>Eugenia jambolana</i> seeds with advanced glycation endproduct formation and alpha-glucosidase inhibitory activities. <i>Food and Function</i> , 2018, 9, 4246-4254.	2.1	22
52	Heronamides G-L, polyene macrolactams from <i>Streptomyces niveus</i> . <i>RSC Advances</i> , 2018, 8, 17121-17131.	1.7	13
53	Bafilomycin C1 induces G0/G1 cell-cycle arrest and mitochondrial-mediated apoptosis in human hepatocellular cancer SMMC7721 cells. <i>Journal of Antibiotics</i> , 2018, 71, 808-817.	1.0	11
54	<i>Enterovirga rhinocerotis</i> gen. nov., sp. nov., isolated from <i>Rhinoceros unicornis</i> faeces. <i>Antonie Van Leeuwenhoek</i> , 2017, 110, 553-562.	0.7	18

#	ARTICLE	IF	CITATIONS
55	Phloroglucinol Derivatives with Protein Tyrosine Phosphatase 1B Inhibitory Activities from <i>Eugenia jambolana</i> Seeds. <i>Journal of Natural Products</i> , 2017, 80, 544-550.	1.5	29
56	Cytotoxic Fusicoccane-Type Diterpenoids from <i>Streptomyces violascens</i> Isolated from <i>Ailuropoda melanoleuca</i> Feces. <i>Journal of Natural Products</i> , 2017, 80, 837-844.	1.5	28
57	Secondary Metabolites of an Endophytic Actinomycete Isolated from <i>Sedum</i> sp.. <i>Chemistry of Natural Compounds</i> , 2017, 53, 400-402.	0.2	1
58	Four New Nanaomycins Produced by <i>Streptomyces hebeiensis</i> Derived from Lichen. <i>Chemistry and Biodiversity</i> , 2017, 14, e1700057.	1.0	17
59	Diversity, Antimicrobial Activity, and Biosynthetic Potential of Cultivable Actinomycetes Associated with Lichen Symbiosis. <i>Microbial Ecology</i> , 2017, 74, 570-584.	1.4	47
60	The complete genome sequence of <i>Streptomyces albolongus</i> YIM 101047, the producer of novel bafilomycins and odoriferous sesquiterpenoids. <i>Journal of Biotechnology</i> , 2017, 262, 89-93.	1.9	5
61	Effect of borrelidin on hepatocellular carcinoma cells in vitro and in vivo. <i>RSC Advances</i> , 2017, 7, 44401-44409.	1.7	7
62	Erythrocyte membrane-encapsulated celecoxib improves the cognitive decline of Alzheimer's disease by concurrently inducing neurogenesis and reducing apoptosis in APP/PS1 transgenic mice. <i>Biomaterials</i> , 2017, 145, 106-127.	5.7	72
63	Diisonitrile Natural Product SF2768 Functions As a Chalkophore That Mediates Copper Acquisition in <i>Streptomyces thioluteus</i> . <i>ACS Chemical Biology</i> , 2017, 12, 3067-3075.	1.6	75
64	New Sesquiterpenoids from <i>Eugenia jambolana</i> Seeds and Their Anti-microbial Activities. <i>Journal of Agricultural and Food Chemistry</i> , 2017, 65, 10214-10222.	2.4	22
65	New anti-inflammatory metabolites produced by <i>Streptomyces violaceoruber</i> isolated from <i>Equus burchelli</i> feces. <i>Journal of Antibiotics</i> , 2017, 70, 991-994.	1.0	16
66	Polyketide derivatives from a marine-sponge-associated fungus <i>Pestalotiopsis heterocornis</i> . <i>Phytochemistry</i> , 2017, 142, 51-59.	1.4	35
67	Chemical composition and anti-hyperglycaemic effects of triterpenoid enriched <i>Eugenia jambolana</i> Lam. berry extract. <i>Journal of Functional Foods</i> , 2017, 28, 1-10.	1.6	27
68	New Iridoids from <i>Scrophularia ningpoensis</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2017, 65, 869-873.	0.6	9
69	New Metabolites and Bioactive Chlorinated Benzophenone Derivatives Produced by a Marine-Derived Fungus <i>Pestalotiopsis heterocornis</i> . <i>Marine Drugs</i> , 2017, 15, 69.	2.2	36
70	Anti-Inflammatory Effects, SAR, and Action Mechanism of Monoterpenoids from <i>Radix Paeoniae Alba</i> on LPS-Stimulated RAW 264.7 Cells. <i>Molecules</i> , 2017, 22, 715.	1.7	33
71	Anti-Inflammatory Activities and Liver Protection of Alisol F and 25-Anhydroalisol F through the Inhibition of MAPK, STAT3, and NF- κ B Activation In Vitro and In Vivo. <i>Molecules</i> , 2017, 22, 951.	1.7	21
72	<i>Mobilicoccus caccae</i> sp. nov., isolated from the faeces of the primate <i>Rhinopithecus roxellanae</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 2253-2257.	0.8	7

#	ARTICLE	IF	CITATIONS
73	Design, Synthesis and Evaluation of Novel Tacrine-Ferulic Acid Hybrids as Multifunctional Drug Candidates against Alzheimer's Disease. <i>Molecules</i> , 2016, 21, 1338.	1.7	20
74	Structure determination of two new nerolidol-type sesquiterpenoids from the soil actinomycete <i>Streptomyces scopuliridis</i> . <i>Magnetic Resonance in Chemistry</i> , 2016, 54, 606-609.	1.1	8
75	Officimalonic acids, lanostane triterpenes from the fruiting bodies of <i>Fomes officinalis</i> . <i>Phytochemistry</i> , 2016, 130, 193-200.	1.4	38
76	Bafilomycins and Odoriferous Sesquiterpenoids from <i>Streptomyces albolongus</i> Isolated from <i>Elephas maximus</i> Feces. <i>Journal of Natural Products</i> , 2016, 79, 799-805.	1.5	43
77	Structures and biological activities of the triterpenoids and sesquiterpenoids from <i>Alisma orientale</i> . <i>Phytochemistry</i> , 2016, 131, 150-157.	1.4	35
78	Structure determination of two new sesquiterpenoids from <i>Streptomyces sanglieri</i> . <i>Magnetic Resonance in Chemistry</i> , 2016, 54, 930-932.	1.1	5
79	<i>Microbacterium gilvum</i> sp. nov., isolated from civet faeces. <i>Antonie Van Leeuwenhoek</i> , 2016, 109, 1177-1183.	0.7	11
80	Identification of an unusual type II thioesterase in the dithiopyrrolone antibiotics biosynthetic pathway. <i>Biochemical and Biophysical Research Communications</i> , 2016, 473, 329-335.	1.0	11
81	Albaflavenoid, a new tricyclic sesquiterpenoid from <i>Streptomyces violascens</i> . <i>Journal of Antibiotics</i> , 2016, 69, 773-775.	1.0	9
82	A unique macrolactam derivative via a [4+6]-cycloaddition from <i>Streptomyces niveus</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2016, 26, 1599-1604.	1.0	10
83	<i>Corynebacterium faecale</i> sp. nov., isolated from the faeces of Assamese macaque. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 2478-2483.	0.8	10
84	<i>Microbacterium faecale</i> sp. nov., isolated from the faeces of <i>Columba livia</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 4445-4450.	0.8	14
85	Cytotoxic Activities, SAR and Anti-Invasion Effects of Butylphthalide Derivatives on Human Hepatocellular Carcinoma SMMC7721 Cells. <i>Molecules</i> , 2015, 20, 20312-20319.	1.7	10
86	Chemical characterization and anti-hyperglycaemic effects of polyphenol enriched longan (<i>Dimocarpus longan</i> Lour.) pericarp extracts. <i>Journal of Functional Foods</i> , 2015, 13, 314-322.	1.6	41
87	<i>Enteractinococcus lamae</i> sp. nov. and <i>Enteractinococcus viverrae</i> sp. nov., isolated from animal faeces. <i>Antonie Van Leeuwenhoek</i> , 2015, 108, 1477-1483.	0.7	15
88	New Cyclic Depsipeptide from an Endophytic Actinomycete. <i>Chemistry of Natural Compounds</i> , 2015, 51, 926-928.	0.2	0
89	Diastaphenazine, a new dimeric phenazine from an endophytic <i>Streptomyces diastaticus</i> subsp. <i>ardesiacus</i> . <i>Journal of Antibiotics</i> , 2015, 68, 210-212.	1.0	27
90	Jiangrines and Jiangolide from an Actinobacterium, <i>Jiangella gansuensis</i> . <i>Journal of Natural Products</i> , 2014, 77, 2605-2610.	1.5	17

#	ARTICLE	IF	CITATIONS
91	New Derivatives of Nonactin and Homononactin Acids from <i>Bacillus pumilus</i> Derived from <i>Breynia fruticosa</i> . <i>Chemistry and Biodiversity</i> , 2014, 11, 1088-1098.	1.0	5
92	Violapyrones A-G, \pm -Pyrone Derivatives from <i>Streptomyces violascens</i> Isolated from <i>Hylobates hoolock</i> Feces. <i>Journal of Natural Products</i> , 2013, 76, 2126-2130.	1.5	60
93	Structure elucidation of four prenylindole derivatives from <i>Streptomyces</i> sp. isolated from <i>Ailuropoda melanoleuca</i> feces. <i>Magnetic Resonance in Chemistry</i> , 2013, 51, 188-191.	1.1	7
94	Diversity and Bioactivity of Cultivable Animal Fecal Actinobacteria. <i>Advances in Microbiology</i> , 2013, 03, 1-13.	0.3	11
95	Isostreptazolin and Sannaphenol, Two New Metabolites from <i>Streptomyces sannanensis</i> . <i>Molecules</i> , 2012, 17, 836-842.	1.7	14