
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3144424/publications.pdf Version: 2024-02-01



Ρλελει Ρενλοδως

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Brain Effects of Cognitive Remediation Therapy in Schizophrenia: A Structural and Functional Neuroimaging Study. Biological Psychiatry, 2013, 73, 1015-1023. | 1.3 | 162 |
| 2 | Executive function and nonverbal memory in obsessive-compulsive disorder. Psychiatry Research, 2005, 133, 81-90. | 3.3 | 131 |
| 3 | Cognitive remediation for schizophrenia: An expert working group white paper on core techniques. Schizophrenia Research, 2020, 215, 49-53. | 2.0 | 129 |
| 4 | Cognitive Remediation Therapy for outpatients with chronic schizophrenia: A controlled and randomized study. Schizophrenia Research, 2006, 87, 323-331. | 2.0 | 115 |
| 5 | Premorbid adjustment and clinical correlates of cognitive impairment in first-episode psychosis. The PEPsCog Study. Schizophrenia Research, 2015, 164, 65-73. | 2.0 | 92 |
| 6 | Neuropsychological Performance in Children and Adolescents with Obsessive-Compulsive Disorder and Influence of Clinical Variables. Biological Psychiatry, 2007, 61, 946-951. | 1.3 | 77 |
| 7 | Continuation/Maintenance Treatment with Nortriptyline Versus Combined Nortriptyline and ECT in Late-Life Psychotic Depression: A Two-Year Randomized Study. American Journal of Geriatric Psychiatry, 2008, 16, 498-505. | 1.2 | 76 |
| 8 | Executive function needs to be targeted to improve social functioning with Cognitive Remediation Therapy (CRT) in schizophrenia. Psychiatry Research, 2010, 177, 41-45. | 3.3 | 66 |
| 9 | Cognitive reserve as an outcome predictor: firstâ€episode affective versus nonâ€affective psychosis. Acta Psychiatrica Scandinavica, 2018, 138, 441-455. | 4.5 | 66 |
| 10 | Cognitive mechanisms, psychosocial functioning, and neurocognitive rehabilitation in schizophrenia. Schizophrenia Research, 2003, 63, 219-227. | 2.0 | 62 |
| 11 | Changes in plasma and platelet BDNF levels induced by S-citalopram in major depression. Psychopharmacology, 2011, 216, 1-8. | 3.1 | 58 |
| 12 | Cognitive Remediation Therapy in Adolescents With Early-Onset Schizophrenia: A Randomized Controlled Trial. Journal of the American Academy of Child and Adolescent Psychiatry, 2014, 53, 859-868. | 0.5 | 57 |
| 13 | Changes in cognitive dysfunction in children and adolescents with obsessive-compulsive disorder after treatment. Journal of Psychiatric Research, 2008, 42, 507-514. | 3.1 | 52 |
| 14 | Computer-assisted cognitive remediation therapy: Cognition, self-esteem and quality of life in schizophrenia. Schizophrenia Research, 2013, 150, 563-569. | 2.0 | 49 |
| 15 | The course of negative symptoms in first-episode schizophrenia and its predictors: A prospective two-year follow-up study. Schizophrenia Research, 2017, 189, 84-90. | 2.0 | 49 |
| 16 | Computer-assisted cognitive remediation therapy in schizophrenia: Durability of the effects and cost-utility analysis. Psychiatry Research, 2017, 254, 198-204. | 3.3 | 47 |
| 17 | Antipsychotic Response Worsens With Postmenopausal Duration in Women With Schizophrenia. Journal of Clinical Psychopharmacology, 2016, 36, 580-587. | 1.4 | 38 |
| 18 | Cognition and psychopathology in first-episode psychosis: are they related to inflammation?. Psychological Medicine, 2016, 46, 2133-2144. | 4.5 | 36 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Verbal memory, negative symptomatology and prediction of psychosocial functioning in schizophrenia. Psychiatry Research, 2008, 158, 11-17. | 3.3 | 35 |
| 20 | A voxel-based diffusion tensor imaging study of temporal white matter in patients with schizophrenia. Psychiatry Research - Neuroimaging, 2009, 171, 166-176. | 1.8 | 33 |
| 21 | Neuroimaging studies of cognitive remediation in schizophrenia: A systematic and critical review. World Journal of Psychiatry, 2017, 7, 34. | 2.7 | 32 |
| 22 | Neuroimaging Studies of Cognitive Function in Schizophrenia. Advances in Experimental Medicine and Biology, 2019, 1118, 117-134. | 1.6 | 32 |
| 23 | Cognitive Reserve Assessment Scale in Health (CRASH): Its Validity and Reliability. Journal of Clinical Medicine, 2019, 8, 586. | 2.4 | 31 |
| 24 | Hippocampal abnormalities and age in chronic schizophrenia: morphometric study across the adult lifespan. British Journal of Psychiatry, 2014, 205, 369-375. | 2.8 | 28 |
| 25 | The search for new biomarkers for cognition in schizophrenia. Schizophrenia Research: Cognition, 2015, 2, 172-178. | 1.3 | 28 |
| 26 | A pharmacogenetic intervention for the improvement of the safety profile of antipsychotic treatments. Translational Psychiatry, 2019, 9, 177. | 4.8 | 28 |
| 27 | Influence of social cognition on daily functioning in schizophrenia: Study of incremental validity and mediational effects. Psychiatry Research, 2015, 225, 374-380. | 3.3 | 26 |
| 28 | Cortical thickness in regions of frontal and temporal lobes is associated with responsiveness to cognitive remediation therapy in schizophrenia. Schizophrenia Research, 2016, 171, 110-116. | 2.0 | 26 |
| 29 | Suicidal Ideation and Suicidal Behaviour in Delusional Disorder: A Clinical Overview. Psychiatry Journal, 2014, 2014, 1-8. | 1.5 | 25 |
| 30 | Cognitive dysfunction in schizophrenia: An expert group paper on the current state of the art. Schizophrenia Research: Cognition, 2022, 29, 100249. | 1.3 | 23 |
| 31 | Anterior cingulate and paracingulate sulci morphology in patients with schizophrenia. Schizophrenia Research, 2010, 121, 66-74. | 2.0 | 21 |
| 32 | Effectiveness of long-acting injectable antipsychotics in delusional disorders with nonprominent hallucinations and without hallucinations. International Clinical Psychopharmacology, 2014, 29, 177-180. | 1.7 | 21 |
| 33 | Brain perfusion and neuropsychological changes in schizophrenic patients after cognitive rehabilitation. Psychiatry Research - Neuroimaging, 2000, 98, 127-132. | 1.8 | 19 |
| 34 | Inferior frontal and insular cortical thinning is related to dysfunctional brain activation/deactivation during working memory task in schizophrenic patients. Psychiatry Research - Neuroimaging, 2013, 214, 94-101. | 1.8 | 19 |
| 35 | Profile of paliperidone palmitate once-monthly long-acting injectable in the management of schizophrenia: long-term safety, efficacy, and patient acceptability – a review. Patient Preference and Adherence, 2015, 9, 695. | 1.8 | 19 |
| 36 | Hypothalamic–pituitary–adrenal system, neurotrophic factors and clozapine response. Pharmacogenetics and Genomics, 2015, 25, 274-277. | 1.5 | 19 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | BDNF as a marker of response to cognitive remediation in patients with schizophrenia: A randomized and controlled trial. Schizophrenia Research, 2018, 197, 458-464. | 2.0 | 19 |
| 38 | Hippocampal underactivation in an fMRI study of word and face memory recognition in schizophrenia. European Archives of Psychiatry and Clinical Neuroscience, 2009, 259, 203-211. | 3.2 | 18 |
| 39 | Eficacia, eficiencia y efectividad en el tratamiento multidimensional de la esquizofrenia: proyecto Rethinking. Revista De PsiquiatrÃa Y Salud Mental, 2017, 10, 4-20. | 1.8 | 18 |
| 40 | Efficacy and Moderators of Cognitive Behavioural Therapy for Psychosis Versus Other Psychological Interventions: An Individual-Participant Data Meta-Analysis. Frontiers in Psychiatry, 2020, 11, 402. | 2.6 | 17 |
| 41 | Delusional disorder: an overview of affective symptoms and antidepressant use. European Journal of Psychiatry, 2013, 27, 265-276. | 1.3 | 15 |
| 42 | Delusional disorder: no gender differences in age at onset, suicidal ideation, or suicidal behavior. Revista Brasileira De Psiquiatria, 2014, 36, 119-124. | 1.7 | 14 |
| 43 | Do FSH/LH ratio and gonadal hormone levels predict clinical improvement in postmenopausal schizophrenia women?. Archives of Women's Mental Health, 2017, 20, 613-620. | 2.6 | 14 |
| 44 | ls Memory Impairment a Rate Limiter in Cognitive Behavioural Therapy for Chronic Schizophrenia?. Psychotherapy and Psychosomatics, 2010, 79, 129-130. | 8.8 | 13 |
| 45 | The Integration of Cognitive Remediation Therapy into the Whole Psychosocial Rehabilitation Process: An Evidence-Based and Person-Centered Approach. Rehabilitation Research and Practice, 2012, 2012, 1-8. | 0.6 | 11 |
| 46 | Delusional Disorder over the Reproductive Life Span: The Potential Influence of Menopause on the Clinical Course. Schizophrenia Research and Treatment, 2015, 2015, 1-8. | 1.5 | 10 |
| 47 | Cognitive remediation and brain connectivity: A resting-state fMRI study in patients with schizophrenia. Psychiatry Research - Neuroimaging, 2020, 303, 111140. | 1.8 | 10 |
| 48 | Treatment and outcome of antidepressant treatment-associated hypomania in unipolar major depression: A 3-year follow-up study. Journal of Affective Disorders, 2014, 155, 59-64. | 4.1 | 8 |
| 49 | Therapeutic Approach to Delusional Disorder Based on Psychopathological Complexity. Journal of Clinical Psychopharmacology, 2015, 35, 201-202. | 1.4 | 8 |
| 50 | The oestrogen dysfunction hypothesis in schizophrenia: The need for an integrative approach to treat postmenopausal women. Australian and New Zealand Journal of Psychiatry, 2016, 50, 1207-1208. | 2.3 | 8 |
| 51 | Effectiveness of family work interventions on schizophrenia: Evidence from a multicentre study in Catalonia. International Journal of Social Psychiatry, 2012, 58, 587-595. | 3.1 | 7 |
| 52 | Effectiveness, efficiency and efficacy in the multidimensional treatment of schizophrenia: Rethinking project. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2017, 10, 4-20. | 0.3 | 7 |
| 53 | Association between symptomatic profile and remission following antidepressant treatment in unipolar major depression. Journal of Affective Disorders, 2013, 150, 209-215. | 4.1 | 6 |
| 54 | Obstetric Complications and Brain Imaging in Schizophrenia: A Systematic Review. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2020, 5, 1077-1084. | 1.5 | 5 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | The role of genetics in cognitive remediation in schizophrenia: A systematic review. Schizophrenia Research: Cognition, 2020, 19, 100146. | 1.3 | 4 |
| 56 | Psychiatric Partial Hospitalization Programs: Following World Health Organization Guidelines with a Special Focus on Women with Delusional Disorder. Women, 2021, 1, 80-96. | 0.8 | 4 |
| 57 | Brain-derived neurotrophic factor as a potential biomarker of cognitive recovery in schizophrenia. World Journal of Psychiatry, 2013, 3, 93. | 2.7 | 4 |
| 58 | Awareness of illness and suicidal behavior in delusional disorder patients. Revista De Psiquiatria Clinica, 2014, 41, 156-158. | 0.6 | 3 |
| 59 | Búsqueda De Nuevos Biomarcadores De La Cognición En Esquizofrenia. Schizophrenia Research: Cognition, 2015, 2, 196-203. | 1.3 | 1 |
| 60 | Epigenetic Studies in Psychotherapy: A Systematic Review. Current Psychiatry Research and Reviews, 2020, 16, 86-92. | 0.2 | 1 |
| 61 | Effectiveness of Cognitive Behavioural Therapy for Suicide in Schizophrenia: A Systematic Review. Current Psychiatry Research and Reviews, 2021, 18, . | 0.2 | 1 |
| 62 | IMPROVING FUNCTIONING WITH COGNITIVE REMEDIATION THERAPY. Schizophrenia Research, 2008, 102, 26. | 2.0 | 0 |
| 63 | M60. EARLY VERSUS DELAYED PRESCRIPTION OF CLOZAPINE AND THE COGNITIVE PERFORMANCE ON SCHIZOPHRENIA. Schizophrenia Bulletin, 2020, 46, S157-S158. | 4.3 | 0 |