

Jos Boggia

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3144665/jose-boggia-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

72
papers

4,235
citations

30
h-index

64
g-index

77
ext. papers

4,933
ext. citations

5.9
avg, IF

4.55
L-index

#	Paper	IF	Citations
72	Prognostic accuracy of day versus night ambulatory blood pressure: a cohort study. <i>Lancet, The</i> , 2007 , 370, 1219-29	40	655
71	Predictive role of the nighttime blood pressure. <i>Hypertension</i> , 2011 , 57, 3-10	8.5	398
70	Prognostic value of reading-to-reading blood pressure variability over 24 hours in 8938 subjects from 11 populations. <i>Hypertension</i> , 2010 , 55, 1049-57	8.5	332
69	Prognostic value of isolated nocturnal hypertension on ambulatory measurement in 8711 individuals from 10 populations. <i>Journal of Hypertension</i> , 2010 , 28, 2036-45	1.9	263
68	Prognostic value of the morning blood pressure surge in 5645 subjects from 8 populations. <i>Hypertension</i> , 2010 , 55, 1040-8	8.5	205
67	Prognosis of white-coat and masked hypertension: International Database of HOme blood pressure in relation to Cardiovascular Outcome. <i>Hypertension</i> , 2014 , 63, 675-82	8.5	204
66	Significance of white-coat hypertension in older persons with isolated systolic hypertension: a meta-analysis using the International Database on Ambulatory Blood Pressure Monitoring in Relation to Cardiovascular Outcomes population. <i>Hypertension</i> , 2012 , 59, 564-71	8.5	146
65	Association of Office and Ambulatory Blood Pressure With Mortality and Cardiovascular Outcomes. <i>JAMA - Journal of the American Medical Association</i> , 2019 , 322, 409-420	27.4	136
64	Masked hypertension in diabetes mellitus: treatment implications for clinical practice. <i>Hypertension</i> , 2013 , 61, 964-71	8.5	114
63	Setting thresholds to varying blood pressure monitoring intervals differentially affects risk estimates associated with white-coat and masked hypertension in the population. <i>Hypertension</i> , 2014 , 64, 935-42	8.5	108
62	24-h ambulatory recording of aortic pulse wave velocity and central systolic augmentation: a feasibility study. <i>Hypertension Research</i> , 2012 , 35, 980-7	4.7	106
61	The Cardiovascular Risk of White-Coat Hypertension. <i>Journal of the American College of Cardiology</i> , 2016 , 68, 2033-2043	15.1	96
60	Calcium citrate ameliorates the progression of chronic renal injury. <i>Kidney International</i> , 2004 , 65, 1224-30	30.9	81
59	Ambulatory blood pressure monitoring in 9357 subjects from 11 populations highlights missed opportunities for cardiovascular prevention in women. <i>Hypertension</i> , 2011 , 57, 397-405	8.5	80
58	Dietary Patterns in a Population Cohort in Uruguay and Associations with Markers of Cardiovascular Disease Risk. <i>Current Developments in Nutrition</i> , 2020 , 4, 548-548	0.4	78
57	Outcome-driven thresholds for home blood pressure measurement: international database of home blood pressure in relation to cardiovascular outcome. <i>Hypertension</i> , 2013 , 61, 27-34	8.5	75
56	Prognostic value of ambulatory heart rate revisited in 6928 subjects from 6 populations. <i>Hypertension</i> , 2008 , 52, 229-35	8.5	73

55	Blood pressure variability in relation to outcome in the International Database of Ambulatory blood pressure in relation to Cardiovascular Outcome. <i>Hypertension Research</i> , 2010 , 33, 757-66	4.7	71
54	Age-specific differences between conventional and ambulatory daytime blood pressure values. <i>Hypertension</i> , 2014 , 64, 1073-9	8.5	60
53	Ambulatory hypertension subtypes and 24-hour systolic and diastolic blood pressure as distinct outcome predictors in 8341 untreated people recruited from 12 populations. <i>Circulation</i> , 2014 , 130, 466-74	16.7	58
52	Risk stratification by self-measured home blood pressure across categories of conventional blood pressure: a participant-level meta-analysis. <i>PLoS Medicine</i> , 2014 , 11, e1001591	11.6	57
51	Septic diaphragmatic dysfunction is prevented by Mn(III)porphyrin therapy and inducible nitric oxide synthase inhibition. <i>Intensive Care Medicine</i> , 2004 , 30, 2271-8	14.5	50
50	Prevalence, Treatment, and Control Rates of Conventional and Ambulatory Hypertension Across 10 Populations in 3 Continents. <i>Hypertension</i> , 2017 , 70, 50-58	8.5	49
49	Thirty years of research on diagnostic and therapeutic thresholds for the self-measured blood pressure at home. <i>Blood Pressure Monitoring</i> , 2008 , 13, 352-65	1.3	41
48	Risk stratification by ambulatory blood pressure monitoring across JNC classes of conventional blood pressure. <i>American Journal of Hypertension</i> , 2014 , 27, 956-65	2.3	37
47	Determinants of the ambulatory arterial stiffness index in 7604 subjects from 6 populations. <i>Hypertension</i> , 2008 , 52, 1038-44	8.5	34
46	How many measurements are needed to estimate blood pressure variability without loss of prognostic information?. <i>American Journal of Hypertension</i> , 2014 , 27, 46-55	2.3	30
45	Outcome-driven thresholds for ambulatory pulse pressure in 9938 participants recruited from 11 populations. <i>Hypertension</i> , 2014 , 63, 229-37	8.5	30
44	Blood pressure load does not add to ambulatory blood pressure level for cardiovascular risk stratification. <i>Hypertension</i> , 2014 , 63, 925-33	8.5	30
43	Diagnostic thresholds for ambulatory blood pressure moving lower: a review based on a meta-analysis-clinical implications. <i>Journal of Clinical Hypertension</i> , 2008 , 10, 377-81	2.3	30
42	Mechanisms of Salt-Sensitive Hypertension. <i>Current Hypertension Reviews</i> , 2015 , 11, 14-21	2.3	27
41	The International Database of HOme blood pressure in relation to Cardiovascular Outcome (IDHOCO): moving from baseline characteristics to research perspectives. <i>Hypertension Research</i> , 2012 , 35, 1072-9	4.7	26
40	Defining thresholds for home blood pressure monitoring in octogenarians. <i>Hypertension</i> , 2015 , 66, 865-73	8.5	25
39	Double product reflects the predictive power of systolic pressure in the general population: evidence from 9,937 participants. <i>American Journal of Hypertension</i> , 2013 , 26, 665-72	2.3	25
38	Delayed mTOR inhibition with low dose of everolimus reduces TGF β expression, attenuates proteinuria and renal damage in the renal mass reduction model. <i>PLoS ONE</i> , 2012 , 7, e32516	3.7	25

37	Desphospho-uncarboxylated matrix Gla protein is a novel circulating biomarker predicting deterioration of renal function in the general population. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, 1122-1128	4.3	24
36	Short-term blood pressure variability in relation to outcome in the International Database of Ambulatory blood pressure in relation to Cardiovascular Outcome (IDACO). <i>Acta Cardiologica</i> , 2011 , 66, 701-6	0.9	22
35	Are blood pressure and diabetes additive or synergistic risk factors? Outcome in 8494 subjects randomly recruited from 10 populations. <i>Hypertension Research</i> , 2011 , 34, 714-21	4.7	21
34	Cardiovascular risk stratification and blood pressure variability on ambulatory and home blood pressure measurement. <i>Current Hypertension Reports</i> , 2014 , 16, 470	4.7	18
33	The Diurnal Profile of Central Hemodynamics in a General Uruguayan Population. <i>American Journal of Hypertension</i> , 2016 , 29, 737-46	2.3	17
32	Risk stratification by 24-hour ambulatory blood pressure and estimated glomerular filtration rate in 5322 subjects from 11 populations. <i>Hypertension</i> , 2013 , 61, 18-26	8.5	17
31	Evidence-based proposal for the number of ambulatory readings required for assessing blood pressure level in research settings: an analysis of the IDACO database. <i>Blood Pressure</i> , 2018 , 27, 341-350	1.7	17
30	Thresholds for conventional and home blood pressure by sex and age in 5018 participants from 5 populations. <i>Hypertension</i> , 2014 , 64, 695-701	8.5	16
29	Cardiovascular End Points and Mortality Are Not Closer Associated With Central Than Peripheral Pulsatile Blood Pressure Components. <i>Hypertension</i> , 2020 , 76, 350-358	8.5	14
28	Relationship between office and home blood pressure with increasing age: The International Database of Home blood pressure in relation to Cardiovascular Outcome (IDHOCO). <i>Hypertension Research</i> , 2016 , 39, 612-7	4.7	14
27	Recommendations for home blood pressure monitoring in Latin American countries: A Latin American Society of Hypertension position paper. <i>Journal of Clinical Hypertension</i> , 2020 , 22, 544-554	2.3	13
26	Outcome-Driven Thresholds for Ambulatory Blood Pressure Based on the New American College of Cardiology/American Heart Association Classification of Hypertension. <i>Hypertension</i> , 2019 , 74, 776-783	8.5	13
25	Opposing Age-Related Trends in Absolute and Relative Risk of Adverse Health Outcomes Associated With Out-of-Office Blood Pressure. <i>Hypertension</i> , 2019 , 74, 1333-1342	8.5	13
24	Reference frame for home pulse pressure based on cardiovascular risk in 6470 subjects from 5 populations. <i>Hypertension Research</i> , 2014 , 37, 672-8	4.7	13
23	Is blood pressure during the night more predictive of cardiovascular outcome than during the day?. <i>Blood Pressure Monitoring</i> , 2008 , 13, 145-7	1.3	13
22	Dipping deeper into the ambulatory arterial stiffness index. <i>Hypertension</i> , 2007 , 50, e59-60; author reply e61-2	8.5	13
21	Risk Factors for Orthostatic Hypotension: Differences Between Elderly Men and Women. <i>American Journal of Hypertension</i> , 2018 , 31, 797-803	2.3	10
20	Estimation of Glomerular Filtration Rate Based on Serum Cystatin C versus Creatinine in a Uruguayan Population. <i>International Journal of Nephrology</i> , 2014 , 2014, 837106	1.7	10

19	Blood Pressure in relation to 24-Hour Urinary Sodium and Potassium Excretion in a Uruguayan Population Sample. <i>International Journal of Hypertension</i> , 2018 , 2018, 6956078	2.4	10
18	Ambulatory blood pressure monitoring over 24h: A Latin American Society of Hypertension position paper-accessibility, clinical use and cost effectiveness of ABPM in Latin America in year 2020. <i>Journal of Clinical Hypertension</i> , 2020 , 22, 527-543	2.3	9
17	Prevalence and Determinants of Masked Hypertension Among Black Nigerians Compared With a Reference Population. <i>Hypertension</i> , 2016 , 67, 1249-55	8.5	9
16	May measurement month 2017: Latin America. <i>Journal of Hypertension</i> , 2020 , 38, 1183-1188	1.9	8
15	ECG Voltage in Relation to Peripheral and Central Ambulatory Blood Pressure. <i>American Journal of Hypertension</i> , 2018 , 31, 178-187	2.3	8
14	Significance of white-coat and masked hypertension in chronic kidney disease and end-stage renal disease. <i>Hypertension Research</i> , 2014 , 37, 882-9	4.7	7
13	Response to Masked hypertension in untreated and treated patients with diabetes mellitus: attractive but questionable interpretations and response to Is masked hypertension related to diabetes mellitus?. <i>Hypertension</i> , 2013 , 62, e23-5	8.5	7
12	Association of Fatal and Nonfatal Cardiovascular Outcomes With 24-Hour Mean Arterial Pressure. <i>Hypertension</i> , 2021 , 77, 39-48	8.5	7
11	Nitro-Arachidonic Acid Prevents Angiotensin II-Induced Mitochondrial Dysfunction in a Cell Line of Kidney Proximal Tubular Cells. <i>PLoS ONE</i> , 2016 , 11, e0150459	3.7	6
10	Putting a spin on the ambulatory arterial stiffness index. <i>Journal of Hypertension</i> , 2008 , 26, 1266-7; author reply 1267-9	1.9	5
9	Risk Associated with Pulse Pressure on Out-of-Office Blood Pressure Measurement. <i>Pulse</i> , 2014 , 2, 42-51.6	1.6	4
8	From pioneering to implementing automated blood pressure measurement in clinical practice: Thomas Pickering's legacy. <i>Blood Pressure Monitoring</i> , 2010 , 15, 72-81	1.3	4
7	Relative and Absolute Risk to Guide the Management of Pulse Pressure, an Age-Related Cardiovascular Risk Factor. <i>American Journal of Hypertension</i> , 2021 , 34, 929-938	2.3	4
6	Isolated Diastolic Hypertension in the IDACO Study: An Age-Stratified Analysis Using 24-Hour Ambulatory Blood Pressure Measurements. <i>Hypertension</i> , 2021 , 78, 1222-1231	8.5	3
5	The International Database of Central Arterial Properties for Risk Stratification: Research Objectives and Baseline Characteristics of Participants. <i>American Journal of Hypertension</i> , 2021 ,	2.3	3
4	Central hemodynamics in relation to blood lead in young men prior to chronic occupational exposure. <i>Blood Pressure</i> , 2019 , 28, 279-290	1.7	2
3	Central hemodynamics in relation to low-level environmental lead exposure. <i>Blood Pressure</i> , 2020 , 29, 157-167	1.7	2
2	Risk Stratification by Cross-Classification of Central and Brachial Systolic Blood Pressure.. <i>Hypertension</i> , 2022 , HYPERTENSIONAHA12118773	8.5	2

- 1 Tobacco Use and the Kidney: A Review of Public Policies and Studies on Kidney Disease Progression. *Contributions To Nephrology*, **2021**, 199, 188-200

1.6