

# Lei Cheng

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3146411/publications.pdf>

Version: 2024-02-01

36  
papers

276  
citations

933447

10  
h-index

1058476

14  
g-index

38  
all docs

38  
docs citations

38  
times ranked

343  
citing authors

#	ARTICLE	IF	CITATIONS
1	Pain Reported by Chinese Children During Cancer Treatment. <i>Cancer Nursing</i> , 2022, 45, E345-E354.	1.5	2
2	The Pediatric Cancer Survivors' User Experiences With Digital Health Interventions. <i>Cancer Nursing</i> , 2022, 45, E68-E82.	1.5	5
3	Correlating intraepithelial papillary capillary loops of vocal cord leukoplakia with histopathology. <i>Acta Oto-Laryngologica</i> , 2022, 142, 106-111.	0.9	2
4	Left atrial morpho-functional remodeling in atrial fibrillation assessed by three dimensional speckle tracking echocardiography and its value in atrial fibrillation screening. <i>Cardiovascular Ultrasound</i> , 2022, 20, 13.	1.6	6
5	Vocal fold fibroblasts promote angiogenesis in vocal fold leukoplakia by secreting pro-angiogenic factors. <i>Auris Nasus Larynx</i> , 2022, 49, 1009-1018.	1.2	3
6	Circulating immune parameters-based nomogram for predicting malignancy in laryngeal neoplasm. <i>World Journal of Clinical Cases</i> , 2021, 9, 540-551.	0.8	0
7	Voice rehabilitation after total laryngectomy with the infrahyoid musculocutaneous flap. <i>Acta Oto-Laryngologica</i> , 2021, 141, 408-413.	0.9	2
8	Preparation of Epidermal Growth Factor-Modified Targeted Doxorubicin Nanoliposomes and Therapy of Liver Cancer. <i>Journal of Nanoscience and Nanotechnology</i> , 2021, 21, 4565-4572.	0.9	2
9	Modulation of STIM1 by a risk insertion/deletion polymorphism underlying genetics susceptibility to sudden cardiac death originated from coronary artery disease. <i>Forensic Science International</i> , 2021, 328, 111010.	2.2	2
10	<i>Helicobacter pylori</i> is associated with poor prognosis of laryngeal precancerous lesion. <i>Auris Nasus Larynx</i> , 2020, 47, 268-275.	1.2	5
11	Predictive model for risk of gastric cancer using genetic variants from genome-wide association studies and high-evidence meta-analysis. <i>Cancer Medicine</i> , 2020, 9, 7310-7316.	2.8	9
12	The Variation of Peripheral Inflammatory Markers in Vocal Leukoplakia before and after Recurrence and Canceration. <i>Disease Markers</i> , 2020, 2020, 1-10.	1.3	3
13	Functional variation of SLC52A3 rs13042395 predicts survival of Chinese gastric cancer patients. <i>Journal of Cellular and Molecular Medicine</i> , 2020, 24, 12550-12559.	3.6	2
14	Transcervical endoscopic approach for parapharyngeal space: a cadaver study and clinical practice. <i>Acta Oto-Laryngologica</i> , 2020, 140, 163-169.	0.9	3
15	A morphological classification for vocal fold leukoplakia. <i>Brazilian Journal of Otorhinolaryngology</i> , 2019, 85, 588-596.	1.0	26
16	Elevated peripheral inflammatory markers are related with the recurrence and canceration of vocal fold leukoplakia. <i>European Archives of Oto-Rhino-Laryngology</i> , 2019, 276, 2857-2864.	1.6	9
17	A study of the association between local recurrence and surgical margins in vertical partial laryngectomy for T1 glottic squamous cell carcinoma. <i>Acta Oto-Laryngologica</i> , 2019, 139, 707-712.	0.9	2
18	Endoscopic transvestibular anatomy of the infratemporal fossa and upper parapharyngeal spaces for clinical surgery: a cadaver study. <i>European Archives of Oto-Rhino-Laryngology</i> , 2019, 276, 1799-1807.	1.6	6

#	ARTICLE	IF	CITATIONS
19	How to evaluate the adequacy of staging for nodal-negative epithelial ovarian cancer? Use of nodal staging score. <i>Journal of Gynecologic Oncology</i> , 2019, 30, e21.	2.2	4
20	Results of surgical treatment alone for primary subglottic carcinoma. <i>Acta Oto-Laryngologica</i> , 2019, 139, 432-438.	0.9	4
21	Evaluation of hepatic fibrosis by ultrasonic acoustic structure quantification. <i>Medicine (United Tj ETQq1 1 0.784314 rgBT /Oyerlock 10</i>	1.0	4
22	A new classification of vocal fold leukoplakia by morphological appearance guiding the treatment. <i>Acta Oto-Laryngologica</i> , 2018, 138, 584-589.	0.9	18
23	Possible association between <i>Helicobacter pylori</i> infection and vocal fold leukoplakia. <i>Head and Neck</i> , 2018, 40, 1498-1507.	2.0	13
24	Prevention of laryngeal webs through endoscopic keel placement for bilateral vocal cord lesions. <i>Frontiers of Medicine</i> , 2018, 12, 301-306.	3.4	8
25	Retrospective analysis of 659 laryngeal squamous cell carcinoma patients treated with open laryngeal function-preserving operations. <i>Acta Oto-Laryngologica</i> , 2018, 138, 1043-1050.	0.9	11
26	Activation of the KEAP1-NRF2-ARE signaling pathway reduces oxidative stress in Hep2 cells. <i>Molecular Medicine Reports</i> , 2018, 18, 2541-2550.	2.4	25
27	Relationship between laryngoscopic and pathological characteristics of vocal cords leukoplakia. <i>Acta Oto-Laryngologica</i> , 2017, 137, 1199-1203.	0.9	14
28	Recurrence of vocal fold leukoplakia after carbon dioxide laser therapy. <i>European Archives of Oto-Rhino-Laryngology</i> , 2017, 274, 3429-3435.	1.6	11
29	Web thickness determines the therapeutic effect of endoscopic keel placement on anterior glottic web. <i>European Archives of Oto-Rhino-Laryngology</i> , 2017, 274, 3697-3702.	1.6	18
30	Neoglottis reconstruction with sternohyoid muscles on upper-tracheal orifice after laryngectomy. <i>European Archives of Oto-Rhino-Laryngology</i> , 2017, 274, 383-388.	1.6	2
31	Nonsurgical Treatment for Vocal Fold Leukoplakia: An Analysis of 178 Cases. <i>BioMed Research International</i> , 2017, 2017, 1-7.	1.9	10
32	Families' readiness for discharge of their pre-term infant. <i>JB I Database of Systematic Reviews and Implementation Reports</i> , 2016, 14, 367-380.	1.7	7
33	Genetic variant of miR-146a rs2910164 C>G and gastric cancer susceptibility. <i>Oncotarget</i> , 2016, 7, 34316-34321.	1.8	15
34	Prognostic significance of H2AX in laryngeal squamous cell carcinoma after surgery. <i>Chinese Medical Journal</i> , 2014, 127, 2664-7.	2.3	2
35	Preliminary study of proteomic shift from normal to premalignant laryngeal lesions and to laryngeal squamous cell carcinoma. <i>Acta Oto-Laryngologica</i> , 2009, 129, 774-778.	0.9	2
36	SELDI-TOF MS profiling of serum for detection of laryngeal squamous cell carcinoma and the progression to lymph node metastasis. <i>Journal of Cancer Research and Clinical Oncology</i> , 2008, 134, 769-776.	2.5	19