

Isao Matsui

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3146876/isao-matsui-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

52
papers

522
citations

14
h-index

21
g-index

52
ext. papers

592
ext. citations

2.4
avg, IF

4
L-index

#	Paper	IF	Citations
52	Effect of interstitial carbon on the mechanical properties of electrodeposited bulk nanocrystalline Ni. <i>Acta Materialia</i> , 2013 , 61, 3360-3369	8.4	64
51	Effect of orientation on tensile ductility of electrodeposited bulk nanocrystalline NiW alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 578, 318-322	5.3	39
50	Fabrication of bulk nanocrystalline FeNi alloys with high strength and high ductility by an electrodeposition. <i>Materials Letters</i> , 2014 , 116, 71-74	3.3	34
49	Enhancement in mechanical properties of bulk nanocrystalline FeNi alloys electrodeposited using propionic acid. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 607, 505-510	5.3	32
48	Electrodeposition with intermittent addition of trimethylamine borane to produce ductile bulk nanocrystalline NiB alloys. <i>Surface and Coatings Technology</i> , 2018 , 337, 411-417	4.4	29
47	Enhanced tensile ductility in bulk nanocrystalline nickel electrodeposited by sulfamate bath. <i>Materials Letters</i> , 2011 , 65, 2351-2353	3.3	26
46	Fabrication of bulk nanocrystalline Al electrodeposited from a dimethylsulfone bath. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 550, 363-366	5.3	25
45	Effect of additives on tensile properties of bulk nanocrystalline NiW alloys electrodeposited from a sulfamate bath. <i>Materials Letters</i> , 2013 , 99, 65-67	3.3	25
44	Strategy for Electrodeposition of Highly Ductile Bulk Nanocrystalline Metals with a Face-Centered Cubic Structure. <i>Materials Transactions</i> , 2014 , 55, 1859-1866	1.3	24
43	Application of Electroforming Process to Bulk Amorphous Ni-W Alloy. <i>Materials Transactions</i> , 2011 , 52, 37-40	1.3	19
42	Controlling the Growth Mode for Producing Electrodeposited Bulk Nanocrystalline Metals and Alloys with Good Combination of Strength and Ductility. <i>Materia Japan</i> , 2016 , 55, 166-170	0.1	15
41	Improvement in tensile ductility of electrodeposited bulk nanocrystalline NiW by sulfamate bath using propionic acid. <i>Microelectronic Engineering</i> , 2012 , 91, 98-101	2.5	15
40	Influence of Gloss Agent Types on Tensile Properties of Bulk Nanocrystalline Ni Electrodeposited from Sulfamate Bath. <i>Hyomen Gijutsu/Journal of the Surface Finishing Society of Japan</i> , 2011 , 62, 686	0.1	15
39	Influence of Bath Composition on Tensile Ductility in Electrodeposited Bulk Nanocrystalline Nickel. <i>Materials Transactions</i> , 2011 , 52, 142-146	1.3	14
38	Effect of low-temperature annealing on tensile behavior of electrodeposited bulk nanocrystalline NiW alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 709, 241-246	5.3	14
37	Reduction in sulfur content of electrodeposited bulk nanocrystalline FeNi alloys using manganese chloride. <i>Materials Letters</i> , 2016 , 175, 86-88	3.3	13
36	Contribution of interstitial solute strengthening in aluminum. <i>Philosophical Magazine Letters</i> , 2014 , 94, 63-71	1	11

35	Pre-electrodeposition process for improving tensile ductility of Al electrodeposited from a dimethylsulfone bath. <i>Materials Letters</i> , 2013 , 109, 229-232	3.3	11
34	Thermal embrittlement and microstructure change in electrodeposited Ni. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019 , 745, 168-175	5.3	9
33	Relationship between grain boundary relaxation strengthening and orientation in electrodeposited bulk nanocrystalline Ni alloys. <i>Materials Letters</i> , 2017 , 205, 211-214	3.3	9
32	Tensile Properties of Bulk Nanocrystalline Ni and Ni-W Fabricated by Sulfamate Bath. <i>Materials Science Forum</i> , 2010 , 654-656, 1114-1117	0.4	9
31	Mechanical Behavior of Electrodeposited Bulk Nanocrystalline Fe-Ni Alloys. <i>Materials Research</i> , 2015 , 18, 95-100	1.5	7
30	Reduction of impurity contents in aluminum plates electrodeposited from a dimethylsulfone-aluminum chloride bath. <i>Journal of Alloys and Compounds</i> , 2019 , 783, 919-926	5.7	7
29	Microstructural heterogeneity in the electrodeposited Ni: insights from growth modes. <i>Scientific Reports</i> , 2020 , 10, 5548	4.9	6
28	Imposition Time Dependent Microstructure Formation in 7150 Aluminum Alloy Solidified by an Electromagnetic Stirring Technique. <i>Materials Transactions</i> , 2018 , 59, 1603-1609	1.3	6
27	Suppression of the thermal embrittlement induced by sulfur segregation to grain boundary in Ni-based electrodeposits. <i>Materialia</i> , 2019 , 6, 100312	3.2	5
26	Mechanical properties and microstructures after abnormal grain growth in electrodeposited Ni ₈₀ W ₂₀ alloys. <i>Materialia</i> , 2019 , 8, 100481	3.2	4
25	Comparison of Tensile Properties of Bulk Nanocrystalline Ni ₈₀ W ₂₀ Alloys Electrodeposited by Direct, Pulsed, and Pulsed-Reverse Currents. <i>Materials Transactions</i> , 2018 , 59, 123-128	1.3	4
24	High Tensile Ductility in Electrodeposited Bulk Nanocrystalline Ni ₈₀ W ₂₀ Alloys. <i>Advanced Materials Research</i> , 2014 , 922, 497-502	0.5	4
23	Direct observations of nucleant TiB ₂ particles in cast aluminum by synchrotron radiation multiscale tomography. <i>Materialia</i> , 2020 , 10, 100663	3.2	4
22	Direct observation of strain-stored grains in electrodeposited nanocrystalline Ni-W alloys by low-angle annular dark field diffraction contrast imaging. <i>Scripta Materialia</i> , 2019 , 166, 29-33	5.6	3
21	Electrodeposition of bulk nanocrystalline Ni ₈₀ Be ₂₀ alloys and their mechanical and soft magnetic properties. <i>Materialia</i> , 2020 , 12, 100766	3.2	3
20	Revealing the intrinsic ductility of electrodeposited nanocrystalline metals. <i>Materials Letters</i> , 2019 , 235, 224-227	3.3	3
19	An Electrodeposition Process for Producing Ductile Bulk Nanocrystalline Ni ₈₀ Be ₂₀ Alloys in a Wide Current Density Range. <i>Materials Transactions</i> , 2018 , 59, 1354-1358	1.3	3
18	Ductile electrodeposited Al from a dimethylsulfone bath with trace amounts of tin chloride. <i>Materials Letters</i> , 2019 , 244, 192-194	3.3	2

17	Fabricating Bulk Nanocrystalline Ni _W Alloys by Electrodeposition. <i>Materials Transactions</i> , 2017 , 58, 1038-1041	1.3	2
16	Development of Electrodeposition Bath Using a Substitute of Propionic Acid for Bulk Nanocrystalline Ni-W Alloys with High Ductility. <i>Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals</i> , 2016 , 80, 217-223	0.4	2
15	Fabrication of Bulk Ni _{Mo} Alloys by Electrodeposition with Intermittent Addition of Sodium Molybdate. <i>Materials Transactions</i> , 2018 , 59, 1823-1828	1.3	2
14	Fabrication of Electrodeposited Bulk Nanocrystalline Ni-Mo Alloys from a Gluconate Bath And Their Mechanical Properties. <i>Hyomen Gijutsu/Journal of the Surface Finishing Society of Japan</i> , 2016 , 67, 434-439	0.1	1
13	Electrodeposition for Bulk Nanocrystalline Ni Alloys and Their Mechanical Properties. <i>Hyomen Gijutsu/Journal of the Surface Finishing Society of Japan</i> , 2019 , 70, 103-108	0.1	1
12	Connecting Grain Boundary Stability With Tensile Behavior in Electrodeposited Bulk Nanocrystalline Ni Alloys. <i>Materia Japan</i> , 2018 , 57, 479-486	0.1	1
11	Microstructure refinement of 7150 aluminum alloy ingot with rectangular section by applying forward-reverse electromagnetic stirring. <i>Keikinzo/Journal of Japan Institute of Light Metals</i> , 2019 , 69, 30-35	0.3	0
10	Fabrication of Bulk Nanocrystalline Ni-W with Plastic Deformability Electrodeposited from a Sulfamate Bath 2013 , 3291-3296		
9	Influence of Impurities on Mechanical Properties of Electrodeposited Bulk Nanocrystalline Al. <i>Advanced Materials Research</i> , 2014 , 922, 574-579	0.5	
8	Preparatory Electrodeposition Process for High Purity Bulk Aluminum. <i>Advanced Materials Research</i> , 2014 , 922, 237-241	0.5	
7	Promotion of Separation of Two-Phase Liquid Metals by Applying Mechanical Vibration. <i>Minerals, Metals and Materials Series</i> , 2018 , 1163-1166	0.3	
6	Reduction of hydrogen content in 7000 series aluminum alloys by heat treatment in air. <i>Keikinzo/Journal of Japan Institute of Light Metals</i> , 2018 , 68, 150-151	0.3	
5	OS19-1-3 Influence of Gloss Agents on Mechanical properties of Electrodeposited Bulk Nanocrystalline Ni. <i>The Abstracts of ATEM International Conference on Advanced Technology in Experimental Mechanics Asian Conference on Experimental Mechanics</i> , 2011 , 2011.10, _OS19-1-3-	0	
4	OS19-1-4 Fabrication of Bulk Nanocrystalline Ni-W with Plastic Deformability by Electrodeposition. <i>The Abstracts of ATEM International Conference on Advanced Technology in Experimental Mechanics Asian Conference on Experimental Mechanics</i> , 2011 , 2011.10, _OS19-1-4-	0	
3	Fabrication of bulk nanocrystalline Ni-W with plastic deformability electrodeposited from a sulfamate bath 2013 , 3291-3296		
2	Effect of machining and storage conditions on hydrogen analysis for 7075 aluminum alloy. <i>Keikinzo/Journal of Japan Institute of Light Metals</i> , 2016 , 66, 68-71	0.3	
1	Development of Electrodeposition Process Based on Chloride Electrolytes for Bulk Pure Fe with Plastic Deformability. <i>Materials Transactions</i> , 2019 , 60, 130-135	1.3	