Manuela Mollejo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/314794/publications.pdf

Version: 2024-02-01

46918 69108 6,426 109 47 77 citations h-index g-index papers 110 110 110 8214 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Genetic and phenotypic attributes of splenic marginal zone lymphoma. Blood, 2022, 139, 732-747.	0.6	49
2	Mastocytosis in the skin accompanied by pseudoâ∈Kaposiâ∈™s sarcoma. Journal of Dermatology, 2021, 48, 657-660.	0.6	1
3	Epigenetic Deregulation of the Histone Methyltransferase KMT5B Contributes to Malignant Transformation in Glioblastoma. Frontiers in Cell and Developmental Biology, 2021, 9, 671838.	1.8	6
4	Peripheral T-cell lymphoma: molecular profiling recognizes subclasses and identifies prognostic markers. Blood Advances, 2021, 5, 5588-5598.	2.5	24
5	Proposal and validation of a method to classify genetic subtypes of diffuse large B cell lymphoma. Scientific Reports, 2021, 11, 1886.	1.6	25
6	Epigenetic downregulation of TET3 reduces genomeâ€wide 5hmC levels and promotes glioblastoma tumorigenesis. International Journal of Cancer, 2020, 146, 373-387.	2.3	45
7	Simultaneous occurrence of cutaneous mastocytosis and juvenile xanthogranuloma in a child: Random or true association?. Pediatric Dermatology, 2020, 37, 716-720.	0.5	O
8	TP53, ATRX alterations, and low tumor mutation load feature IDH-wildtype giant cell glioblastoma despite exceptional ultra-mutated tumors. Neuro-Oncology Advances, 2020, 2, vdz059.	0.4	20
9	Unraveling transformation of follicular lymphoma to diffuse large B-cell lymphoma. PLoS ONE, 2019, 14, e0212813.	1.1	31
10	Mutations in the <scp>JAK</scp> / <scp>STAT</scp> pathway genes and activation of the pathway, a relevant finding in nodal Peripheral Tâ€cell lymphoma. British Journal of Haematology, 2018, 183, 497-501.	1.2	17
11	Spontaneously Ruptured Spleen Samples in Patients With Infectious Mononucleosis. American Journal of Clinical Pathology, 2018, 150, 310-317.	0.4	10
12	Molecular Study of Long-Term Survivors of Glioblastoma by Gene-Targeted Next-Generation Sequencing. Journal of Neuropathology and Experimental Neurology, 2018, 77, 710-716.	0.9	31
13	Loss of 5hmC identifies a new type of aberrant DNA hypermethylation in glioma. Human Molecular Genetics, 2018, 27, 3046-3059.	1.4	26
14	pâ€ <scp>MAPK</scp> 1 expression associated with poor prognosis in angioimmunoblastic Tâ€eell lymphoma patients. British Journal of Haematology, 2017, 176, 661-664.	1.2	2
15	Splenic diffuse red pulp small B-cell lymphoma displays increased expression of cyclin D3 and recurrent CCND3 mutations. Blood, 2017, 129, 1042-1045.	0.6	52
16	Splenic marginal zone lymphoma. Best Practice and Research in Clinical Haematology, 2017, 30, 56-64.	0.7	33
17	Clinical and diagnostic relevance of <i>NOTCH2</i> -and <i>KLF2</i> -mutations in splenic marginal zone lymphoma. Haematologica, 2017, 102, e310-e312.	1.7	31
18	Comment on: "A Unique Clinicopathological Manifestation of Fungal Infection: A Case Series of Deep Dermatophytosis in Immunosuppressed Patients― American Journal of Clinical Dermatology, 2017, 18, 709-711.	3.3	3

#	Article	IF	CITATIONS
19	Erythema multiformeâ€like reaction resulting from vitamin K ₁ oxide (phytomenadione) Tj ETQq1	1 0.784314 0.8	rgBT /Overlo
20	Shared Oncogenic Pathways Implicated in Both Virus-Positive and UV-Induced Merkel Cell Carcinomas. Journal of Investigative Dermatology, 2017, 137, 197-206.	0.3	78
21	Imatinib in systemic mastocytosis: a phase IV clinical trial in patients lacking exon 17 <i>KIT</i> mutations and review of the literature. Oncotarget, 2017, 8, 68950-68963.	0.8	83
22	Stratifying diffuse large B-cell lymphoma patients treated with chemoimmunotherapy: GCB/non-GCB by immunohistochemistry is still a robust and feasible marker. Oncotarget, 2016, 7, 18036-18049.	0.8	26
23	Antineutrophil cytoplasmic antibody negative pauciâ€immune extracapillary glomerulonephritis. Nephrology, 2016, 21, 301-307.	0.7	7
24	Intravascular large B-cell lymphoma in a kidney biopsy. Blood, 2016, 127, 2939-2939.	0.6	3
25	C-MYC is related to GATA3 expression and associated with poor prognosis in nodal peripheral T-cell lymphomas. Haematologica, 2016, 101, e336-e338.	1.7	25
26	Diagnosis and classification of mastocytosis in nonâ€specialized <i>versus </i> reference centres: a Spanish Network on Mastocytosis (<scp>REMA</scp>) study on 122 patients. British Journal of Haematology, 2016, 172, 56-63.	1.2	15
27	Glomerular C3d as a novel prognostic marker for renal vasculitis. Human Pathology, 2016, 56, 31-39.	1.1	31
28	An Immunogenetic Signature of Ongoing Antigen Interactions in Splenic Marginal Zone Lymphoma Expressing IGHV1-2*04 Receptors. Clinical Cancer Research, 2016, 22, 2032-2040.	3.2	17
29	Clinical, immunophenotypic, and molecular characteristics of well-differentiated systemic mastocytosis. Journal of Allergy and Clinical Immunology, 2016, 137, 168-178.e1.	1.5	72
30	DNA methylation profiling identifies two splenic marginal zone lymphoma subgroups with different clinical and genetic features. Blood, 2015, 125, 1922-1931.	0.6	53
31	Chronic lymphocytic leukemia cells in lymph nodes show frequent NOTCH1 activation. Haematologica, 2015, 100, e200-e203.	1.7	21
32	MYD88 (L265P) Somatic Mutation in Marginal Zone B-cell Lymphoma. American Journal of Surgical Pathology, 2015, 39, 644-651.	2.1	76
33	Impact on prognosis of the regional distribution of MGMT methylation with respect to the CpG island methylator phenotype and age in glioma patients. Journal of Neuro-Oncology, 2015, 122, 441-450.	1.4	41
34	Molecular Classification Defines 4 Prognostically Distinct Glioma Groups Irrespective of Diagnosis and Grade. Journal of Neuropathology and Experimental Neurology, 2015, 74, 241-249.	0.9	38
35	Secretory meningioma with KLF4 K409Q mutation in collision with glioma. , 2015, 34, 322-329.		14
36	PIM Kinases as Potential Therapeutic Targets in a Subset of Peripheral T Cell Lymphoma Cases. PLoS ONE, 2014, 9, e112148.	1.1	18

#	Article	IF	Citations
37	NFκB expression is a feature of both activated B-cell-like and germinal center B-cell-like subtypes of diffuse large B-cell lymphoma. Modern Pathology, 2014, 27, 1331-1337.	2.9	27
38	Simplification of risk stratification for splenic marginal zone lymphoma: a point-based score for practical use. Leukemia and Lymphoma, 2014, 55, 929-931.	0.6	40
39	Genomeâ€wide <scp>DNA</scp> profiling identifies clonal heterogeneity in marginal zone lymphomas. British Journal of Haematology, 2014, 164, 896-899.	1.2	0
40	Hepatitis C virus-related lymphoproliferative disorders encompass a broader clinical and morphological spectrum than previously recognized: a clinicopathological study. Modern Pathology, 2014, 27, 281-293.	2.9	22
41	The RHOA G17V gene mutation occurs frequently in peripheral T-cell lymphoma and is associated with a characteristic molecular signature. Blood, 2014, 123, 2893-2894.	0.6	53
42	Nonaggressive systemic mastocytosis (SM) without skin lesions associated with insect-induced anaphylaxis showsÂunique features versus other indolent SM. Journal of Allergy and Clinical Immunology, 2014, 133, 520-528.e5.	1,5	118
43	<scp>CD</scp> 30 expression by bone marrow mast cells from different diagnostic variants of systemic mastocytosis. Histopathology, 2013, 63, 780-787.	1.6	77
44	Codeletion of 1p and 19q determines distinct gene methylation and expression profiles in IDH-mutated oligodendroglial tumors. Acta Neuropathologica, 2013, 126, 277-289.	3.9	49
45	Gene expression changes associated with erlotinib response in glioma cell lines. European Journal of Cancer, 2013, 49, 1641-1653.	1.3	35
46	Short-term omalizumab treatment in an adolescent with cutaneous mastocytosis. Annals of Allergy, Asthma and Immunology, 2013, 111, 425-426.	0.5	33
47	Splenic marginal zone lymphoma: comprehensive analysis of gene expression and miRNA profiling. Modern Pathology, 2013, 26, 889-901.	2.9	45
48	Simultaneous inhibition of pan-phosphatidylinositol-3-kinases and MEK as a potential therapeutic strategy in peripheral T-cell lymphomas. Haematologica, 2013, 98, 57-64.	1.7	33
49	EBV-positive diffuse large B-cell lymphoma of the elderly is an aggressive post-germinal center B-cell neoplasm characterized by prominent nuclear factor-kB activation. Modern Pathology, 2012, 25, 968-982.	2.9	172
50	Complete Response After Imatinib Mesylate Therapy in a Patient With Well-Differentiated Systemic Mastocytosis. Journal of Clinical Oncology, 2012, 30, e126-e129.	0.8	59
51	Genetic Alterations Associated With Progression and Recurrence in Meningiomas. Journal of Neuropathology and Experimental Neurology, 2012, 71, 882-893.	0.9	47
52	Risk stratification for <scp>S</scp> plenic <scp>M</scp> arginal <scp>Z</scp> one <scp>L</scp> ymphoma based on haemoglobin concentration, platelet count, high lactate dehydrogenase level and extrahilar lymphadenopathy: development and validation on 593 cases. British Journal of Haematology, 2012, 159, 164-171.	1.2	81
53	Highâ€throughput sequencing analysis of the chromosome 7q32 deletion reveals ⟨scp⟩IRF⟨/scp⟩5 as a potential tumour suppressor in splenic marginalâ€zone lymphoma. British Journal of Haematology, 2012, 158, 712-726.	1.2	45
54	Nodal marginal zone lymphoma: gene expression and miRNA profiling identify diagnostic markers and potential therapeutic targets. Blood, 2012, 119, e9-e21.	0.6	91

#	Article	IF	Citations
55	Hairy cell leukemia, blastic type: description of spleen morphology and immunophenotype of a distinctive case. Leukemia and Lymphoma, 2011, 52, 1589-1592.	0.6	3
56	Evaluation of the WHO criteria for the classification of patients with mastocytosis. Modern Pathology, 2011, 24, 1157-1168.	2.9	89
57	Marginal zone lymphoma. Seminars in Diagnostic Pathology, 2011, 28, 135-145.	1.0	15
58	Molecular Characterization of the Region 7q22.1 in Splenic Marginal Zone Lymphomas. PLoS ONE, 2011, 6, e24939.	1.1	23
59	Genome-wide DNA profiling of marginal zone lymphomas identifies subtype-specific lesions with an impact on the clinical outcome. Blood, 2011, 117, 1595-1604.	0.6	173
60	miRNA expression in diffuse large B-cell lymphoma treated with chemoimmunotherapy. Blood, 2011, 118, 1034-1040.	0.6	90
61	Hairy cell leukemia variant. Journal of Hematopathology, 2011, 4, 13-16.	0.2	2
62	Improved demonstration of immunohistochemical prognostic markers for survival in follicular lymphoma cells. Modern Pathology, 2011, 24, 698-707.	2.9	9
63	Plk5, a Polo Box Domain-Only Protein with Specific Roles in Neuron Differentiation and Glioblastoma Suppression. Molecular and Cellular Biology, 2011, 31, 1225-1239.	1.1	99
64	Stimulation of ALK by the growth factor midkine renders glioma cells resistant to autophagy-mediated cell death. Autophagy, 2011, 7, 1071-1073.	4.3	27
65	Splenic diffuse red pulp small B-cell lymphoma: revision of a series of cases reveals characteristic clinico-pathological features. Haematologica, 2010, 95, 1122-1129.	1.7	79
66	Cytogenetic aberrations and their prognostic value in a series of 330 splenic marginal zone B-cell lymphomas: a multicenter study of the Splenic B-Cell Lymphoma Group. Blood, 2010, 116, 1479-1488.	0.6	174
67	A molecular risk score based on 4 functional pathways for advanced classical Hodgkin lymphoma. Blood, 2010, 116, e12-e17.	0.6	47
68	Intrafollicular neoplasia/in situ follicular lymphoma: review of a series of 13 cases. Histopathology, 2010, 56, 658-662.	1.6	66
69	Immunogenetics features and genomic lesions in splenic marginal zone lymphoma. British Journal of Haematology, 2010, 151, 435-439.	1.2	20
70	Differential expression profiling analyses identifies downregulation of $1p$, $6q$, and $14q$ genes and overexpression of $6p$ histone cluster 1 genes as markers of recurrence in meningiomas. Neuro-Oncology, 2010, 12 , $1278-1290$.	0.6	54
71	Aggressive large B-cell lymphoma with plasma cell differentiation: immunohistochemical characterization of plasmablastic lymphoma and diffuse large B-cell lymphoma with partial plasmablastic phenotype. Haematologica, 2010, 95, 1342-1349.	1.7	128
72	Microarray-Based Comparative Genomic Hybridization (Array-CGH) as a Useful Tool for Identifying Genes Involved in Glioblastoma (GB). Methods in Molecular Biology, 2010, 653, 35-45.	0.4	8

#	Article	IF	CITATIONS
73	Clinical, biological, and molecular characteristics of clonal mast cell disorders presenting with systemic mast cell activation symptoms. Journal of Allergy and Clinical Immunology, 2010, 125, 1269-1278.e2.	1.5	263
74	Worse Outcome in Primary Glioblastoma Multiforme With Concurrent Epidermal Growth Factor Receptor and p53 Alteration. American Journal of Clinical Pathology, 2009, 131, 257-263.	0.4	75
75	Primary Cutaneous CD4+ Small/Medium-sized Pleomorphic T-cell Lymphoma Expresses Follicular T-cell Markers. American Journal of Surgical Pathology, 2009, 33, 81-90.	2.1	226
76	Splenic Follicular Lymphoma. American Journal of Surgical Pathology, 2009, 33, 730-738.	2.1	41
77	Novel Genomic Alterations and Mechanisms Associated With Tumor Progression in Oligodendroglioma and Mixed Oligoastrocytoma. Journal of Neuropathology and Experimental Neurology, 2009, 68, 274-285.	0.9	13
78	Identification of survivalâ€related genes of the phosphatidylinositol 3′â€kinase signaling pathway in glioblastoma multiforme. Cancer, 2008, 112, 1575-1584.	2.0	67
79	Comparative genome profiling across subtypes of low-grade B-cell lymphoma identifies type-specific and common aberrations that target genes with a role in B-cell neoplasia. Haematologica, 2008, 93, 670-679.	1.7	77
80	Somatic hypermutation signature in B-cell low-grade lymphomas. Haematologica, 2008, 93, 1186-1194.	1.7	11
81	Identification of novel candidate target genes in amplicons of Glioblastoma multiforme tumors detected by expression and CGH microarray profiling. Molecular Cancer, 2006, 5, 39.	7.9	108
82	BCR gene disruption in a pilomyxoid astrocytoma. Neuropathology, 2006, 26, 442-446.	0.7	23
83	Splenic marginal zone lymphoma: proposal of new diagnostic and prognostic markers identified after tissue and cDNA microarray analysis. Blood, 2005, 106, 1831-1838.	0.6	138
84	Nodal and splenic marginal zone B cell lymphomas. Hematological Oncology, 2005, 23, 108-118.	0.8	54
85	Expression of the NF-ήB targets BCL2 and BIRC5/Survivin characterizes small B-cell and aggressive B-cell lymphomas, respectively. Journal of Pathology, 2005, 206, 123-134.	2.1	126
86	Variability in the Degree of Expression of Phosphorylated lîºBî± in Chronic Lymphocytic Leukemia Cases With Nodal Involvement. Clinical Cancer Research, 2004, 10, 6796-6806.	3.2	35
87	Expression Profiling of T-Cell Lymphomas Differentiates Peripheral and Lymphoblastic Lymphomas and Defines Survival Related Genes. Clinical Cancer Research, 2004, 10, 4971-4982.	3.2	88
88	Building an Outcome Predictor Model for Diffuse Large B-Cell Lymphoma. American Journal of Pathology, 2004, 164, 613-622.	1.9	87
89	Aberrant Bcl6 Protein Expression in Mantle Cell Lymphoma. American Journal of Surgical Pathology, 2004, 28, 1051-1056.	2.1	55
90	Development of a Real-Time Reverse Transcription Polymerase Chain Reaction Assay for c-myc Expression That Allows the Identification of a Subset of c-myc+ Diffuse Large B-Cell Lymphoma. Laboratory Investigation, 2003, 83, 143-152.	1.7	17

#	Article	IF	Citations
91	Nodal Marginal Zone Lymphoma: A Heterogeneous Tumor. American Journal of Surgical Pathology, 2003, 27, 762-771.	2.1	106
92	Large B-cell Lymphoma Presenting in the Spleen. American Journal of Surgical Pathology, 2003, 27, 895-902.	2.1	50
93	Hodgkin and Reed-Sternberg cells harbor alterations in the major tumor suppressor pathways and cell-cycle checkpoints: analyses using tissue microarrays. Blood, 2003, 101, 681-689.	0.6	224
94	Molecular heterogeneity in MCL defined by the use of specific VH genes and the frequency of somatic mutations. Blood, 2003, 101, 4042-4046.	0.6	121
95	The molecular signature of mantle cell lymphoma reveals multiple signals favoring cell survival. Cancer Research, 2003, 63, 8226-32.	0.4	130
96	Analysis of the IgVH somatic mutations in splenic marginal zone lymphoma defines a group of unmutated cases with frequent 7q deletion and adverse clinical course. Blood, 2002, 99, 1299-1304.	0.6	158
97	A Short Mutational Hot Spot in the First Intron of BCL-6 Is Associated with Increased BCL-6 Expression and with Longer Overall Survival in Large B-Cell Lymphomas. American Journal of Pathology, 2002, 160, 1371-1380.	1.9	47
98	Splenic marginal zone lymphoma: clinical characteristics and prognostic factors in a series of 60 patients. Blood, 2002, 100, 1648-1654.	0.6	184
99	Splenic marginal zone lymphoma: clinical characteristics and prognostic factors in a series of 60 patients. Blood, 2002, 100, 1648-54.	0.6	45
100	Unique Phenotypic Profile of Monocytoid B Cells. American Journal of Pathology, 2001, 158, 1363-1369.	1.9	27
101	Novel Genomic Imbalances in B-Cell Splenic Marginal Zone Lymphomas Revealed by Comparative Genomic Hybridization and Cytogenetics. American Journal of Pathology, 2001, 158, 1843-1850.	1.9	88
102	Progression to Large B-Cell Lymphoma in Splenic Marginal Zone Lymphoma. American Journal of Surgical Pathology, 2001, 25, 1268-1276.	2.1	126
103	Cutaneous Presentation of Follicular Lymphomas. Modern Pathology, 2001, 14, 913-919.	2.9	29
104	Splenic marginal zone lymphoma with increased number of blasts: An aggressive variant?. Human Pathology, 1999, 30, 1153-1160.	1.1	50
105	7q31-32 Allelic Loss Is a Frequent Finding in Splenic Marginal Zone Lymphoma. American Journal of Pathology, 1999, 154, 1583-1589.	1.9	154
106	Frequent involvement of chromosomes 1, 3, 7 and 8 in splenic marginal zone Bâ€eell lymphoma. British Journal of Haematology, 1997, 98, 446-449.	1.2	56
107	Monocytoid B Cells. American Journal of Surgical Pathology, 1994, 18, 1131-1139.	2.1	35
108	P53 protein expression in lymphomas and reactive lymphoid tissue. Journal of Pathology, 1992, 166, 235-241.	2.1	97

Manuela Mollejo

#	ARTICLE	IF	CITATIONS
109	Cranial fasciitis of childhood with reactive periostitis. World Neurosurgery, 1990, 33, 146-149.	1.3	27