
## P Sagayaraj

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3148258/publications.pdf Version: 2024-02-01



DSACAVADAL

#	Article	IF	CITATIONS
1	A critical review on the variations in anodization parameters toward microstructural formation of TiO <sub>2</sub> nanotubes. Electrochemical Science Advances, 2022, 2, e202100083.	2.8	15
2	Facile Synthesis of rGO/Mn3O4 Composite for Efficient Photodegradation of Phenol under Visible Light. Journal of Nanomaterials, 2021, 2021, 1-11.	2.7	2
3	Analysis on Dielectric, Thermal, and Mechanical Characteristics of Nickel Boro Phthalate NLO Crystal for Optoelectronic Applications. Crystal Research and Technology, 2021, 56, 2000247.	1.3	4
4	Enhanced Photocatalytic Degradation of Phenol Using Urchin-Like ZnO Microrod-Reduced Graphene Oxide Composite under Visible-Light Irradiation. Journal of Nanomaterials, 2021, 2021, 1-11.	2.7	9
5	Structural, mechanical, thermal, electrical, second- and third-order nonlinear optical characteristics of MCBT NLO crystal for optoelectronics device and laser applications. Bulletin of Materials Science, 2021, 44, 1.	1.7	6
6	Performance of Natural Dye Extracted from Annatto, Black Plum, Turmeric, Red Spinach, and Cactus as Photosensitizers in TiO2NP/TiNT Composites for Solar Cell Applications. Journal of Nanomaterials, 2021, 2021, 1-12.	2.7	4
7	A Comparative Study of Nanostructures of CuO/Cu2O Fabricated via Potentiostatic and Galvanostatic Anodization. Journal of Nanomaterials, 2021, 2021, 1-8.	2.7	2
8	Investigation on nucleation, growth and physical properties of low soluble 4-N, N-dimethylamino-4-N'-methylstilbazolium 4-aminotoluene-3-sulfonate crystal – A potential NLO material. Journal of Molecular Structure, 2021, 1241, 130669.	3.6	4
9	Crystal growth and characterization of 4-[4-(4-dimethylamino-phenyl) buta-1,3-dienyl]-1-methyl pyridinium iodide for higher order non-linear applications. Optics and Laser Technology, 2020, 121, 105831.	4.6	12
10	Chemo-resistive detection of hydrogen in argon using Pd nanoparticles on TiO <sub>2</sub> nanotubes prepared via rapid breakdown anodization. Materials Research Express, 2019, 6, 095065.	1.6	4
11	Optical Based Electrical Properties of Thiourea Borate NLO Crystal for Electro-Optic Q Switches. Journal of Electronic Materials, 2019, 48, 5632-5639.	2.2	19
12	Synthesis, growth, crystal structure, thermal, linear and nonlinear opticalanalysis of new extended Ï€-conjugated organic material based on methyl pyridinium compound of 4-(4-(4-(dimethylamino)) Tj ETQq0 0 0	∙rg₿T/Ove 3.6	erlock 10 Tf 50
13	Structure, 2019, 1196, 699-706. Comparative Studies on the Aqueous Synthesis and Biocompatibility of L-Cysteine and Mercaptopropionic Acid Capped CdSe/CdS/ZnS Core/Shell/Shell Quantum Dots. Journal of Nanoscience and Nanotechnology, 2019, 19, 3334-3342.	0.9	6
14	Influence of noble metal loading and effect of temperature on the hydrogen sensing behavior of the platinum sensitized titania nanotubes. Materials Research Express, 2019, 6, 015006.	1.6	7
15	Crystal structure determination of two pyridine derivatives: 4-[( <i>E</i> )-2-(4-methoxyphenyl)ethenyl]-1-methylpyridin-1-ium hexafluoro-λ <sup>6</sup> -phosphane and 4-[( <i>E</i> )-2-[4-(dimethylamino)phenyl]ethenyl]-1-phenyl-1λ <sup>5</sup> -pyridin-1-ylium hexafluoro-λ <sup>6</sup> -phosphane. Acta Crystallographica Section E: Crystallographic	0.5	0
16	Communications, 2019, 75, 288-291. Photocatalytic water splitting of TiO <sub>2</sub> nanotubes powders prepared via rapid breakdown anodization sensitized with Pt, Pd and Ni nanoparticles. Materials Technology, 2018, 33, 288-300.	3.0	28
17	Investigating the photocatalytic degradation property of Pt, Pd and Ni nanoparticles-loaded TiO <sub>2</sub> nanotubes powder prepared via rapid breakdown anodization. Environmental Technology (United Kingdom), 2018, 39, 2994-3005.	2.2	12
18	Synthesis, growth and characterization of a new acentric 4-[4-(4-dimethylamino-phenyl)buta-1,3-dienyl]-1-methyl pyridinium <i>p</i> -chlorobenzenesulfonate dihydrate crystal for nonlinear optical applications. New Journal of Chemistry, 2018, 42, 18865-18872.	2.8	7

P SAGAYARAJ

#	Article	IF	CITATIONS
19	Crystal structures of two stilbazole derivatives: bis{( <i>E</i> )-4-[4-(diethylamino)styryl]-1-methylpyridin-1-ium} tetraiodidocadmium(II) and ( <i>E</i> )-4-[4-(diethylamino)styryl]-1-methylpyridin-1-ium 4-methoxybenzenesulfonate monohydrate. Acta Crystallographica Section E: Crystallographic Communications, 2018, 74, 1891-1894.	0.5	0
20	Investigation on the role of cost effective cathode materials for fabrication of efficient DSSCs with TiNT/TiO 2 nanocomposite photoanodes. Solar Energy Materials and Solar Cells, 2017, 165, 72-81.	6.2	22
21	Electrocatalytic Investigation of Group X Metal Nanoparticles Loaded TiO2Nanotubes Powder Prepared by Rapid Breakdown Anodization for Selective H2O2Sensing. Journal of the Electrochemical Society, 2017, 164, B356-B365.	2.9	11
22	Structural and electrical properties of organic stilbazolium single crystal of DSCHS. AIP Conference Proceedings, 2016, , .	0.4	0
23	Room Temperature Hydrogen Sensing of Pt Loaded TiO <sub>2</sub> Nanotubes Powders Prepared via Rapid Breakdown Anodization. Journal of the Electrochemical Society, 2016, 163, B15-B18.	2.9	17
24	Surface characterization of rapidly grown TiO2 nanotubes assisted by field supporting effect. AIP Conference Proceedings, 2015, , .	0.4	0
25	Novel Two-Step Approach for the Synthesis of Cadmium Selenide/Zinc Sulfide Core/Shell Nanocomposites with Precursor Injection Technique. Spectroscopy Letters, 2015, 48, 213-216.	1.0	2
26	Influence of oleic acid on the nucleation and growth of 4-N,N-dimethylamino-4-N-methyl-stilbazoliumtosylate (DAST) crystals. CrystEngComm, 2015, 17, 1989-1996.	2.6	29
27	Crystal structure of bis(thiocyanato-κS)bis(thiourea-κS)mercury(II). Acta Crystallographica Section E: Crystallographic Communications, 2015, 71, m28-m29.	0.5	2
28	Bulk size crystal growth, spectroscopic, dielectric and surface studies of 4-N,N-dimethylamino-4-N′-methylstilbazolium m-nitrobenzenesulfonate (DSMNS): A potential THz crystal of stilbazolium family. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2015, 149, 957-964.	3.9	18
29	Mechanical and Optical Analyses of Cadmium Mercury Thiocyanate Single Crystal. Spectroscopy Letters, 2015, 48, 74-77.	1.0	2
30	A comparative study on the morphological features of highly ordered titania nanotube arrays prepared via galvanostatic and potentiostatic modes. Current Applied Physics, 2014, 14, 868-875.	2.4	17
31	Growth, linear and nonlinear optical properties of a DSSS crystal. CrystEngComm, 2014, 16, 6889-6895.	2.6	17
32	<scp>l</scp> -Phenylalanine <scp>l</scp> -phenylalaninium bromide – a new nonlinear optical material. CrystEngComm, 2014, 16, 7979.	2.6	66
33	Investigation on growth of 4-N, N-dimethylamino-N′-methylstilbazolium p-chlorobenzenesulfonate: An efficient organic NLO crystal with potential THz properties. Optik, 2014, 125, 3791-3797.	2.9	10
34	Linear and nonlinear optical, mechanical, electrical and surface studies of a novel nonlinear optical crystal – Manganese mercury thiocyanate (MMTC). Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2014, 133, 241-249.	3.9	8
35	Growth, optical, thermal, and conductivity behavior of nonlinear optical single crystals of CdHg(SCN)4(CH3OC2H5O). Journal of Thermal Analysis and Calorimetry, 2013, 111, 1491-1497.	3.6	17
36	Growth, thermal, and optical properties of l-asparagine monohydrate NLO single crystal. Journal of Thermal Analysis and Calorimetry, 2013, 114, 1153-1159.	3.6	31

P SAGAYARAJ

#	Article	IF	CITATIONS
37	Investigation on the facile methods for the synthesis and characterization of CdSe/ZnSe core/shell nanocomposites. , 2013, , .		Ο
38	Crystal growth, spectral, optical, and thermal characterization of glycyl-l-alanine hydrochloride (GLAH) single crystal. Journal of Thermal Analysis and Calorimetry, 2012, 110, 873-878.	3.6	16
39	Structural, optical and thermal characteristics of a novel orthorhombic l-proline thiourea monohydrate. Journal of Thermal Analysis and Calorimetry, 2012, 110, 891-895.	3.6	5
40	Growth, structural, optical and thermal properties of potential THz material: N, N-dimethylamino-N′-methylstilbazolium 4-styrenesulphonate. Journal of Crystal Growth, 2012, 338, 170-176.	1.5	26
41	Bulk size crystal growth and physicochemical properties of ionic organic NLO crystal of DSMOS: A potential THz emitter. Materials Chemistry and Physics, 2012, 136, 379-385.	4.0	14
42	Investigation on the growth of DAST crystals of large surface area for THz applications. Materials Chemistry and Physics, 2012, 132, 610-617.	4.0	41
43	A novel two-phase thermal approach for synthesizing CdSe/CdS core/shell nanostructure. Journal of Nanoparticle Research, 2012, 14, 1.	1.9	8
44	Synthesis and characterization of one dimensional semiconducting nanorods and nanobelts. Transactions of the Indian Institute of Metals, 2011, 64, 217-220.	1.5	5
45	Synthesis of TiO2 nanorods by oriented attachment using EDTA modifier: a novel approach towards 1D nanostructure development. Journal of Nanoparticle Research, 2010, 12, 2875-2882.	1.9	26
46	Studies on the growth and characterization of novel organometallic NLO crystal: Cd(HCOO)2·Â2CS(NH2)2. Journal of Materials Science: Materials in Electronics, 2009, 20, 299-302.	2.2	8
47	Investigations on the physicochemical properties of thiocyanate and allylthiourea complex crystals for blue-violet laser light generation. Journal of Materials Science: Materials in Electronics, 2009, 20, 390-394.	2.2	1
48	Growth and characterization of pure and doped NLO L-arginine acetate single crystals. Bulletin of Materials Science, 2009, 32, 431-435.	1.7	27
49	Growth and Optical Studies of a Novel Organometallic Complex NLO Crystal: Tetrathiourea Cadmium(II) Tetrathiocyanato Zinc(II). Materials and Manufacturing Processes, 2007, 22, 370-374.	4.7	19
50	Study of Optical, Electrical, and Magnetic Properties of Tetrakis Thiourea Nickel Chloride Single Crystals. Materials and Manufacturing Processes, 2007, 22, 346-350.	4.7	17
51	Thermal, Optical, and Electrical Properties of Gel Grown ZMTC. Materials and Manufacturing Processes, 2007, 22, 351-356.	4.7	5
52	Growth and characterization of pure and doped nonlinear optical l-arginine acetate single crystals. Crystal Research and Technology, 2007, 42, 948-954.	1.3	4
53	Growth and Characterization of a Novel Organometallic Nonlinear Optical Crystal:  Bis(Thiourea) Cadmium Formate. Crystal Growth and Design, 2006, 6, 2607-2610.	3.0	51
54	Crystal growth, optical, mechanical and electrical properties of organic NLO material Î <sup>3</sup> -glycine. Crystal Research and Technology, 2006, 41, 671-677.	1.3	81

#	Article	IF	CITATIONS
55	Growth and characterization of dichloro tetrakis thiourea nickel single crystals. Crystal Research and Technology, 2006, 41, 1082-1088.	1.3	31