

David G Campbell

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3148545/publications.pdf>

Version: 2024-02-01

43
papers

975
citations

516561

16
h-index

454834

30
g-index

43
all docs

43
docs citations

43
times ranked

962
citing authors

#	ARTICLE	IF	CITATIONS
1	Total knee replacement in the morbidly obese: a literature review. ANZ Journal of Surgery, 2010, 80, 595-599.	0.3	114
2	Early migration characteristics of a hydroxyapatite-coated femoral stem: an RSA study. International Orthopaedics, 2011, 35, 483-488.	0.9	94
3	Dynamic Ankle Ultrasonography. American Journal of Sports Medicine, 1994, 22, 855-858.	1.9	80
4	Reliability of acetabular bone defect classification systems in revision total hip arthroplasty. Journal of Arthroplasty, 2001, 16, 83-86.	1.5	64
5	Wear of highly crosslinked polyethylene acetabular components. Monthly Notices of the Royal Astronomical Society: Letters, 2015, 86, 159-168.	1.2	53
6	Second-generation Highly Cross-linked X3â„¢ Polyethylene Wear: A Preliminary Radiostereometric Analysis Study. Clinical Orthopaedics and Related Research, 2010, 468, 2704-2709.	0.7	51
7	SEVEN SPECIALIZED EXPOSURES FOR REVISION HIP AND KNEE REPLACEMENT. Orthopedic Clinics of North America, 1998, 29, 229-240.	0.5	50
8	Low Wear of a Second-generation Highly Crosslinked Polyethylene Liner: A 5-year Radiostereometric Analysis Study. Clinical Orthopaedics and Related Research, 2013, 471, 3596-3600.	0.7	47
9	Isolation of osteocytes from human trabecular bone. Bone, 2016, 88, 64-72.	1.4	35
10	Reintervention after Mobile-bearing Oxford Unicompartamental Knee Arthroplasty. Clinical Orthopaedics and Related Research, 2010, 468, 576-580.	0.7	29
11	Clinical Characteristics, Etiology, and Initial Management Strategy of Newly Diagnosed Periprosthetic Joint Infection: A Multicenter, Prospective Observational Cohort Study of 783 Patients. Open Forum Infectious Diseases, 2020, 7, ofaa068.	0.4	28
12	The 6-Year Migration Characteristics of a Hydroxyapatite-Coated Femoral Stem. Journal of Arthroplasty, 2012, 27, 1344-1348.e1.	1.5	23
13	Long-term migration characteristics of the Corail hydroxyapatite-coated femoral stem: a 14-year radiostereometric analysis follow-up study. Archives of Orthopaedic and Trauma Surgery, 2020, 140, 121-127.	1.3	22
14	Oral tranexamic acid reduces blood loss in total knee replacement arthroplasty. Current Orthopaedic Practice, 2012, 23, 209-212.	0.1	20
15	Practical recommendations for patient blood management and the reduction of perioperative transfusion in joint replacement surgery. ANZ Journal of Surgery, 2013, 83, 222-229.	0.3	20
16	Predictors of Treatment Success After Periprosthetic Joint Infection: 24-Month Follow up From a Multicenter Prospective Observational Cohort Study of 653 Patients. Open Forum Infectious Diseases, 2022, 9, ofac048.	0.4	19
17	MULTIPARAMETER QUANTITATIVE COMPUTER-ASSISTED TOMOGRAPHY ASSESSMENT OF UNICOMPARTMENTAL KNEE ARTHROPLASTIES. ANZ Journal of Surgery, 2006, 76, 782-787.	0.3	17
18	Accuracy of methods to measure femoral head penetration within metal-backed acetabular components. Journal of Orthopaedic Research, 2017, 35, 988-996.	1.2	17

#	ARTICLE	IF	CITATIONS
19	Human osteocyte expression of Nerve Growth Factor: The effect of Pentosan Polysulphate Sodium (PPS) and implications for pain associated with knee osteoarthritis. <i>PLoS ONE</i> , 2019, 14, e0222602.	1.1	17
20	Detection of Periprosthetic Osteolysis Around Total Knee Arthroplasties. <i>Journal of Arthroplasty</i> , 2012, 27, 317-322.	1.5	16
21	Does Knee Prosthesis Survivorship Improve When Implant Designs Change? Findings from the Australian Orthopaedic Association National Joint Replacement Registry. <i>Clinical Orthopaedics and Related Research</i> , 2020, 478, 1156-1172.	0.7	15
22	Wear of a 5 Megarad Cross-linked Polyethylene Liner: A 6-year RSA Study. <i>Clinical Orthopaedics and Related Research</i> , 2013, 471, 2238-2244.	0.7	14
23	Total Knee Arthroplasty Using Bicruciate-Stabilized or Posterior-Stabilized Knee Implants Provided Comparable Outcomes at 2 Years: A Prospective, Multicenter, Randomized, Controlled, Clinical Trial of Patient Outcomes. <i>Journal of Arthroplasty</i> , 2017, 32, 3356-3363.e1.	1.5	14
24	Pre-surgical radiologic identification of peri-prosthetic osteolytic lesions around TKRs: a pre-clinical investigation of diagnostic accuracy. <i>Journal of Orthopaedic Surgery and Research</i> , 2008, 3, 47.	0.9	12
25	Gluteal Tendon Reconstruction in Association with Hip Arthroplasty. <i>HIP International</i> , 2011, 21, 288-292.	0.9	11
26	Human Immunodeficiency Virus Infection of Human Bone Derived Cells. <i>Clinical Orthopaedics and Related Research</i> , 1996, 331, 291-299.	0.7	10
27	Long-Term Survival and Reason for Revision of Wagner Resurfacing Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2010, 25, 522-528.	1.5	10
28	Computer-assisted total knee arthroplasty using mini midvastus or medial parapatellar approach technique. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 19.	0.8	10
29	Rates and outcomes of total knee replacement for rheumatoid arthritis compared to osteoarthritis. <i>ANZ Journal of Surgery</i> , 2019, 89, 184-190.	0.3	10
30	The Australian Arthroplasty Thromboprophylaxis Survey. <i>Journal of Arthroplasty</i> , 2012, 27, 173-179.	1.5	8
31	Economic Rationality in Choosing between Short-Term Bad-Health Choices and Longer-Term Good-Health Choices. <i>International Journal of Environmental Research and Public Health</i> , 2013, 10, 5971-5988.	1.2	8
32	Outcome of prosthesis matched and unmatched patella components in primary and revision total knee replacement. <i>Knee</i> , 2017, 24, 1227-1232.	0.8	8
33	Highly Crosslinked Polyethylene Liners Have Negligible Wear at 10 Years: A Radiostereometric Analysis Study. <i>Clinical Orthopaedics and Related Research</i> , 2022, 480, 485-491.	0.7	7
34	Wear of a highly cross-linked polyethylene liner: a preliminary RSA study. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2010, 20, 23-27.	0.6	5
35	Controversies of thrombophylaxis following knee arthroplasty surgery. <i>ANZ Journal of Surgery</i> , 2010, 80, 391-395.	0.3	5
36	All-polyethylene tibial components in young patients have stable fixation; a comparison RSA study. <i>Knee</i> , 2019, 26, 392-399.	0.8	4

#	ARTICLE	IF	CITATIONS
37	Infection: The Final Frontier of Arthroplasty Management. Journal of Bone and Joint Surgery - Series A, 2021, 103, e22.	1.4	4
38	Case Report: Cementless Stem Stabilization after Intraoperative Fracture. Clinical Orthopaedics and Related Research, 2010, 468, 898-901.	0.7	2
39	Digital Imaging Is Not Superior to Film-Screen Imaging for the Detection of Periprosthetic Osteolysis Around Total Knee Arthroplasties. Journal of Arthroplasty, 2014, 29, 736-741.	1.5	1
40	Distinct Senescent Bone Marrow Microenvironment in Therapy-Related Myeloid Neoplasms. Blood, 2021, 138, 2585-2585.	0.6	1
41	Renal Effects of High-Dose Tobramycin and Vancomycin Impregnated Bone Cement. Journal of Pharmacy Practice and Research, 2008, 38, 140-143.	0.5	0
42	Catastrophic failure of biconcave unicompartmental polyethylene bearings. Knee, 2020, 27, 987-992.	0.8	0
43	Therapy-Related Myeloid Neoplasm Has a Distinct Pro-Inflammatory Bone Marrow Microenvironment and Delayed DNA Damage Repair. Blood, 2020, 136, 37-38.	0.6	0