

Begoña Ochoa

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3152282/publications.pdf>

Version: 2024-02-01

102
papers

2,284
citations

236612

25
h-index

243296

44
g-index

111
all docs

111
docs citations

111
times ranked

3412
citing authors

#	ARTICLE	IF	CITATIONS
1	Upregulated phospholipase D2 expression and activity is related to the metastatic properties of melanoma. <i>Oncology Letters</i> , 2022, 23, 140.	0.8	2
2	Tissues & Organs <i>Biochemistry of Liver Regeneration.</i> , 2021, , 437-443.		0
3	High-Resolution Human Kidney Molecular Histology by Imaging Mass Spectrometry of Lipids. <i>Analytical Chemistry</i> , 2021, 93, 9364-9372.	3.2	15
4	A UHPLC-Mass Spectrometry View of Human Melanocytic Cells Uncovers Potential Lipid Biomarkers of Melanoma. <i>International Journal of Molecular Sciences</i> , 2021, 22, 12061.	1.8	3
5	Influence of Lipid Fragmentation in the Data Analysis of Imaging Mass Spectrometry Experiments. <i>Journal of the American Society for Mass Spectrometry</i> , 2020, 31, 517-526.	1.2	21
6	Molecular and cellular insights into the role of SND1 in lipid metabolism. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2020, 1865, 158589.	1.2	9
7	Lipidomic data uncover extensive heterogeneity in phosphatidylcholine structural variants in HepG2 cells. <i>Data in Brief</i> , 2019, 27, 104608.	0.5	2
8	Imaging Mass Spectrometry-Based Lipidomic Approach to Classification of Architectural Features in Nevus. <i>Journal of Investigative Dermatology</i> , 2019, 139, 2055-2058.e7.	0.3	6
9	Isopropanol extraction for cerebrospinal fluid lipidomic profiling analysis. <i>Talanta</i> , 2019, 195, 619-627.	2.9	16
10	A simple and reproducible method for quantification of human tear lipids with ultrahigh-performance liquid chromatography-mass spectrometry. <i>Molecular Vision</i> , 2019, 25, 934-948.	1.1	4
11	Insights Into SND1 Oncogene Promoter Regulation. <i>Frontiers in Oncology</i> , 2018, 8, 606.	1.3	27
12	Mapping Lipid Distribution in Rat Sciatic Nerve Using Imaging Mass Spectrometry. <i>Methods in Molecular Biology</i> , 2018, 1791, 51-65.	0.4	5
13	Influence of the Cation Adducts in the Analysis of Matrix-Assisted Laser Desorption Ionization Imaging Mass Spectrometry Data from Injury Models of Rat Spinal Cord. <i>Analytical Chemistry</i> , 2017, 89, 8565-8573.	3.2	11
14	Adenosine: Direct and Indirect Actions on Gastric Acid Secretion. <i>Frontiers in Physiology</i> , 2017, 8, 737.	1.3	13
15	Expression of Adenosine A2B Receptor and Adenosine Deaminase in Rabbit Gastric Mucosa ECL Cells. <i>Molecules</i> , 2017, 22, 625.	1.7	8
16	SREBP-2-driven transcriptional activation of human SND1 oncogene. <i>Oncotarget</i> , 2017, 8, 108181-108194.	0.8	16
17	Deciphering the Lipid Architecture of the Rat Sciatic Nerve Using Imaging Mass Spectrometry. <i>ACS Chemical Neuroscience</i> , 2016, 7, 624-632.	1.7	27
18	Profiling of promoter occupancy by the SND1 transcriptional coactivator identifies downstream glycerolipid metabolic genes involved in TNF± response in human hepatoma cells. <i>Nucleic Acids Research</i> , 2015, 43, 10673-10688.	6.5	27

#	ARTICLE	IF	CITATIONS
19	Stimulation of gastric acid secretion by rabbit parietal cell A _{2B} adenosine receptor activation. <i>American Journal of Physiology - Cell Physiology</i> , 2015, 309, C823-C834.	2.1	7
20	The A _{2B} adenosine receptor colocalizes with adenosine deaminase in resting parietal cells from gastric mucosa. <i>Biochemistry (Moscow)</i> , 2015, 80, 120-125.	0.7	11
21	The promoter of cell growth- and RNA protection-associated SND1 gene is activated by endoplasmic reticulum stress in human hepatoma cells. <i>BMC Biochemistry</i> , 2014, 15, 25.	4.4	12
22	Basolateral expression of GRP94 in parietal cells of gastric mucosa. <i>Biochemistry (Moscow)</i> , 2014, 79, 8-15.	0.7	6
23	Synaptotagmin 11 interacts with components of the RNA-induced silencing complex RISC in clonal pancreatic β cells. <i>FEBS Letters</i> , 2014, 588, 2217-2222.	1.3	19
24	TWEAK/Fn14 Signaling Is Required for Liver Regeneration after Partial Hepatectomy in Mice. <i>PLoS ONE</i> , 2014, 9, e83987.	1.1	58
25	The E2F2 Transcription Factor Sustains Hepatic Glycerophospholipid Homeostasis in Mice. <i>PLoS ONE</i> , 2014, 9, e112620.	1.1	9
26	Infection of primary hepatocytes with adenoviral vectors alters biliary lipid metabolism. <i>Journal of Physiological Sciences</i> , 2013, 63, 225-229.	0.9	0
27	NF- κ B, Sp1 and NF-Y as transcriptional regulators of human SND1 gene. <i>Biochimie</i> , 2013, 95, 735-742.	1.3	20
28	Involvement of lipid droplets in hepatic responses to lipopolysaccharide treatment in mice. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2013, 1831, 1357-1367.	1.2	14
29	Biphasic adaptative responses in VLDL metabolism and lipoprotein homeostasis during Gram-negative endotoxemia. <i>Innate Immunity</i> , 2012, 18, 89-99.	1.1	11
30	High insulin levels are required for FAT/CD36 plasma membrane translocation and enhanced fatty acid uptake in obese Zucker rat hepatocytes. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2012, 303, E504-E514.	1.8	38
31	Matrix-assisted laser desorption ionization imaging mass spectrometry in lipidomics. <i>Analytical and Bioanalytical Chemistry</i> , 2011, 401, 29-51.	1.9	80
32	Distribution of lipids in human brain. <i>Analytical and Bioanalytical Chemistry</i> , 2011, 401, 89-101.	1.9	52
33	Anatomical Distribution of Lipids in Human Brain Cortex by Imaging Mass Spectrometry. <i>Journal of the American Society for Mass Spectrometry</i> , 2011, 22, 329-338.	1.2	44
34	High fat diet-induced non alcoholic fatty liver disease in rats is associated with hyperhomocysteinemia caused by down regulation of the transsulphuration pathway. <i>Lipids in Health and Disease</i> , 2011, 10, 60.	1.2	69
35	Methionine adenosyltransferase 1A gene deletion disrupts hepatic very low-density lipoprotein assembly in mice. <i>Hepatology</i> , 2011, 54, 1975-1986.	3.6	81
36	A role for transcription factor E2F2 in hepatocyte proliferation and timely liver regeneration. <i>American Journal of Physiology - Renal Physiology</i> , 2011, 301, G20-G31.	1.6	39

#	ARTICLE	IF	CITATIONS
37	Hepatic fatty acid translocase CD36 upregulation is associated with insulin resistance, hyperinsulinaemia and increased steatosis in non-alcoholic steatohepatitis and chronic hepatitis C. <i>Gut</i> , 2011, 60, 1394-1402.	6.1	341
38	Association of SND1 protein to low density lipid droplets in liver steatosis. <i>Journal of Physiology and Biochemistry</i> , 2010, 66, 73-83.	1.3	22
39	Lipid Analysis Reveals Quiescent and Regenerating Liver-Specific Populations of Lipid Droplets. <i>Lipids</i> , 2010, 45, 1101-1108.	0.7	25
40	Hedgehog signaling is critical for normal liver regeneration after partial hepatectomy in mice. <i>Hepatology</i> , 2010, 51, 1712-1723.	3.6	173
41	Anatomical distribution of lipid species in rodent brain using imaging mass spectrometry. <i>Chemistry and Physics of Lipids</i> , 2010, 163, S21.	1.5	0
42	Altered hepatic lipid and apoB homeostasis is related to ER-stress gene downregulation leading to caspase-12 inhibition during NAFLD in MAT1A-KO mice. <i>Chemistry and Physics of Lipids</i> , 2010, 163, S61.	1.5	0
43	Impaired VLDL secretion and metabolism are related to non-alcoholic steatohepatitis in glycine N-methyltransferase deficient mice. <i>Chemistry and Physics of Lipids</i> , 2010, 163, S65.	1.5	0
44	A subset of dysregulated metabolic and survival genes is associated with severity of hepatic steatosis in obese Zucker rats. <i>Journal of Lipid Research</i> , 2010, 51, 500-513.	2.0	62
45	Hepatic VLDL assembly is disturbed in a rat model of nonalcoholic fatty liver disease: is there a role for dietary coenzyme Q?. <i>Journal of Applied Physiology</i> , 2009, 107, 707-717.	1.2	27
46	Interleukin-6 is associated with liver lipid homeostasis but not with cell death in experimental hepatic steatosis. <i>Innate Immunity</i> , 2009, 15, 337-349.	1.1	10
47	Profiling and Imaging of Lipids on Brain and Liver Tissue by Matrix-Assisted Laser Desorption/Ionization Mass Spectrometry Using 2-Mercaptobenzothiazole as a Matrix. <i>Analytical Chemistry</i> , 2008, 80, 9105-9114.	3.2	126
48	Kupffer cell products and interleukin 1 β directly promote VLDL secretion and apoB mRNA up-regulation in rodent hepatocytes. <i>Innate Immunity</i> , 2008, 14, 255-266.	1.1	27
49	NF- κ B and Sp1 are involved in transcriptional regulation of rat SND p102 gene. <i>Biochemical and Biophysical Research Communications</i> , 2007, 356, 226-232.	1.0	12
50	PO1-14 ADENOVIRAL INFECTION LEADS HEPATOCYTES TO REDUCE THE SECRETION OF THE MAJOR VLDL AND HDL COMPONENTS. <i>Atherosclerosis Supplements</i> , 2007, 8, 22.	1.2	0
51	Upregulation of Apolipoprotein B Secretion, but Not Lipid, by Tumor Necrosis Factor- α in Rat Hepatocyte Cultures in the Absence of Extracellular Fatty Acids. <i>Annals of the New York Academy of Sciences</i> , 2007, 1096, 55-69.	1.8	12
52	The 2-series prostaglandins suppress VLDL secretion in an inflammatory condition-dependent manner in primary rat hepatocytes. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2006, 1761, 160-171.	1.2	38
53	Overexpression of SND p102, a rat homologue of p100 coactivator, promotes the secretion of lipoprotein phospholipids in primary hepatocytes. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2006, 1761, 698-708.	1.2	33
54	Isolation and Characterization of the Rat SND p102 Gene Promoter. <i>Annals of the New York Academy of Sciences</i> , 2006, 1091, 282-295.	1.8	9

#	ARTICLE	IF	CITATIONS
55	Impaired response of VLDL lipid and apoB secretion to endotoxin in the fasted rat liver. <i>Journal of Endotoxin Research</i> , 2006, 12, 181-192.	2.5	15
56	Endotoxin promotes preferential periportal upregulation of VLDL secretion in the rat liver. <i>Journal of Lipid Research</i> , 2005, 46, 1017-1026.	2.0	33
57	Differential modulation of prostaglandin receptor mRNA abundance by prostaglandins in primary cultured rat hepatocytes. <i>Molecular and Cellular Biochemistry</i> , 2004, 266, 183-189.	1.4	11
58	The fatty acid composition of chylomicron remnants influences their propensity to oxidate. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2004, 14, 241-247.	1.1	8
59	Influence of the fatty acid composition of lipids in chylomicron remnants derived from fish or corn oil on the lipid profile of cultured rat hepatocytes. <i>Journal of Physiology and Biochemistry</i> , 2003, 59, 85-100.	1.3	3
60	Dual action of neutral sphingomyelinase on rat hepatocytes: Activation of cholesteryl ester metabolism and biliary cholesterol secretion and inhibition of VLDL secretion. <i>Lipids</i> , 2003, 38, 53-63.	0.7	2
61	Structural Insights into the Lipase/esterase Behavior in the <i>Candida rugosa</i> Lipases Family: Crystal Structure of the Lipase 2 Isoenzyme at 1.97Å... Resolution. <i>Journal of Molecular Biology</i> , 2003, 332, 1059-1069.	2.0	95
62	The influence of chylomicron remnants on cholesteryl ester metabolism in cultured rat hepatocytes: comparison of the effects of particles enriched in n-3 or n-6 polyunsaturated fatty acids. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2001, 1534, 96-109.	1.2	7
63	Lipid and fatty acid composition of canine lipoproteins. <i>Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology</i> , 2001, 128, 719-729.	0.7	45
64	Comparison of two methods for radioiodination on the oxidizability properties of low density lipoprotein. <i>Journal of Physiology and Biochemistry</i> , 2001, 57, 291-301.	1.3	2
65	Immunolocalization of a novel cholesteryl ester hydrolase in the endoplasmic reticulum of murine and human hepatocytes. <i>Hepatology</i> , 2001, 33, 662-667.	3.6	11
66	Alterations in erythrocyte membrane lipid and fatty acid composition in Chediak-Higashi Syndrome. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2000, 1502, 380-390.	1.8	7
67	Short- and long-term effects of atorvastatin, lovastatin and simvastatin on the cellular metabolism of cholesteryl esters and VLDL secretion in rat hepatocytes. <i>Atherosclerosis</i> , 2000, 153, 283-294.	0.4	51
68	Hepatic zonation of the formation and hydrolysis of cholesteryl esters in periportal and perivenous parenchymal cells. <i>Lipids</i> , 1999, 34, 907-913.	0.7	11
69	Purification and properties of a cholesteryl ester hydrolase from rat liver microsomes. <i>Journal of Lipid Research</i> , 1999, 40, 715-725.	2.0	28
70	98 The formation and secretion of cholesteryl esters in rat hepatocytes are reduced by lovastatin and simvastatin. <i>Biochemical Society Transactions</i> , 1998, 26, S82-S82.	1.6	0
71	The okadaic acid induced ACAT activation is prevented by a specific inhibitor of the Ca ²⁺ /Calmodulin protein kinase II. <i>Biochemical Society Transactions</i> , 1998, 26, S231-S231.	1.6	0
72	Solubilization of a cholesterol ester hydrolase activity from rat liver microsomes. <i>Biochemical Society Transactions</i> , 1997, 25, 513S-513S.	1.6	1

#	ARTICLE	IF	CITATIONS
73	Protein phosphatase 1 and 2A inhibitors activate acyl-CoA:cholesterol acyltransferase and cholesterol ester formation in isolated rat hepatocytes. <i>Lipids and Lipid Metabolism</i> , 1997, 1349, 233-241.	2.6	8
74	Comparison of the effects of cyclic AMP analogues on cholesterol metabolism in cultured rat and hamster hepatocytes. <i>Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology</i> , 1996, 113, 185-191.	0.7	0
75	Role of adenine nucleotides in the activation of microsomal cholesterol ester hydrolase by fructose or adenosine in rat hepatocytes. <i>Biochimie</i> , 1996, 78, 26-32.	1.3	3
76	The Integrity of Thiol Groups Is Essential for Catalytic Efficiency of Rat Liver Cholesterol Ester Hydrolase either in Microsomal Membranes or after Solubilization. <i>Enzyme & Protein</i> , 1996, 49, 281-290.	1.6	5
77	Stimulation of microsomal cholesterol ester hydrolase by glucagon, cyclic AMP analogues, and vasopressin in isolated rat hepatocytes. <i>Lipids</i> , 1996, 31, 269-276.	0.7	4
78	Application of 2-hydroxypropyl- β -cyclodextrin in the assay of acyl-CoA: cholesterol acyltransferase and neutral and acid cholesterol ester hydrolases. <i>Lipids</i> , 1996, 31, 323-329.	0.7	15
79	Regulation of bile acid synthesis by estradiol and progesterone in primary cultures of rat hepatocytes. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 1996, 104, 137-144.	0.6	17
80	The effect of okadaic acid and calyculin A on cholesterol esterification in rat hepatocytes. <i>Biochemical Society Transactions</i> , 1995, 23, 580S-580S.	1.6	0
81	Inhibition of microsomal cholesterol ester hydrolase by okadaic acid in isolated rat hepatocytes. <i>Lipids and Lipid Metabolism</i> , 1995, 1258, 90-94.	2.6	2
82	Regulation of rat liver microsomal cholesterol ester hydrolase by reversible phosphorylation. <i>Lipids</i> , 1994, 29, 7-13.	0.7	8
83	Effect of estradiol and progesterone on cholesterol 7 α -hydroxylase activity in rats subjected to different feeding conditions. <i>Steroids</i> , 1994, 59, 528-535.	0.8	15
84	Feeding Status-Related Effects of 17 β -Estradiol on Liver 3-hydroxy-3-methylglutaryl CoA Reductase. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 1993, 101, 123-130.	0.6	2
85	The effect of cyclic AMP analogues on cholesterol metabolism in cultured rat hepatocytes. <i>Biochemical Society Transactions</i> , 1993, 21, 458S-458S.	1.6	2
86	Cholesteryl Ester Synthesis and Hydrolysis in the Rat Mammary Gland during Pregnancy and Lactation. <i>Journal of Biochemistry</i> , 1993, 114, 415-420.	0.9	6
87	Diurnal variations of rat liver enzymes catalyzing cholesterol ester hydrolysis. <i>Lipids and Lipid Metabolism</i> , 1991, 1085, 106-111.	2.6	14
88	Glucagon and Dibutyryl Cyclic AMP-Produced Inhibition of Cholesterol Ester Hydrolase in Isolated Rat Hepatocytes: Role of Calcium. <i>Journal of Biochemistry</i> , 1990, 107, 476-479.	0.9	20
89	Cholesterol Ester Cycle in Rat Liver: Effects of Estradiol and Progesterone. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 1990, 95, 181-191.	0.6	11
90	Regulation of cholesteryl ester metabolism in the hamster liver. <i>Lipids and Lipid Metabolism</i> , 1990, 1044, 133-138.	2.6	26

#	ARTICLE	IF	CITATIONS
91	Effect of oestradiol and progesterone on bile acid synthesis in isolated rat hepatocytes. <i>Biochemical Society Transactions</i> , 1989, 17, 884-885.	1.6	2
92	Estradiol-produced modifications on the response to glucose of hepatocytes from fasted rats. <i>Biochemical Medicine and Metabolic Biology</i> , 1988, 40, 197-203.	0.7	6
93	Cholesterol Ester Hydrolysis in Isolated Rat Liver Cells. Effect of Estradiol, Dibutyryl Cyclic AMP and Free Fatty Acids. <i>Hormone and Metabolic Research</i> , 1988, 20, 82-85.	0.7	8
94	Receptor-mediated endocytosis in steroid hormone-producing tissue. <i>Biochemical Society Transactions</i> , 1987, 15, 192-194.	1.6	2
95	Kinetic properties and solubilization of microsomal cholesterol ester hydrolase from rat liver. <i>Steroids</i> , 1987, 49, 403-417.	0.8	9
96	Short-term metabolism of cholesteryl ester from low-density lipoprotein in primary monolayers of bovine adrenal cortical cells. <i>Lipids and Lipid Metabolism</i> , 1987, 918, 159-167.	2.6	6
97	Topological studies on rat liver microsomal cholesterol ester hydrolase. <i>Biochemical and Biophysical Research Communications</i> , 1987, 146, 1212-1217.	1.0	14
98	Cholesteryl ester hydrolysis in rat liver lysosomes: Different response to female sex hormones. <i>Biochemical Medicine and Metabolic Biology</i> , 1986, 36, 14-24.	0.7	3
99	Effect of Sex, Ovariectomy and Female Sex Hormones on Neutral Cholesterol Ester Hydrolase in Rat Liver. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 1984, 84, 262-270.	0.6	8
100	Cholesteryl ester hydrolysis in rat liver cytosol. Modulation by female sex hormones. <i>Lipids</i> , 1984, 19, 916-922.	0.7	17
101	Influence of progesterone on the initial rate of cholesterol esterification in rat plasma. <i>Steroids</i> , 1982, 39, 221-230.	0.8	2
102	Effect of polyestradiol on lecithin:cholesterol acyltransferase in male and female rats. <i>Lipids</i> , 1981, 16, 449-453.	0.7	7