## Juan Carlos Fernandez-Caliani

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3152319/publications.pdf

Version: 2024-02-01

42 papers

1,479 citations

331670 21 h-index 315739 38 g-index

42 all docs 42 docs citations

times ranked

42

1759 citing authors

#	Article	IF	CITATIONS
1	Soil Acidification, Mineral Neoformation and Heavy Metal Contamination Driven by Weathering of Sulphide Wastes in a Ramsar Wetland. Applied Sciences (Switzerland), 2022, 12, 249.	2.5	8
2	Long-Term Sustainability of Marble Waste Sludge in Reducing Soil Acidity and Heavy Metal Release in a Contaminated Mine Technosol. Applied Sciences (Switzerland), 2022, 12, 6998.	2.5	3
3	Predicting the relative oral bioavailability of naturally occurring As, Cd and Pb from in vitro bioaccessibility measurement: implications for human soil ingestion exposure assessment. Environmental Geochemistry and Health, 2021, 43, 4251-4264.	3.4	5
4	Mineralogical and Crystal-Chemical Constraints on the Glauconite-Forming Process in Neogene Sediments of the Lower Guadalquivir Basin (SW Spain). Minerals (Basel, Switzerland), 2021, 11, 578.	2.0	10
5	Soil quality changes in an Iberian pyrite mine site 15Âyears after land reclamation. Catena, 2021, 206, 105538.	5.0	23
6	Enrichment and Fractionation of Rare Earth Elements in an Estuarine Marsh Soil Receiving Acid Discharges from Legacy Sulfide Mine Wastes. Soil Systems, 2021, 5, 66.	2.6	5
7	Geochemical behavior and fate of trace elements in naturally contaminated soils under projected land-use changes. Journal of Soils and Sediments, 2020, 20, 1413-1423.	3.0	1
8	Geochemical anomalies of critical elements (Be, Co, Hf, Sb, Sc, Ta, V, W, Y and REE) in soils of western Andalusia (Spain). Applied Clay Science, 2020, 191, 105610.	5.2	15
9	Oral bioaccessibility and human health risk assessment of trace elements in agricultural soils impacted by acid mine drainage. Chemosphere, 2019, 237, 124441.	8.2	40
10	Source and geochemical partitioning of silver in a naturally-enriched soil. Applied Geochemistry, 2019, 103, 85-96.	3.0	5
11	Rare-earth element and stable isotope signatures of kaolin from a Pliocene lateritic weathering profile at mid-latitude region (Andalusia, Spain): Implications for paleoweathering and paleoclimatic reconstructions. Catena, 2018, 167, 160-170.	5.0	6
12	Assessment of trace element pollution and human health risks associated with cultivation of mine soil: A case study in the Iberian Pyrite Belt. Human and Ecological Risk Assessment (HERA), 2017, 23, 2069-2086.	3.4	12
13	Mineral chemistry and phase equilibrium constraints on the origin of accretions formed during copper flash smelting. Minerals and Metallurgical Processing, 2017, 34, 36-43.	0.7	1
14	Assessing the environmental availability of heavy metals in geogenically contaminated soils of the Sierra de Aracena Natural Park (SW Spain). Is there a health risk?. Science of the Total Environment, 2016, 560-561, 254-265.	8.0	68
15	New insights on mineralogy and genesis of kaolin deposits: The Burela kaolin deposit (Northwestern) Tj ETQq1 1	0.784314	rgBT /Overlo
16	Stable isotope constraints on the origin of kaolin deposits from Variscan granitoids of Galicia (NW) Tj ETQq0 0 0	rgBT /Over	-lock 10 Tf 5
17	Geoavailability of lithogenic trace elements of environmental concern and supergene enrichment in soils of the Sierra de Aracena Natural Park (SW Spain). Geoderma, 2015, 259-260, 164-173.	5.1	26
18	Experimental and theoretical evidence of zinc structurally bound in vermiculite from naturally metal-enriched soils. Clay Minerals, 2013, 48, 529-541.	0.6	5

#	Article	IF	CITATIONS
19	Contribution of mine wastes to atmospheric metal deposition in the surrounding area of an abandoned heavily polluted mining district (Rio Tinto mines, Spain). Science of the Total Environment, 2013, 449, 363-372.	8.0	95
20	Mineralogy of atmospheric dust impacting the Rio Tinto mining area (Spain) during episodes of high metal deposition. Mineralogical Magazine, 2013, 77, 2793-2810.	1.4	14
21	Occurrence and speciation of copper in slags obtained during the pyrometallurgical processing of chalcopyrite concentrates at the Huelva smelter (Spain). Journal of Mining and Metallurgy, Section B: Metallurgy, 2012, 48, 161-171.	0.8	21
22	Risk-based assessment of multimetallic soil pollution in the industrialized peri-urban area of Huelva, Spain. Environmental Geochemistry and Health, 2012, 34, 123-139.	3.4	37
23	Impact of abandoned mine waste on atmospheric respirable particulate matter in the historic mining district of Rio Tinto (Iberian Pyrite Belt). Environmental Research, 2011, 111, 1018-1023.	7.5	28
24	Traditional agricultural practices enable sustainable remediation of highly polluted soils in Southern Spain for cultivation of food crops. Journal of Environmental Management, 2011, 92, 1828-1836.	7.8	31
25	Multi-source water pollution in a highly anthropized wetland system associated with the estuary of Huelva (SW Spain). Marine Pollution Bulletin, 2010, 60, 1259-1269.	5.0	51
26	The life cycle impact assessment applied to the Domingo Rubio tidal system by the study of seasonal variations of the aquatic eutrophication potential. Science of the Total Environment, 2010, 408, 5897-5902.	8.0	5
27	Metal immobilization in hazardous contaminated minesoils after marble slurry waste application. A field assessment at the Tharsis mining district (Spain). Journal of Hazardous Materials, 2010, 181, 817-826.	12.4	57
28	Intensive kaolinization during a lateritic weathering event in South-West Spain. Catena, 2010, 80, 23-33.	5.0	31
29	Origin and geochemical evolution of the Nuevo Montecastelo kaolin deposit (Galicia, NW Spain). Applied Clay Science, 2010, 49, 91-97.	5.2	34
30	Heavy Metal Pollution in Soils Around the Abandoned Mine Sites of the Iberian Pyrite Belt (Southwest) Tj ETQq0	0 0 rgBT /	Overlock 107
31	Mobility and speciation of rare earth elements in acid minesoils and geochemical implications for river waters in the southwestern Iberian margin. Geoderma, 2009, 149, 393-401.	5.1	50
32	Long-term interaction of wollastonite with acid mine water and effects on arsenic and metal removal. Applied Geochemistry, 2008, 23, 1288-1298.	3.0	16
33	Influence of geological setting on geochemical baselines of trace elements in soils. Application to soils of South–West Spain. Journal of Geochemical Exploration, 2008, 98, 89-106.	3.2	131
34	Residence and fractionation of rare earth elements during kaolinization of alkaline peraluminous granites in NW Spain. Clay Minerals, 2007, 42, 341-352.	0.6	63
35	Significance of graphite occurrences in the Aracena Metamorphic Belt, Iberian Massif. Geological Magazine, 2004, 141, 687-697.	1.5	23
36	Formation of Nontronite from Oxidative Dissolution of Pyrite Disseminated in Precambrian Felsic Metavolcanics of the Southern Iberian Massif (spain). Clays and Clay Minerals, 2004, 52, 106-114.	1.3	24

#	Article	IF	CITATIONS
37	Heavy metal partitioning in river sediments severely polluted by acid mine drainage in the Iberian Pyrite Belt. Applied Geochemistry, 2003, 18, 409-421.	3.0	191
38	Residual pollution load of soils impacted by the Aznalc $\tilde{A}^3$ llar (Spain) mining spill after clean-up operations. Science of the Total Environment, 2002, 286, 167-179.	8.0	63
39	Graphite occurrences in the low-pressure/high-temperature metamorphic belt of the Sierra de Aracena (southern Iberian Massif). Mineralogical Magazine, 2000, 64, 801-814.	1.4	19
40	Effects of Acid Mine Drainage on Clay Minerals Suspended in the Tinto River (RÃo Tinto, Spain). An Experimental Approach. Clay Minerals, 1999, 34, 99-108.	0.6	0
41	Effects of fluid infiltration on wollastonite genesis at the M�rida contact-metamorphic deposits, SW Spain. Mineralogy and Petrology, 1998, 62, 247-267.	1.1	10
42	Clay mineral and heavy metal distributions in the lower estuary of Huelva and adjacent Atlantic shelf, SW Spain. Science of the Total Environment, 1997, 198, 181-200.	8.0	89