

Patrick M Gaffney

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3152349/patrick-m-gaffney-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

160
papers

13,813
citations

61
h-index

116
g-index

173
ext. papers

15,887
ext. citations

8.6
avg, IF

5.19
L-index

#	Paper	IF	Citations
160	Deficiencies in the DNA Binding Protein ARID3a Alter Chromatin Structures Important for Early Human Erythropoiesis. <i>ImmunoHorizons</i> , 2021 , 5, 802-817	2.7	0
159	Mutations in Spliceosomal Genes PPIL1 and PRP17 Cause Neurodegenerative Pontocerebellar Hypoplasia with Microcephaly. <i>Neuron</i> , 2021 , 109, 241-256.e9	13.9	4
158	CD4+ T cells from children with active juvenile idiopathic arthritis show altered chromatin features associated with transcriptional abnormalities. <i>Scientific Reports</i> , 2021 , 11, 4011	4.9	2
157	Chromatin Looping Links Target Genes with Genetic Risk Loci for Dermatological Traits. <i>Journal of Investigative Dermatology</i> , 2021 , 141, 1975-1984	4.3	6
156	Mapping DNA interaction landscapes in psoriasis susceptibility loci highlights KLF4 as a target gene in 9q31. <i>BMC Biology</i> , 2020 , 18, 47	7.3	8
155	Role of Systemic Lupus Erythematosus Risk Variants With Opposing Functional Effects as a Driver of Hypomorphic Expression of TNIP1 and Other Genes Within a Three-Dimensional Chromatin Network. <i>Arthritis and Rheumatology</i> , 2020 , 72, 780-790	9.5	4
154	Deep sequencing reveals a DAP1 regulatory haplotype that potentiates autoimmunity in systemic lupus erythematosus. <i>Genome Biology</i> , 2020 , 21, 281	18.3	3
153	Nearest-Neighbor Projected Distance Regression for Epistasis Detection in GWAS With Population Structure Correction. <i>Frontiers in Genetics</i> , 2020 , 11, 784	4.5	
152	Association of Epstein-Barr virus serological reactivation with transitioning to systemic lupus erythematosus in at-risk individuals. <i>Annals of the Rheumatic Diseases</i> , 2019 , 78, 1235-1241	2.4	33
151	Latent autoimmunity across disease-specific boundaries in at-risk first-degree relatives of SLE and RA patients. <i>EBioMedicine</i> , 2019 , 42, 76-85	8.8	8
150	Genetic variants at the 16p13 locus confer risk for eosinophilic esophagitis. <i>Genes and Immunity</i> , 2019 , 20, 281-292	4.4	16
149	A plausibly causal functional lupus-associated risk variant in the STAT1-STAT4 locus. <i>Human Molecular Genetics</i> , 2018 , 27, 2392-2404	5.6	22
148	Enhancer histone-QTLs are enriched on autoimmune risk haplotypes and influence gene expression within chromatin networks. <i>Nature Communications</i> , 2018 , 9, 2905	17.4	36
147	Genetic fine mapping of systemic lupus erythematosus MHC associations in Europeans and African Americans. <i>Human Molecular Genetics</i> , 2018 , 27, 3813-3824	5.6	23
146	Site-1 protease deficiency causes human skeletal dysplasia due to defective inter-organelle protein trafficking. <i>JCI Insight</i> , 2018 , 3,	9.9	24
145	Role of Somatic Mutations and Clonal Thrombopoiesis in Immune Thrombocytopenia. <i>Blood</i> , 2018 , 132, 130-130	2.2	1
144	From association to mechanism in complex disease genetics: the role of the 3D genome. <i>Arthritis Research and Therapy</i> , 2018 , 20, 216	5.7	8

143	Identification and replication of RNA-Seq gene network modules associated with depression severity. <i>Translational Psychiatry</i> , 2018 , 8, 180	8.6	22
142	IV Spectrinopathies Cause Profound Intellectual Disability, Congenital Hypotonia, and Motor Axonal Neuropathy. <i>American Journal of Human Genetics</i> , 2018 , 102, 1158-1168	11	34
141	Functional activation of PPAR α in human upper aerodigestive cancer cell lines. <i>Molecular Carcinogenesis</i> , 2017 , 56, 149-162	5	12
140	A missense variant in NCF1 is associated with susceptibility to multiple autoimmune diseases. <i>Nature Genetics</i> , 2017 , 49, 433-437	36.3	90
139	Polygenic risk assessment reveals pleiotropy between sarcoidosis and inflammatory disorders in the context of genetic ancestry. <i>Genes and Immunity</i> , 2017 , 18, 88-94	4.4	11
138	PPAR α -targeted oral cancer treatment and additional utility of genomics analytic techniques. <i>Laryngoscope</i> , 2017 , 127, E124-E131	3.6	4
137	Combined role of vitamin D status and CYP24A1 in the transition to systemic lupus erythematosus. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 153-158	2.4	30
136	Association of Natural Killer Cell Ligand Polymorphism HLA-C Asn80Lys With the Development of Anti-SSA/Ro-Associated Congenital Heart Block. <i>Arthritis and Rheumatology</i> , 2017 , 69, 2170-2174	9.5	9
135	ABIN1 Determines Severity of Glomerulonephritis via Activation of Intrinsic Glomerular Inflammation. <i>American Journal of Pathology</i> , 2017 , 187, 2799-2810	5.8	10
134	Association of IFIH1 and pro-inflammatory mediators: Potential new clues in SLE-associated pathogenesis. <i>PLoS ONE</i> , 2017 , 12, e0171193	3.7	5
133	Identification of a Sjögren's syndrome susceptibility locus at OAS1 that influences isoform switching, protein expression, and responsiveness to type I interferons. <i>PLoS Genetics</i> , 2017 , 13, e1006820	6	41
132	Transancestral mapping and genetic load in systemic lupus erythematosus. <i>Nature Communications</i> , 2017 , 8, 16021	17.4	171
131	Mutations in KEOPS-complex genes cause nephrotic syndrome with primary microcephaly. <i>Nature Genetics</i> , 2017 , 49, 1529-1538	36.3	105
130	Lupus-related single nucleotide polymorphisms and risk of diffuse large B-cell lymphoma. <i>Lupus Science and Medicine</i> , 2017 , 4, e000187	4.6	10
129	Preferential association of a functional variant in complement receptor 2 with antibodies to double-stranded DNA. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 242-52	2.4	8
128	Human effector B lymphocytes express ARID3a and secrete interferon alpha. <i>Journal of Autoimmunity</i> , 2016 , 75, 130-140	15.5	19
127	TALEN-mediated enhancer knockout influences TNFAIP3 gene expression and mimics a molecular phenotype associated with systemic lupus erythematosus. <i>Genes and Immunity</i> , 2016 , 17, 165-70	4.4	26
126	Decreased SMG7 expression associates with lupus-risk variants and elevated antinuclear antibody production. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 2007-2013	2.4	12

125	X Chromosome Dose and Sex Bias in Autoimmune Diseases: Increased Prevalence of 47,XXX in Systemic Lupus Erythematosus and Sjögren's Syndrome. <i>Arthritis and Rheumatology</i> , 2016 , 68, 1290-1300	9.5	65
124	Identification of a Systemic Lupus Erythematosus Risk Locus Spanning ATG16L2, FCHSD2, and P2RY2 in Koreans. <i>Arthritis and Rheumatology</i> , 2016 , 68, 1197-1209	9.5	45
123	Regulatory polymorphisms modulate the expression of HLA class II molecules and promote autoimmunity. <i>ELife</i> , 2016 , 5,	8.9	75
122	Genome-wide association meta-analysis in Chinese and European individuals identifies ten new loci associated with systemic lupus erythematosus. <i>Nature Genetics</i> , 2016 , 48, 940-946	36.3	183
121	Genome-Wide Association Study in an Amerindian Ancestry Population Reveals Novel Systemic Lupus Erythematosus Risk Loci and the Role of European Admixture. <i>Arthritis and Rheumatology</i> , 2016 , 68, 932-43	9.5	93
120	Expression and methylation data from SLE patient and healthy control blood samples subdivided with respect to ARID3a levels. <i>Data in Brief</i> , 2016 , 9, 213-9	1.2	7
119	Identification of a New Susceptibility Locus for Systemic Lupus Erythematosus on Chromosome 12 in Individuals of European Ancestry. <i>Arthritis and Rheumatology</i> , 2016 , 68, 174-83	9.5	15
118	Disease mechanisms in rheumatology--tools and pathways: defining functional genetic variants in autoimmune diseases. <i>Arthritis and Rheumatology</i> , 2015 , 67, 1-10	9.5	18
117	Genetic association of CD247 (CD38) with SLE in a large-scale multiethnic study. <i>Genes and Immunity</i> , 2015 , 16, 142-50	4.4	15
116	Lupus Risk Variant Increases pSTAT1 Binding and Decreases ETS1 Expression. <i>American Journal of Human Genetics</i> , 2015 , 96, 731-9	11	31
115	Subsistence strategies in traditional societies distinguish gut microbiomes. <i>Nature Communications</i> , 2015 , 6, 6505	17.4	304
114	Genetic associations of leptin-related polymorphisms with systemic lupus erythematosus. <i>Clinical Immunology</i> , 2015 , 161, 157-62	9	8
113	The IRF5-TNPO3 association with systemic lupus erythematosus has two components that other autoimmune disorders variably share. <i>Human Molecular Genetics</i> , 2015 , 24, 582-96	5.6	57
112	A20-Binding Inhibitor of NF- κ B Activation 1 is a Physiologic Inhibitor of NF- κ B: A Molecular Switch for Inflammation and Autoimmunity. <i>Arthritis and Rheumatology</i> , 2015 , 67, 2292-302	9.5	34
111	Gut Microbiome Diversity among Cheyenne and Arapaho Individuals from Western Oklahoma. <i>Current Biology</i> , 2015 , 25, 3161-9	6.3	39
110	Lupus risk variants in the PDK1 locus alter B-cell receptor internalization. <i>Frontiers in Genetics</i> , 2014 , 5, 450	4.5	22
109	Lupus nephritis susceptibility loci in women with systemic lupus erythematosus. <i>Journal of the American Society of Nephrology: JASN</i> , 2014 , 25, 2859-70	12.7	83
108	GWAS identifies novel SLE susceptibility genes and explains the association of the HLA region. <i>Genes and Immunity</i> , 2014 , 15, 347-54	4.4	77

107	The effect of inversion at 8p23 on BLK association with lupus in Caucasian population. <i>PLoS ONE</i> , 2014 , 9, e115614	3.7	16
106	MHC associations with clinical and autoantibody manifestations in European SLE. <i>Genes and Immunity</i> , 2014 , 15, 210-7	4.4	63
105	Forward genetic screening identifies a small molecule that blocks <i>Toxoplasma gondii</i> growth by inhibiting both host- and parasite-encoded kinases. <i>PLoS Pathogens</i> , 2014 , 10, e1004180	7.6	27
104	Use of next-generation DNA sequencing to analyze genetic variants in rheumatic disease. <i>Arthritis Research and Therapy</i> , 2014 , 16, 490	5.7	10
103	Activating mutations in STIM1 and ORAI1 cause overlapping syndromes of tubular myopathy and congenital miosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 4197-202	11.5	169
102	Allelic heterogeneity in NCF2 associated with systemic lupus erythematosus (SLE) susceptibility across four ethnic populations. <i>Human Molecular Genetics</i> , 2014 , 23, 1656-68	5.6	50
101	Two functional lupus-associated BLK promoter variants control cell-type- and developmental-stage-specific transcription. <i>American Journal of Human Genetics</i> , 2014 , 94, 586-98	11	49
100	Encore: Genetic Association Interaction Network centrality pipeline and application to SLE exome data. <i>Genetic Epidemiology</i> , 2013 , 37, 614-21	2.6	18
99	Variants at multiple loci implicated in both innate and adaptive immune responses are associated with Sjögren's syndrome. <i>Nature Genetics</i> , 2013 , 45, 1284-92	36.3	322
98	Dense genotyping of immune-related disease regions identifies 14 new susceptibility loci for juvenile idiopathic arthritis. <i>Nature Genetics</i> , 2013 , 45, 664-9	36.3	256
97	Variable association of reactive intermediate genes with systemic lupus erythematosus in populations with different African ancestry. <i>Journal of Rheumatology</i> , 2013 , 40, 842-9	4.1	12
96	Protein kinase ϵ deficiency causes mendelian systemic lupus erythematosus with B cell-defective apoptosis and hyperproliferation. <i>Arthritis and Rheumatism</i> , 2013 , 65, 2161-71		119
95	Preferential binding to Elk-1 by SLE-associated IL10 risk allele upregulates IL10 expression. <i>PLoS Genetics</i> , 2013 , 9, e1003870	6	33
94	An enhancer element harboring variants associated with systemic lupus erythematosus engages the TNFAIP3 promoter to influence A20 expression. <i>PLoS Genetics</i> , 2013 , 9, e1003750	6	69
93	Admixture mapping in lupus identifies multiple functional variants within IFIH1 associated with apoptosis, inflammation, and autoantibody production. <i>PLoS Genetics</i> , 2013 , 9, e1003222	6	87
92	Trans-ancestral studies fine map the SLE-susceptibility locus TNFSF4. <i>PLoS Genetics</i> , 2013 , 9, e1003554	6	41
91	MicroRNA-3148 modulates allelic expression of toll-like receptor 7 variant associated with systemic lupus erythematosus. <i>PLoS Genetics</i> , 2013 , 9, e1003336	6	89
90	Fine mapping of Xq28: both MECP2 and IRAK1 contribute to risk for systemic lupus erythematosus in multiple ancestral groups. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 437-44	2.4	80

89	ABIN1 dysfunction as a genetic basis for lupus nephritis. <i>Journal of the American Society of Nephrology: JASN</i> , 2013 , 24, 1743-54	12.7	59
88	Infinium assay for large-scale SNP genotyping applications. <i>Journal of Visualized Experiments</i> , 2013 , e50688		4
87	PTPN22 association in systemic lupus erythematosus (SLE) with respect to individual ancestry and clinical sub-phenotypes. <i>PLoS ONE</i> , 2013 , 8, e69404	3.7	48
86	The genomics of autoimmune disease in the era of genome-wide association studies and beyond. <i>Autoimmunity Reviews</i> , 2012 , 11, 267-75	13.6	47
85	Evidence for gene-gene epistatic interactions among susceptibility loci for systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 2012 , 64, 485-92		47
84	Impact of genetic ancestry and sociodemographic status on the clinical expression of systemic lupus erythematosus in American Indian-European populations. <i>Arthritis and Rheumatism</i> , 2012 , 64, 3687-94		61
83	Association of two independent functional risk haplotypes in TNIP1 with systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 2012 , 64, 3695-705		64
82	Contributions of mass spectrometry-based proteomics to defining cellular mechanisms and diagnostic markers for systemic lupus erythematosus. <i>Arthritis Research and Therapy</i> , 2012 , 14, 204	5.7	11
81	Variation in the ICAM1-ICAM4-ICAM5 locus is associated with systemic lupus erythematosus susceptibility in multiple ancestries. <i>Annals of the Rheumatic Diseases</i> , 2012 , 71, 1809-14	2.4	51
80	Sex chromosome aneuploidies among men with systemic lupus erythematosus. <i>Journal of Autoimmunity</i> , 2012 , 38, J129-34	15.5	37
79	RBPJ mutations identified in two families affected by Adams-Oliver syndrome. <i>American Journal of Human Genetics</i> , 2012 , 91, 391-5	11	92
78	Unraveling multiple MHC gene associations with systemic lupus erythematosus: model choice indicates a role for HLA alleles and non-HLA genes in Europeans. <i>American Journal of Human Genetics</i> , 2012 , 91, 778-93	11	106
77	Evaluation of TRAF6 in a large multiancestral lupus cohort. <i>Arthritis and Rheumatism</i> , 2012 , 64, 1960-9		45
76	Identification of IRF8, TMEM39A, and IKZF3-ZBP2 as susceptibility loci for systemic lupus erythematosus in a large-scale multiracial replication study. <i>American Journal of Human Genetics</i> , 2012 , 90, 648-60	11	134
75	Effects of IRF5 lupus risk haplotype on pathways predicted to influence B cell functions. <i>Journal of Biomedicine and Biotechnology</i> , 2012 , 2012, 594056		8
74	Genetic and physical interaction of the B-cell systemic lupus erythematosus-associated genes BANK1 and BLK. <i>Annals of the Rheumatic Diseases</i> , 2012 , 71, 136-42	2.4	54
73	Analysis of autosomal genes reveals gene-sex interactions and higher total genetic risk in men with systemic lupus erythematosus. <i>Annals of the Rheumatic Diseases</i> , 2012 , 71, 694-9	2.4	63
72	Identification of novel coding mutation in C1qA gene in an African-American pedigree with lupus and C1q deficiency. <i>Lupus</i> , 2012 , 21, 1113-8	2.6	10

71	CSK regulatory polymorphism is associated with systemic lupus erythematosus and influences B-cell signaling and activation. <i>Nature Genetics</i> , 2012 , 44, 1227-30	36.3	87
70	Role of MYH9 and APOL1 in African and non-African populations with lupus nephritis. <i>Genes and Immunity</i> , 2012 , 13, 232-8	4.4	51
69	A functional haplotype of UBE2L3 confers risk for systemic lupus erythematosus. <i>Genes and Immunity</i> , 2012 , 13, 380-7	4.4	45
68	Lupus-associated causal mutation in neutrophil cytosolic factor 2 (NCF2) brings unique insights to the structure and function of NADPH oxidase. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, E59-67	11.5	124
67	IRF5 haplotypes demonstrate diverse serological associations which predict serum interferon alpha activity and explain the majority of the genetic association with systemic lupus erythematosus. <i>Annals of the Rheumatic Diseases</i> , 2012 , 71, 463-8	2.4	109
66	Differential genetic associations for systemic lupus erythematosus based on anti-dsDNA autoantibody production. <i>PLoS Genetics</i> , 2011 , 7, e1001323	6	167
65	Association of a functional variant downstream of TNFAIP3 with systemic lupus erythematosus. <i>Nature Genetics</i> , 2011 , 43, 253-8	36.3	208
64	Evaluation of the TREX1 gene in a large multi-ancestral lupus cohort. <i>Genes and Immunity</i> , 2011 , 12, 270-4	4.4	194
63	The rs4774 CIITA missense variant is associated with risk of systemic lupus erythematosus. <i>Genes and Immunity</i> , 2011 , 12, 667-71	4.4	21
62	Identification of a systemic lupus erythematosus susceptibility locus at 11p13 between PDHX and CD44 in a multiethnic study. <i>American Journal of Human Genetics</i> , 2011 , 88, 83-91	11	69
61	Identification of Pro-Differentiation Patterns by Gene Expression Analysis following Pioglitazone Treatment in a Primary Laryngeal Tumor Cell Line. <i>Laryngoscope</i> , 2011 , 121, S281-S281	3.6	
60	Fine-mapping and transethnic genotyping establish IL2/IL21 genetic association with lupus and localize this genetic effect to IL21. <i>Arthritis and Rheumatism</i> , 2011 , 63, 1689-97		41
59	Genetic analyses of interferon pathway-related genes reveal multiple new loci associated with systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 2011 , 63, 2049-57		39
58	Association of PPP2CA polymorphisms with systemic lupus erythematosus susceptibility in multiple ethnic groups. <i>Arthritis and Rheumatism</i> , 2011 , 63, 2755-63		31
57	Identification of novel genetic susceptibility loci in African American lupus patients in a candidate gene association study. <i>Arthritis and Rheumatism</i> , 2011 , 63, 3493-501		86
56	Exon 6 variants carried on systemic lupus erythematosus (SLE) risk haplotypes modulate IRF5 function. <i>Autoimmunity</i> , 2011 , 44, 82-9	3	13
55	Risk alleles for systemic lupus erythematosus in a large case-control collection and associations with clinical subphenotypes. <i>PLoS Genetics</i> , 2011 , 7, e1001311	6	130
54	A comprehensive analysis of shared loci between systemic lupus erythematosus (SLE) and sixteen autoimmune diseases reveals limited genetic overlap. <i>PLoS Genetics</i> , 2011 , 7, e1002406	6	126

53	Phenotypic associations of genetic susceptibility loci in systemic lupus erythematosus. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 1752-7	2.4	89
52	Association of genetic variants in complement factor H and factor H-related genes with systemic lupus erythematosus susceptibility. <i>PLoS Genetics</i> , 2011 , 7, e1002079	6	145
51	Inhibitor of differentiation 1 contributes to head and neck squamous cell carcinoma survival via the NF-kappaB/survivin and phosphoinositide 3-kinase/Akt signaling pathways. <i>Clinical Cancer Research</i> , 2010 , 16, 77-87	12.9	58
50	The role of genetic variation near interferon-kappa in systemic lupus erythematosus. <i>Journal of Biomedicine and Biotechnology</i> , 2010 , 2010,		37
49	Analysis of maternal-offspring HLA compatibility, parent-of-origin effects, and noninherited maternal antigen effects for HLA-DRB1 in systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 2010 , 62, 1712-7		6
48	Identification of IRAK1 as a risk gene with critical role in the pathogenesis of systemic lupus erythematosus. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 6256-61	11.5	193
47	High-density SNP screening of the major histocompatibility complex in systemic lupus erythematosus demonstrates strong evidence for independent susceptibility regions. <i>PLoS Genetics</i> , 2009 , 5, e1000696	6	91
46	Evaluation of imputation-based association in and around the integrin-alpha-M (ITGAM) gene and replication of robust association between a non-synonymous functional variant within ITGAM and systemic lupus erythematosus (SLE). <i>Human Molecular Genetics</i> , 2009 , 18, 1171-80	5.6	88
45	Variants within MECP2, a key transcription regulator, are associated with increased susceptibility to lupus and differential gene expression in patients with systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 2009 , 60, 1076-84		69
44	High-density genotyping of STAT4 reveals multiple haplotypic associations with systemic lupus erythematosus in different racial groups. <i>Arthritis and Rheumatism</i> , 2009 , 60, 1085-95		73
43	A polymorphism within IL21R confers risk for systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 2009 , 60, 2402-7		97
42	European population substructure is associated with mucocutaneous manifestations and autoantibody production in systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 2009 , 60, 2448-56		24
41	Variation in the upstream region of P-Selectin (SELP) is a risk factor for SLE. <i>Genes and Immunity</i> , 2009 , 10, 404-13	4.4	19
40	Replication of the BANK1 genetic association with systemic lupus erythematosus in a European-derived population. <i>Genes and Immunity</i> , 2009 , 10, 531-8	4.4	37
39	Genetic associations of LYN with systemic lupus erythematosus. <i>Genes and Immunity</i> , 2009 , 10, 397-403	4.4	78
38	Peripheral blood gene expression profiling in Sjögren's syndrome. <i>Genes and Immunity</i> , 2009 , 10, 285-96	4.4	194
37	Variation in the ATP-binding cassette transporter 2 gene is a separate risk factor for systemic lupus erythematosus within the MHC. <i>Genes and Immunity</i> , 2009 , 10, 350-5	4.4	8
36	Complement receptor 2 polymorphisms associated with systemic lupus erythematosus modulate alternative splicing. <i>Genes and Immunity</i> , 2009 , 10, 457-69	4.4	34

35	Meta-analysis and imputation identifies a 109 kb risk haplotype spanning TNFAIP3 associated with lupus nephritis and hematologic manifestations. <i>Genes and Immunity</i> , 2009 , 10, 470-7	4.4	71
34	Identification of new SLE-associated genes with a two-step Bayesian study design. <i>Genes and Immunity</i> , 2009 , 10, 446-56	4.4	36
33	Genetic variants near TNFAIP3 on 6q23 are associated with systemic lupus erythematosus. <i>Nature Genetics</i> , 2008 , 40, 1059-61	36.3	459
32	Polymorphism at the TNF superfamily gene TNFSF4 confers susceptibility to systemic lupus erythematosus. <i>Nature Genetics</i> , 2008 , 40, 83-9	36.3	167
31	Genome-wide association scan in women with systemic lupus erythematosus identifies susceptibility variants in ITGAM, PXX, KIAA1542 and other loci. <i>Nature Genetics</i> , 2008 , 40, 204-10	36.3	1021
30	Endogenous heparan sulfate and heparin modulate bone morphogenetic protein-4 signaling and activity. <i>American Journal of Physiology - Cell Physiology</i> , 2008 , 294, C1387-97	5.4	48
29	A novel polymorphism of the human CD40 receptor with enhanced function. <i>Blood</i> , 2008 , 112, 1863-71	2.2	25
28	A novel polymorphism in human CD40 enhances B cell activation. <i>FASEB Journal</i> , 2008 , 22, 1066.2	0.9	
27	Specific combinations of HLA-DR2 and DR3 class II haplotypes contribute graded risk for disease susceptibility and autoantibodies in human SLE. <i>European Journal of Human Genetics</i> , 2007 , 15, 823-30	5.3	119
26	Defining a new molecular basis of systemic lupus erythematosus through transcriptional profiling. <i>Expert Review of Clinical Immunology</i> , 2007 , 3, 913-23	5.1	1
25	A 10-gene classifier for distinguishing head and neck squamous cell carcinoma and lung squamous cell carcinoma. <i>Clinical Cancer Research</i> , 2007 , 13, 2905-15	12.9	51
24	Three functional variants of IFN regulatory factor 5 (IRF5) define risk and protective haplotypes for human lupus. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 6758-63	11.5	362
23	Genes associated with early development, apoptosis and cell cycle regulation define a gene expression profile of adenoid cystic carcinoma. <i>Oral Oncology</i> , 2006 , 42, 994-1004	4.4	18
22	Periostin promotes invasion and anchorage-independent growth in the metastatic process of head and neck cancer. <i>Cancer Research</i> , 2006 , 66, 6928-35	10.1	166
21	Fine-mapping chromosome 20 in 230 systemic lupus erythematosus sib pair and multiplex families: evidence for genetic epistasis with chromosome 16q12. <i>American Journal of Human Genetics</i> , 2006 , 78, 747-758	11	22
20	Gene expression profiling in human autoimmunity. <i>Immunological Reviews</i> , 2006 , 210, 120-37	11.3	83
19	Familial aggregation and linkage analysis of autoantibody traits in pedigrees multiplex for systemic lupus erythematosus. <i>Genes and Immunity</i> , 2006 , 7, 417-32	4.4	53
18	Meta-analysis of genome-wide linkage studies of systemic lupus erythematosus. <i>Genes and Immunity</i> , 2006 , 7, 609-14	4.4	47

17	Heparin and Endogenous Heparan Sulfate Modulate Bone Morphogenetic Protein-4 (BMP-4) Signaling and Activity.. <i>Blood</i> , 2006 , 108, 4230-4230	2.2	
16	Progress towards understanding the genetic pathogenesis of systemic lupus erythematosus. <i>Novartis Foundation Symposium</i> , 2005 , 267, 145-60; discussion 160-4		12
15	Fine mapping chromosome 16q12 in a collection of 231 systemic lupus erythematosus sibpair and multiplex families. <i>Genes and Immunity</i> , 2005 , 6, 19-23	4.4	7
14	c-kit expression in adenoid cystic carcinoma does not have an impact on local or distant tumor recurrence. <i>Head and Neck</i> , 2005 , 27, 1028-34	4.2	9
13	Identification of a gene expression signature associated with recurrent disease in squamous cell carcinoma of the head and neck. <i>Cancer Research</i> , 2004 , 64, 55-63	10.1	331
12	Fatal acute lymphoblastic leukemia in mice transgenic for B cell-restricted bcl-xL and c-myc. <i>Journal of Immunology</i> , 2004 , 172, 6684-91	5.3	51
11	The use of microarrays to study autoimmunity. <i>Journal of Investigative Dermatology Symposium Proceedings</i> , 2004 , 9, 18-22	1.1	12
10	Expression levels for many genes in human peripheral blood cells are highly sensitive to ex vivo incubation. <i>Genes and Immunity</i> , 2004 , 5, 347-53	4.4	125
9	Genetic association of the R620W polymorphism of protein tyrosine phosphatase PTPN22 with human SLE. <i>American Journal of Human Genetics</i> , 2004 , 75, 504-7	11	536
8	Interferon-inducible gene expression signature in peripheral blood cells of patients with severe lupus. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 2610-5 ^{11.5}		1662
7	Visualizing human leukocyte antigen class II risk haplotypes in human systemic lupus erythematosus. <i>American Journal of Human Genetics</i> , 2002 , 71, 543-53	11	168
6	Recent advances in the genetics of systemic lupus erythematosus. <i>Rheumatic Disease Clinics of North America</i> , 2002 , 28, 111-26	2.4	22
5	Genetic linkage and transmission disequilibrium of marker haplotypes at chromosome 1q41 in human systemic lupus erythematosus. <i>Arthritis Research</i> , 2001 , 3, 299-305		39
4	Genome screening in human systemic lupus erythematosus: results from a second Minnesota cohort and combined analyses of 187 sib-pair families. <i>American Journal of Human Genetics</i> , 2000 , 66, 547-56	11	198
3	Genome scan of human systemic lupus erythematosus by regression modeling: evidence of linkage and epistasis at 4p16-15.2. <i>American Journal of Human Genetics</i> , 2000 , 67, 1460-9	11	126
2	The genetics of human systemic lupus erythematosus. <i>Current Opinion in Immunology</i> , 1998 , 10, 690-6	7.8	129
1	A genome-wide search for susceptibility genes in human systemic lupus erythematosus sib-pair families. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998 , 95, 14875-9 ^{11.5}		316