Michael Schaefer

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3152736/publications.pdf

Version: 2024-02-01

95 papers

4,384 citations

35 h-index 63 g-index

107 all docs

107 docs citations

107 times ranked

3654 citing authors

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Valdecoxib blocks rat TRPV2 channels. European Journal of Pharmacology, 2022, 915, 174702. | 1.7 | 4 |
| 2 | Self-Reported Practices and Emotions in Prescribing Opioids for Chronic Noncancer Pain: A Cross-Sectional Study of German Physicians. Journal of Clinical Medicine, 2022, 11, 2506. | 1.0 | 0 |
| 3 | Functional and Anatomical Characterization of Corticotropin-Releasing Factor Receptor Subtypes of the Rat Spinal Cord Involved in Somatic Pain Relief. Molecular Neurobiology, 2021, 58, 5459-5472. | 1.9 | 3 |
| 4 | Patients' selfâ€reported physical and psychological effects of opioid use in chronic noncancer pain – a retrospective crossâ€sectional analysis. European Journal of Pain, 2021, , . | 1.4 | 2 |
| 5 | Chronic Naltrexone Therapy Is Associated with Improved Cardiac Function in Volume Overloaded Rats. Cardiovascular Drugs and Therapy, 2021, 35, 733-743. | 1.3 | 5 |
| 6 | Identification of Mineralocorticoid Receptors, Aldosterone, and Its Processing Enzyme CYP11B2 on Parasympathetic and Sympathetic Neurons in Rat Intracardiac Ganglia. Frontiers in Neuroanatomy, 2021, 15, 802359. | 0.9 | 3 |
| 7 | Prostanoid Receptor Subtypes and Its Endogenous Ligands with Processing Enzymes within Various Types of Inflammatory Joint Diseases. Mediators of Inflammation, 2020, 2020, 1-13. | 1.4 | 3 |
| 8 | Neuronal aldosterone elicits a distinct genomic response in pain signaling molecules contributing to inflammatory pain. Journal of Neuroinflammation, 2020, 17 , 183 . | 3.1 | 7 |
| 9 | Empathy-Related Brain Activity in Somatosensory Cortex Protects From Tactile Priming Effects: A Pilot Study. Frontiers in Human Neuroscience, 2020, 14, 142. | 1.0 | 2 |
| 10 | A new human adipocyte model with PTEN haploinsufficiency. Adipocyte, 2020, 9, 290-301. | 1.3 | 7 |
| 11 | S2k guidelines for the diagnosis and treatment of herpes zoster and postherpetic neuralgia. JDDG - Journal of the German Society of Dermatology, 2020, 18, 55-78. | 0.4 | 41 |
| 12 | Direct Activation of TRPC3 Channels by the Antimalarial Agent Artemisinin. Cells, 2020, 9, 202. | 1.8 | 12 |
| 13 | Aldosterone Synthase in Peripheral Sensory Neurons Contributes to Mechanical Hypersensitivity during Local Inflammation in Rats. Anesthesiology, 2020, 132, 867-880. | 1.3 | 15 |
| 14 | Efficacy-Based Perspective to Overcome Reduced Opioid Analgesia of Advanced Painful Diabetic Neuropathy in Rats. Frontiers in Pharmacology, 2019, 10, 347. | 1.6 | 17 |
| 15 | Identification of mineralocorticoid and glucocorticoid receptors on peripheral nociceptors: Translation of experimental findings from animal to human biology. Brain Research, 2019, 1712, 180-187. | 1.1 | 7 |
| 16 | Non-invasive patient-controlled analgesia in the management of acute postoperative pain in the hospital setting. Current Medical Research and Opinion, 2018, 34, 1179-1186. | 0.9 | 24 |
| 17 | Pro- <i>versus </i> Antinociceptive Nongenomic Effects of Neuronal Mineralocorticoid <i>versus </i> Glucocorticoid Receptors during Rat Hind Paw Inflammation. Anesthesiology, 2018, 128, 796-809. | 1.3 | 24 |
| 18 | The Peripheral Versus Central Antinociception of a Novel Opioid Agonist: Acute Inflammatory Pain in Rats. Neurochemical Research, 2018, 43, 1250-1257. | 1.6 | 28 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Management of acute pain in the postoperative setting: the importance of quality indicators. Current Medical Research and Opinion, 2018, 34, 187-196. | 0.9 | 62 |
| 20 | European Pain Federation (<scp>EFIC</scp>) position paper on appropriate use of cannabisâ€based medicines and medical cannabis for chronic pain management. European Journal of Pain, 2018, 22, 1547-1564. | 1.4 | 149 |
| 21 | Treatment for chronic low back pain: the focus should change to multimodal management that reflects the underlying pain mechanisms. Current Medical Research and Opinion, 2017, 33, 1199-1210. | 0.9 | 39 |
| 22 | Accessibility of axonal G protein coupled mu-opioid receptors requires conceptual changes of axonal membrane targeting for pain modulation. Journal of Controlled Release, 2017, 268, 352-363. | 4.8 | 16 |
| 23 | Histopathological Changes in the Kidney following Congestive Heart Failure by Volume Overload in Rats. Oxidative Medicine and Cellular Longevity, 2017, 2017, 1-10. | 1.9 | 13 |
| 24 | Pathological alterations in liver injury following congestive heart failure induced by volume overload in rats. PLoS ONE, 2017, 12, e0184161. | 1.1 | 16 |
| 25 | Comparative Expression Analyses of Pro- versus Anti-Inflammatory Mediators within Synovium of Patients with Joint Trauma, Osteoarthritis, and Rheumatoid Arthritis. Mediators of Inflammation, 2017, 2017, 1-11. | 1.4 | 14 |
| 26 | Protein kinase C-mediated mu-opioid receptor phosphorylation and desensitization in rats, and its prevention during early diabetes. Pain, 2016, 157, 910-921. | 2.0 | 23 |
| 27 | TRPM7 is a molecular substrate of ATP-evoked P2X7-like currents in tumor cells. Journal of General Physiology, 2016, 147, 467-483. | 0.9 | 14 |
| 28 | Lack of functional P2X7 receptor aggravates brain edema development after middle cerebral artery occlusion. Purinergic Signalling, 2016, 12, 453-463. | 1.1 | 20 |
| 29 | Membrane-bound glucocorticoid receptors on distinct nociceptive neurons as potential targets for pain control through rapid non-genomic effects. Neuropharmacology, 2016, 111, 1-13. | 2.0 | 44 |
| 30 | New Morphine Analogs Produce Peripheral Antinociception within a Certain Dose Range of Their Systemic Administration. Journal of Pharmacology and Experimental Therapeutics, 2016, 359, 171-181. | 1.3 | 23 |
| 31 | Prospective clinical observational study evaluating gender-associated differences of preoperative pain intensity. Medicine (United States), 2016, 95, e4077. | 0.4 | 9 |
| 32 | Evidence for MOR on cell membrane, sarcoplasmatic reticulum and mitochondria in left ventricular myocardium in rats. Heart and Vessels, 2016, 31, 1380-1388. | 0.5 | 8 |
| 33 | Acute mechanical sensitization of peripheral nociceptors by aldosterone through non-genomic activation of membrane bound mineralocorticoid receptors in naive rats. Neuropharmacology, 2016, 107, 251-261. | 2.0 | 27 |
| 34 | Cellular localization and adaptive changes of the cardiac delta opioid receptor system in an experimental model of heart failure in rats. Heart and Vessels, 2016, 31, 241-250. | 0.5 | 13 |
| 35 | Diagnostic Performance of Self-Assessment for Constipation in Patients With Long-Term Opioid Treatment. Medicine (United States), 2015, 94, e2227. | 0.4 | 0 |
| 36 | Pharmacotherapy in Pain Patients with Substance Abuse. Journal of Pain and Palliative Care Pharmacotherapy, 2015, 29, 59-60. | 0.5 | 0 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 37 | Upregulation of the kappa opioidergic system in left ventricular rat myocardium in response to volume overload. Pharmacological Research, 2015, 102, 33-41. | 3.1 | 14 |
| 38 | A Modified Approach to Induce Predictable Congestive Heart Failure by Volume Overload in Rats. PLoS ONE, 2014, 9, e87531. | 1.1 | 19 |
| 39 | Influence of high-dose intraoperative remifentanil with or without amantadine on postoperative pain intensity and morphine consumption in major abdominal surgery patients. European Journal of Anaesthesiology, 2014, 31, 41-49. | 0.7 | 20 |
| 40 | Transient receptor potential ankyrin 1 (TRPA1) channel activation by the thienopyridine-type drugs ticlopidine, clopidogrel, and prasugrel. Cell Calcium, 2014, 55, 200-207. | 1.1 | 14 |
| 41 | The presence of mu-, delta-, and kappa-opioid receptors in human heart tissue. Heart and Vessels, 2014, 29, 855-863. | 0.5 | 53 |
| 42 | Thoracic epidural anesthesia decreases endotoxin-induced endothelial injury. BMC Anesthesiology, 2014, 14, 23. | 0.7 | 12 |
| 43 | New insights into mechanisms of opioid inhibitory effects on capsaicin-induced TRPV1 activity during painful diabetic neuropathy. Neuropharmacology, 2014, 85, 142-150. | 2.0 | 26 |
| 44 | The phenothiazine-class antipsychotic drugs prochlorperazine and trifluoperazine are potent allosteric modulators of the human P2X7 receptor. Neuropharmacology, 2013, 75, 365-379. | 2.0 | 31 |
| 45 | Peripheral antinociceptive efficacy and potency of a novel opioid compound 14- O -MeM6SU in comparison to known peptide and non-peptide opioid agonists in a rat model of inflammatory pain. European Journal of Pharmacology, 2013, 713, 54-57. | 1.7 | 19 |
| 46 | Reduced Number, G Protein Coupling, and Antinociceptive Efficacy of Spinal Mu-Opioid Receptors in Diabetic Rats Are Reversed by Nerve Growth Factor. Journal of Pain, 2013, 14, 720-730. | 0.7 | 36 |
| 47 | The painful Toll of ethanol and its metabolites: A new molecular pattern of recognition by Toll-like receptors?. Brain, Behavior, and Immunity, 2013, 30, 22-23. | 2.0 | 3 |
| 48 | Opioid withdrawal increases transient receptor potential vanilloid 1 activity in a protein kinase A-dependent manner. Pain, 2013, 154, 598-608. | 2.0 | 54 |
| 49 | Rab7 Silencing Prevents \hat{l} ¼-Opioid Receptor Lysosomal Targeting and Rescues Opioid Responsiveness to Strengthen Diabetic Neuropathic Pain Therapy. Diabetes, 2013, 62, 1308-1319. | 0.3 | 41 |
| 50 | Regional Sympathetic Blockade Attenuates Activation of Intestinal Macrophages and Reduces Gut Barrier Failure. Anesthesiology, 2013, 118, 134-142. | 1.3 | 36 |
| 51 | The central versus peripheral antinociceptive effects of $\hat{l}\frac{1}{4}$ -opioid receptor agonists in the new model of rat visceral pain. Brain Research Bulletin, 2012, 87, 238-243. | 1.4 | 28 |
| 52 | Impaired Nociception and Peripheral Opioid Antinociception in Mice Lacking Both Kinin B1 and B2 Receptors. Anesthesiology, 2012, 116, 448-457. | 1.3 | 38 |
| 53 | Make a CHANGE: optimising communication and pain management decisions. Current Medical Research and Opinion, 2011, 27, 481-488. | 0.9 | 48 |
| 54 | Systematic review of tapentadol in chronic severe pain. Current Medical Research and Opinion, 2011, 27, 1907-1930. | 0.9 | 70 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 55 | p38 Mitogen–activated Protein Kinase Activation by Nerve Growth Factor in Primary Sensory Neurons Upregulates μ-Opioid Receptors to Enhance Opioid Responsiveness Toward Better Pain Control. Anesthesiology, 2011, 114, 150-161. | 1.3 | 18 |
| 56 | Developmental expression of l´â€opioid receptors during maturation of the parasympathetic, sympathetic, and sensory innervations of the neonatal heart: Early targets for opioid regulation of autonomic control. Journal of Comparative Neurology, 2011, 519, 957-971. | 0.9 | 24 |
| 57 | PAIN EDUCATION – a modular learning approach. Current Medical Research and Opinion, 2011, 27, 2081-2082. | 0.9 | 0 |
| 58 | Identification of μ―and κâ€opioid receptors as potential targets to regulate parasympathetic, sympathetic, and sensory neurons within rat intracardiac ganglia. Journal of Comparative Neurology, 2010, 518, 3836-3847. | 0.9 | 24 |
| 59 | Local pulmonary opioid network in patients with lung cancer: a putative modulator of respiratory function. Pharmacological Reports, 2010, 62, 139-149. | 1.5 | 19 |
| 60 | Enkephalin, its precursor, processing enzymes, and receptor as part of a local opioid network throughout the respiratory system of lung cancer patients. Human Pathology, 2010, 41, 632-642. | 1.1 | 26 |
| 61 | Involvement of the peripheral sensory and sympathetic nervous system in the vascular endothelial expression of ICAM-1 and the recruitment of opioid-containing immune cells to inhibit inflammatory pain. Brain, Behavior, and Immunity, 2010, 24, 1310-1323. | 2.0 | 30 |
| 62 | Thoracic Epidural Anesthesia Attenuates Endotoxin-induced Impairment of Gastrointestinal Organ Perfusion. Anesthesiology, 2010, 113, 126-133. | 1.3 | 21 |
| 63 | Dynorphin expression, processing and receptors in the alveolar macrophages, cancer cells and bronchial epithelium of lung cancer patients. Histology and Histopathology, 2010, 25, 755-64. | 0.5 | 8 |
| 64 | Mycobacteria Attenuate Nociceptive Responses by Formyl Peptide Receptor Triggered Opioid Peptide Release from Neutrophils. PLoS Pathogens, 2009, 5, e1000362. | 2.1 | 79 |
| 65 | Peripheral Non-Viral MIDGE Vector-Driven Delivery of \hat{l}^2 -Endorphin in Inflammatory Pain. Molecular Pain, 2009, 5, 1744-8069-5-72. | 1.0 | 25 |
| 66 | Novel concepts for analgesia in severe painâ€"current strategies and future innovations. European Journal of Pain Supplements, 2009, 3, 6-10. | 0.0 | 8 |
| 67 | Natural orifice transluminal endoscopic surgery (NOTES): implications for anesthesia. F1000 Medicine Reports, 2009, 1, . | 2.9 | 5 |
| 68 | Volume therapy with colloid solutions preserves intestinal microvascular perfusion in endotoxaemia. Resuscitation, 2008, 76, 120-128. | 1.3 | 26 |
| 69 | The Transactivated Epidermal Growth Factor Receptor Recruits Pyk2 to Regulate Src Kinase Activity. Journal of Biological Chemistry, 2008, 283, 27748-27756. | 1.6 | 17 |
| 70 | Chronic morphine use does not induce peripheral tolerance in a rat model of inflammatory pain. Journal of Clinical Investigation, 2008, 118 , $1065-73$. | 3.9 | 105 |
| 71 | Topical Fentanyl in a Randomized, Double-blind Study in Patients With Corneal Damage. Clinical Journal of Pain, 2008, 24, 690-696. | 0.8 | 33 |
| 72 | Inhibition of Inflammatory Pain by CRF at Peripheral, Spinal and Supraspinal Sites: Involvement of Areas Coexpressing CRF Receptors and Opioid Peptides. Neuropsychopharmacology, 2007, 32, 2530-2542. | 2.8 | 44 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Â-Endorphin, Met-enkephalin and corresponding opioid receptors within synovium of patients with joint trauma, osteoarthritis and rheumatoid arthritis. Annals of the Rheumatic Diseases, 2007, 66, 871-879. | 0.5 | 105 |
| 74 | Nerve growth factor governs the enhanced ability of opioids to suppress inflammatory pain. Brain, 2007, 130, 502-513. | 3.7 | 100 |
| 75 | \hat{l} 4-Opioid Receptor Activation Modulates Transient Receptor Potential Vanilloid 1 (TRPV1) Currents in Sensory Neurons in A Model of Inflammatory Pain. Molecular Pharmacology, 2007, 71, 12-18. | 1.0 | 131 |
| 76 | Involvement of Intra-articular Corticotropin-releasing Hormone in Postoperative Pain Modulation. Clinical Journal of Pain, 2007, 23, 136-142. | 0.8 | 47 |
| 77 | Enhanced Postoperative Sensitivity to Painful Pressure Stimulation After Intraoperative High Dose Remifentanil in Patients Without Significant Surgical Site Pain. Clinical Journal of Pain, 2007, 23, 605-611. | 0.8 | 59 |
| 78 | CXCR1/2 ligands induce p38 MAPK-dependent translocation and release of opioid peptides from primary granules in vitro and in vivo. Brain, Behavior, and Immunity, 2007, 21, 1021-1032. | 2.0 | 53 |
| 79 | Relative contribution of peripheral versus central opioid receptors to antinociception. Brain Research, 2007, 1160, 30-38. | 1.1 | 111 |
| 80 | Lymphocytes upregulate signal sequence-encoding proopiomelanocortin mRNA and beta-endorphin during painful inflammation in vivo. Journal of Neuroimmunology, 2007, 183, 133-145. | 1.1 | 61 |
| 81 | Neurokinin-1 Receptor Antagonists Inhibit the Recruitment of Opioid-containing Leukocytes and Impair Peripheral Antinociception. Anesthesiology, 2007, 107, 1009-1017. | 1.3 | 35 |
| 82 | Selective local PMN recruitment by CXCL1 or CXCL2/3 injection does not cause inflammatory pain. Journal of Leukocyte Biology, 2006, 79, 1022-1032. | 1.5 | 81 |
| 83 | Pain control by CXCR2 ligands through Ca 2+ â€regulated release of opioid peptides from polymorphonuclear cells. FASEB Journal, 2006, 20, 2627-2629. | 0.2 | 110 |
| 84 | Peripheral opioid analgesia: Clinical applications. Current Pain and Headache Reports, 2005, 9, 36-44. | 1.3 | 11 |
| 85 | Subcellular Pathways of \hat{I}^2 -Endorphin Synthesis, Processing, and Release from Immunocytes in Inflammatory Pain. Endocrinology, 2004, 145, 1331-1341. | 1.4 | 161 |
| 86 | TRPV1 Acts as Proton Channel to Induce Acidification in Nociceptive Neurons. Journal of Biological Chemistry, 2004, 279, 34553-34561. | 1.6 | 134 |
| 87 | Characterization of \hat{l} ¹ /4 Opioid Receptor Binding and G Protein Coupling in Rat Hypothalamus, Spinal Cord, and Primary Afferent Neurons during Inflammatory Pain. Journal of Pharmacology and Experimental Therapeutics, 2004, 308, 712-718. | 1.3 | 79 |
| 88 | Sympathetic activation triggers endogenous opioid release and analgesia within peripheral inflamed tissue. European Journal of Neuroscience, 2004, 20, 92-100. | 1.2 | 124 |
| 89 | Selectins and integrins but not platelet-endothelial cell adhesion molecule-1 regulate opioid inhibition of inflammatory pain. British Journal of Pharmacology, 2004, 142, 772-780. | 2.7 | 53 |
| 90 | Effects of thoracic epidural anaesthesia on intestinal microvascular perfusion in a rodent model of normotensive endotoxaemia. Intensive Care Medicine, 2004, 30, 2094-2101. | 3.9 | 35 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 91 | Endogenous peripheral antinociception in early inflammation is not limited by the number of opioid-containing leukocytes but by opioid receptor expression. Pain, 2004, 108, 67-75. | 2.0 | 72 |
| 92 | Control of inflammatory pain by chemokine-mediated recruitment of opioid-containing polymorphonuclear cells. Pain, 2004, 112, 229-238. | 2.0 | 115 |
| 93 | Attacking pain at its source: new perspectives on opioids. Nature Medicine, 2003, 9, 1003-1008. | 15.2 | 535 |
| 94 | Immunohistochemical localization of endomorphin-1 and endomorphin-2 in immune cells and spinal cord in a model of inflammatory pain. Journal of Neuroimmunology, 2002, 126, 5-15. | 1.1 | 120 |
| 95 | Opioid Peptide–expressing Leukocytes. Anesthesiology, 2001, 95, 500-508. | 1.3 | 206 |