

Michael Gekle

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3152812/publications.pdf>

Version: 2024-02-01

84
papers

3,295
citations

117625

34
h-index

155660

55
g-index

85
all docs

85
docs citations

85
times ranked

3516
citing authors

#	ARTICLE	IF	CITATIONS
1	Modulation of transcriptional mineralocorticoid receptor activity by casein kinase 1. <i>FASEB Journal</i> , 2022, 36, e22059.	0.5	0
2	Epithelialâ€Fibroblast Crosstalk Protects against Acidosis-Induced Inflammatory and Fibrotic Alterations. <i>Biomedicines</i> , 2022, 10, 681.	3.2	7
3	Synergy of epidermal growth factor (EGFR) and angiotensin II (AT1R) receptor determines composition and temporal pattern of transcriptome variation. <i>Cellular and Molecular Life Sciences</i> , 2022, 79, 1.	5.4	5
4	The F2-isoprostane 8-iso-PGF2 \pm attenuates atherosclerotic lesion formation in Ldlr-deficient mice â€Potential role of vascular thromboxane A2 receptors. <i>Free Radical Biology and Medicine</i> , 2022, 185, 36-45.	2.9	5
5	The Functional Interaction of EGFR with AT1R or TP in Primary Vascular Smooth Muscle Cells Triggers a Synergistic Regulation of Gene Expression. <i>Cells</i> , 2022, 11, 1936.	4.1	4
6	The Impact of the Nephrotoxin Ochratoxin A on Human Renal Cells Studied by a Novel Co-Culture Model Is Influenced by the Presence of Fibroblasts. <i>Toxins</i> , 2021, 13, 219.	3.4	5
7	Endothelial epidermal growth factor receptor is of minor importance for vascular and renal function and obesity-induced dysfunction in mice. <i>Scientific Reports</i> , 2021, 11, 7269.	3.3	12
8	The mineralocorticoid receptor leads to increased expression of EGFR and T-type calcium channels that support HL-1 cell hypertrophy. <i>Scientific Reports</i> , 2021, 11, 13229.	3.3	4
9	miR-208b Reduces the Expression of Kcnj5 in a Cardiomyocyte Cell Line. <i>Biomedicines</i> , 2021, 9, 719.	3.2	3
10	Calcineurin (PPP3CB) regulates angiotensin IIâ€dependent vascular remodelling by potentiating EGFR signalling in mice. <i>Acta Physiologica</i> , 2021, 233, e13715.	3.8	9
11	The risk of indoor sports and culture events for the transmission of COVID-19. <i>Nature Communications</i> , 2021, 12, 5096.	12.8	85
12	Influence of miR-221/222 on cardiomyocyte calcium handling and function. <i>Cell and Bioscience</i> , 2021, 11, 160.	4.8	4
13	Glomerular Mesangial Cell pH Homeostasis Mediates Mineralocorticoid Receptor-Induced Cell Proliferation. <i>Biomedicines</i> , 2021, 9, 1117.	3.2	2
14	Angiotensin II receptor type 1 â€An update on structure, expression and pathology. <i>Biochemical Pharmacology</i> , 2021, 192, 114673.	4.4	23
15	Identification and initial characterization of POLIII-driven transcripts by msRNA-sequencing. <i>RNA Biology</i> , 2021, 18, 1-11.	3.1	1
16	miR-221 and -222 target CACNA1C and KCNJ5 leading to altered cardiac ion channel expression and current density. <i>Cellular and Molecular Life Sciences</i> , 2020, 77, 903-918.	5.4	20
17	Knockout of vascular smooth muscle EGF receptor in a mouse model prevents obesity-induced vascular dysfunction and renal damage in vivo. <i>Diabetologia</i> , 2020, 63, 2218-2234.	6.3	11
18	Weighted Correlation Network Analysis Reveals CDK2 as a Regulator of a Ubiquitous Environmental Toxin-Induced Cell-Cycle Arrest. <i>Cells</i> , 2020, 9, 143.	4.1	7

#	ARTICLE	IF	CITATIONS
19	A hydraulic model of cardiovascular physiology and pathophysiology embedded into a computer-based teaching system for student training in laboratory courses. <i>American Journal of Physiology - Advances in Physiology Education</i> , 2020, 44, 423-429.	1.6	6
20	Epithelial-fibroblast cross talk aggravates the impact of the nephrotoxin ochratoxin A. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2019, 1866, 118528.	4.1	9
21	The selective mineralocorticoid receptor antagonist eplerenone prevents decompensation of the liver in cirrhosis. <i>British Journal of Pharmacology</i> , 2018, 175, 2956-2967.	5.4	13
22	Identification of a novel lncRNA induced by the nephrotoxin ochratoxin A and expressed in human renal tumor tissue. <i>Cellular and Molecular Life Sciences</i> , 2018, 75, 2241-2256.	5.4	24
23	Kidney and aging – A narrative review. <i>Experimental Gerontology</i> , 2017, 87, 153-155.	2.8	60
24	Calcineurin inhibitors regulate fibroblast growth factor 23 (FGF23) synthesis. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2017, 390, 1117-1123.	3.0	10
25	Modulation of transcriptional mineralocorticoid receptor activity by casein kinase 2. <i>Scientific Reports</i> , 2017, 7, 15340.	3.3	14
26	Structure–activity relationship of ochratoxin A and synthesized derivatives: importance of amino acid and halogen moiety for cytotoxicity. <i>Archives of Toxicology</i> , 2017, 91, 1461-1471.	4.2	12
27	Consequences of postnatal vascular smooth muscle EGFR deletion on acute angiotensin II action. <i>Clinical Science</i> , 2016, 130, 19-33.	4.3	17
28	Substance-specific importance of EGFR for vascular smooth muscle cells motility in primary culture. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2016, 1863, 1519-1533.	4.1	16
29	Activated mineralocorticoid receptor regulates microRNA-29b in vascular smooth muscle cells. <i>FASEB Journal</i> , 2016, 30, 1610-1622.	0.5	25
30	Direct inhibition, but indirect sensitization of pacemaker activity to sympathetic tone by the interaction of endotoxin with HCN channels. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2015, 42, 874-880.	1.9	8
31	Acidosis-Induced Changes in Proteome Patterns of the Prostate Cancer-Derived Tumor Cell Line AT-1. <i>Journal of Proteome Research</i> , 2015, 14, 3996-4004.	3.7	14
32	Role of epidermal growth factor receptor in vascular structure and function. <i>Current Opinion in Nephrology and Hypertension</i> , 2014, 23, 113-121.	2.0	54
33	Role of microRNA-29b in the ochratoxin A-induced enhanced collagen formation in human kidney cells. <i>Toxicology</i> , 2014, 324, 116-122.	4.2	34
34	Moderate inappropriately high aldosterone/NaCl constellation in mice: cardiovascular effects and the role of cardiovascular epidermal growth factor receptor. <i>Scientific Reports</i> , 2014, 4, 7430.	3.3	13
35	Impact of Hypoxia-Related Tumor Acidosis on Cytotoxicity of Different Chemotherapeutic Drugs In Vitro and In Vivo. <i>Advances in Experimental Medicine and Biology</i> , 2014, 812, 51-58.	1.6	13
36	Impact of Extracellular Acidosis on Intracellular pH Control and Cell Signaling in Tumor Cells. <i>Advances in Experimental Medicine and Biology</i> , 2013, 789, 221-228.	1.6	21

#	ARTICLE	IF	CITATIONS
37	Loss of Epidermal Growth Factor Receptor in Vascular Smooth Muscle Cells and Cardiomyocytes Causes Arterial Hypotension and Cardiac Hypertrophy. <i>Hypertension</i> , 2013, 61, 333-340.	2.7	56
38	The phosphatase calcineurin PP2BA ^{Δ2} mediates part of mineralocorticoid receptor transcriptional activity. <i>FASEB Journal</i> , 2012, 26, 2327-2337.	0.5	10
39	Influence of Aldosterone and Salt or Ouabain in A10 Rat Aorta Smooth Muscle Cells. <i>Journal of Vascular Research</i> , 2012, 49, 231-241.	1.4	3
40	Modulation of transcriptional mineralocorticoid receptor activity by nitrosative stress. <i>Free Radical Biology and Medicine</i> , 2012, 53, 1088-1100.	2.9	14
41	Nuclear Shuttling Precedes Dimerization in Mineralocorticoid Receptor Signaling. <i>Chemistry and Biology</i> , 2012, 19, 742-751.	6.0	69
42	The food contaminant and nephrotoxin ochratoxin A enhances Wnt1 inducible signaling protein 1 and tumor necrosis factor- α expression in human primary proximal tubule cells. <i>Molecular Nutrition and Food Research</i> , 2012, 56, 1375-1384.	3.3	31
43	Interaction between mineralocorticoid receptor and epidermal growth factor receptor signaling. <i>Molecular and Cellular Endocrinology</i> , 2012, 350, 235-241.	3.2	18
44	Acidic Environment Leads to ROS-Induced MAPK Signaling in Cancer Cells. <i>PLoS ONE</i> , 2011, 6, e22445.	2.5	119
45	Consequences of Epidermal Growth Factor Receptor (ErbB1) Loss for Vascular Smooth Muscle Cells From Mice With Targeted Deletion of ErbB1. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011, 31, 1643-1652.	2.4	36
46	Aldosterone/NaCl-induced renal and cardiac fibrosis is modulated by TGF- β 2 responsiveness of T cells. <i>Hypertension Research</i> , 2011, 34, 623-629.	2.7	28
47	Colocalization of mineralocorticoid and EGF receptor at the plasma membrane. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2010, 1803, 584-590.	4.1	41
48	Mineralocorticoid receptor inhibits CREB signaling by calcineurin activation. <i>FASEB Journal</i> , 2010, 24, 2010-2019.	0.5	28
49	Interaction between mineralocorticoid receptor and cAMP/CREB signaling. <i>Steroids</i> , 2010, 75, 539-543.	1.8	13
50	Actions of aldosterone in the cardiovascular system: the good, the bad, and the ugly?. <i>Pflügers Archiv European Journal of Physiology</i> , 2009, 458, 231-246.	2.8	66
51	Acidosis induces multi-drug resistance in rat prostate cancer cells (AT1) <i>in vitro</i> and <i>in vivo</i> by increasing the activity of the p-glycoprotein <i>in vivo</i> via activation of p38. <i>International Journal of Cancer</i> , 2008, 123, 2532-2542.	5.1	95
52	EF Domains Are Sufficient for Nongenomic Mineralocorticoid Receptor Actions. <i>Journal of Biological Chemistry</i> , 2008, 283, 7109-7116.	3.4	39
53	Aldosterone-induced EGFR expression: interaction between the human mineralocorticoid receptor and the human EGFR promoter. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2007, 292, E1790-E1800.	3.5	74
54	Ca ²⁺ but not H ₂ O ₂ modulates GRE-element activation by the human mineralocorticoid receptor in HEK cells. <i>Molecular and Cellular Endocrinology</i> , 2007, 264, 35-43.	3.2	23

#	ARTICLE	IF	CITATIONS
55	Non-classical actions of the mineralocorticoid receptor: Misuse of EGF receptors?. <i>Molecular and Cellular Endocrinology</i> , 2007, 277, 6-12.	3.2	36
56	Long-term effects of ochratoxin A on fibrosis and cell death in human proximal tubule or fibroblast cells in primary culture. <i>Toxicology</i> , 2007, 232, 57-67.	4.2	37
57	Altered collagen homeostasis in human aortic smooth muscle cells (HAoSMCs) induced by aldosterone. <i>Pflugers Archiv European Journal of Physiology</i> , 2007, 454, 403-413.	2.8	27
58	Role of the tumor microenvironment in the activity and expression of the p-glycoprotein in human colon carcinoma cells. <i>Oncology Reports</i> , 2007, 17, 239-44.	2.6	43
59	Impact of Extracellular Acidity on the Activity of P-glycoprotein and the Cytotoxicity of Chemotherapeutic Drugs. <i>Neoplasia</i> , 2006, 8, 143-152.	5.3	126
60	Chloroacetaldehyde- and acrolein-induced death of human proximal tubule cells. <i>Pediatric Nephrology</i> , 2006, 21, 60-67.	1.7	41
61	Prostaglandin E2 Inhibits Its Own Renal Transport by Downregulation of Organic Anion Transporters rOAT1 and rOAT3. <i>Journal of the American Society of Nephrology: JASN</i> , 2006, 17, 46-53.	6.1	46
62	Ochratoxin A at nanomolar concentrations: A signal modulator in renal cells. <i>Molecular Nutrition and Food Research</i> , 2005, 49, 118-130.	3.3	86
63	Human Mineralocorticoid Receptor Expression Renders Cells Responsive for Nongenotropic Aldosterone Actions. <i>Molecular Endocrinology</i> , 2005, 19, 1697-1710.	3.7	153
64	RENAL TUBULE ALBUMIN TRANSPORT. <i>Annual Review of Physiology</i> , 2005, 67, 573-594.	13.1	225
65	The Nephrotoxin Ochratoxin A Induces Key Parameters of Chronic Interstitial Nephropathy in Renal Proximal Tubular Cells. <i>Cellular Physiology and Biochemistry</i> , 2005, 15, 125-134.	1.6	49
66	Evidence for epidermal growth factor receptor as negative-feedback control in aldosterone-induced Na ⁺ reabsorption. <i>American Journal of Physiology - Renal Physiology</i> , 2004, 286, F1226-F1231.	2.7	52
67	Mechanism of cell death of rat cardiac fibroblasts induced by serum depletion. <i>Molecular and Cellular Biochemistry</i> , 2003, 251, 119-126.	3.1	13
68	Protein uptake disturbs collagen homeostasis in proximal tubule-derived cells. <i>Kidney International</i> , 2003, 63, S103-S109.	5.2	54
69	Aldosterone Stimulates Epidermal Growth Factor Receptor Expression. <i>Journal of Biological Chemistry</i> , 2003, 278, 43060-43066.	3.4	95
70	Transforming growth factor-beta1 reduces megalin- and cubilin-mediated endocytosis of albumin in proximal-tubule-derived opossum kidney cells. <i>Journal of Physiology</i> , 2003, 552, 471-481.	2.9	84
71	Human Epidermal Growth Factor Receptor-1 Expression Renders Chinese Hamster Ovary Cells Sensitive to Alternative Aldosterone Signaling. <i>Journal of Biological Chemistry</i> , 2002, 277, 45892-45897.	3.4	78
72	NHE3 serves as a molecular tool for cAMP-mediated regulation of receptor-mediated endocytosis. <i>American Journal of Physiology - Renal Physiology</i> , 2002, 283, F549-F558.	2.7	30

#	ARTICLE	IF	CITATIONS
73	Aldosterone interaction with epidermal growth factor receptor signaling in MDCK cells. American Journal of Physiology - Renal Physiology, 2002, 282, F669-F679.	2.7	65
74	Rapid activation of Na ⁺ /H ⁺ -exchange in MDCK cells by aldosterone involves MAP-kinases ERK 1/2. Pflugers Archiv European Journal of Physiology, 2001, 441, 781-786.	2.8	89
75	Inhibition of initial transport rate of basolateral organic anion carrier in renal PT by BK and phenylephrine. American Journal of Physiology - Renal Physiology, 1999, 277, F251-F256.	2.7	21
76	Inhibition of Na ⁺ -H ⁺ -exchange impairs receptor-mediated albumin endocytosis in renal proximal tubule-derived epithelial cells from opossum. Journal of Physiology, 1999, 520, 709-721.	2.9	93
77	Non-genomic action of the mineralocorticoid aldosterone on cytosolic sodium in cultured kidney cells. Journal of Physiology, 1998, 511, 255-263.	2.9	49
78	The mineralocorticoid aldosterone activates a proton conductance in cultured kidney cells. American Journal of Physiology - Cell Physiology, 1997, 273, C1673-C1678.	4.6	59
79	Ochratoxin A disturbs pH homeostasis in the kidney: increases in pH and HCO ₃ ⁻ in the tubules and vasa recta. Pflugers Archiv European Journal of Physiology, 1997, 434, 392-397.	2.8	15
80	RAPID ALDOSTERONE-INDUCED CELL VOLUME INCREASE OF ENDOTHELIAL CELLS MEASURED BY THE ATOMIC FORCE MICROSCOPE. Cell Biology International, 1997, 21, 759-768.	3.0	74
81	Characterization of two MDCK-cell subtypes as a model system to study principal cell and intercalated cell properties. Pflugers Archiv European Journal of Physiology, 1994, 428, 157-162.	2.8	167
82	Ochratoxin A impairs ?postproximal? nephron function in vivo and blocks plasma membrane anion conductance in Madin-Darby canine kidney cells in vitro. Pflugers Archiv European Journal of Physiology, 1993, 425, 401-408.	2.8	32
83	Basolateral uptake and tubular metabolism of L-citrulline in the isolated-perfused non-filtering kidney of the African clawed toad (Xenopus laevis). Pflugers Archiv European Journal of Physiology, 1991, 419, 492-498.	2.8	8
84	On leaking into the lumen, amino acids cross the tubule cells. Secretion of l-citrulline in the isolated-perfused non-filtering kidney of the African clawed toad (Xenopus laevis). Pflugers Archiv European Journal of Physiology, 1991, 419, 499-503.	2.8	9