

Luigi Varesio

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/315357/publications.pdf>

Version: 2024-02-01

201
papers

8,664
citations

43973

48
h-index

56606

83
g-index

205
all docs

205
docs citations

205
times ranked

9952
citing authors

#	ARTICLE	IF	CITATIONS
1	The SRCIN1/p140Cap adaptor protein negatively regulates the aggressiveness of neuroblastoma. <i>Cell Death and Differentiation</i> , 2020, 27, 790-807.	5.0	25
2	Transcriptome analysis defines myocardium gene signatures in children with ToF and ASD and reveals disease-specific molecular reprogramming in response to surgery with cardiopulmonary bypass. <i>Journal of Translational Medicine</i> , 2020, 18, 21.	1.8	11
3	Hypoxia Predicts Poor Prognosis in Neuroblastoma Patients and Associates with Biological Mechanisms Involved in Telomerase Activation and Tumor Microenvironment Reprogramming. <i>Cancers</i> , 2020, 12, 2343.	1.7	36
4	Exosomal microRNAs from Longitudinal Liquid Biopsies for the Prediction of Response to Induction Chemotherapy in High-Risk Neuroblastoma Patients: A Proof of Concept SIOPEN Study. <i>Cancers</i> , 2019, 11, 1476.	1.7	43
5	A Proteomic Analysis of GSD-1a in Mouse Livers: Evidence for Metabolic Reprogramming, Inflammation, and Macrophage Polarization. <i>Journal of Proteome Research</i> , 2019, 18, 2965-2978.	1.8	8
6	Characterization of high- and low-risk hepatocellular adenomas by magnetic resonance in an animal model of glycogen storage disease type 1A. <i>DMM Disease Models and Mechanisms</i> , 2019, 12, .	1.2	4
7	PIPE-T: a new Galaxy tool for the analysis of RT-qPCR expression data. <i>Scientific Reports</i> , 2019, 9, 17550.	1.6	12
8	Genomic Amplifications and Distal 6q Loss: Novel Markers for Poor Survival in High-risk Neuroblastoma Patients. <i>Journal of the National Cancer Institute</i> , 2018, 110, 1084-1093.	3.0	73
9	Hypoxia Modifies the Transcriptome of Human NK Cells, Modulates Their Immunoregulatory Profile, and Influences NK Cell Subset Migration. <i>Frontiers in Immunology</i> , 2018, 9, 2358.	2.2	104
10	Heterogeneous MYCN amplification in neuroblastoma: a SIOP Europe Neuroblastoma Study. <i>British Journal of Cancer</i> , 2018, 118, 1502-1512.	2.9	28
11	<i>CHL1</i> gene acts as a tumor suppressor in human neuroblastoma. <i>Oncotarget</i> , 2018, 9, 25903-25921.	0.8	24
12	Favorable prognostic role of tropomodulins in neuroblastoma. <i>Oncotarget</i> , 2018, 9, 27092-27103.	0.8	7
13	Mesenchymal Stem Cell-Derived Extracellular Vesicles as Mediators of Anti-Inflammatory Effects: Endorsement of Macrophage Polarization. <i>Stem Cells Translational Medicine</i> , 2017, 6, 1018-1028.	1.6	399
14	First Characterization of Human Amniotic Fluid Stem Cell Extracellular Vesicles as a Powerful Paracrine Tool Endowed with Regenerative Potential. <i>Stem Cells Translational Medicine</i> , 2017, 6, 1340-1355.	1.6	104
15	Regulation of Human Macrophage M1-M2 Polarization Balance by Hypoxia and the Triggering Receptor Expressed on Myeloid Cells-1. <i>Frontiers in Immunology</i> , 2017, 8, 1097.	2.2	208
16	Immunohistochemical analysis of PDK1, PHD3 and HIF-1 α expression defines the hypoxic status of neuroblastoma tumors. <i>PLoS ONE</i> , 2017, 12, e0187206.	1.1	10
17	Artificial neural network classifier predicts neuroblastoma patients' outcome. <i>BMC Bioinformatics</i> , 2016, 17, 347.	1.2	32
18	Regulation of Langerhans cell functions in a hypoxic environment. <i>Journal of Molecular Medicine</i> , 2016, 94, 943-955.	1.7	10

#	ARTICLE	IF	CITATIONS
19	Analysis of the Expression and Single-Nucleotide Variant Frequencies of the Butyrophilin-like 2 Gene in Patients With Uveal Melanoma. <i>JAMA Ophthalmology</i> , 2016, 134, 1125.	1.4	7
20	The human amniotic fluid stem cell secretome effectively counteracts doxorubicin-induced cardiotoxicity. <i>Scientific Reports</i> , 2016, 6, 29994.	1.6	52
21	Dbl oncogene expression in MCF-10 A epithelial cells disrupts mammary acinar architecture, induces EMT and angiogenic factor secretion. <i>Cell Cycle</i> , 2015, 14, 1426-1437.	1.3	2
22	The P2X7 receptor is a key modulator of the PI3K/GSK3 β /VEGF signaling network: evidence in experimental neuroblastoma. <i>Oncogene</i> , 2015, 34, 5240-5251.	2.6	149
23	Deregulation of focal adhesion pathway mediated by miR-659-3p is implicated in bone marrow infiltration of stage M neuroblastoma patients. <i>Oncotarget</i> , 2015, 6, 13295-13308.	0.8	13
24	XTENS - A JSON-Based Digital Repository for Biomedical Data Management. <i>Lecture Notes in Computer Science</i> , 2015, , 123-130.	1.0	3
25	Identification of CD300a as a new hypoxia-inducible gene and a regulator of CCL20 and VEGF production by human monocytes and macrophages. <i>Innate Immunity</i> , 2014, 20, 721-734.	1.1	23
26	Development of hepatocellular adenomas and carcinomas in mice with liver-specific G6Pase-1 α deficiency. <i>DMM Disease Models and Mechanisms</i> , 2014, 7, 1083-1091.	1.2	20
27	Spermine metabolism and radiation-derived reactive oxygen species for future therapeutic implications in cancer: an additive or adaptive response. <i>Amino Acids</i> , 2014, 46, 487-498.	1.2	15
28	Use of Attribute Driven Incremental Discretization and Logic Learning Machine to build a prognostic classifier for neuroblastoma patients. <i>BMC Bioinformatics</i> , 2014, 15, S4.	1.2	19
29	A digital repository with an extensible data model for biobanking and genomic analysis management. <i>BMC Genomics</i> , 2014, 15, S3.	1.2	17
30	Identification of a novel mouse Dbl proto-oncogene splice variant: Evidence that SEC14 domain is involved in GEF activity regulation. <i>Gene</i> , 2014, 537, 220-229.	1.0	6
31	Hypoxia and Gene Expression. <i>Cancer Drug Discovery and Development</i> , 2014, , 91-119.	0.2	2
32	Robust Selection of Cancer Survival Signatures from High-Throughput Genomic Data Using Two-Fold Subsampling. <i>PLoS ONE</i> , 2014, 9, e108818.	1.1	6
33	Hypoxia downregulates the expression of activating receptors involved in <sc>NK</sc>-cell-mediated target cell killing without affecting <sc>ADCC</sc>. <i>European Journal of Immunology</i> , 2013, 43, 2756-2764.	1.6	210
34	Chronic hypoxia reprograms human immature dendritic cells by inducing a proinflammatory phenotype and <sc>TREM</sc>-1 expression. <i>European Journal of Immunology</i> , 2013, 43, 949-966.	1.6	49
35	Logic Learning Machine creates explicit and stable rules stratifying neuroblastoma patients. <i>BMC Bioinformatics</i> , 2013, 14, S12.	1.2	20
36	The hypoxic environment reprograms the cytokine/chemokine expression profile of human mature dendritic cells. <i>Immunobiology</i> , 2013, 218, 76-89.	0.8	59

#	ARTICLE	IF	CITATIONS
37	Cytokines induce tight junction disassembly in airway cells via an EGFR-dependent MAPK/ERK1/2-pathway. <i>Laboratory Investigation</i> , 2012, 92, 1140-1148.	1.7	123
38	Dendritic cell reprogramming by the hypoxic environment. <i>Immunobiology</i> , 2012, 217, 1241-1249.	0.8	32
39	Design of a multi-signature ensemble classifier predicting neuroblastoma patients' outcome. <i>BMC Bioinformatics</i> , 2012, 13, S13.	1.2	15
40	The p53 Codon 72 Pro/Pro Genotype Identifies Poor-Prognosis Neuroblastoma Patients: Correlation with Reduced Apoptosis and Enhanced Senescence by the p53-72P Isoform. <i>Neoplasia</i> , 2012, 14, 634-IN21.	2.3	20
41	LIN28B induces neuroblastoma and enhances MYCN levels via let-7 suppression. <i>Nature Genetics</i> , 2012, 44, 1199-1206.	9.4	336
42	Treatment of newborn G6pc mice with bone marrow-derived myelomonocytes induces liver repair. <i>Journal of Hepatology</i> , 2011, 55, 1263-1271.	1.8	8
43	Hypoxia modulates the gene expression profile of immunoregulatory receptors in human mature dendritic cells: identification of TREM-1 as a novel hypoxic marker in vitro and in vivo. <i>Blood</i> , 2011, 117, 2625-2639.	0.6	119
44	High frequency of development of B cell lymphoproliferation and diffuse large B cell lymphoma in Dbl knock-in mice. <i>Journal of Molecular Medicine</i> , 2011, 89, 493-504.	1.7	6
45	Hypoxia: a double-edged sword of immunity. <i>Journal of Molecular Medicine</i> , 2011, 89, 657-665.	1.7	56
46	The Tumor Suppressor Hamartin Enhances Dbl Protein Transforming Activity through Interaction with Ezrin. <i>Journal of Biological Chemistry</i> , 2011, 286, 29973-29983.	1.6	10
47	Identification of Multiple Hypoxia Signatures in Neuroblastoma Cell Lines by l1-l2Regularization and Data Reduction. <i>Journal of Biomedicine and Biotechnology</i> , 2010, 2010, 1-11.	3.0	10
48	A biology-driven approach identifies the hypoxia gene signature as a predictor of the outcome of neuroblastoma patients. <i>Molecular Cancer</i> , 2010, 9, 185.	7.9	85
49	Macrophage-inflammatory protein-3 β /CCL-20 is transcriptionally induced by the iron chelator desferrioxamine in human mononuclear phagocytes through nuclear factor (NF)- κ B. <i>Molecular Immunology</i> , 2010, 47, 685-693.	1.0	16
50	Induction of Epithelial Mesenchymal Transition and Vasculogenesis in the Lenses of Dbl Oncogene Transgenic Mice. <i>PLoS ONE</i> , 2009, 4, e7058.	1.1	3
51	The Hypoxic Synovial Environment Regulates Expression of Vascular Endothelial Growth Factor and Osteopontin in Juvenile Idiopathic Arthritis. <i>Journal of Rheumatology</i> , 2009, 36, 1318-1329.	1.0	31
52	Early response of gene clusters is associated with mouse lung resistance or sensitivity to cigarette smoke. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2009, 296, L418-L429.	1.3	21
53	The l1-l2 regularization framework unmasks the hypoxia signature hidden in the transcriptome of a set of heterogeneous neuroblastoma cell lines. <i>BMC Genomics</i> , 2009, 10, 474.	1.2	27
54	Bronchial Airway Epithelial Cell Damage Following Exposure to Cigarette Smoke Includes Disassembly of Tight Junction Components Mediated by the Extracellular Signal-Regulated Kinase 1/2 Pathway. <i>Chest</i> , 2009, 135, 1502-1512.	0.4	88

#	ARTICLE	IF	CITATIONS
55	Hypoxic synovial environment and expression of macrophage inflammatory protein 3 β /CCL20 in juvenile idiopathic arthritis. <i>Arthritis and Rheumatism</i> , 2008, 58, 1833-1838.	6.7	35
56	Monocytes and dendritic cells in a hypoxic environment: Spotlights on chemotaxis and migration. <i>Immunobiology</i> , 2008, 213, 733-749.	0.8	138
57	Hypoxia transcriptionally induces macrophage-inflammatory protein-3 β /CCL-20 in primary human mononuclear phagocytes through nuclear factor (NF)- κ B. <i>Journal of Leukocyte Biology</i> , 2008, 83, 648-662.	1.5	46
58	Human dendritic cells differentiated in hypoxia down-modulate antigen uptake and change their chemokine expression profile. <i>Journal of Leukocyte Biology</i> , 2008, 84, 1472-1482.	1.5	88
59	Synergistic induction of HIF-1 α transcriptional activity by hypoxia and lipopolysaccharide in macrophages. <i>Cell Cycle</i> , 2008, 7, 232-241.	1.3	58
60	Transcriptome of Hypoxic Immature Dendritic Cells: Modulation of Chemokine/Receptor Expression. <i>Molecular Cancer Research</i> , 2008, 6, 175-185.	1.5	94
61	Topotecan inhibits vascular endothelial growth factor production and angiogenic activity induced by hypoxia in human neuroblastoma by targeting hypoxia-inducible factor-1 α and -2 α . <i>Molecular Cancer Therapeutics</i> , 2008, 7, 1974-1984.	1.9	73
62	Hypoxia inhibits Moloney murine leukemia virus expression in activated macrophages. <i>Journal of Leukocyte Biology</i> , 2007, 81, 528-538.	1.5	10
63	G α 13 Regulation of Proto-Dbl Signaling. <i>Cell Cycle</i> , 2007, 6, 2058-2070.	1.3	13
64	Induction of Macrophage Glutamine: Fructose-6-Phosphate Amidotransferase Expression by Hypoxia and by Picolinic Acid. <i>International Journal of Immunopathology and Pharmacology</i> , 2007, 20, 47-58.	1.0	33
65	Tryptophan metabolism and non-hypoxic induction of hypoxia-inducible factor (HIF). <i>International Congress Series</i> , 2007, 1304, 241-249.	0.2	1
66	Normalization of low-density microarray using external spike-in controls: analysis of macrophage cell lines expression profile. <i>BMC Genomics</i> , 2007, 8, 17.	1.2	9
67	Growth Arrest-Inducing Genes Are Activated in Dbl-Transformed Mouse Fibroblasts. <i>Gene Expression</i> , 2006, 13, 155-165.	0.5	1
68	Inhibition of PI3K induces Rac Activation and Membrane Ruffling in Proto-Dbl Expressing Cells. <i>Cell Cycle</i> , 2006, 5, 2657-2665.	1.3	5
69	Hypoxia Modifies the Transcriptome of Primary Human Monocytes: Modulation of Novel Immune-Related Genes and Identification Of CC-Chemokine Ligand 20 as a New Hypoxia-Inducible Gene. <i>Journal of Immunology</i> , 2006, 177, 1941-1955.	0.4	189
70	Newborn liver gene transfer by an HIV-2-based lentiviral vector. <i>Gene Therapy</i> , 2005, 12, 803-814.	2.3	13
71	Constitutively Active Cdc42 Mutant Confers Growth Disadvantage in Cell Transformation. <i>Cell Cycle</i> , 2005, 4, 1675-1682.	1.3	24
72	Double Mechanism for Apical Tryptophan Depletion in Polarized Human Bronchial Epithelium. <i>Journal of Immunology</i> , 2004, 173, 542-549.	0.4	20

#	ARTICLE	IF	CITATIONS
73	Induction of Apoptosis by Flavopiridol in Human Neuroblastoma Cells Is Enhanced under Hypoxia and Associated With N-myc Proto-oncogene Down-Regulation. <i>Clinical Cancer Research</i> , 2004, 10, 8704-8719.	3.2	17
74	Hypoxia Selectively Inhibits Monocyte Chemoattractant Protein-1 Production by Macrophages. <i>Journal of Immunology</i> , 2004, 172, 1681-1690.	0.4	84
75	Picolinic acid- or desferrioxamine-inducible autocrine activation of macrophages engineered to produce IFN γ : an approach for gene therapy. <i>Gene Therapy</i> , 2004, 11, 560-568.	2.3	8
76	Hypoxia inhibits the expression of the CCR5 chemokine receptor in macrophages. <i>Cellular Immunology</i> , 2004, 228, 1-7.	1.4	57
77	Antifungal activity of macrophages engineered to produce IFN γ : inducibility by picolinic acid. <i>Medical Microbiology and Immunology</i> , 2003, 192, 71-78.	2.6	12
78	The signature motif in human glucose-6-phosphate transporter is essential for microsomal transport of glucose-6-phosphate. <i>Human Genetics</i> , 2003, 112, 430-433.	1.8	4
79	Macrophage Activating Properties of The Tryptophan Catabolite Picolinic Acid. <i>Advances in Experimental Medicine and Biology</i> , 2003, 527, 55-65.	0.8	33
80	Antagonistic effect of picolinic acid and interferon- γ on macrophage inflammatory protein-1 α / β production. <i>Cellular Immunology</i> , 2002, 220, 70-80.	1.4	14
81	Flavopiridol inhibits vascular endothelial growth factor production induced by hypoxia or picolinic acid in human neuroblastoma. <i>International Journal of Cancer</i> , 2002, 99, 658-664.	2.3	45
82	Regulation of taurine transport in murine macrophages. <i>Amino Acids</i> , 2001, 21, 151-160.	1.2	10
83	New high-performance liquid chromatographic method for the detection of picolinic acid in biological fluids. <i>Biomedical Applications</i> , 2001, 751, 61-68.	1.7	49
84	Generation of high-titer retroviral vector-producing macrophages as vehicles for in vivo gene transfer. <i>Gene Therapy</i> , 2001, 8, 431-441.	2.3	19
85	Engineering of Macrophages to Produce IFN- γ in Response to Hypoxia. <i>Journal of Immunology</i> , 2001, 166, 5374-5380.	0.4	49
86	The Tryptophan Catabolite Picolinic Acid Selectively Induces the Chemokines Macrophage Inflammatory Protein-1 α and -1 β in Macrophages. <i>Journal of Immunology</i> , 2000, 164, 3283-3291.	0.4	108
87	Divergent effects of dithiocarbamates on AP-1-containing and AP-1-less NFAT sites. <i>European Journal of Immunology</i> , 1999, 29, 1194-1201.	1.6	20
88	Flavopiridol, a protein kinase inhibitor, down-regulates hypoxic induction of vascular endothelial growth factor expression in human monocytes. <i>Cancer Research</i> , 1999, 59, 5433-7.	0.4	102
89	An electrogenic amino acid transporter in the apical membrane of cultured human bronchial epithelial cells. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 1998, 275, L917-L923.	1.3	31
90	Functional Requirement of the Hypoxia-responsive Element in the Activation of the Inducible Nitric Oxide Synthase Promoter by the Iron Chelator Desferrioxamine. <i>Journal of Biological Chemistry</i> , 1997, 272, 12236-12243.	1.6	186

#	ARTICLE	IF	CITATIONS
91	The Csk-like proteins Lsk, Hyl, and Matk represent the same Csk homologous kinase (Chk) and are regulated by stem cell factor in the megakaryoblastic cell line MO7e. <i>Growth Factors</i> , 1997, 14, 103-115.	0.5	19
92	Activation of Human Immunodeficiency Virus Long Terminal Repeat by Arachidonic Acid. <i>Free Radical Biology and Medicine</i> , 1997, 22, 195-199.	1.3	5
93	Functional role for the myeloid differentiation antigen CD14 in the activation of human monocytes by IL-2. <i>Journal of Immunology</i> , 1997, 159, 2922-31.	0.4	21
94	Immunobiology of Picolinic Acid. <i>Advances in Experimental Medicine and Biology</i> , 1996, 398, 135-141.	0.8	20
95	Nuclear Factor κ B Is Activated by Arachidonic Acid but Not by Eicosapentaenoic Acid. <i>Biochemical and Biophysical Research Communications</i> , 1996, 229, 643-647.	1.0	173
96	Regulation of inducible nitric oxide synthase expression in IFN-gamma-treated murine macrophages cultured under hypoxic conditions. <i>Journal of Immunology</i> , 1996, 157, 2638-44.	0.4	67
97	Interleukin-2 and human monocyte activation. <i>Journal of Leukocyte Biology</i> , 1995, 57, 13-19.	1.5	76
98	Leukemia inhibitory factor induces interleukin-8 and monocyte chemotactic and activating factor in human monocytes: differential regulation by interferon-gamma. <i>Blood</i> , 1995, 86, 1961-1967.	0.6	32
99	Regulation of JAK3 expression in human monocytes: phosphorylation in response to interleukins 2, 4, and 7.. <i>Journal of Experimental Medicine</i> , 1995, 181, 1425-1431.	4.2	118
100	A hypoxia-responsive element mediates a novel pathway of activation of the inducible nitric oxide synthase promoter.. <i>Journal of Experimental Medicine</i> , 1995, 182, 1683-1693.	4.2	595
101	IL-4 inhibits IL-2-induced tumoricidal activity and secretory functions of human monocytes. Modulation of IL-2 binding and IL-2 receptor beta gamma chain expression. <i>Journal of Immunology</i> , 1995, 155, 1411-9.	0.4	11
102	Interferon-gamma upregulates interleukin-8 gene expression in human monocytic cells by a posttranscriptional mechanism. <i>Blood</i> , 1994, 83, 537-542.	0.6	51
103	Interleukin-4 inhibits indoleamine 2,3-dioxygenase expression in human monocytes. <i>Blood</i> , 1994, 83, 1408-1411.	0.6	143
104	Regulation by interleukin-2 (IL-2) and interferon gamma of IL-2 receptor gamma chain gene expression in human monocytes. <i>Blood</i> , 1994, 83, 2995-3002.	0.6	55
105	IL-4 and IL-13 induce Lsk, a Csk-like tyrosine kinase, in human monocytes.. <i>Journal of Experimental Medicine</i> , 1994, 180, 2383-2388.	4.2	30
106	LPS-inducible nuclear factor in human monocytes that binds the negative regulatory element of the HIV LTR. <i>Journal of Leukocyte Biology</i> , 1994, 56, 21-26.	1.5	6
107	Regulation of nitric-oxide synthase mRNA expression by interferon-gamma and picolinic acid.. <i>Journal of Biological Chemistry</i> , 1994, 269, 8128-8133.	1.6	105
108	Interleukin-4 inhibits indoleamine 2,3-dioxygenase expression in human monocytes. <i>Blood</i> , 1994, 83, 1408-1411.	0.6	5

#	ARTICLE	IF	CITATIONS
109	Interferon-gamma upregulates interleukin-8 gene expression in human monocytic cells by a posttranscriptional mechanism. <i>Blood</i> , 1994, 83, 537-542.	0.6	5
110	Prostaglandins inhibit lipoprotein lipase gene expression in macrophages. <i>Immunology</i> , 1994, 81, 605-10.	2.0	11
111	Regulation of nitric-oxide synthase mRNA expression by interferon-gamma and picolinic acid. <i>Journal of Biological Chemistry</i> , 1994, 269, 8128-33.	1.6	85
112	Interleukin-4 inhibits indoleamine 2,3-dioxygenase expression in human monocytes. <i>Blood</i> , 1994, 83, 1408-11.	0.6	43
113	The gamma subunit of the interleukin-2 receptor is expressed in human monocytes and modulated by interleukin-2, interferon gamma, and transforming growth factor beta 1. <i>Blood</i> , 1994, 83, 3462-7.	0.6	6
114	Pleiotropic Effects of Transforming Growth Factor- β on Cells of the Immune System. <i>Annals of the New York Academy of Sciences</i> , 1993, 685, 488-500.	1.8	79
115	IL-2 up-regulates but IFN-gamma suppresses IL-8 expression in human monocytes. <i>Journal of Immunology</i> , 1993, 151, 2725-32.	0.4	60
116	Selective transformation of host lymphocytes in vivo by retrovirus-producing macrophages. <i>Journal of Immunology</i> , 1993, 150, 278-89.	0.4	2
117	Picolinic acid, a catabolite of L-tryptophan, is a costimulus for the induction of reactive nitrogen intermediate production in murine macrophages. <i>Journal of Immunology</i> , 1993, 150, 4031-40.	0.4	43
118	Inhibition of proliferation of retrovirus-immortalized macrophages by LPS and IFN- γ : Possible autocrine down-regulation of cell growth by induction of IL1 and TNF. <i>Biotherapy (Dordrecht, Netherlands)</i> , 1992, 4, 267-276.	0.7	4
119	Ribosomal RNA Metabolism in Macrophages. <i>Current Topics in Microbiology and Immunology</i> , 1992, 181, 209-237.	0.7	4
120	Regulation of IL-2 receptor subunit genes in human monocytes. Differential effects of IL-2 and IFN-gamma. <i>Journal of Immunology</i> , 1992, 149, 2961-8.	0.4	21
121	Tumor necrosis factor-alpha-dependent production of reactive nitrogen intermediates mediates IFN-gamma plus IL-2-induced murine macrophage tumoricidal activity. <i>Journal of Immunology</i> , 1992, 149, 3290-6.	0.4	95
122	IL-2 induces IL-6 production in human monocytes. <i>Journal of Immunology</i> , 1992, 148, 795-800.	0.4	37
123	Expression of protein kinase C-alpha (PKC- α) and MYCN mRNAs in human neuroblastoma cells and modulation during morphological differentiation induced by retinoic acid. <i>FEBS Letters</i> , 1991, 280, 221-224.	1.3	29
124	c-fos mRNA expression in macrophages is downregulated by interferon-gamma at the posttranscriptional level. <i>Molecular and Cellular Biology</i> , 1991, 11, 2718-2722.	1.1	32
125	Tumoricidal alveolar macrophage and tumor infiltrating macrophage cell lines. <i>International Journal of Cancer</i> , 1991, 49, 296-302.	2.3	33
126	c-fos mRNA expression in macrophages is downregulated by interferon-gamma at the posttranscriptional level. <i>Molecular and Cellular Biology</i> , 1991, 11, 2718-2722.	1.1	20

#	ARTICLE	IF	CITATIONS
127	IL-4 inhibits the costimulatory activity of IL-2 or picolinic acid but not of lipopolysaccharide on IFN-gamma-treated macrophages. <i>Journal of Immunology</i> , 1991, 147, 3809-14.	0.4	16
128	Expression of human immunodeficiency virus long terminal repeat in the human promonocyte cell line U937: Effect of endotoxin and cytokines. <i>Cellular Immunology</i> , 1990, 129, 513-518.	1.4	12
129	Expression and role of p75 interleukin 2 receptor on human monocytes.. <i>Journal of Experimental Medicine</i> , 1990, 171, 1821-1826.	4.2	104
130	Macrophage-colony-stimulating factor (CSF-1) induces proliferation, chemotaxis, and reversible monocytic differentiation in myeloid progenitor cells transfected with the human c-fms/CSF-1 receptor cDNA.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1990, 87, 5613-5617.	3.3	103
131	Immortalization of macrophages from mouse bone marrow and fetal liver. <i>Experimental Cell Research</i> , 1990, 188, 192-198.	1.2	18
132	The specific inhibitor of protein kinase C, 1-(5-isoquinolinylsulfonyl)-2-methylpiperazine (H7), induces morphological change and cell differentiation of human neural crest-derived cell lineages. <i>FEBS Letters</i> , 1990, 269, 4-6.	1.3	17
133	Augmentation of GG2EE macrophage cell line-mediated anti-Candida activity by gamma interferon, tumor necrosis factor, and interleukin-1. <i>Infection and Immunity</i> , 1990, 58, 1073-1077.	1.0	62
134	Picolinic acid, a catabolite of tryptophan, as the second signal in the activation of IFN-gamma-primed macrophages. <i>Journal of Immunology</i> , 1990, 145, 4265-71.	0.4	47
135	Characterization of IL-2 receptor expression and function on murine macrophages. <i>Journal of Immunology</i> , 1990, 145, 1719-26.	0.4	43
136	Lipopolysaccharide, but not IFN-gamma, down-regulates c-fms mRNA proto-oncogene expression in murine macrophages. <i>Journal of Immunology</i> , 1990, 144, 3574-80.	0.4	22
137	IL-2 enhances c-fms expression in human monocytes. <i>Journal of Immunology</i> , 1990, 145, 1137-43.	0.4	18
138	Morphological change and cellular differentiation induced by cisplatin in human neuroblastoma cell lines. <i>Cancer Chemotherapy and Pharmacology</i> , 1989, 25, 114-116.	1.1	16
139	Heterogeneity of Hematopoietic Cells Immortalized by v-myc/v-raf Recombinant Retrovirus Infection of Bone Marrow or Fetal Liver. <i>Journal of the National Cancer Institute</i> , 1989, 81, 1492-1496.	3.0	120
140	Generation of macrophage cell line from fresh bone marrow cells with a myc/raf recombinant retrovirus. <i>Cancer Biochemistry Biophysics</i> , 1989, 10, 303-17.	0.1	29
141	Cytokine gene expression during the generation of human lymphokine-activated killer cells: early induction of interleukin 1 beta by interleukin 2. <i>Cancer Research</i> , 1989, 49, 940-4.	0.4	43
142	In vitro proliferation of human large granular lymphocytes with v-raf/v-myc recombinant retrovirus. <i>Experientia</i> , 1988, 44, 1013-1015.	1.2	0
143	Tumor formation by a murine macrophage cell line immortalized in vitro by v-raf and v-myc oncogenes. <i>Cancer Immunology, Immunotherapy</i> , 1988, 27, 109-13.	2.0	7
144	Differential in vitro modulation of suppressor and antitumor functions of mouse macrophages by lymphokines and/or endotoxin. <i>Cellular Immunology</i> , 1988, 114, 282-292.	1.4	10

#	ARTICLE	IF	CITATIONS
145	Harvey-ras, but Not Kirsten or N-ras, Inhibits the Induction of C-fos Expression. Annals of the New York Academy of Sciences, 1988, 551, 361-362.	1.8	0
146	Protein kinase C inhibitors block the activation of macrophages by IFN-beta but not by IFN-gamma. Journal of Immunology, 1988, 140, 1259-63.	0.4	29
147	Inhibition of retroviral mRNA expression in the murine macrophage cell line GG2EE by biologic response modifiers. Journal of Immunology, 1988, 141, 2153-7.	0.4	16
148	Characterization of a murine monoclonal antibody that detects a C-terminal fragment of the raf oncogene product. Journal of Immunology, 1988, 140, 3528-33.	0.4	1
149	Augmentation of c-fos mRNA expression by activators of protein kinase C in fresh, terminally differentiated resting macrophages.. Molecular and Cellular Biology, 1987, 7, 595-599.	1.1	47
150	Activation of double-stranded RNA dependent protein kinase by ribosomal RNA precursors. Cytotechnology, 1987, 1, 57-60.	0.7	0
151	Generation of a murine monoclonal antibody that detects the fos oncogene product. Analytical Biochemistry, 1987, 161, 109-116.	1.1	18
152	A murine macrophage cell line, immortalized by v-raf and v-myc oncogenes, exhibits normal macrophage functions. European Journal of Immunology, 1987, 17, 1491-1498.	1.6	81
153	Regulation of bone marrow cell survival in short-term cultures: A new macrophage function. Cellular Immunology, 1987, 104, 334-342.	1.4	5
154	Augmentation of c-fos mRNA Expression by Activators of Protein Kinase C in Fresh, Terminally Differentiated Resting Macrophages. Molecular and Cellular Biology, 1987, 7, 595-599.	1.1	16
155	Interferon-alpha, -beta, and -gamma augment the levels of rRNA precursors in peritoneal macrophages but not in macrophage cell lines and fibroblasts. Journal of Immunology, 1987, 139, 805-12.	0.4	17
156	Selective inhibition of 28S ribosomal RNA in macrophages activated by interferon-gamma or -beta. Journal of Immunology, 1987, 138, 2332-7.	0.4	9
157	Antiproliferative activity of picolinic acid due to macrophage activation. Drugs Under Experimental and Clinical Research, 1987, 13, 607-14.	0.3	9
158	Erythroid differentiation and modulation of c-myc expression induced by antineoplastic drugs in the human leukemic cell line K562. Cancer Research, 1987, 47, 4544-7.	0.4	31
159	Molecular bases for macrophage activation. Annales De L'Institut Pasteur Immunologie, 1986, 137, 235-240.	0.9	6
160	Comparison of Five Short-Term Assays That Measure Nonspecific Cytotoxicity Mediated to Tumor Cells by Activated Macrophages. Journal of Leukocyte Biology, 1986, 40, 801-813.	1.5	19
161	Posttranscriptional control of human gamma interferon gene expression in transfected mouse fibroblasts.. Molecular and Cellular Biology, 1986, 6, 2253-2256.	1.1	29
162	Selective augmentation by recombinant interferon-gamma of the intracellular content of S-adenosylmethionine in murine macrophages. Journal of Immunology, 1986, 136, 2596-604.	0.4	5

#	ARTICLE	IF	CITATIONS
163	The Strain of Mouse and Assay Conditions Influence Whether M ϕ Primes or Activates Macrophages for Tumor Cell Killing. <i>Journal of Leukocyte Biology</i> , 1985, 37, 475-479.	1.5	24
164	Selective immortalization of murine macrophages from fresh bone marrow by a raf/myc recombinant murine retrovirus. <i>Nature</i> , 1985, 318, 667-670.	13.7	237
165	Imbalanced accumulation of ribosomal RNA in macrophages activated in vivo or in vitro to a cytolytic stage. <i>Journal of Immunology</i> , 1985, 134, 1262-7.	0.4	19
166	In Vivo Activation of Macrophages but not Natural Killer Cells by Picolinic Acid (Pla). <i>Immunopharmacology and Immunotoxicology</i> , 1984, 6, 291-304.	0.8	22
167	[30] Depletion of macrophages from heterogeneous cell populations by the use of carbonyl iron. <i>Methods in Enzymology</i> , 1984, 108, 307-313.	0.4	10
168	Lymphokines inhibit macrophage RNA synthesis. <i>Cellular Immunology</i> , 1984, 84, 51-64.	1.4	7
169	Role of protein synthesis in the activation of cytotoxic mouse macrophages by lymphokines. <i>Cellular Immunology</i> , 1984, 85, 15-24.	1.4	12
170	Down regulation of RNA labeling as a selective marker for cytotoxic but not suppressor macrophages. <i>Journal of Immunology</i> , 1984, 132, 2683-5.	0.4	11
171	Potent activation of mouse macrophages by recombinant interferon-gamma. <i>Cancer Research</i> , 1984, 44, 4465-9.	0.4	73
172	Requirement for protein synthesis for induction of macrophage tumoricidal activity by IFN-alpha and IFN-beta but not by IFN-gamma. <i>Journal of Immunology</i> , 1984, 132, 3226-8.	0.4	18
173	RNA synthesis in activated macrophages I. Poly(I) \hat{A} poly(C)-induced triggering of cytolytic activity is associated with decrease in RNA synthesis. <i>European Journal of Immunology</i> , 1983, 13, 959-964.	1.6	8
174	Selective inhibition by monosaccharides of tumor cell cytotoxicity mediated by mouse macrophages, macrophage-like cell lines, and natural killer cells. <i>International Journal of Cancer</i> , 1983, 31, 373-379.	2.3	33
175	Suppressor Cells and Cancer: Inhibition of Immune Functions by Macrophages. , 1983, , 217-252.		10
176	Interferon Activates Macrophages to Produce Plasminogen Activator. <i>Journal of Interferon Research</i> , 1982, 2, 377-386.	1.2	27
177	Interferon-independent, lectin-induced augmentation of murine natural killer cell activity. <i>International Journal of Cancer</i> , 1982, 29, 299-307.	2.3	15
178	Suppressor macrophages in tumor-bearing mice. Inconsistency between in vivo and in vitro findings?. <i>International Journal of Cancer</i> , 1982, 29, 695-698.	2.3	10
179	Activation of Tumoricidal and/or Suppressor Macrophages: Different Stimulatory Signals Trigger Either Function both in Vivo and In Vitro. <i>Advances in Experimental Medicine and Biology</i> , 1982, 155, 487-492.	0.8	3
180	SUPPRESSION OF MURINE NATURAL KILLER CELL ACTIVITY BY NORMAL PERITONEAL MACROPHAGES. , 1982, , 535-540.		7

#	ARTICLE	IF	CITATIONS
181	Suppression of lymphokine production: II. Macrophage-dependent inhibition of production of macrophage activating factor. Cellular Immunology, 1981, 63, 279-292.	1.4	15
182	Metabolic requirements for the in vitro augmentation of mouse natural killer activity by interferon. Cellular Immunology, 1981, 58, 49-60.	1.4	29
183	Microsystem to Evaluate the Incorporation of ³ H-Uridine in Macrophage RNA. Immunological Investigations, 1981, 10, 577-589.	0.9	3
184	Systemic and in situ natural killer and suppressor cell activities in mice bearing progressively growing murine sarcoma-virus-induced tumors. International Journal of Cancer, 1981, 27, 243-248.	2.3	44
185	In vitro induction of tumoricidal and suppressor macrophages by lymphokines: possible feedback regulation. Journal of Immunology, 1981, 126, 2123-8.	0.4	17
186	Activation of murine macrophages. I. Different pattern of activation by poly I:C than by lymphokine or LPS. Journal of Immunology, 1981, 127, 58-63.	0.4	36
187	A microsystem to evaluate the synthesis of [³ H]leucine labeled proteins by macrophages. Journal of Immunological Methods, 1980, 33, 231-238.	0.6	3
188	Endotoxin requirement for macrophage activation by lymphokines in a rapid microcytotoxicity assay. Journal of Immunological Methods, 1980, 37, 225-232.	0.6	33
189	A microsystem to evaluate the synthesis of [³ H]leucine labeled proteins by macrophages. Journal of Immunological Methods, 1980, 33, 231-238.	0.6	7
190	Suppression of lymphokine production. Cellular Immunology, 1980, 56, 16-28.	1.4	26
191	The macrophage as the social interconnection within the immune system. Developmental and Comparative Immunology, 1980, 4, 11-19.	1.0	22
192	Macrophages as Regulators of Immune Responses Against Tumors. Advances in Experimental Medicine and Biology, 1980, 121B, 361-379.	0.8	29
193	Immunologic Reactivity of Lymphoid Cells in Tumors. , 1980, 10, 61-78.		15
194	Mechanism of lymphocyte activation. II. Requirements for macromolecular synthesis in the production of lymphokines. Journal of Immunology, 1980, 125, 2810-7.	0.4	28
195	Regulation of lymphocyte activation: macrophage-dependent suppression of T lymphocyte protein synthesis. Journal of Immunology, 1980, 125, 1694-701.	0.4	16
196	Mechanisms of lymphocyte activation: linkage between early protein synthesis and late lymphocyte proliferation. Journal of Immunology, 1980, 124, 2288-94.	0.4	24
197	Suppression of lymphokine production by macrophages infiltrating murine virus-induced tumors. International Journal of Cancer, 1979, 24, 97-102.	2.3	36
198	Enhancement versus tumor resistance induced by different levels of immunodepression in BALB/c mice with protozoan infections. European Journal of Cancer, 1979, 15, 27-33.	1.0	2

#	ARTICLE	IF	CITATIONS
199	Suppression of proliferative response and lymphokine production during the progression of a spontaneous tumor. <i>Cancer Research</i> , 1979, 39, 4983-8.	0.4	30
200	RNA in amplification of the immunological response. <i>Journal of Theoretical Biology</i> , 1975, 51, 383-392.	0.8	1
201	The effect of cytochalasin B, colchicine and vinblastine on the adhesion of <i>Trichomonas vaginalis</i> to glass surfaces. <i>International Journal for Parasitology</i> , 1975, 5, 57-61.	1.3	18