

Soko Setoguchi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3153709/soko-setoguchi-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

109
papers

5,456
citations

39
h-index

72
g-index

121
ext. papers

6,386
ext. citations

5
avg, IF

5.42
L-index

#	Paper	IF	Citations
109	Validity of claims-based algorithms for selected cancers in Japan: Results from the VALIDATE-J study. <i>Pharmacoepidemiology and Drug Safety</i> , 2021 , 30, 1153-1161	2.6	2
108	Risk of clinically relevant hyperglycemia with metoprolol compared to carvedilol in older adults with heart failure and diabetes. <i>Pharmacoepidemiology and Drug Safety</i> , 2021 , 30, 1420-1427	2.6	1
107	Use of Hydroxychloroquine, Remdesivir, and Dexamethasone Among Adults Hospitalized With COVID-19 in the United States : A Retrospective Cohort Study. <i>Annals of Internal Medicine</i> , 2021 , 174, 1395-1403	8	7
106	30-Year Trends in Graft Survival After Heart Transplant: Modeled Analyses of a Transplant Registry. <i>Annals of Thoracic Surgery</i> , 2021 ,	2.7	1
105	Mortality Risk of Antipsychotic Augmentation for Adult Depression. <i>Focus (American Psychiatric Publishing)</i> , 2021 , 19, 86-94	1.1	
104	Application of Healthcare Big Data in CNS Drug Research: The Example of the Neurological and mental health Global Epidemiology Network (NeuroGEN). <i>CNS Drugs</i> , 2020 , 34, 897-913	6.7	5
103	Lifestyle Changes in Relation to Initiation of Antihypertensive and Lipid-Lowering Medication: A Cohort Study. <i>Journal of the American Heart Association</i> , 2020 , 9, e014168	6	11
102	Heatwaves, medications, and heat-related hospitalization in older Medicare beneficiaries with chronic conditions. <i>PLoS ONE</i> , 2020 , 15, e0243665	3.7	5
101	Data linkage in pharmacoepidemiology: A call for rigorous evaluation and reporting. <i>Pharmacoepidemiology and Drug Safety</i> , 2020 , 29, 9-17	2.6	11
100	Dose-Dependent Association of Gabapentinoids with Pulmonary Complications After Total Hip and Knee Arthroplasties. <i>Journal of Bone and Joint Surgery - Series A</i> , 2020 , 102, 221-229	5.6	15
99	Mortality risk of antipsychotic augmentation for adult depression. <i>PLoS ONE</i> , 2020 , 15, e0239206	3.7	7
98	Incidence, prevalence and prescription patterns of antipsychotic medications use in Asia and US: A cross-nation comparison with common data model. <i>Journal of Psychiatric Research</i> , 2020 , 131, 77-84	5.2	5
97	Increased hospitalization rates following heart failure diagnosis in rheumatoid arthritis as compared to the general population. <i>Seminars in Arthritis and Rheumatism</i> , 2020 , 50, 25-29	5.3	1
96	Comparing record linkage software programs and algorithms using real-world data. <i>PLoS ONE</i> , 2019 , 14, e0221459	3.7	9
95	Patient perspectives on the linkage of health data for research: Insights from an online patient community questionnaire. <i>International Journal of Medical Informatics</i> , 2019 , 127, 9-17	5.3	15
94	Heart failure in chronic kidney disease: conclusions from a Kidney Disease: Improving Global Outcomes (KDIGO) Controversies Conference. <i>Kidney International</i> , 2019 , 95, 1304-1317	9.9	96
93	Impacts of the North Atlantic subtropical high on interannual variation of summertime heat stress over the conterminous United States. <i>Climate Dynamics</i> , 2019 , 53, 3345-3359	4.2	3

92	Validation studies of claims data in the Asia-Pacific region: A comprehensive review. <i>Pharmacoepidemiology and Drug Safety</i> , 2019 , 28, 156-170	2.6	16
91	Validation of mother-infant linkage using Medicaid Case ID variable within the Medicaid Analytic eXtract (MAX) database. <i>Pharmacoepidemiology and Drug Safety</i> , 2019 , 28, 1222-1230	2.6	3
90	Comparative Effectiveness Research 2019 , 639-674		
89	Advanced imaging and hospice use in end-of-life cancer care. <i>Supportive Care in Cancer</i> , 2018 , 26, 3619-3625	2.5	3
88	Applying a common data model to Asian databases for multinational pharmacoepidemiologic studies: opportunities and challenges. <i>Clinical Epidemiology</i> , 2018 , 10, 875-885	5.9	19
87	Penetration of new antidiabetic medications in East Asian countries and the United States: A cross-national comparative study. <i>PLoS ONE</i> , 2018 , 13, e0208796	3.7	6
86	Comparative safety of NSAIDs for gastrointestinal events in Asia-Pacific populations: A multi-database, international cohort study. <i>Pharmacoepidemiology and Drug Safety</i> , 2018 , 27, 1223-1230	2.6	6
85	Potential contribution of lifestyle and socioeconomic factors to healthy user bias in antihypertensives and lipid-lowering drugs. <i>Open Heart</i> , 2017 , 4, e000417	3	7
84	Lipid-lowering drugs and risk of new-onset diabetes: a cohort study using Japanese healthcare data linked to clinical data for health screening. <i>BMJ Open</i> , 2017 , 7, e015935	3	14
83	The Systemic Juvenile Idiopathic Arthritis Cohort of the Childhood Arthritis and Rheumatology Research Alliance Registry: 2010-2013. <i>Journal of Rheumatology</i> , 2016 , 43, 1755-62	4.1	30
82	Comparative validity of methods to select appropriate cutoff weight for probabilistic linkage without unique personal identifiers. <i>Pharmacoepidemiology and Drug Safety</i> , 2016 , 25, 444-52	2.6	5
81	Comparative risk of oral ulcerations among antipsychotics users - population-based retrospective cohort study. <i>Pharmacoepidemiology and Drug Safety</i> , 2016 , 25, 123-32	2.6	6
80	Use of the landmark method to address immortal person-time bias in comparative effectiveness research: a simulation study. <i>Statistics in Medicine</i> , 2016 , 35, 4824-4836	2.3	45
79	Comparison of high-dimensional confounder summary scores in comparative studies of newly marketed medications. <i>Journal of Clinical Epidemiology</i> , 2016 , 76, 200-8	5.7	16
78	Comparative Effectiveness of Carotid Artery Stenting Versus Carotid Endarterectomy Among Medicare Beneficiaries. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2016 , 9, 275-85	5.8	17
77	Response to Iraqi and Hughes. <i>Journal of the American Geriatrics Society</i> , 2016 , 64, 242-3	5.6	
76	Surgeon case volume and 30-day mortality after carotid endarterectomy among contemporary medicare beneficiaries: before and after national coverage determination for carotid artery stenting. <i>Stroke</i> , 2015 , 46, 1288-94	6.7	35
75	Outcomes after carotid artery stenting in Medicare beneficiaries, 2005 to 2009. <i>JAMA Neurology</i> , 2015 , 72, 276-86	17.2	51

74	Risk of pneumonia in new users of cholinesterase inhibitors for dementia. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 869-76	5.6	10
73	Comparative adherence to oral hormonal agents in older women with breast cancer. <i>Breast Cancer Research and Treatment</i> , 2015 , 152, 419-27	4.4	8
72	International Multi-database Pharmacoepidemiology: Potentials and Pitfalls. <i>Current Epidemiology Reports</i> , 2015 , 2, 229-238	2.9	7
71	Brief Report: Databases in the Asia-Pacific Region: The Potential for a Distributed Network Approach. <i>Epidemiology</i> , 2015 , 26, 815-20	3.1	41
70	Validity of non-fatal idiopathic serious ventricular arrhythmia in UK-based Clinical Practice Research Datalink. <i>Pharmacoepidemiology and Drug Safety</i> , 2014 , 23, 999-1001	2.6	
69	Antidepressant use in pregnancy and the risk of cardiac defects. <i>New England Journal of Medicine</i> , 2014 , 370, 2397-407	59.2	222
68	Linkage of a de-identified United States rheumatoid arthritis registry with administrative data to facilitate comparative effectiveness research. <i>Arthritis Care and Research</i> , 2014 , 66, 1790-8	4.7	56
67	Validity of claims-based stroke algorithms in contemporary Medicare data: reasons for geographic and racial differences in stroke (REGARDS) study linked with medicare claims. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2014 , 7, 611-9	5.8	93
66	Use of combination antihypertensive therapy initiation in older Americans without prevalent cardiovascular disease. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 1729-35	5.6	2
65	Lifestyle factors as predictors of nonadherence to statin therapy among patients with and without cardiovascular comorbidities. <i>Cmaj</i> , 2014 , 186, E449-56	3.5	25
64	Association between the choice of IV crystalloid and in-hospital mortality among critically ill adults with sepsis*. <i>Critical Care Medicine</i> , 2014 , 42, 1585-91	1.4	272
63	Validity of deterministic record linkage using multiple indirect personal identifiers: linking a large registry to claims data. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2014 , 7, 475-80	5.8	35
62	Methodological considerations in observational comparative effectiveness research for implantable medical devices: an epidemiologic perspective. <i>American Journal of Epidemiology</i> , 2014 , 180, 949-58	3.8	4
61	Predicting nursing home placement among home- and community-based services program participants. <i>American Journal of Managed Care</i> , 2014 , 20, e535-6	2.1	15
60	Algorithms to estimate the beginning of pregnancy in administrative databases. <i>Pharmacoepidemiology and Drug Safety</i> , 2013 , 22, 16-24	2.6	111
59	Impact of baseline heart failure burden on post-implantable cardioverter-defibrillator mortality among medicare beneficiaries. <i>Journal of the American College of Cardiology</i> , 2013 , 61, 2142-50	15.1	17
58	Epidemiologic and statistical methods for comparative effectiveness research. <i>Heart Failure Clinics</i> , 2013 , 9, 29-36	3.3	9
57	Simultaneous vs staged bilateral total knee arthroplasty among Medicare beneficiaries, 2000-2009. <i>Journal of Arthroplasty</i> , 2013 , 28, 87-91	4.4	38

56	Impact of immortal person-time and time scale in comparative effectiveness research for medical devices: a case for implantable cardioverter-defibrillators. <i>Journal of Clinical Epidemiology</i> , 2013 , 66, S138-44	5.7	20
55	The Asian Pharmacoepidemiology Network (AsPEN): promoting multi-national collaboration for pharmacoepidemiologic research in Asia. <i>Pharmacoepidemiology and Drug Safety</i> , 2013 , 22, 700-4	2.6	49
54	Enrollment and events of hospice patients with heart failure vs. cancer. <i>Journal of Pain and Symptom Management</i> , 2013 , 45, 552-60	4.8	33
53	Opioid use for noncancer pain and risk of fracture in adults: a nested case-control study using the general practice research database. <i>American Journal of Epidemiology</i> , 2013 , 178, 559-69	3.8	68
52	Strategies for postmarketing surveillance of drugs and devices in patients with ESRD undergoing dialysis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2013 , 8, 2213-20	6.9	1
51	Who enrolls in the Medicare Part D prescription drug benefit program? Medication use among patients with heart failure. <i>Journal of the American Heart Association</i> , 2013 , 2, e000242	6	7
50	Follow-up of patients with new cardiovascular implantable electronic devices: are experts' recommendations implemented in routine clinical practice?. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2013 , 6, 108-16	6.4	31
49	Using registries to identify adverse events in rheumatic diseases. <i>Pediatrics</i> , 2013 , 132, e1384-94	7.4	21
48	Claims-based definition of death in Japanese claims database: validity and implications. <i>PLoS ONE</i> , 2013 , 8, e66116	3.7	36
47	Harnessing the Medicaid Analytic eXtract (MAX) to Evaluate Medications in Pregnancy: Design Considerations. <i>PLoS ONE</i> , 2013 , 8, e67405	3.7	98
46	Opioids and risk of type 2 diabetes in adults with non-cancer pain. <i>Pain Physician</i> , 2013 , 16, 77-88	1.8	6
45	Use of disease-modifying antirheumatic drugs during pregnancy and risk of preeclampsia. <i>Arthritis Care and Research</i> , 2012 , 64, 1730-8	4.7	15
44	Outcomes associated with warfarin use in older patients with heart failure and atrial fibrillation and a cardiovascular implantable electronic device: findings from the ADHERE registry linked to Medicare claims. <i>Clinical Cardiology</i> , 2012 , 35, 649-57	3.3	11
43	Elevated risk of preeclampsia in pregnant women with depression: depression or antidepressants?. <i>American Journal of Epidemiology</i> , 2012 , 175, 988-97	3.8	71
42	The worst symptom as defined by patients during heart failure hospitalization: implications for response to therapy. <i>Journal of Cardiac Failure</i> , 2012 , 18, 524-33	3.3	30
41	Completion of guideline-recommended initial evaluation of atrial fibrillation. <i>Clinical Cardiology</i> , 2012 , 35, 585-93	3.3	6
40	Comparative cardiovascular safety of dementia medications: a cross-national study. <i>Journal of the American Geriatrics Society</i> , 2012 , 60, 2283-9	5.6	16
39	Applying propensity scores estimated in a full cohort to adjust for confounding in subgroup analyses. <i>Pharmacoepidemiology and Drug Safety</i> , 2012 , 21, 697-709	2.6	53

38	Response to commentary by Marcus and Gibbons. <i>Pharmacoepidemiology and Drug Safety</i> , 2012 , 21, 713-2.6		
37	Implications of M bias in epidemiologic studies: a simulation study. <i>American Journal of Epidemiology</i> , 2012 , 176, 938-48	3.8	54
36	Trends in the incidence of atrial fibrillation in older patients initiating dialysis in the United States. <i>Circulation</i> , 2012 , 126, 2293-301	16.7	74
35	Prevalence of atrial fibrillation and warfarin use in older patients receiving hemodialysis. <i>Journal of Nephrology</i> , 2012 , 25, 341-53	4.8	20
34	Trends in the use and outcomes of implantable cardioverter-defibrillators in patients undergoing dialysis in the United States. <i>American Journal of Kidney Diseases</i> , 2011 , 58, 409-17	7.4	92
33	Validity of claims-based definitions of left ventricular systolic dysfunction in Medicare patients. <i>Pharmacoepidemiology and Drug Safety</i> , 2011 , 20, 700-8	2.6	45
32	Tumour necrosis factor antagonist use and associated risk reduction of cardiovascular events among patients with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 576-82	2.4	250
31	The increasing prevalence of atrial fibrillation among hemodialysis patients. <i>Journal of the American Society of Nephrology: JASN</i> , 2011 , 22, 349-57	12.7	187
30	Effectiveness and safety of warfarin initiation in older hemodialysis patients with incident atrial fibrillation. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011 , 6, 2662-8	6.9	208
29	Propranolol and the risk of hospitalized myopathy: translating chemical genomics findings into population-level hypotheses. <i>American Heart Journal</i> , 2010 , 159, 428-33	4.9	8
28	Hospice, opiates, and acute care service use among the elderly before death from heart failure or cancer. <i>American Heart Journal</i> , 2010 , 160, 139-44	4.9	76
27	Explaining the cardiovascular risk associated with rheumatoid arthritis: traditional risk factors versus markers of rheumatoid arthritis severity. <i>Annals of the Rheumatic Diseases</i> , 2010 , 69, 1920-5	2.4	213
26	Assessing residual confounding of the association between antipsychotic medications and risk of death using survey data. <i>CNS Drugs</i> , 2009 , 23, 171-80	6.7	18
25	Potential causes of higher mortality in elderly users of conventional and atypical antipsychotic medications. <i>Journal of the American Geriatrics Society</i> , 2008 , 56, 1644-50	5.6	78
24	Gender differences in the management and prognosis of myocardial infarction among patients > or = 65 years of age. <i>American Journal of Cardiology</i> , 2008 , 101, 1531-6	3	22
23	Improvements in long-term mortality after myocardial infarction and increased use of cardiovascular drugs after discharge: a 10-year trend analysis. <i>Journal of the American College of Cardiology</i> , 2008 , 51, 1247-54	15.1	150
22	Long-term trends of angiotensin-converting enzyme inhibitor and angiotensin-receptor blocker use after heart failure hospitalization in community-dwelling seniors. <i>International Journal of Cardiology</i> , 2008 , 125, 172-7	3.2	9
21	Tumor necrosis factor-alpha antagonist use and heart failure in elderly patients with rheumatoid arthritis. <i>American Heart Journal</i> , 2008 , 156, 336-41	4.9	76

20	Antihistamine therapy and bone mineral density: analysis in a population-based US sample. <i>American Journal of Medicine</i> , 2008 , 121, 1085-91	2.4	23
19	Comparison of prospective and retrospective indicators of the quality of end-of-life cancer care. <i>Journal of Clinical Oncology</i> , 2008 , 26, 5671-8	2.2	68
18	Associations of kidney function with cardiovascular medication use after myocardial infarction. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2008 , 3, 1415-22	6.9	33
17	Evaluating uses of data mining techniques in propensity score estimation: a simulation study. <i>Pharmacoepidemiology and Drug Safety</i> , 2008 , 17, 546-55	2.6	140
16	Trends in adherence to secondary prevention medications in elderly post-myocardial infarction patients. <i>Pharmacoepidemiology and Drug Safety</i> , 2008 , 17, 1189-96	2.6	106
15	Anti-tumor necrosis factor alpha therapy and the risk of serious bacterial infections in elderly patients with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2007 , 56, 1754-64		230
14	Ten-year trends of cardiovascular drug use after myocardial infarction among community-dwelling persons > or =65 years of age. <i>American Journal of Cardiology</i> , 2007 , 100, 1061-7	3	43
13	Agreement of diagnosis and its date for hematologic malignancies and solid tumors between medicare claims and cancer registry data. <i>Cancer Causes and Control</i> , 2007 , 18, 561-9	2.8	101
12	Statins and the risk of lung, breast, and colorectal cancer in the elderly. <i>Circulation</i> , 2007 , 115, 27-33	16.7	123
11	Bone mineral density in adults with the metabolic syndrome: analysis in a population-based U.S. sample. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 4161-4	5.6	109
10	Ventricular arrhythmias and cerebrovascular events in the elderly using conventional and atypical antipsychotic medications. <i>Journal of Clinical Psychopharmacology</i> , 2007 , 27, 707-10	1.7	33
9	Repeated hospitalizations predict mortality in the community population with heart failure. <i>American Heart Journal</i> , 2007 , 154, 260-6	4.9	361
8	Bone mineral density in older adult patients with rheumatoid arthritis: an analysis of NHANES III. <i>Journal of Rheumatology</i> , 2007 , 34, 1971-5	4.1	7
7	Psychotropic medication use for behavioral symptoms of dementia. <i>Current Neurology and Neuroscience Reports</i> , 2006 , 6, 490-5	6.6	10
6	Tumor necrosis factor alpha antagonist use and cancer in patients with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2006 , 54, 2757-64		189
5	Vitamin C improves attenuated angiotensin II-induced endothelium-dependent vasodilation in human forearm vessels. <i>Hypertension Research</i> , 2003 , 26, 953-9	4.7	28
4	Tetrahydrobiopterin improves impaired endothelium-dependent forearm vasodilation in patients with heart failure. <i>Journal of Cardiovascular Pharmacology</i> , 2002 , 39, 363-8	3.1	48
3	Effect of pravastatin on endothelial function in patients with coronary artery disease (cholesterol-independent effect of pravastatin). <i>American Journal of Cardiology</i> , 2001 , 88, 1291-4	3	76

- 2 Tetrahydrobiopterin improves endothelial dysfunction in coronary microcirculation in patients without epicardial coronary artery disease. *Journal of the American College of Cardiology*, **2001**, 38, 493-8^{15.1} 72
- 1 Noise-enhanced heart rate and sympathetic nerve responses to oscillatory lower body negative pressure in humans. *Journal of Neurophysiology*, **2001**, 86, 559-64 3.2 27