## Veronica Risco-Castillo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3155102/publications.pdf

Version: 2024-02-01

35 papers

1,134 citations

361045 20 h-index 395343 33 g-index

38 all docs 38 docs citations

38 times ranked 1075 citing authors

#	Article	IF	CITATIONS
1	Malaria Sporozoites Traverse Host Cells within Transient Vacuoles. Cell Host and Microbe, 2015, 18, 593-603.	5.1	119
2	Comparison and standardisation of serological methods for the diagnosis of Neospora caninum infection in bovines. Veterinary Parasitology, 2004, 120, 11-22.	0.7	76
3	Isolation and genetic characterization of <i>Neospora caninum</i> from asymptomatic calves in Spain. Parasitology, 2008, 135, 1651-1659.	0.7	76
4	First Isolation of Besnoitia besnoiti from a Chronically Infected Cow in Spain. Journal of Parasitology, 2009, 95, 474-476.	0.3	69
5	Experimental infection with a low virulence isolate of <i>Neospora caninum </i> at 70 days gestation in cattle did not result in foetopathy. Veterinary Research, 2009, 40, 49.	1.1	68
6	A rapid and robust selection procedure for generating drug-selectable marker-free recombinant malaria parasites. Scientific Reports, 2014, 4, 4760.	1.6	63
7	Development and use of an indirect ELISA in an outbreak of bovine besnoitiosis in Spain. Veterinary Record, 2010, 166, 818-822.	0.2	60
8	Identification and molecular cloning of the Neospora caninum SAG4 gene specifically expressed at bradyzoite stagea~†. Molecular and Biochemical Parasitology, 2006, 146, 89-97.	0.5	49
9	Usefulness of rNcGRA7- and rNcSAG4-based ELISA tests for distinguishing primo-infection, recrudescence, and chronic bovine neosporosis. Veterinary Parasitology, 2008, 157, 182-195.	0.7	48
10	Pattern of recognition of Besnoitia besnoiti tachyzoite and bradyzoite antigens by naturally infected cattle. Veterinary Parasitology, 2009, 164, 104-110.	0.7	39
11	COMPARATIVE ANALYSIS OF STRESS AGENTS IN A SIMPLIFIED IN VITRO SYSTEM OF NEOSPORA CANINUM BRADYZOITE PRODUCTION. Journal of Parasitology, 2004, 90, 466-470.	0.3	35
12	COMPARATIVE EFFECT OF NEOSPORA CANINUM INFECTION IN BALB/c MICE AT THREE DIFFERENT GESTATION PERIODS. Journal of Parasitology, 2006, 92, 1286-1291.	0.3	35
13	Failure of a vaccine using immunogenic recombinant proteins rNcSAG4 and rNcGRA7 against neosporosis in mice. Vaccine, 2009, 27, 7331-7338.	1.7	35
14	Molecular characterisation of BSR4, a novel bradyzoite-specific gene from Neospora caninum. International Journal for Parasitology, 2007, 37, 887-896.	1.3	32
15	CD81 is required for rhoptry discharge during host cell invasion by <i>Plasmodium yoelii</i> sporozoites. Cellular Microbiology, 2014, 16, 1533-1548.	1.1	31
16	Interactions of Aspergillus fumigatus and Stenotrophomonas maltophilia in an in vitro Mixed Biofilm Model: Does the Strain Matter?. Frontiers in Microbiology, 2018, 9, 2850.	1.5	29
17	Evaluation of Neospora caninum and Toxoplasma gondii infections in alpaca (Vicugna pacos) and llama (Lama glama) aborted foetuses from Peru. Veterinary Parasitology, 2007, 150, 39-45.	0.7	26
18	Identification of <i>Besnoitia besnoiti</i> proteins that showed differences in abundance between tachyzoite and bradyzoite stages by difference gel electrophoresis. Parasitology, 2013, 140, 999-1008.	0.7	26

#	Article	IF	Citations
19	Gut Microbiota Abrogates Anti-α-Gal IgA Response in Lungs and Protects against Experimental Aspergillus Infection in Poultry. Vaccines, 2020, 8, 285.	2.1	26
20	Identification of <i>Neospora caninum</i> proteins regulated during the differentiation process from tachyzoite to bradyzoite stage by DIGE. Proteomics, 2010, 10, 1740-1750.	1.3	25
21	Aspergillosis in Wild Birds. Journal of Fungi (Basel, Switzerland), 2021, 7, 241.	1.5	25
22	Stage-specific expression of Nc <i>SAG4</i> as a marker of chronic <i>Neospora caninum</i> infection in a mouse model. Parasitology, 2009, 136, 757-764.	0.7	19
23	Evaluation of the protection conferred by a naturally attenuated Neospora caninum isolate against congenital and cerebral neosporosis in mice. Veterinary Research, 2012, 43, 62.	1.1	19
24	Infection with Toxocara canis Inhibits the Production of IgE Antibodies to $\hat{l}_{\pm}$ -Gal in Humans: Towards a Conceptual Framework of the Hygiene Hypothesis?. Vaccines, 2020, 8, 167.	2.1	17
25	Effects of Neospora caninum Infection at Mid-Gestation on Placenta in a Pregnant Mouse Model. Journal of Parasitology, 2010, 96, 1017-1020.	0.3	16
26	Detection and Control of Dermatophytosis in Wild European Hedgehogs (Erinaceus europaeus) Admitted to a French Wildlife Rehabilitation Centre. Journal of Fungi (Basel, Switzerland), 2021, 7, 74.	1.5	15
27	Characterisation of NcGRA7 and NcSAG4 proteins: Immunolocalisation and their role in the host cell invasion by Neospora caninum tachyzoites. Acta Parasitologica, 2010, 55, .	0.4	14
28	Identification of a gene cluster for cell-surface genes of the SRS superfamily in <i>Neospora caninum</i> and characterization of the novel <i>SRS9</i> gene. Parasitology, 2011, 138, 1832-1842.	0.7	13
29	Health impact evaluation of alternative management systems in vicuña (Vicugna vicugna mensalis) populations in Peru. Tropical Animal Health and Production, 2014, 46, 641-646.	0.5	6
30	Cellular and molecular insights on the regulation of innate immune responses to experimental aspergillosis in chicken and turkey poults. Medical Mycology, 2021, 59, 465-475.	0.3	6
31	Assessment of the Safety and Efficacy of an Oral Probiotic-Based Vaccine Against Aspergillus Infection in Captive-Bred Humboldt Penguins (Spheniscus humboldti). Frontiers in Immunology, 2022, 13, .	2.2	5
32	The Host Protein Aquaporin-9 is Required for Efficient Plasmodium falciparum Sporozoite Entry into Human Hepatocytes. Frontiers in Cellular and Infection Microbiology, 2021, 11, 704662.	1.8	4
33	Investigations upon the Improvement of Dermatophyte Identification Using an Online Mass Spectrometry Application. Journal of Fungi (Basel, Switzerland), 2022, 8, 73.	1.5	3
34	Antifungal susceptibility testing practices in mycology laboratories in France, 2018. Journal De Mycologie Medicale, 2020, 30, 100970.	0.7	2
35	Pathological and immunological findings in placentas from pregnant BALB/c mice infected with Neospora caninum at early and late stages of gestation. Acta Parasitologica, 2011, 56, .	0.4	1