

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3155471/publications.pdf>

Version: 2024-02-01

176
papers

29,377
citations

5876

81
h-index

5806

161
g-index

189
all docs

189
docs citations

189
times ranked

23037
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Deficient long-term memory in mice with a targeted mutation of the cAMP-responsive element-binding protein. <i>Cell</i> , 1994, 79, 59-68. | 13.5 | 1,725 |
| 2 | CREB AND MEMORY. <i>Annual Review of Neuroscience</i> , 1998, 21, 127-148. | 5.0 | 1,345 |
| 3 | Behavioral phenotypes of inbred mouse strains: implications and recommendations for molecular studies. <i>Psychopharmacology</i> , 1997, 132, 107-124. | 1.5 | 1,283 |
| 4 | Memory Reconsolidation and Extinction Have Distinct Temporal and Biochemical Signatures. <i>Journal of Neuroscience</i> , 2004, 24, 4787-4795. | 1.7 | 1,010 |
| 5 | Autophosphorylation at Thr286 of the Ca^{2+} /Calmodulin Kinase II in LTP and Learning. <i>Science</i> , 1998, 279, 870-873. | 6.0 | 990 |
| 6 | Dnmt1 and Dnmt3a maintain DNA methylation and regulate synaptic function in adult forebrain neurons. <i>Nature Neuroscience</i> , 2010, 13, 423-430. | 7.1 | 892 |
| 7 | The Involvement of the Anterior Cingulate Cortex in Remote Contextual Fear Memory. <i>Science</i> , 2004, 304, 881-883. | 6.0 | 805 |
| 8 | Reversal of learning deficits in a <i>Tsc2</i> ^{+/-} mouse model of tuberous sclerosis. <i>Nature Medicine</i> , 2008, 14, 843-848. | 15.2 | 771 |
| 9 | A shared neural ensemble links distinct contextual memories encoded close in time. <i>Nature</i> , 2016, 534, 115-118. | 13.7 | 756 |
| 10 | Modified hippocampal long-term potentiation in PKC δ -mutant mice. <i>Cell</i> , 1993, 75, 1253-1262. | 13.5 | 643 |
| 11 | Neuronal Competition and Selection During Memory Formation. <i>Science</i> , 2007, 316, 457-460. | 6.0 | 573 |
| 12 | CREB required for the stability of new and reactivated fear memories. <i>Nature Neuroscience</i> , 2002, 5, 348-355. | 7.1 | 554 |
| 13 | Mechanism for the learning deficits in a mouse model of neurofibromatosis type 1. <i>Nature</i> , 2002, 415, 526-530. | 13.7 | 541 |
| 14 | Forebrain Engraftment by Human Glial Progenitor Cells Enhances Synaptic Plasticity and Learning in Adult Mice. <i>Cell Stem Cell</i> , 2013, 12, 342-353. | 5.2 | 517 |
| 15 | Calmodulin-Kinases: Modulators of Neuronal Development and Plasticity. <i>Neuron</i> , 2008, 59, 914-931. | 3.8 | 506 |
| 16 | Selective cognitive dysfunction in acetylcholine M1 muscarinic receptor mutant mice. <i>Nature Neuroscience</i> , 2003, 6, 51-58. | 7.1 | 487 |
| 17 | CREB regulates excitability and the allocation of memory to subsets of neurons in the amygdala. <i>Nature Neuroscience</i> , 2009, 12, 1438-1443. | 7.1 | 455 |
| 18 | Matrix Metalloproteinase-9 Is Required for Hippocampal Late-Phase Long-Term Potentiation and Memory. <i>Journal of Neuroscience</i> , 2006, 26, 1923-1934. | 1.7 | 434 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | The dorsal hippocampus is essential for context discrimination but not for contextual conditioning.. Behavioral Neuroscience, 1998, 112, 863-874. | 0.6 | 429 |
| 20 | Long-term memory underlying hippocampus-dependent social recognition in mice. , 2000, 10, 47-56. | | 420 |
| 21 | Neurofibromin Regulation of ERK Signaling Modulates GABA Release and Learning. Cell, 2008, 135, 549-560. | 13.5 | 384 |
| 22 | Î±-CaMKII-dependent plasticity in the cortex is required for permanent memory. Nature, 2001, 411, 309-313. | 13.7 | 368 |
| 23 | The HMG-CoA Reductase Inhibitor Lovastatin Reverses the Learning and Attention Deficits in a Mouse Model of Neurofibromatosis Type 1. Current Biology, 2005, 15, 1961-1967. | 1.8 | 361 |
| 24 | A mouse model for the learning and memory deficits associated with neurofibromatosis type I. Nature Genetics, 1997, 15, 281-284. | 9.4 | 336 |
| 25 | Spaced training induces normal long-term memory in CREB mutant mice. Current Biology, 1997, 7, 1-11. | 1.8 | 322 |
| 26 | The molecular and cellular biology of enhanced cognition. Nature Reviews Neuroscience, 2009, 10, 126-140. | 4.9 | 303 |
| 27 | New Circuits for Old Memories. Neuron, 2004, 44, 101-108. | 3.8 | 293 |
| 28 | MAPK, CREB and zif268 are all required for the consolidation of recognition memory. Philosophical Transactions of the Royal Society B: Biological Sciences, 2003, 358, 805-814. | 1.8 | 274 |
| 29 | Inhibitory Autophosphorylation of CaMKII Controls PSD Association, Plasticity, and Learning. Neuron, 2002, 36, 493-505. | 3.8 | 273 |
| 30 | Memory formation depends on both synapse-specific modifications of synaptic strength and cell-specific increases in excitability. Nature Neuroscience, 2018, 21, 309-314. | 7.1 | 260 |
| 31 | Molecular and cellular cognitive studies of the role of synaptic plasticity in memory. Journal of Neurobiology, 2003, 54, 224-237. | 3.7 | 256 |
| 32 | Memory for context becomes less specific with time. Learning and Memory, 2007, 14, 313-317. | 0.5 | 249 |
| 33 | CCR5 Is a Therapeutic Target for Recovery after Stroke and Traumatic Brain Injury. Cell, 2019, 176, 1143-1157.e13. | 13.5 | 249 |
| 34 | Derangements of Hippocampal Calcium/Calmodulin-Dependent Protein Kinase II in a Mouse Model for Angelman Mental Retardation Syndrome. Journal of Neuroscience, 2003, 23, 2634-2644. | 1.7 | 240 |
| 35 | The Hippocampus Plays a Selective Role in the Retrieval of Detailed Contextual Memories. Current Biology, 2010, 20, 1336-1344. | 1.8 | 229 |
| 36 | Stability of recent and remote contextual fear memory. Learning and Memory, 2006, 13, 451-457. | 0.5 | 217 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Molecular and Cellular Approaches to Memory Allocation in Neural Circuits. <i>Science</i> , 2009, 326, 391-395. | 6.0 | 213 |
| 38 | CaMKII binding to GluN2B is critical during memory consolidation. <i>EMBO Journal</i> , 2012, 31, 1203-1216. | 3.5 | 207 |
| 39 | Synaptic tagging during memory allocation. <i>Nature Reviews Neuroscience</i> , 2014, 15, 157-169. | 4.9 | 203 |
| 40 | Learning and Memory Deficits in Notch Mutant Mice. <i>Current Biology</i> , 2003, 13, 1348-1354. | 1.8 | 200 |
| 41 | Specific developmental disruption of disrupted-in-schizophrenia-1 function results in schizophrenia-related phenotypes in mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 18280-18285. | 3.3 | 198 |
| 42 | Rapamycin for treating Tuberous sclerosis and Autism spectrum disorders. <i>Trends in Molecular Medicine</i> , 2011, 17, 78-87. | 3.5 | 194 |
| 43 | Encoding and storage of spatial information in the retrosplenial cortex. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 8661-8666. | 3.3 | 189 |
| 44 | Functional and Molecular Aspects of Voltage-Gated K ⁺ Channel beta Subunits. <i>Annals of the New York Academy of Sciences</i> , 1999, 868, 344-355. | 1.8 | 187 |
| 45 | Learning deficits, but normal development and tumor predisposition, in mice lacking exon 23a of Nf1. <i>Nature Genetics</i> , 2001, 27, 399-405. | 9.4 | 187 |
| 46 | Reversing Neurodevelopmental Disorders in Adults. <i>Neuron</i> , 2008, 60, 950-960. | 3.8 | 180 |
| 47 | Effect of Simvastatin on Cognitive Functioning in Children With Neurofibromatosis Type 1. <i>JAMA - Journal of the American Medical Association</i> , 2008, 300, 287. | 3.8 | 175 |
| 48 | Abnormal Hippocampal Spatial Representations in CaMKII286A and CREB Mice. <i>Science</i> , 1998, 279, 867-869. | 6.0 | 173 |
| 49 | Modulation of Presynaptic Plasticity and Learning by the H-ras/Extracellular Signal-Regulated Kinase/Synapsin I Signaling Pathway. <i>Journal of Neuroscience</i> , 2005, 25, 9721-9734. | 1.7 | 170 |
| 50 | Impaired learning in mice with abnormal short-lived plasticity. <i>Current Biology</i> , 1996, 6, 1509-1518. | 1.8 | 169 |
| 51 | Interactions between the NR2B Receptor and CaMKII Modulate Synaptic Plasticity and Spatial Learning. <i>Journal of Neuroscience</i> , 2007, 27, 13843-13853. | 1.7 | 169 |
| 52 | DNA hypomethylation restricted to the murine forebrain induces cortical degeneration and impairs postnatal neuronal maturation. <i>Human Molecular Genetics</i> , 2009, 18, 2875-2888. | 1.4 | 169 |
| 53 | Computer-Assisted Behavioral Assessment of Pavlovian Fear Conditioning in Mice. <i>Learning and Memory</i> , 2000, 7, 58-72. | 0.5 | 150 |
| 54 | Synaptic clustering within dendrites: An emerging theory of memory formation. <i>Progress in Neurobiology</i> , 2015, 126, 19-35. | 2.8 | 149 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Neurofibromin regulates corticostriatal inhibitory networks during working memory performance. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 13141-13146. | 3.3 | 144 |
| 56 | CaMKII "Autonomy" Is Required for Initiating But Not for Maintaining Neuronal Long-Term Information Storage. <i>Journal of Neuroscience</i> , 2010, 30, 8214-8220. | 1.7 | 141 |
| 57 | Deletion of the Neuron-Specific Protein Delta-Catenin Leads to Severe Cognitive and Synaptic Dysfunction. <i>Current Biology</i> , 2004, 14, 1657-1663. | 1.8 | 137 |
| 58 | Reduced K ⁺ Channel Inactivation, Spike Broadening, and After-Hyperpolarization in Kv ^{2.1.1} -Deficient Mice with Impaired Learning. <i>Learning and Memory</i> , 1998, 5, 257-273. | 0.5 | 135 |
| 59 | Hippocampus-dependent learning and memory is impaired in mice lacking the Ras-guanine-nucleotide releasing factor 1 (Ras-GRF1). <i>Neuropharmacology</i> , 2001, 41, 791-800. | 2.0 | 134 |
| 60 | Hotspots of dendritic spine turnover facilitate clustered spine addition and learning and memory. <i>Nature Communications</i> , 2018, 9, 422. | 5.8 | 131 |
| 61 | Breakdown of spatial coding and interneuron synchronization in epileptic mice. <i>Nature Neuroscience</i> , 2020, 23, 229-238. | 7.1 | 126 |
| 62 | The $\hat{\pm}$ -Ca ²⁺ /calmodulin kinase II: A bidirectional modulator of presynaptic plasticity. <i>Neuron</i> , 1995, 14, 591-597. | 3.8 | 125 |
| 63 | Consolidation of CS and US representations in associative fear conditioning. <i>Hippocampus</i> , 2004, 14, 557-569. | 0.9 | 125 |
| 64 | All the light that we can see: a new era in miniaturized microscopy. <i>Nature Methods</i> , 2019, 16, 11-13. | 9.0 | 125 |
| 65 | CCR5 is a suppressor for cortical plasticity and hippocampal learning and memory. <i>ELife</i> , 2016, 5, . | 2.8 | 122 |
| 66 | Central nervous system myelination in mice with deficient expression of Notch1 receptor. <i>Journal of Neuroscience Research</i> , 2002, 67, 309-320. | 1.3 | 121 |
| 67 | Mechanism and treatment for learning and memory deficits in mouse models of Noonan syndrome. <i>Nature Neuroscience</i> , 2014, 17, 1736-1743. | 7.1 | 120 |
| 68 | Ibotenate lesions of the hippocampus impair spatial learning but not contextual fear conditioning in mice. <i>Behavioural Brain Research</i> , 1998, 98, 77-87. | 1.2 | 117 |
| 69 | Molecular mechanisms of synaptic plasticity and memory. <i>Current Opinion in Neurobiology</i> , 1999, 9, 209-213. | 2.0 | 113 |
| 70 | Autophosphorylation of $\hat{\pm}$ CaMKII Is Required for Ocular Dominance Plasticity. <i>Neuron</i> , 2002, 36, 483-491. | 3.8 | 112 |
| 71 | Inducible, pharmacogenetic approaches to the study of learning and memory. <i>Nature Neuroscience</i> , 2001, 4, 1238-1243. | 7.1 | 102 |
| 72 | Increased Neuronal Excitability, Synaptic Plasticity, and Learning in Aged Kv ^{2.1.1} Knockout Mice. <i>Current Biology</i> , 2004, 14, 1907-1915. | 1.8 | 102 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Deficient Plasticity in the Primary Visual Cortex of $\hat{\pm}$ -Calcium/Calmodulin-Dependent Protein Kinase II Mutant Mice. <i>Neuron</i> , 1996, 17, 491-499. | 3.8 | 97 |
| 74 | Ischemia-Induced Neuronal Damage: A Role for Calcium/Calmodulin-Dependent Protein Kinase II. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1996, 16, 1-6. | 2.4 | 97 |
| 75 | Essential role of B-Raf in ERK activation during extraembryonic development. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 1325-1330. | 3.3 | 96 |
| 76 | Genetic Approaches to Molecular and Cellular Cognition: A Focus on LTP and Learning and Memory. <i>Annual Review of Genetics</i> , 2002, 36, 687-720. | 3.2 | 95 |
| 77 | mTOR Inhibition Ameliorates Cognitive and Affective Deficits Caused by <i>Disc1</i> Knockdown in Adult-Born Dentate Granule Neurons. <i>Neuron</i> , 2013, 77, 647-654. | 3.8 | 94 |
| 78 | CREB Regulates Memory Allocation in the Insular Cortex. <i>Current Biology</i> , 2014, 24, 2833-2837. | 1.8 | 94 |
| 79 | Associative Fear Learning Enhances Sparse Network Coding in Primary Sensory Cortex. <i>Neuron</i> , 2012, 75, 121-132. | 3.8 | 92 |
| 80 | Maternal Inflammation Contributes to Brain Overgrowth and Autism-Associated Behaviors through Altered Redox Signaling in Stem and Progenitor Cells. <i>Stem Cell Reports</i> , 2014, 3, 725-734. | 2.3 | 89 |
| 81 | Neurofibromatosis Type 1: Modeling CNS Dysfunction. <i>Journal of Neuroscience</i> , 2012, 32, 14087-14093. | 1.7 | 88 |
| 82 | The CRE/CREB Pathway Is Transiently Expressed in Thalamic Circuit Development and Contributes to Refinement of Retinogeniculate Axons. <i>Neuron</i> , 2001, 31, 409-420. | 3.8 | 86 |
| 83 | Targeting learning. <i>Trends in Neurosciences</i> , 1994, 17, 71-75. | 4.2 | 85 |
| 84 | Molecular, Cellular, and Neuroanatomical Substrates of Place Learning. <i>Neurobiology of Learning and Memory</i> , 1998, 70, 44-61. | 1.0 | 83 |
| 85 | Linking Memories across Time via Neuronal and Dendritic Overlaps in Model Neurons with Active Dendrites. <i>Cell Reports</i> , 2016, 17, 1491-1504. | 2.9 | 80 |
| 86 | Notch to remember. <i>Trends in Neurosciences</i> , 2005, 28, 429-435. | 4.2 | 78 |
| 87 | Randomized placebo-controlled study of lovastatin in children with neurofibromatosis type 1. <i>Neurology</i> , 2016, 87, 2575-2584. | 1.5 | 76 |
| 88 | Molecular and cellular mechanisms of memory allocation in neuronetworks. <i>Neurobiology of Learning and Memory</i> , 2008, 89, 285-292. | 1.0 | 75 |
| 89 | Neurofibromatosis type 1: New insights into neurocognitive issues. <i>Current Neurology and Neuroscience Reports</i> , 2006, 6, 136-143. | 2.0 | 73 |
| 90 | Essential role of B-Raf in oligodendrocyte maturation and myelination during postnatal central nervous system development. <i>Journal of Cell Biology</i> , 2008, 180, 947-955. | 2.3 | 72 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | The RAS Effector RIN1 Modulates the Formation of Aversive Memories. <i>Journal of Neuroscience</i> , 2003, 23, 748-757. | 1.7 | 68 |
| 92 | Forebrain-specific knockout of B-raf kinase leads to deficits in hippocampal long-term potentiation, learning, and memory. <i>Journal of Neuroscience Research</i> , 2006, 83, 28-38. | 1.3 | 67 |
| 93 | Review Article : Molecular and Cellular Mechanisms Underlying the Cognitive Deficits Associated With Neurofibromatosis 1. <i>Journal of Child Neurology</i> , 2002, 17, 622-626. | 0.7 | 64 |
| 94 | Alterations in White Matter Microstructure in Neurofibromatosis-1. <i>PLoS ONE</i> , 2012, 7, e47854. | 1.1 | 61 |
| 95 | Mouse models of neurofibromatosis type I: bridging the GAP. <i>Trends in Molecular Medicine</i> , 2003, 9, 19-23. | 3.5 | 57 |
| 96 | GENE TARGETING AND THE BIOLOGY OF LEARNING AND MEMORY. <i>Annual Review of Genetics</i> , 1997, 31, 527-546. | 3.2 | 56 |
| 97 | Testing the excitation/inhibition imbalance hypothesis in a mouse model of the autism spectrum disorder: in vivo neurospectroscopy and molecular evidence for regional phenotypes. <i>Molecular Autism</i> , 2017, 8, 47. | 2.6 | 55 |
| 98 | NMDA Mediated Contextual Conditioning Changes miRNA Expression. <i>PLoS ONE</i> , 2011, 6, e24682. | 1.1 | 53 |
| 99 | Randomised controlled trial of simvastatin treatment for autism in young children with neurofibromatosis type 1 (SANTA). <i>Molecular Autism</i> , 2018, 9, 12. | 2.6 | 52 |
| 100 | Dissociated Fear and Spatial Learning in Mice with Deficiency of Ataxin-2. <i>PLoS ONE</i> , 2009, 4, e6235. | 1.1 | 50 |
| 101 | Plastic genes are in!. <i>Current Opinion in Neurobiology</i> , 1994, 4, 413-420. | 2.0 | 49 |
| 102 | Kinase activity is not required for $\hat{\pm}$ CaMKII-dependent presynaptic plasticity at CA3-CA1 synapses. <i>Nature Neuroscience</i> , 2007, 10, 1125-1127. | 7.1 | 49 |
| 103 | A-Raf and B-Raf Are Dispensable for Normal Endochondral Bone Development, and Parathyroid Hormone-Related Peptide Suppresses Extracellular Signal-Regulated Kinase Activation in Hypertrophic Chondrocytes. <i>Molecular and Cellular Biology</i> , 2008, 28, 344-357. | 1.1 | 49 |
| 104 | Increased Levels of Anxiety-related Behaviors in a Tsc2 Dominant Negative Transgenic Mouse Model of Tuberous Sclerosis. <i>Behavior Genetics</i> , 2011, 41, 357-363. | 1.4 | 45 |
| 105 | A randomized placebo-controlled lovastatin trial for neurobehavioral function in neurofibromatosis I. <i>Annals of Clinical and Translational Neurology</i> , 2016, 3, 266-279. | 1.7 | 44 |
| 106 | Importance of strain differences in evaluations of learning and memory processes in null mutants. <i>Mental Retardation and Developmental Disabilities Research Reviews</i> , 1996, 2, 243-248. | 3.5 | 43 |
| 107 | Advances and Future Directions for Tuberous Sclerosis Complex Research: Recommendations From the 2015 Strategic Planning Conference. <i>Pediatric Neurology</i> , 2016, 60, 1-12. | 1.0 | 43 |
| 108 | MAPK Signaling Determines Anxiety in the Juvenile Mouse Brain but Depression-Like Behavior in Adults. <i>PLoS ONE</i> , 2012, 7, e35035. | 1.1 | 41 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 109 | CCR5 closes the temporal window for memory linking. <i>Nature</i> , 2022, 606, 146-152. | 13.7 | 40 |
| 110 | Temporal and Region-Specific Requirements of $\hat{\pm}$ CaMKII in Spatial and Contextual Learning. <i>Journal of Neuroscience</i> , 2014, 34, 11180-11187. | 1.7 | 39 |
| 111 | Investigation of Age-Related Cognitive Decline Using Mice as a Model System: Behavioral Correlates. <i>American Journal of Geriatric Psychiatry</i> , 2006, 14, 1004-1011. | 0.6 | 36 |
| 112 | Adult reversal of cognitive phenotypes in neurodevelopmental disorders. <i>Journal of Neurodevelopmental Disorders</i> , 2009, 1, 150-157. | 1.5 | 36 |
| 113 | Autophosphorylation of $\hat{\pm}$ CaMKII is differentially involved in new learning and unlearning mechanisms of memory extinction. <i>Learning and Memory</i> , 2008, 15, 837-843. | 0.5 | 35 |
| 114 | A Pharmacogenetic Inducible Approach to the Study of NMDA/ $\hat{\pm}$ CaMKII Signaling in Synaptic Plasticity. <i>Current Biology</i> , 2002, 12, 654-656. | 1.8 | 34 |
| 115 | Differential effects of $\hat{\pm}$ CaMKII mutation on hippocampal learning and changes in intrinsic neuronal excitability. <i>European Journal of Neuroscience</i> , 2006, 23, 2235-2240. | 1.2 | 34 |
| 116 | Excitatory neuron-specific SHP2-ERK signaling network regulates synaptic plasticity and memory. <i>Science Signaling</i> , 2019, 12, . | 1.6 | 30 |
| 117 | The Learning Disabilities Network (LeaDNet): Using neurofibromatosis type 1 (NF1) as a paradigm for translational research. <i>American Journal of Medical Genetics, Part A</i> , 2012, 158A, 2225-2232. | 0.7 | 29 |
| 118 | Resting state functional \langle sc \rangle MRI \rangle reveals abnormal network connectivity in neurofibromatosis 1. <i>Human Brain Mapping</i> , 2015, 36, 4566-4581. | 1.9 | 29 |
| 119 | Molecular and Cellular Mechanisms for Trapping and Activating Emotional Memories. <i>PLoS ONE</i> , 2016, 11, e0161655. | 1.1 | 29 |
| 120 | A High Through-Put Reverse Genetic Screen Identifies Two Genes Involved in Remote Memory in Mice. <i>PLoS ONE</i> , 2008, 3, e2121. | 1.1 | 28 |
| 121 | Investigation of Age-Related Cognitive Decline Using Mice as a Model System: Neurophysiological Correlates. <i>American Journal of Geriatric Psychiatry</i> , 2006, 14, 1012-1021. | 0.6 | 27 |
| 122 | Muscleblind1, but Not Dmpk or Six5, Contributes to a Complex Phenotype of Muscular and Motivational Deficits in Mouse Models of Myotonic Dystrophy. <i>PLoS ONE</i> , 2010, 5, e9857. | 1.1 | 27 |
| 123 | Alteration of cardiovascular and neuronal function in M1 knockout mice. <i>Life Sciences</i> , 2001, 68, 2489-2493. | 2.0 | 26 |
| 124 | Fear-potentiated startle, but not prepulse inhibition of startle, is impaired in CREB $\hat{\pm}$ / $\hat{\pm}$ mutant mice.. <i>Behavioral Neuroscience</i> , 2000, 114, 998-1004. | 0.6 | 25 |
| 125 | Molecular and cellular mechanisms of cognitive function: implications for psychiatric disorders. <i>Biological Psychiatry</i> , 2000, 47, 200-209. | 0.7 | 25 |
| 126 | Trace eyeblink conditioning requires the hippocampus but not autophosphorylation of $\hat{\pm}$ CaMKII in mice. <i>Learning and Memory</i> , 2005, 12, 211-215. | 0.5 | 22 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 127 | Spatial working memory in neurofibromatosis 1: Altered neural activity and functional connectivity. <i>NeuroImage: Clinical</i> , 2017, 15, 801-811. | 1.4 | 22 |
| 128 | Miniaturized two-photon microscope: seeing clearer and deeper into the brain. <i>Light: Science and Applications</i> , 2017, 6, e17104-e17104. | 7.7 | 22 |
| 129 | Pharmacological blockers of CCR5 and CXCR4 improve recovery after traumatic brain injury. <i>Experimental Neurology</i> , 2021, 338, 113604. | 2.0 | 22 |
| 130 | Dorsal premammillary projection to periaqueductal gray controls escape vigor from innate and conditioned threats. <i>ELife</i> , 2021, 10, . | 2.8 | 22 |
| 131 | Chapter 1 The gene knockout technology for the analysis of learning and memory, and neural development. <i>Progress in Brain Research</i> , 1995, 105, 3-14. | 0.9 | 21 |
| 132 | The molecules of forgetfulness. <i>Nature</i> , 2002, 418, 929-930. | 13.7 | 21 |
| 133 | Constitutively active H-ras accelerates multiple forms of plasticity in developing visual cortex. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 19026-19031. | 3.3 | 21 |
| 134 | Genetics and neuropsychiatric disorders: Treatment during adulthood. <i>Nature Medicine</i> , 2009, 15, 849-850. | 15.2 | 20 |
| 135 | The Antimetabolite ara-CTP Blocks Long-Term Memory of Conditioned Taste Aversion. <i>Learning and Memory</i> , 2003, 10, 503-509. | 0.5 | 18 |
| 136 | Enhancement of Brain-Serine Mediates Recovery of Cognitive Function after Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2018, 35, 1667-1680. | 1.7 | 18 |
| 137 | Dimensions and mechanisms of memory organization. <i>Neuron</i> , 2021, 109, 2649-2662. | 3.8 | 18 |
| 138 | cAMP and memory: A seminal lesson from <i>Drosophila</i> and <i>Aplysia</i> . <i>Brain Research Bulletin</i> , 1999, 50, 441-442. | 1.4 | 17 |
| 139 | Molecular and Cellular Cognition. <i>Cell</i> , 2004, 117, 3-4. | 13.5 | 14 |
| 140 | Human Memories Can Be Linked by Temporal Proximity. <i>Frontiers in Human Neuroscience</i> , 2019, 13, 315. | 1.0 | 14 |
| 141 | Chemokine Receptors CC Chemokine Receptor 5 and C-X-C Motif Chemokine Receptor 4 Are New Therapeutic Targets for Brain Recovery after Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2021, 38, 2003-2017. | 1.7 | 14 |
| 142 | The science of research: The principles underlying the discovery of cognitive and other biological mechanisms. <i>Journal of Physiology (Paris)</i> , 2007, 101, 203-213. | 2.1 | 13 |
| 143 | Blockade of cyclic AMP-responsive element DNA binding in the brain of CREB ^{+/±} mutant mice. <i>NeuroReport</i> , 2000, 11, 2577-2579. | 0.6 | 12 |
| 144 | Postnatal immune activation causes social deficits in a mouse model of tuberous sclerosis: Role of microglia and clinical implications. <i>Science Advances</i> , 2021, 7, eabf2073. | 4.7 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 145 | Modeling hyperactivity: of mice and men. <i>Nature Medicine</i> , 2011, 17, 541-542. | 15.2 | 10 |
| 146 | Memory's Intricate Web. <i>Scientific American</i> , 2017, 317, 30-37. | 1.0 | 10 |
| 147 | Noonan syndrome-associated SHP2 mutation differentially modulates the expression of postsynaptic receptors according to developmental maturation. <i>Neuroscience Letters</i> , 2017, 649, 41-47. | 1.0 | 10 |
| 148 | The Need for Research Maps to Navigate Published Work and Inform Experiment Planning. <i>Neuron</i> , 2013, 79, 411-415. | 3.8 | 9 |
| 149 | Weaving the Molecular and Cognitive Strands of Memory. <i>Neuron</i> , 2001, 32, 557-559. | 3.8 | 8 |
| 150 | The need for novel informatics tools for integrating and planning research in molecular and cellular cognition. <i>Learning and Memory</i> , 2015, 22, 494-498. | 0.5 | 8 |
| 151 | Î±-Calcium Calmodulin Kinase II Modulates the Temporal Structure of Hippocampal Bursting Patterns. <i>PLoS ONE</i> , 2012, 7, e31649. | 1.1 | 7 |
| 152 | The emergence of molecular systems neuroscience. <i>Molecular Brain</i> , 2022, 15, 7. | 1.3 | 7 |
| 153 | Pharmacologically Regulated Induction of Silent Mutations (PRISM): Combined Pharmacological and Genetic Approaches for Learning and Memory. <i>Neuroscientist</i> , 2003, 9, 104-109. | 2.6 | 6 |
| 154 | Computer-Aided Experiment Planning toward Causal Discovery in Neuroscience. <i>Frontiers in Neuroinformatics</i> , 2017, 11, 12. | 1.3 | 6 |
| 155 | The Science of Research and the Search for Molecular Mechanisms of Cognitive Functions. , 2009, , . | | 5 |
| 156 | Gene Targeting. , 1998, , 89-142. | | 5 |
| 157 | ResearchMaps.org for integrating and planning research. <i>PLoS ONE</i> , 2018, 13, e0195271. | 1.1 | 4 |
| 158 | Risky Decision Making in Neurofibromatosis Type 1: An Exploratory Study. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2017, 2, 170-179. | 1.1 | 2 |
| 159 | Translating literature into causal graphs: Toward automated experiment selection. , 2017, , . | | 2 |
| 160 | Novel measures of Morris water maze performance that use vector field maps to assess accuracy, uncertainty, and intention of navigational searches. <i>Hippocampus</i> , 2022, 32, 264-285. | 0.9 | 2 |
| 161 | Chapter XIII CREB, plasticity and memory. <i>Handbook of Chemical Neuroanatomy</i> , 2002, 19, 329-361. | 0.3 | 1 |
| 162 | CREB: A Cornerstone of Memory Consolidation?. , 2005, , 359-380. | | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Trafficking in emotions. <i>Nature Neuroscience</i> , 2005, 8, 548-550. | 7.1 | 1 |
| 164 | <i>Animal Creativity</i> . , 2015, , 213-237. | | 1 |
| 165 | <i>Allocating, Tagging, and Linking Memories</i> . , 2017, , 621-636. | | 1 |
| 166 | From genes to therapies: the role of animal models. <i>Clinical Neuroscience Research</i> , 2001, 1, 187-193. | 0.8 | 0 |
| 167 | <i>Molecular and Cellular Mechanisms of Learning Disabilities: A Focus on Neurofibromatosis Type I</i> . , 2008, , 77-92. | | 0 |
| 168 | A career that transformed neuroscience. <i>Brain Research Bulletin</i> , 2011, 86, 285-286. | 1.4 | 0 |
| 169 | <i>Genetic Approaches to Memory</i> . , 2015, , 905-907. | | 0 |
| 170 | Cover Image, Volume 26, Issue 10. <i>Hippocampus</i> , 2016, 26, C1-C1. | 0.9 | 0 |
| 171 | Experiment Selection in Meta-Analytic Piecemeal Causal Discovery. <i>IEEE Access</i> , 2021, 9, 97929-97941. | 2.6 | 0 |
| 172 | Towards a Molecular and Cellular Understanding of Remote Memory. <i>Research and Perspectives in Neurosciences</i> , 2007, , 59-67. | 0.4 | 0 |
| 173 | <i>Molecular and Cellular Approaches to Cognitive Impairments Associated with NF1 and Other Rasopathies</i> . , 2012, , 569-588. | | 0 |
| 174 | <i>Identification of Molecular and Cellular Mechanisms of Learning and Memory</i> . , 1998, , 67-82. | | 0 |
| 175 | L'œuvres anatomie du souvenir. , 2017, N° 91, 26-34. | | 0 |
| 176 | Role of Type I Interferon Signaling and Microglia in the Abnormal Long-term Potentiation and Object Place Recognition Deficits of Male Mice With a Mutation of the Tuberous Sclerosis 2 Gene. <i>Biological Psychiatry Global Open Science</i> , 2023, 3, 451-459. | 1.0 | 0 |